SENECA HEALTHCARE DISTRICT *SPECIAL* BOARD MEETING MINUTES

Lake Almanor Clinic (LAC) Conference Room, 199 Reynolds Road, Chester, CA October 24th, 2023 - at 10:00 a.m.

- 1) Call to Order. President, Jerri Nielsen, called the Special Board Meeting to order at 10:08am (late start due to technical difficulties).
- **2) Board Members Roll Call.** The President acknowledged the following Board Members as present/absent:

Jerri Nielsen, President - Present Sherrie Thrall, Vice-President - Present Rich Rydell, Treasurer – Joined via ZOOM at 11:22am Ken Crandall, Secretary - Present Shelley Stelzner, Assistant Secretary-Treasurer - Present

- 3) Pledge of Allegiance was led by Jerri Nielsen @ 10:09am.
- **4) Modifications to, or Deletions from the Agenda.** No requests for modifications or deletions were made by the Board Members.
- 5) Approval of the Agenda.

Sherrie Thrall motioned to approve the NTP 3R1 as presented. Kenneth Crandall seconded the motion. Motion approved by roll call vote. Kenneth Crandall: Aye; Sherrie Thrall: Aye; Shelley Stelzner: Aye; Jerri Nielsen: Aye; Rich Ridell absent.

6) Closed Session Announcement.

The Board will meet in Closed Session pursuant to: **Health and Safety Code §32106** – Report(s) involving Trade Secrets.

7) Public Comment(s) Period.

This is an opportunity for public attendees to address the Board regarding items which are not on the agenda. Please state your name for the record. Comments are limited to three (3) minutes. Written comments should be submitted to the Board Clerk 24 hours <u>prior</u> to the meeting to allow for distribution. Under Government Code §54954.2 of the Brown Act, the Board cannot act on any item that is not listed on the agenda. The Board Chair may choose to acknowledge the comment. When appropriate, the Board Chair may briefly answer question; refer the matter to staff; or move to set the item for discussion at a future meeting.

8) The Board Responds to Public Comment(s). There were no comments, questions or concerns submitted to the Board prior to the meeting. Nor were there any community members present at the meeting.

9) Approval of Special Board Meeting Minutes.

TAB A

The Board reviewed and approved, the Minutes of the <u>September 26th, 2023</u>, Special Board Meeting, as submitted by Deborah Housen, Board Clerk. Shelley Stelzner motioned to approve the Minutes as presented. Kenneth Crandall seconded the motion. Motion approved by roll call vote. Kenneth Crandall: Aye; Sherrie Thrall: Aye; Shelley Stelzner: Aye; Jerri Nielsen: Aye; Rich Ridell absent.

10) SHD Fiscal Year Ending (FYE) 06/30/24 Operating Budget.

TAB B

The Board reviewed for approval the operating budget for FYE 06/30/24. Presented by Steve Boline, CFO.

Kenneth Crandall motioned to approve the Operating Budget as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Kenneth Crandall: Aye; Sherrie Thrall: Aye; Shelley Stelzner: Aye; Jerri Nielsen: Aye; Rich Ridell via ZOOM: Aye.

11) Authorized Signers.

TAB C

SHD Long-Term Activity Bank Account Change to the Authorized Signers for SHD Long-Term Activity Bank Account - The Board reviewed and approved, the proposed changes to Plumas Bank XXXXXXXX.

Presented by Steve Boline, CFO.

Sherrie Thrall motioned to approve the Authorized Signers as presented. Kenneth Crandall seconded the motion. Motion approved by roll call vote. Kenneth Crandall: Aye; Sherrie Thrall: Aye; Shelley Stelzner: Aye; Jerri Nielsen: Aye; Rich Ridell via ZOOM: Aye.

Agenda items - Information only:

No informational only items were presented. .

12) Closed Session.

The Board adjourned to Closed Session, as noted at the start of Meeting, at 12:32pm.

The Board returned to the open session of the Special Meeting at 1:21pm.

13) Report on Closed Session. The Board President stated there were no reportable actions taken during Closed Session.

14) Next <u>Regular</u> Board Meeting Announcement.

Date: October 26th, 2023

Time: 3:00 p.m.

Location: LAC-Conference Room

The Special Board Meeting concluded at 1:22pm.

SENECA HEALTHCARE DISTRICT BOARD OF DIRECTORS REGULAR MEETING MINUTES

Lake Almanor Clinic (LAC) Conference Room, 199 Reynolds Road, Chester, CA October 26th, 2023 - at 3:00 p.m.

- 1) Call to Order. President Jerri Nielsen called the Regular Board meeting to order at 3:00pm.
- **2) Board Members Roll Call.** The President acknowledged Board Members as present/absent: Jerri Nielsen. President Present

Sherrie Thrall, Vice-President - Present

Rich Rydell, Treasurer - Joined via ZOOM (abstained from voting due to location not posted) Ken Crandall, Secretary - Absent

Shelley Stelzner, Assistant Secretary/Treasurer - Present

- 3) Pledge of Allegiance was led by Jerri Nielsen at 3:01pm.
- **4) Modifications to, or Deletions from the Agenda.** There were no modifications or deletions from the agenda made by the Board Members.
- 5) Approval of the Agenda.

Sherrie Thrall motioned to approve the Agenda as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

Closed Session Announcement.

The Board will meet in Closed Session pursuant to:

- <u>a.</u> <u>Government Code §54956.9(d)(1))</u> Conference with Legal Counsel Existing Litigation. [Paragraph (1) of subdivision (d) of Section 54956.9]
 - > Velez vs SHD Case: DFEH #202110-15186025
- <u>b.</u> <u>Government Code §54956.9(d)(1))</u> Conference with Legal Counsel Existing Litigation. [Paragraph (1) of subdivision (d) of Section 54956.9]
 - > Robles vs SHD Case: #CV22-00177
- c. <u>Health and Safety Code §32106</u> Report(s) involving Trade Secrets.
- d. Health and Safety Code §32155 Hearings.

Subject matter: Report from Quality Assurance Committee.

e. Government Code § 54957(b)(1) - Public Employee Performance Evaluation

Title: Chief Executive Officer

<u>f.</u> Government Code §54957.6 - Conference with Labor Negotiators.

Agency Designated Representative: Board Chair.

Unrepresented Employee: Chief Executive Officer.

6) Public Comment(s) Period.

This is an opportunity for public attendees to address the Board regarding items which are not on the agenda. Please state your name for the record. Comments are limited to three (3) minutes. Written comments should be submitted to the Board Clerk 24 hours <u>prior</u> to the meeting to allow for distribution. Under Government Code Section 54954.2 – Brown Act, the Board cannot act on any item that is not listed on the agenda. The Board Chair may choose to acknowledge the comment. When appropriate, the Board Chair may briefly answer a question; refer the matter to staff; or move to set the item for discussion at a future meeting.

7) The Board Responds to Public Comment(s). There were no comments for the Board prior to the meeting. One public member of the community asked if a VA Benefits patient comes to SHD with VA Benefits, will SHD bill the VA? Response from Shawn McKenzie, CEO, and Steve Boline, CFO: Yes. However, the patient is advised to contact the VA to learn what the "case by case" coverage at SHD shall entail.

Agenda - Items Requiring Action:

8) Approval of Regular Board Meeting Minutes.

Tab A

The Board reviewed for approval, the Minutes of the <u>September 28th, 2023</u>, Regular Board Meeting, as submitted by Deborah Housen, Board Clerk. Sherrie Thrall motioned to approve the Regular Board Meeting Minutes as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

9) Medical Staff Report.

Requesting Board approval, Dr. Marc Nielsen, Chief of Staff, submitted the following Medical Staff Appointments as approved at the Medical Staff Meeting held on October 10th, 2023.

Reappointment Medical Staff:

- Kevin Donaghy, MD ER 60 day 11/01/2023 to 01/01/2024
- Peter Magnusson, MD Cardiology 60 day -10/28/2023 to 12/28/2023
- ➤ George Barakat, MD Orthopedic Surgeon 2 years 11/10/2023 to 11/10/2025
- Steen Jensen, MD General Surgeon 2 years 11/10/2023 to 11/10/2025
- Mindy Cooper-Smith, MD Lab Director /Pathologist 2 years 11/10/2023 to 11/10/2025

Initial Appointment Medical Staff:

Thomas Greely, MD - Clinic, Admitting - 1 year - 10/23/2023 to 10/23/2024

Initial Allied Health Practitioner: N/A

Reappointment Allied Health Practitioner: N/A

- Lindsey Anderson, OTA 2 years 10/28/2023 to 10/282025
- Clay Craig, PA 60 days 11/011/2023 to 01/01/2024
- Susan Capella, OT 2 years 10/28/2023 to 10/28/2025

Sherrie Thrall motioned to approve the Medical Staff Appointments as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

10) Policies and Procedures.

TAB B

Submitted for Board Approval by Charlene Almocera, RHIA, CHC.

The Policies and Procedures that were approved at the Policy & Procedure Committee Meeting on 10/12/23, were approved by the Board.

Sherrie Thrall motioned to approve the Medical Staff Appointments as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

11) Agreement For Licensed Timber Operator Services – Change Order #0001. Tab C Discussion and request for approval. Re: Environmental conditions – Equipment Cleaning and Certification. Presented by Shawn McKenzie, CEO. Sherrie Thrall motioned to approve the Change Order #0001 as presented. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

Agenda items - Information only:

12) New CAH Board Updates – Plus 2 medical equipment Reports.

Tab D

Presented by Donna Huntingdale, Building Rx.

13) CEO Report.
Presented by Shawn McKenzie, CEO.

14) Board of Directors Binder Prep – Photocopy Paper Usage.

Discussion Topic – Going Green.

Presented by Deborah Housen, EA, and Shawn McKenzie, CEO.

15) CNO Report.
Presented by Judith Cline, CNO.

16) CFO Report.
Presented by Steve Boline, CFO.

17) R1 Accounts Receivable and Revenue Cycle Report.

Steve Boline, CFO, will present R1's September 2023 Report.

Tab H

18) Departmental Documents/Reports.

Tab I

- a. <u>Compliance</u> Charlene Almocera, HIM Director Report submitted.
- b. <u>IT/Clinical Informatics</u> Brian Churchill, IT Director No Report submitted.
- c. <u>Human Resources Report</u> Jennie Matthews, HR Manager Report submitted.
- d. Marketing/PR Chelssa Outland, PR Manager Report submitted.
- 19) Closed Session.

The Board adjourned to Closed Session, as noted at the start of Meeting, at 5:04pm.

The Board returned to Open Session at 6:09pm.

20) Report on Closed Session. The Board President stated there were no reportable actions taken during Closed Session.

21) Oral recommendation regarding proposed changes to salary and/or fringe benefits of the Chief Executive Officer.

Presented by President Jerri Nielsen and Secretary Ken Crandall. Item #21 was tabled to the next Regular Board Meeting on November 30th, 2023.

22) Discussion and possible approval of changes to salary and/or fringe benefits of the Chief Executive Officer.

Discussion and possible action.

Motion to extend the Contract of the Chief Executive Officer (CEO) thru the end of November 2023 was made by Sherrie Thrall. Shelley Stelzner seconded the motion. Motion approved by roll call vote. Sherrie Thrall: Aye; Shelley Stelzner: Aye; Rich Ridell: Abstained from Voting; Jerri Nielsen: Aye; Kenneth Crandall: Absent.

23) Topics to Add to Next Month's Agenda.

- a. Cash Flows Related to the New Hospital Project
- b. Board Investment Policy

24) Next Regular Board Meeting Announcement.

• **Date:** November 30th, 2023

• **Time:** 3:00 p.m.

• Location: LAC-Conference Room

The Regular Board Meeting adjourned at @ 6:18pm.

EMPLOYMENT AGREEMENT BY AND BETWEEN SENECA HEALTHCARE DISTRICT AND SHAWN MCKENZIE

This Employment Agreement ("Agreement") effective November 30, 2023 (the "Effective Date"), is by and between the Seneca Healthcare District, a political subdivision of the State of California (hereinafter referred to as the "District"), and Shawn McKenzie, an individual (hereinafter referred to as "Employee").

WHEREAS, District is a political subdivision of the State of California organized and existing pursuant to the Local Health Care District Law (California Health & Safety Code 32000 et seq.)

WHEREAS, District owns and operates a licensed general acute care hospital in Chester, California known as Seneca District Hospital (including a skilled nursing component), medical and other related healthcare providers, all located within the District (collectively referred to herein as **"Hospital"**).

WHEREAS, District desires to secure the services of Employee for the purpose of acting as the Chief Executive Officer and Administrator of the District to supervise and oversee the Hospital operations.

WHEREAS, Employee has expressed his willingness and desire to enter into this Agreement subject to the terms and conditions provided herein.

NOW, THEREFORE, in consideration of the material advantages accruing to the two parties and the mutual covenants contained herein, the District and Employee agree as follows:

AGREEMENT

- **Duties.** District hereby retains Employee to perform the administrative services as Chief Executive Officer and Administrator (collectively "CEO") of Hospital on a full time (1.0 FTE) basis for a *term of three (3) years starting on November 30, 2023, and ending on November 29, 2026* (the "Term"). Employee will at all times faithfully, industriously and to the best of his ability perform all duties that may be desired of him/her by the District Board of Directors by virtue of his position as CEO. Employee is hereby vested with authority to act on behalf of the Board of Directors of the District in keeping with District policies adopted by the Board as amended from time to time. In addition, Employee shall perform in the same manner any special duties assigned or delegated to him by the Board of Directors of the District pertaining to District operations.
- **At-Will Employment.** Employment with the District is voluntarily entered into and shall be considered "at-will", and Employee shall serve at the pleasure of the Board of Directors of the District. Employee is free to resign at any time, with or without notice, and with or without cause. Similarly, the District may terminate the employment relationship at any time, with or without notice, and with or without cause, so long as there is no violation of applicable federal or state law. Nothing in this Agreement or in any document or statement shall limit the right of the District to terminate the

employment relationship "at-will" at any time, with or without cause. Only the Board of Directors of the District has the authority to make any such agreement altering the "at-will" nature of this Agreement, and then only in writing.

- Notwithstanding the foregoing, in the event District terminates Employee without Cause (as defined in paragraph 2(b) below), Employee shall be entitled to a sum equal to the Base Salary paid under this Agreement for the remainder of its term (exclusive of benefits or any other non cash remuneration) but in no event shall such sum exceed the total of Six (6) months Base Salary (the "Severance Compensation"). To receive Severance Compensation, Employee must execute a Settlement Agreement and General Release satisfactory to the District and in compliance with California law. The Settlement Agreement and General Release will not in any way alter the Severance Compensation provision of this agreement. In the event the Employee elects not to sign the Settlement Agreement and General Release, Employee will not be entitled to Severance Compensation. Such Severance Compensation shall be paid in accordance with the normal payroll practices of the District, beginning on the first payroll date after the date on which Employee has signed the above-mentioned release and any legal right to revoke the release has expired. Upon execution of the Settlement Agreement and General Release, the District shall, in addition to Severance Compensation, pay for the full cost of COBRA premiums for coverage for Employee and, if applicable, his spouse (so long as she remains married to Employee) and dependent children who were covered under the District group health plan on the date of Employee's termination, for the same duration as the severance benefits or until Employee obtains new employment with an employer that offers health benefits, whichever occurs first; however the District will only be obligated to pay such COBRA premiums if Employee properly elects and obtains COBRA coverage. The availability, duration and scope of such COBRA coverage will be solely as required by applicable federal and state law. Base Salary will be the base salary in effect at the time of Employee's termination from employment and does not include any incentive increment, vacation, sick leave, pension contributions, health benefits or any other employee benefit.
- (b) In the event Employee is terminated for "Cause", Employee shall not be entitled to any Severance Compensation or any other compensation from District, except for such salary and benefits as he may have earned prior to his termination, or as otherwise required by law or plan document. "Cause" shall mean: (i) serious abuse, such as fraud, embezzlement, misappropriation of District property or undue use of influence as a District official; (ii) criminal activities including those crimes involving moral turpitude, and only where prosecution or conviction occurs and results in a final judgment that is not subject to appeal; or (iii) employee's repeated failure, following written notice from the District specifying the nature of the failure, and a reasonable opportunity to cure such failure, to perform the essential functions of his job in a reasonably satisfactory fashion, including those circumstances where such failure is due to death or disability and use of illegal drugs or abuse of legal drugs, including alcohol, after prior warning concerning such use or abuse.
- (c) This section is intended to comply with the provisions of Government Code Section 53260 and 53261, et seq, and in no event shall Employee be entitled to severance benefits greater than provided for therein. This Agreement in no way affects Employee's rights to continue health insurance coverage as required under COBRA for Employee and Employee's eligible dependents at Employee's own expense.

- (d) If during the period of time in which Employee is receiving Severance Compensation, Employee: (1) goes to work for another entity that provides services as a hospital,
- medical clinic, integrated delivery system, health maintenance organization, or related business, partnership, firm, or corporation (all of which hereinafter are referred to as "entity") that is at the time engaged principally or significantly in a business that is directly at the time in competition with the business of the District within the service area of the District; (2) interferes with the relationship of the District and any of its employees; or (3) diverts from the District any business in which the District has been actively engaged during his employment, Employee shall be notified in writing of a perceived breach of this provision. Employee will be given fifteen (15) days to cure any perceived breach. If, after written notification is received and the cure period is exhausted without resolve, Employee shall not be entitled to any further Severance Compensation under this Agreement.
- (e) Notwithstanding any provision in this Agreement to the contrary, in the event that three or more members of District's Board of Directors in office as of the Effective Date hereof, lose their seats in the November 2024 election such that they cease serving as Directors of the District, the District shall not, for a period of ninety (90) days following the date on which these newly elected directors are seated, terminate Employee without cause.
- (f) Pursuant to Government Code section 53243, et. seq. which became effective on January 1, 2012, if Employee is convicted of a crime involving an abuse of his office or position, all of the following shall apply: (1)) if Employee is provided with administrative leave pay pending an investigation, Employee shall be required to fully reimburse such amount paid; (2) District pays for the criminal legal defense of Employee (which would be in its sole discretion, as it is generally not obligated to pay for a criminal defense), Employee shall be required to fully reimburse such amounts paid; and (3) if the Agreement is terminated, any cash settlement related to the termination that Employee may receive from the District shall be fully reimbursed to the District. For this Section, abuse of office or position means either: (1) an abuse of public authority, including waste, fraud, and violation of the laws under color of authority; or (2) a crime against public justice, including a crime described in Title 7 commencing with section 92 of the Penal Code.

3. <u>Compensation and Benefits.</u>

- (a) <u>Base Salary</u>. In consideration for his services as CEO, the District agrees to pay Employee the sum of \$280,000, Two Hundred Eighty Thousand Dollars per annum ("Base Salary") which sum shall be payable in installments throughout the term of the Agreement in accordance with the normal payroll practices of the District. The District shall meet with Employee on an annual basis to review Employee's job performance and shall at such time consider, in the District's sole and absolute discretion, whether any increase in Base Salary and/or a bonus may be warranted.
- (b) <u>Standard District Benefits.</u> Employee shall be eligible to participate in the District's standard health and welfare plans in accordance with District eligibility requirements and shall be provided vacation, time off, and other benefits in accordance with District's normal practices with the exception that Employee shall be entitled to

accrue Forty (40) days of PTO per year instead of the customary twenty-five (25) days of PTO per year, which accrual and use shall be governed by the District's policies regarding PTO.

- (c) In addition, the Employee will be permitted to be absent from the District during working days to attend professional meetings and to attend outside professional events in furtherance of his duties as Administrator as have been mutually agreed upon between Employee and the Chair of the Board. Employee's attendance at such meetings shall be fully compensated for as services provided to District by Employee under the terms of this Agreement and shall not be considered vacation time. The District shall reimburse Employee for all expenses incurred by the Employee incident to attendance at approved professional meetings and such entertainment expenses incurred by the Employee in furtherance of the District's interests in accordance with District policies, provided that such reimbursement is approved by the Chair of the Board.
- (d) The District agrees to pay dues to professional associations and societies and to such service organizations and clubs of which the Employee is a member and which are expressly approved by the Chairman of the Board as being in the best interests of the District.
- (e) The District agrees to include Employee under its Director's and Officer's insurance policy ("D&O Policy") during the term of this contract.

4. <u>Customary Employment Policies and Procedures of District.</u>

Employee will be subject to all of the normal and customary employment policies and procedures of District as they apply to senior executives.

5. Entire Agreement. This Agreement constitutes the entire agreement between the parties and contains all of the agreements between them with respect to the subject matter hereof. It also

supersedes any and all other agreements or contracts, either oral or written, between the parties with respect to the subject matter hereof.

- **6.** Amendments. Except as otherwise specifically provided, the terms and conditions of this contract can be amended at any time by mutual agreement of the parties, provided that before
- any amendment shall be valid or effective, it shall have been reduced to writing, approved by the

District, and signed by the Chair of the Board and Employee.

- 7. **Severability.** The invalidity or unenforceability of any particular provision of this Agreement shall not affect its other provisions, and this contract shall be construed in all respects as if such invalid or unenforceable provisions have been omitted.
- 8. Attorneys' Fees. If any legal action, including without limitation arbitration or action for declaratory relief, is brought to enforce the provisions of this Agreement, the prevailing party

shall be entitled to recover reasonable attorneys' fees from the other party. These fees, which

may be set by the court in the same action or in a separate action brought for that purpose, are in

addition to any other relief to which the prevailing party may be entitled. This provision

applies

to this entire Agreement.

9. **Notice.** All notices and other communications under this Agreement must be in writing and must

be given by personal delivery, facsimile, electronic mail, or first-class mail, certified or registered

with return receipt requested, and will be deemed to have been duly given upon receipt if personally delivered, three (3) days after mailing, if mailed, or twelve (12) hours after

transmission, if delivered by facsimile or electronic mail, to the respective persons named below:

If to District:

Seneca Healthcare District P.O. Box 737 Chester, CA 96020-0737

Attention: Chair, Board of Directors

If to Employee:

Mr. Shawn McKenzie P.O Box 527 Chester, CA 96020

Any party may change such party's address for notices by notice duly given pursuant to this Section.

10. **Governing Law.** This Agreement shall be construed and enforced under and in accordance with

the laws of the State of California with venue in Plumas County.

11. <u>Confidentiality.</u> Because of Employee's employment by District, Employee will have access to

trade secrets and confidential information about District, its products, its customers, and its methods of doing business (the "Confidential Information"). During and after the termination of Employee's employment by the District, Employee may not directly or indirectly disclose or use any such Confidential Information; provided, that Employee will not incur any liability for disclosure of information which (a) is required in the course of Employee's employment by the District or is required by law, (b) was permitted in writing by the Board or (c) is within the public domain or comes within the public domain without any breach of this Agreement.

12. <u>Counterparts.</u> This Agreement may be executed in one or more counterparts, all of which taken

together will constitute one and the same Agreement.

SENECA HEALTHCARE DISTRICT	EMPLOYEE
Printed Name	Shawn McKenzie
Signature Title	

Date

Date

IN WITNESS WHEREOF, the parties hereto have executed this Agreement effective as of the Effective Date.



DEPARTMENT: -PHARMACY

POLICY TITLE:— MEDICATION SUPPLIES: EMERGENCY, FLOOR STOCK, RURAL HEALTH CLINIC, STORAGE, AND TEMPERATURE

POLICY NUMBER: RX-011.001

COMPLIANCE REQUIREMENT: CACCFR Title 22 \$70237, \$70257, \$70263; \$70407, \$70417; CA Health and Human Services Agency Department of Health Services AFL 05-02; Patient Safety; JCAHO MM.2.20; BPC \$4427.3

AUTHOR: -Unknown

REVISED BY: Kassy Picou, Pharm.D.

Page 1 of 4

Date of Origin: Unknown

Revision Date: 03/18/2022

Periodic Review By: Kassy Picou Date: 03/18/2022

Policy Rescinded by

Policy #: Effective Date:

Formatted: Tab stops: 2.81", Left

Policy: -Seneca Healthcare District's Pharmacy Department shall ensure that emergency medication supplies are up kept, floor stock for Registered Nurses shall be up kept, medications for the Rural Health Clinic will be maintained and that pharmaceuticals are stored appropriately.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Administration		
Medical Chief of Staff		

Formatted: Left

 ${\it RX-011.001:-} \textbf{Medication Supplies: Emergency, Floor Stock, Rural Health Clinic, Storage And Temperature}$

Page 1 of 6

Governing Board

POLICY NUMBER REFERENCE: RX-011.001

PROCEDURE

1. Purpose

The purpose of this policy is to ensure that pharmaceuticals and pharmaceuticals supplies for the facility are up keptproperly stored, removed when expired, maintained, and are stored appropriately safely kept from persons who are not duly authorized to access them.

2. Responsibilities

The SHD drug room staff, under the guidance of the Pharmacy Consultant, is responsible for maintaining pharmaceuticals and supplies for the facility. It is the responsibility of the pharmacist to monitor records and inspect the facility for compliance.

1.3. Policy For Medication Supplies

a. Emergency

- Emergency medication supplies consist of Crash Cart medication trays and the Malignant Hyperthermia cart For Malignant Hyperthermia Cart policy, see Anesthesia Policy ANTH-012.
- ii. Emergency medication supplies kept outside the Drug Room shall be stored in carts with a breakable seal.
- iii. The contents of the carts shall be posted on the outside of the cart.
- iv. The date of the earliest expiring medication within the cart shall be displayed on the outside of the cart.
- v. The contents of emergency drug supplies shall be inspected by the consultant pharmacist monthly.
 - Crash Carts are available to all patient care areas. There are four Crash Carts, one each in the Emergency Room, PACU, CT Scanner and Acute Care Nursing Station.
 - 2. Medication trays containing the emergency drug supplies approved by the Medical Staff will be sealed by the Drug Room Nurse Staff and initialed by a second licensed nurse. The Ceonsultant Pharmacist will then check accuracy of contents within 30 days and date it. The contents of the tray shall be visible without entering the tray and shall contain the earliest expiration date of any drugs within.
 - 3. Whenever the tray is entered, a new tray will be obtained and placed in the cart prior to resealing the cart. The cart is resealed with the numbered crash cart lock.
 - 4. The Crash Carts are checked each shift to ensure they are locked.- The expiration date of the first medication to expire is listed on the outside of the cart.
 - 4.5.The entire Crash Cart is checked for completeness and restocked each time the seal is broken.

vi.b. Floor Stock for Registered Nurses

The Medical Staff shall establish a supply of medications accessible without entering the Drug Room. For locations and inventory see the attached floor stock lists. Access to this supply is limited to Registered Nurses.

 $\label{eq:RX-011.001:Medication Supplies: Emergency, Floor Stock, Rural Health Clinic, Storage And Temperature$

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Indent: Left: 0.75", Space After: 0 pt, Line spacing: single, No bullets or numbering

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Left, Indent: Left: 0.75", Tab stops: 0.81", Left

Formatted: Font: Not Bold

Formatted: Indent: Left: 0.75", No bullets or numbering

Formatted: Indent: Hanging: 0.31", Right: 0.31", Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.75"

Formatted: Left

Formatted: Left

Formatted: Left

Formatted: Left

Page 3 of 6

	2-ii. When a medication is used for a patient, the nurse will replace the medication by removing the drug from the Pyxis® machine under the patient's name.	
V11	Rural Health Clinic	Formatted: Left
V 11	The Medical Staff shall establish a supply of medications for	4
	use in the Clinics. These approved lists shall be maintained as stock sheets for each clinic location.	Formatted: Left
	2.ii. Clinic medications other than vaccines ordered from the Vaccines For Children (VFC) program are ordered in the same way	
	as regular the hospital. 3-iii. Medications are supplied to each clinic location from the Drug Room as follows:	
	4-1. The clinic nurse removes the necessary medications from Pyxis® with the Patient Identifier of "Clinic."	Formatted: Left
	5-iv. Controlled substances are provided as follows:	Formatted: Left
	#-1.A licensed nurse comes to the Drug Room and brings the Controlled Drug Record for that location with her or him. The	Formatted: Left
	transaction is completed as described in Receiving Scheduled Drugsfollowing RX-004. The licensed clinic nurse then transports the controlled substances to the clinic site.	
vii	H.d. Storage and Temperature	Formatted: Left
V 11	4.i. Solutions, drugs, supplies and equipment used to prepare or	
	administer sterile products will be stored in accordance with	Formatted: Left
	manufacturer or USP requirements (Attachment A)	
	2.ii. Temperature in refrigerators and freezers used to store	
	ingredients and admixed sterile preparations (within the	
	pharmacydrug room) will be monitored and documented daily (365	
	days) to ensure that storage requirements are met.	
	3.iii. Electronic digital "range monitors" shall be used for	
	refrigerators that are not monitored daily (i.e., weekends, holidays).	
	4. Room temperature is 15-30 degree Celsius. Refrigerator temperatures	
	are 2 – 8 degrees Celsius. Freezer temperatures are –20 to –10 degree	
	5-iv. Pharmacy storage areas where ingredients are stored will be	
	monitored to ensure that temperature, light, moisture, and ventilation	
	remain within manufacturer and compendia requirements.	
Er	nforcement	Formatted: Left
	olation of this policy may result in disciplinary action, up to and including	- Simuted. Left
	mination as outlined in the Sanctions policy, ADMIN28CMPL-005.	
ment A	A: Recommended USP/NF Temperature Storage for Drugs (1 page)	


Attachment A: Recommended USP/NF Temperature Storage for Drugs

			- 1	Formatted: Left	
		A cold place in which the temperature is	٦		
Freezer		maintained -10°C (-4°F) and below.			
		A cold place in which the temperature is			
Refrigerator	r	maintained between 2 and 8°C (35 and 46°F).			
		A temperature held between 15 and 30°C (59 and			
Room Tempera	ture	80°F).			
Cold		Any temperature not exceeding 8°C (46°F).			
COAG		Any temperature between 8 and 15°C (46 and			
•		59°F). Articles for which storage in a cool place is			
Cool		directed, may be stored in a refrigerator unless			
		otherwise indicated.			
		A temperature between 30 and 40°C (86 and			
Warm		104°F).			
Excessive He	at	Any temperature above 40°C (104°F).			
		Where storage conditions are not specified or			
N C 'C C	1'4'	limited, it is understood that protection from			
Non-Specific Con-	aitions	moisture, freezing, and excessive heat shall be			
		provided.			
Freezer	A place in	which the temperature is controlled between -25°	•	Formatted: Right: 0.11"	
		(-13° and 14° F). It is noted that, in some instances,		Formatted Table	
		ay have a recommended storage condition below			
		F). In such cases, the temperature of the storage			
D.C		nould be controlled to $\pm 10^{\circ}$.	-		
Refrigerator		ce in which the temperature is controlled between 2° or and 46° F).		Formatted: Right: 0.11"	
Cold		erature not exceeding 8° (46° F).	_	Formatted: Right: 0.11"	
Cool		erature between 8° and 15° (46° and 59° F).	-		
		An article for which storage in a cool place is		Formatted: Right: 0.11"	
	directed m	nay, alternatively, be stored and shipped as			
	refrigerate	d, unless otherwise specified by the individual			
	monograp		_		
Room temperature	The tempe	erature prevailing in a working environment.	4	Formatted: Right: 0.11"	
(also referred to as					
Ambient temperature) Controlled room	The tempe	erature maintained thermostatically that encompasses		Farmand District 0.11	
temperature		and customary working environment of 20°–25°		Formatted: Right: 0.11"	
temperature		F). The following conditions also apply. Mean			
		nperature not to exceed 25°. Excursions between 15°			
		19° and 86° F) that are experienced in pharmacies,			
	hospitals,	and warehouses, and during shipping are allowed.			
		he mean kinetic temperature does not exceed 25°,			
		pikes up to 40° are permitted as long as they do not			
		h. Spikes above 40° may be permitted only if the			
	manufactu	rer so instructs. Articles may be labeled for storage			

Formatted: Left

RX-011.001 : -Medication Supplies: Emergency, Floor Stock, Rural Health Clinic, Storage And Temperature Page 5 of 6

		_	
	at "controlled room temperature" or at "20°-25°", or other		
	wording based on the same mean kinetic temperature [see also		
	Good Storage and Distribution Practices for Drug Products		
	á1079ñ, Quality Management System, Environmental		
	Management System, Mean Kinetic Temperature (MKT)		
	<u>Calculation</u>]. An article for which storage at Controlled room		
	temperature is directed may, alternatively, be stored and		
	shipped in a cool place or refrigerated, unless otherwise		
	specified in the individual monograph or on the label.		
Warm	Any temperature between 30° and 40° (86° and 104° F).	4	Formatted: Right: 0.11"
Excessive heat	Any temperature above 40° (104° F).	4	Formatted: Right: 0.11"
Dry place	A place that does not exceed 40% average relative humidity at	•	Formatted: Right: 0.11"
	20° (68° F) or the equivalent water vapor pressure at other		Torriucteur rughte s
	temperatures. The determination may be made by direct		
	measurement at the place. Determination is based on NLT 12		
	equally spaced measurements that encompass either a season,		
	a year, or, where recorded data demonstrate, the storage period		
	of the article. There may be values of up to 45% relative		
	humidity provided that the average value does not exceed 40%		
	relative humidity. Storage in a Container validated to protect		
	the article from moisture vapor, including storage in bulk, is		
D	considered a Dry place.	4	
Protect from freezing	The Container label will bear an appropriate instruction to	4	Formatted: Right: 0.11"
	protect the article from freezing in cases where freezing		
	exposes an article to loss of strength or potency or to		
	destructive alteration of its characteristics. These risks are		
	present in addition to the risk that the Container may break if		
Destart from light	exposed to freezing temperatures. Where light subjects an article to loss of strength or potency or		
Protect from light	to destructive alteration of its characteristics, the Container		Formatted: Right: 0.11"
	label bears an appropriate instruction to protect the article from		Formatted: Border: Top: (No border), Bottom: (No
	light. The article must be packaged in a light-resistant		border), Left: (No border), Right: (No border), Between:
	Container.		(No border), Bar : (No border)
https://www.uepnf.com/ci	tes/default/files/usp_pdf/EN/USPNF/revisions/659_rb_notice_eng	_	
lish.pdf	es/default/files/dsp_pdi/Eff/OSI 141/Tevisions/039_fo_nonee_eng		
DOI: https://doi.org/10.31003/U	USPNF M2773 06 01	4	Formatted: Left
			Formatted: Left



Policy: -Seneca Healthcare District (SHD) shall ensure that only authorized staff may use the <u>Pyxis@PYXIS@MedStation</u> for medication administration and inventory control system.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Administration		
Medical Chief of Staff		
Governing Board		
<u>Authorization</u>	<u>Signature</u>	<u>Date</u> ←
Department Head		

RX-021.003 Pyxis® MedStation

Page 1 of 14

Formatted: Font: Bold

Formatted: Centered

Formatted: Font: Bold

Formatted Table

Medical Department Chair	
Compliance Officer	
Chief Nursing Officer	
<u>Director, Human Resources</u>	
Administration	
Medical Chief of Staff	
Governing Board	

POLICY NUMBER REFERENCE: RX-021.003

PROCEDURE

1. Purpose

The purpose of this policy is to promote proper medication use, medication security/accountability, a reduction in medication errors, maintain patient confidentiality, minimize drug diversion, and improve patient safety through the use of automated distribution eabinets devices (ADCDs).

2. Responsibilities

The SHD (department) Drug Room Consulting Pharmacist is responsible for monitoring transactions and inventory, and to oversee the maintenance of user profiles for active staff members authorized to administer

medications.

3. Policy for PYXIS® PYXIS® MedStation Policy.

a. Scope of the Policy:

i. Medical Staff, Drug Room, Nursing, and Respiratory Therapy.

b. Definitions

- i. Critical Override: This option permits user with **Remove** privileges to access all medications. Execute a critical override *pnly* during significant downtime or hospital emergencies where a delay in dispensing could cause patient harm. SNF nursing *pnust* notify on-call pharmacist prior to accessing medications in ADCD during Critical Override events and *pnust* fill out PYXISPYXIS® Downtime Medication Dispensing Log (Asee attachment A) for documentation.
- <u>Electronic Medication Administration Record (EMAR)</u>: A SHD approved software for the documentation of medication aAdministration.
- iii. Med Not Available: A message on the PYXIS®PYXIS® MedStation-RX Screen. This means that the medication is normally stocked in the PYXIS®PYXIS®, but the pocket is empty.
- iv. Med Not Loaded: A message on the PYXIS® PYXIS® MedStation RX
 Screen. This means that the medication is not normally stocked in the
 PYXIS®PYXIS®. The pharmacy will send needed doses to the nursing
 unit. SNF nurse will need to remove the medication from the Drug Room
 PYXIS®.
- v. Override: A method for obtaining medications from the MedStation RX when it doesn't appear on the patient's profile. SHD SNF will not have this capability. All medications must be reviewed and approved by on-call pharmacist prior to dispensing from MedStation RX.
- vi. Profile: A computerized listing of the patient's medications. The profile also contains other information related to medications such as allergies, height, weight, age and gender.
- vii. PYXISPYXIS® MedStation-4000: An automated medication dispensing systemdevice (ADCD). The system interfaces with the EHHER.

 Medications on the profile are available for nursing to administer to patients. The 4000SNF ADD is set for "profile only" which allows the licensed user to only access "patient specific medications" in the PYXISPYXIS®. Medications in the ADCD will be housed in closed pocket drawer system known as "cubies" that limits access to one

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: Not Bold

Formatted: Indent: Left: 0.19", Hanging: 0.31", Don't add space between paragraphs of the same style, Outline numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.75"

Formatted: Font: Bold, Italic

Formatted: Don't add space between paragraphs of the same style, Outline numbered + Level: 2 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.75" + Indent at: 1"

Formatted: Don't add space between paragraphs of the same style, Outline numbered + Level: 3 + Numbering Style: i, ii, iii, ... + Start at: 1 + Alignment: Right + Aligned at: 1.38" + Indent at: 1.5"

Formatted: Font: Not Bold, Not Italic

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Underline

Formatted: Font: Bold

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted: Font: Bold
Formatted: Underline

Formatted: Underline

Formatted: Underline

Formatted: Underline

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Underline
Formatted: Underline

Formatted: Underline

medication. The Consultant Pharmacist will be responsible for stocking and maintaining all medications in the 4000SNF ADD and oversee the ED and Drug Room ADD.7 On-call pharmacist will review prescriber's orders and patient's profile prior to a drug being removed from the ADCD.

c. Procedure Pyxis Oversite.

i. The Drug Room Department and Consultant Pharmacist will assume general responsibility for the PYXISPYXIS® units and work with the Nursing Services Department to assure their proper use.

- 1. The goal of the system is to have 95% of patient medications available in the machine at all timesalways have 95% of patient medications available in the machine.
- Bulk patient specific medications and patients patients "own" medication supply will be stored in patient-specific bins in thea secured medication cartarea.
- 3. All medications requiring storage at below room temperatures will be stored in refrigerators or freezers as appropriate, accessible through the PYXIS®.
- ii. Consultant pharmacist will be responsible for the maintenance of all medications in the PYXIS® machines, including checking the PYXIS® machines monthly for outdated medications.

d. SNF Unit Specific

- i. Consultant Pharmacist will be responsible for stocking and ensuring drugs are placed into the ADCD properly.
- ii. Prescriber or authorized nursing personnel shall enter all orders for medications so that the medications are displayed on the MedStation 4000 patient medication profiles screenADDs. All orders shall be reviewed and verified by on-call pharmacist before released to the ADCD.
- iii. The nurse will select the medication needed from the patient profile in the ADCD when a dose is needed.
- iv. Nursing will verify that there are no count discrepancies before the end of each shift. The Drug Room Department and Consultant Pharmacist will conduct an ongoing review of the PYXISPYXIS® system to assure there is accountability and appropriate use of all PYXIS®PYXIS® medications.

e. Consultant pharmacist will be responsible for the maintenance of all medications in the PYXIS® machines, including checking the PYXIS® machines monthly for outdated medications. Pyxis Access

i.—Access to the MedStation shall be via a personal ID code, biometric scan or a password issued to each authorized health care provider as listed below. Access roles and areas shall be issued by the Drug Room Department/Consultant Pharmacist.

1. The following access levels will be used:

a. RN/LVN/LVN (b, d, i, k, l)/LPN-A, B, D

<u>a.</u>

b. Nurse Director/Facility Admin (a-l) A, B, D

Formatted: Font: Bold, Italic Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: Bold, Italic

Formatted: Space After: 0 pt, Line spacing: single

RX-021.003 Pyxis® MedStation

Page 4 of 14

```
-Agency/Temp (b, d, i, k, l)-A, B, D
                                                                                                  Formatted: Space After: 0 pt, Line spacing: single
                     Consultant Pharmacist (a-l)—A
                                                                                                  Formatted: Space After: 0 pt, Line spacing: single
                   -Respiratory (i) Therapy- A, B, D
                                                                                                  Formatted: Space After: 0 pt, Line spacing: single
                   Anesthesia/CRNA/Physician (b, d, i, k, l)-A, B, D
                                                                                                  Formatted: Don't add space between paragraphs of the same style, Outline numbered + Level: 5 + Numbering Style:
      2. The access levels are defined as follows:
                                                                                                   a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 2.25"
                   Assign
                                                                                                   + Indent at: 2.5"
                   Count inventory
                   Destock
                   Discrepancy resolution count
                   Load
                   Outdate
                   Pend
                   Refill
                   Remove
                   Unload
                   Witness dispensing transactions
                   Witness inventory transactions
                                                                                                   Formatted: Space After: 0 pt, Line spacing: single
2.The access levels are defined as follows:
                                                                                                   Formatted: List Paragraph, Add space between paragraphs
                                                                                                   of the same style, Numbered + Level: 3 + Numbering Style:
                                                                                                  i, ii, iii, ... + Start at: 1 + Alignment: Right + Aligned at: 1.38" + Indent at: 1.5"
  A=Login/Witness/Remove meds
 B=Station Report Access
                                                                                                   Formatted: List Paragraph, Space After: 0 pt, Add space
                                                                                                  between paragraphs of the same style, Line spacing: single, Numbered + Level: 3 + Numbering Style: i, ii, iii, ... + Start at: 1 + Alignment: Right + Aligned at: 1.38" + Indent at:
  C=Activate/create temp user
  D=Credit Patient
  E=Admit/Edit/Discharge Patients
  F=Create Permanent Users
 G=Station Administrator
 The PYXIS®PYXIS® ID and password (when used) are user specific and
  must not be shared.
 Nursing shall be responsible for resolving all narcotic discrepancies before
                                                                                                  Formatted: Space After: 0 pt, Line spacing: single
  the end of the shift in which the discrepancy occurs. Consultant
  Pharmacist shall reconcile and maintain accurate accounts of all controlled
  drugs in ADCDs.
 -Human Resources shall supply the Drug Room Department with a list of
  terminated employees as they occur so that those individuals can be
  inactivated in the system. The Consultant Pharmacist or designated Drug
                                                                                                  Formatted: Not Highlight
  Room Nursestaff, will edit the user profile as follows:
          Do not delete user file, as this will eliminate the ability to retro-
                                                                                                  Formatted: Font: Bold
          actively track user in reports.
                                                                                                   Formatted: Space After: 0 pt, Line spacing: single
           Edit the "ID Valid Until:" date to today's date.
          Edit the area privileges to "No areas".
```

Edit the privilege template to "Deactivated User".

Save changes by following the "How to Unlock or Inactivate a Local User 04.20.2023" guide in the Pharmacy Drive\Pyxis Devices\Pyxis ES folder

The Drug Room Department will maintain the user list for all personnel utilizing the MedStation.

1. Consultant Pharmacists and a designated Drug Room Pharmaciststaff will be able to enter new local users into the MedStation system.

- a. Local users will be defined as any user who does not have a unique Windows log-in credential assigned by the Information Technology (IT) department.
- Follow the "How to add a Local User on the ES Server Updated 04.14.2023" guide in the Pharmacy Drive\Pyxis Devices\Pyxis ES folder.
- The permanent User ID for hospital personnel will be assigned by Pharmacy personnel.
- New permanent users will be given a unique temporary password, which must be changed by the new user upon initial sign-on.IT will place the SHD profile into the Pyxis directory for access to the pyxis terminal.
 - User roles will be assigned by the Consultant Pharmacist or designated Drug Room staff.
- User Access will be monitored by the Drug Room staff at least quarterly, and profiles disabled for any user no longer with the facility.

Removing Medications from The Medstation

- The following drug dispensing/administration directions on the BD PYXIS® MedStation Quick Reference trifold will be followed (Attachment B). for the PYXIS® MedStation 4000:
 - a. Select the patient name or add a temporary patient.
 - The nurse will sign on to the MedStation and select "re A list of current patients on the unit will appear.
 - Select the name of the patient for whom medications are needed. Press the first letter(s) of the last name to find a name quickly, or use the page down key.
 - Select the needed medication from the patient profile drug list on the MedStation. Press the first letter(s) of the drug name to find the drug quickly, or use the page down key.
 - Enter the quaintly needed for the dose to be given.
 - To select more medications (up to ten) for the same patient, press 'enter' after each quantity of each medication. When required (i.e. for controlled substances), verify the count of the drugs remaining in the pockets.
 - Verify that the dose(s) removed are those required for the patient.
 - c. Close each medication cubie and drawer completely making sure the drugs are properly placed in the cubies to avoid a drawer jam.
 - The medication, in its' unit dose packaging, may be transported to the bedside by being placed in a medication cup prior to entering the patient's room, but at no time can the medications be stored in fanny packs, pockets, or pouches.

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt. Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted: Indent: Left: 1"

Formatted: Font: Not Bold

Formatted: Indent: Left: 1.88", Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single

Formatted: Indent: Left: 1.88", Space After: 0 pt, Line spacing: single

to the Electronic Medication Administration Record for correctness prior to administration to the patient. Confirm patient identity using name and date of birth. g. Administer the medication to the patient and promptly document on the Electronic Medication Administration Record Returning Medications tTo Medstation Formatted: Font: Bold, Italic The drug waste and return directions on the BD PYXIS® MedStation Formatted: Indent: Left: 1", Space After: 0 pt, Line spacing: single Quick Reference trifold will be followed (Attachment B). Select the patient name or add a temporary patient. Formatted: Indent: Left: 1.88" An unopened medication package that is removed from the MedStation Formatted: Indent: Left: 1.38", Space After: 0 pt, Line spacing: single but is not administered to the patient shall be returned to the pocket or return bin. The unit dose packaging and the tamper proof seal must be intact. Note: All controlled substances require verification/witness by Formatted: Font: Bold a licensed professional. To return a medication, the user should: Formatted: Font: Bold, Italic Sign on. Select "Return" Press the patient name. Press the specific med returned. Enter the number of doses being returned. Confirm or cancel your request. Place med in correct bin. Close drawer. vii. Wasting Medications Formatted: Indent: Left: 1", Space After: 0 pt, Line spacing: single The drug waste and return directions on the BD PYXIS® MedStation Formatted: Indent: Left: 1.38" Quick Reference trifold will be followed (Attachment B). Medications that are dropped on the floor or removed from their Formatted: Indent: Left: 1.38", Space After: 0 pt, Line spacing: single protective seal must be wasted. To waste a medication, the user should: Formatted: Font: Bold, Italic Sign on. Press "waste med" key. Press the patient name. Press the specific med wasted. Have a witness enter ID and password for controlled substances. Confirm or cancel your request. If confirmed, type in amount given. Press "enter". viii. MedStation shall be restocked only by the Consultant Formatted: Indent: Left: 1", Space After: 0 pt, Line spacing: single Pharmacist Refilling/Restocking PYXISPYXIS® refills will be reviewed and performed by a Consultant Formatted: Indent: Left: 1.38", Space After: 0 pt, Line spacing: single Pharmacist during routine visits. Refilling a medication, the user will: a. Sign on. b. Press "refill".

e. The medication obtained from the MedStation will be compared

c. Select med to be refilled.

e. Enter amount to be added, press enter.

d. Verify count.

f. Verify expiration date and amend it if necessary.

ix. Outdates And Unloading Medications

 The Consultant Pharmacists will remove medications that are expired or not currently used (as evidenced by the "Least RemovedOutdated Inventory" feature at the MedStationreport) from the MedStation and return them to the Drug Room.

The following procedure will be used to remove medications from the MedStation that need to be returned to the Drug Room:

- Select "Remove MedInventory" feature when expiring medications, select the "Unload Med" feature when medication is not being used.
- b. Proceed with the Remove Med transaction, selecting the medication you wish to remove and the quantity to be removed.

x. Inventory Corrections,

- Occasionally there will be incorrect counts or discrepancies identified by the MedStation programming. The following should be done to resolve these issues:
 - a. When the MedStation screen displays the count, the user must indicate the count to be incorrect by selecting "no", then enter the correct count. A discrepancy will be created if the count was incorrect on a controlled substance.
 - The user who discovers the controlled substance discrepancy must try to resolve the discrepancy immediately.
 - The user must inform the Director of Nursing and designated Drug Room Nursestaff of any controlled substance discrepancies.
 - d. To resolve a discrepancy, the user should:
 - Sign on.
 - Select "Document Discrepancy" from the main menu.
 - Select the discrepancy.
 - Type in the reason for the discrepancy using the "other" resolution option.
 - Have a witness enter ID and password.
 - e. <u>Discrepancies will checked at the pyxis station to verify that all discrepancies have been resolved. Nursing personnel will not leave the shift until all discrepancies are resolved.</u>
 - f. If a controlled substance discrepancy is not resolvable, the Director of Nursing or Drug Room Nursestaff will contact the Chief Nursing Officer and Consultant Pharmacist. An incident report form will be initiatedinitiated, and the incident investigated/followed up. Any abuse or loss of controlled substances are to be reported to the Chief Executive Officer, the Chief Nursing Officer, and the Consultant Pharmacist who in turn will promulgate required reports to the DEA and California State Board of Pharmacy.
 - The Director of Nursing will run a discrepancy report at the end of the shift to verify that all discrepancies have been resolved:

Formatted: Font: Bold, Italic

Formatted: Indent: Left: 1"

Formatted: Indent: Left: 1.38", Space After: 0 pt, Line

spacing: single

Formatted: Font: Bold, Italic

Formatted: Indent: Left: 1"

Formatted: Indent: Left: 1.38", Space After: 0 pt, Line

pacing: single

Formatted: Font: Bold

Formatted: Not Highlight

Formatted: Indent: Left: 1.88", Space After: 0 pt, Line spacing: single

Nursing personnel will not leave from the shift until all discrepancies are resolved.

g. All controlled substances discrepancies will be reviewed by the Consultant Pharmacist to ensure no diversion is occurring.

To generate a "discrepancy" report, the user should:

Sign on.

Select "reports menu" from the main screen.

Press "Discrepancies".

 User is able to set parameters such as open, closed or resolved discrepancies as well as set the date range.

Select "print report".

Remove printed report.

xi. Medstation Reports

1. Discrepancy Report:

n. Sign on and select "reports menu" from the main screen.

b. Press "Discrepancies".

 User is able to set parameters such as open, closed or resolved discrepancies as well as set the date range.

d. Select "print report".

e. Remove printed report.

There are several very useful reports that can be generated at the MedStation.

2. Override Report:

a. Sign on and select "report" from main menu.

b. Press "Override".

c. Select "print report".

d. Remove printed report.

3. Activities Report:

a. Sign on and select "reports" from the main menu.

b. Press "activities".

c. Press choice of activity reports: Activities by:

i. Nurse

ii. Medication

iii. Drawer

iv. Patient

d. Remove report

xii. There are several Emergency And Planned Down Time Procedures that are

listed below:

. If the power is out and emergency power fails or if the MedStation system is down the Drug Room Nursestaff should be contacted for assistance in manually operating the equipment.

For planned downtime situations; situations, a 24-hour supply of patient medications will be supplied in the med cart, for the SNF unit.

Controlled substances will be dispensed from the narcotic lock box in the med cart w/ narcotic log booklogbook for record keeping.

B. In emergency situations, the MedStation can be manually accessed by Drug Room Nursestaff or designee. They will:

Formatted: Font: Bold, Italic

Formatted: Indent: Left: 1"

Formatted: Indent: Left: 1.38"

Formatted: Indent: Left: 1.88"

Formatted: Indent: Left: 1", Space After: 0 pt, Line

spacing: single

Formatted: Indent: Left: 1.38", Space After: 0 pt, Line

spacing: single

Formatted: Font: Bold, Italic

Formatted: Indent: Left: 1", Space After: 0 pt, Line

spacing: single

Formatted: Indent: Left: 1.38", Space After: 0 pt, Line spacing: single

- a. Obtain the two necessary keys from the Drug Room to access the back panel. These keys will be kept within the PYXIS®PYXIS® console station in the Drug Room.
- b. Insert each key and turn at the same time, gently.
- c. The red latch will unlock each drawer.
- d. Depress a red button located on the control panel for each drawer in order to open all the cubies.
- e. Drugs removed from PYXISPYXIS will be signed out on the "PYXISPYXIS Downtime Medication Dispensing Log".

 (Attachment A)See attachment for example.
- f. Remove the drug needed.
- g. Keep the drawers closed.
- h. If a narcotic wastage is to be recorded during downtime, the
 nurse can use the MAR for recording and a licensed professional
 for witnessing the waste.
- i. Once the power is restored, the nursing staff must update the PYXIS®PYXIS® machine with all the transactions noted on the "PyxisPYXIS® Downtime Medication Dispensing Log".
- After power is restored, the Director of Nursing will ensure that a controlled substances inventory is preformed performed.
- 4. During normal hours of operation, the Drug Room Nursestaff will assist with equipment issues. There will be a PYXIS®PYXIS® customer help number attached to the MedStation which should be called for software malfunctions. The PYXIS®PYXIS® customer services should be contacted for all non Patientnon-Patient related issues before contacting the Drug Room Nursestaff. The Drug Room Nursestaff or on-call pharmacist should be contacted for all patient related issues.
- 5. All keys for the MedStations will be stored in the Drug Room. The Drug Room Nursestaff or Chief Nursing Officer may be contacted to open a MedStation in the event of a power failure or malfunction. The keys should not be given to non-Drug Room Nursestaff and a MedStation should not be opened without a Drug Room Nursestaff or Consultant Pharmacist being present.
- 1.—<u>Training will be completed during nursing orientation and annually.</u>
 - Permanent PYXIS® privileges will be assigned by the Drug Room Nurse or Chief Nursing Officer.

Note: This policy and any related procedures or guidelines were developed based on available evidence, regulatory standards, and accreditation requirements. Caregivers are accountable for following policies, procedural steps, and/or guidelines as they carry out their responsibilities. However, no clinical policy, procedure, or guideline can account every situation, so caregivers remain responsible for exercising their clinical judgment within their scope of practice and varying from a policy, procedure, or guideline in the event where the patient's circumstances fall outside the scope of policy.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

RX-021.003 Pyxis® MedStation

Page 10 of 14

Formatted: Indent: Left: 1.38", Space After: 0 pt, Line spacing: single

Formatted: Space After: 0 pt, Line spacing: single, No bullets or numbering

Formatted: Font: 10 pt

Note: This policy and any related procedures or guidelines were developed based on available evidence, regulatory standards, and accreditation requirements. Caregivers are accountable for following policies, procedural steps, and/or guidelines as they carry out their responsibilities. However, no clinical policy, procedure, or guideline can account every situation, so caregivers remain responsible for exercising their clinical judgment within their scope of practice and varying from a policy, procedure, or guideline in the event where the patient's circumstances fall outside the scope of policy.

Attachment:

Attachment A: PYXISPYXIS® Downtime Medication Dispensing Log (1 Page)
Attachment B: BD PYXIS® MedStation Quick Reference trifold (2 Pages)

Formatted: Left

Formatted: Font: Not Bold, Italic

Formatted: Left

Formatted: Font: Not Bold, Italic
Formatted: Left
Formatted: Centered

UNIT:			D	DATE:			
TIME PA	PATIENT	ROOM	MEDICATION NAME, STRENGTH, DOSAGE FORM	NAME, QTY (#) FORM		NURSES SIGNATURE Two Nurses Required For Na	TURE 1 For Narcotics
0300 Jon EXAMPLE	Jones, Joseph	411	Mefoxin 1 gm. IVPB	_	q8hrs Suzy Q. DoWell,	RN Q. DoWell,	
					7		


PYXIS DOWNTIME MEDICATION DISPENSING LOG

RX-021.003 Pyxis® MedStation

Page 12 of 14


Attachment B: BD PYXIS® MedStation Quick Reference trifold (Page 1 of 2)

Visual indicators Symbol Heaning Critical Override indicator appears when the device has not been communicating with the server for a current time is within the device's critical Override period. Device Disconnected indicator appears when the device has not been current time is within the device's critical Override device is not communicating with the server of a papears when the device is not communicating with the server of a papear when the device is not communicating with the server of the communication appears when there are one or more immedicated papears are displayed on a device. Interface Delay indicator appears on a device in profile mode when the system detects that the facility has a problem with the orders interface. Interface Delay—Patient Data indicator appears on a device in profile mode when the system detects that the facility has a problem with the orders interface. Interface Delay—Patient Data indicator appears on a device in profile mode when the system detects that the facility has a problem with the orders interface. Interface Deven—Patient Data indicator appears on a device in profile mode when the system detects that the facility has a problem with the patient of the source of the s



RX-021.003 Pyxis® MedStation

Formatted: Left



PROCEDURE

1. Purpose

Search by last name.

To ensure the proper medications are pulled for administration for the proper patients per 4 physician order and to allow for accurate inventory control.

2. Policy for Pyxis® MedStation

- a. The following staff will be authorized to utilize the Pyxis® MedStation as an administration and inventory control system:
 - i. Nursing Service,
 - ii. Pulmonary Services,
 - iii. Emergency Medical Services,
 - iv. Pharmacy Drug Room,
 - v. Medical Staff, and
 - vi. Pharmacy.

3. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions policy, ADMIN28.

Formatted: Left

Formatted: Space After: 10 pt, Line spacing: Multiple 1.15



Page 1 of 3 **DEPARTMENT: PHARMACY** POLICY TITLE: COMPOUNDING STERILE Date of Origin: PREPARATIONS (CSP) **POLICY NUMBER: RX-022.001 Revision Date: COMPLIANCE REQUIREMENT: 42 CFR** Periodic Review §485.635(a)(3)(iv); (USP) 797; 22 CCR §76876 By: Date: Policy Rescinded by **AUTHOR: Raymond Duro, Pharm D.** Policy #: REVISED BY: Vanessa Paap, LVN and Terry Aaroe, RN **Effective Date:**

Policy: Seneca Healthcare District (SHD) defines the roles and responsibilities of Nursing and Pharmacy with regards to meeting shall utilize USP 797 guidelines, procedures and compliance requirements for compounding sterile preparations and setsutilize these standards that apply to for all settings in which sterile preparations are compounded.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: RX-022.001

RX-022.001-CompoundingSterilePreparations (CSP)

Formatted: Left

Page 1 of 3

PROCEDURE

1. Purpose

The purpose of this policy is to ensure that the compounding of medications is a fundamental part of our healthcare practice. These guidelines are intended to help compounding personnel prepare CSP's of high quality and reduce the potential for harm to patients and consequences for compounding personnel. The recommendations in this Policy and Procedure are based on USP 797.

2. Responsibilities

The SHD Pharmacy Department is responsible for oversite of Sterile Preparation Compounding.

3. Policy for Compounding Sterile Preparations (CSP)


a. Procedure

- i. Based on USP 797, Seneca Healthcare District Hospital (SHD) is only able to compound products of Low-Risk CSPs for Immediate Use Only utilizing Point-of-Care Activation Systems whenever possible.
- ii. Low Risk CSPs encompasses simple admixtures involving closed-system transfer, measuring, and mixing of three or fewer commercially manufactured sterile products (including the infusion solution). Low-risk compounding conditions must include all of the following:
 - CSP's are compounded using aseptic technique within an ISO Class 5 Primary Engineering Control (PEC) (e.g., LAFW, BSC, CAI, or CACI) that is located within an ISO Class 7 buffer area with an ISO Class 8 ante area.
 - 2. Each container, including the final container, may not be entered more that n twice to prepare the CSP.
 - Compounding is limited to aseptic manipulations of disinfected containers using sterile needles and syringes.
- iii. Immediate Use Only: The immediate-use category should be reserved for emergent use or situations in which adhereing to low-risk compounding procedures would add additional risk due to delays in patient care. Examples of such situations may include, cardiopulmonary resuscitation, diagnostic procedures, or short stability medications that must be prepared immediately before administration outside health care facilities (e.g., in home infusion or emergency care at the accident site or in an ambulance). Immediate-use CSPs do not need to be compounded in an ISO Class 5 environment and garbing and gowning are not required, as long as all of the following criteria are met:
 - 1. Hand hygiene per CDC recommendations.
 - 2. Aseptic technique is followed.
 - 3. No hazardous drugs are used.
 - Only simple transfer of no more than three sterile, non-hazardous drugs in the manufacturer's original containers are involved in the compounding, and no more than two entries into any one container occur.
 - 5. No more than 1_-hour elapses from the time compounding commences to the time administration to the patient begins

- (although best practice dictates that there are no intervening steps between compounding and administration).
- 6. No batching or storage of CSP's occurs.
- 7. The preparation is labeled with patient identification, names, and amounts of all ingredients, name or initials of preparer and exact 1-hour Beyond Use Date and time.
- If CSP's prepared for immediate use are not administered within 1hour, they must be properly discarded.
- 9. All medications must be labeled to meet regulatory and accreditation standards and in accordance with facility policy.
- iv. Point-of-Care Activation Systems: Point-of-care (POC) activation systems (i.e., vial/bag systems) create a physical barrier between components (fluid and medication) that can be activated to allow the components to mix. These devices are designed to create a closed system by which the end user activates the components just prior to the administration of the medication. Examples of devices: ADD-Vantage by Hospira, Mini-Bag Plus® by Baxter, addEASE® by B.Braun.
 - SHD shall utilize POC <u>Activation Systems</u> for CSPs whenever possible.
 - 2. All POCs preparation are prepared for immediate use only.
- v. Compounding Intravenous (IV) Rally Bag/Banana Bag for Immediate Use
 - Limited to 3 in ingredients including the base solution IV Bag (NS/0.4NS/D5NS)
 - 2. Base solution may or may not contain KCL
 - 3. The base solution IV bag is limited to two injections entries
 - 4. MVI is considered ONE entry only (Both vials of multivitamin may be drawn into syringe for single injection into bag)
 - 5. Second entry Folic Acid
 - 6. Thiamine IM
 - 7. Magnessium IV piggy back

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.



Formatted: Left

Formatted: Left

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: Font: Bold

Formatted: Centered, Right: 0"

Policy: Seneca Healthcare District (SHD) shall designate a drawer in the Automated Medication-Drug Dispensing Cabinet-System (ADCADDS) located in the Acute Drug Room that will be designated to Long Term Care (LTC), which will have individual cubicles with lids. The cubicles will contain the individual medication identified as emergency drugs for LTC use only.

<u>Authorization</u>	<u>Signature</u>	<u>Date</u>
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
<u>Administration</u>		
Medical Chief of Staff		
Governing Board		

RX-023.0012 Acute Automated Dispensing Cabinet (ADC) Utilization by Skilled Nursing FacilityPage 1 of 4

Authorization	Signature	Date
Department Head	DRAFT	
Medical Department Chair	DRAFT	
Compliance Officer	DRAFT	
Chief Nursing Officer	DRAFT	
Administration	DRAFT	
Medical Chief of Staff	DRAFT	
Governing Board	DRAFT	

POLICY NUMBER REFERENCE: RX-023.00<u>1</u>2

1. Purpose

The purpose of this policy is to provide guidelines for the procurement and monitoring of Emergency Medications for long term care residents.

2. Responsibilities

The SHD Skilled Nursing Facility (SNF) Department is responsible for providing emergency medications after hours. The Drug Room NurseStaff is responsible to stock and maintain all of the SNF emergency medications. The SNF Director of Nursing (DON) and Drug Room NurseStaff will review all reports weekly. The SNF DON will review weekly.

3. Policy for Acute Automated <u>Drug</u> Dispensing <u>Cabinet-System</u> (<u>ADCADDS</u>)
Utilization by Skilled Nursing Facility.

1.a.ADDS Medications

- a.i. The Drug Room Nurse Staff will stock and maintain all of the identified Skilled Nursing Facility (SNF) emergency medications with the oversight of the Contracted Pharmacist.
- b.<u>ii.</u> The stocked medications will be listed in the <u>ADC-ADDS</u> with the prefix of LTC.

b. Utilization Review

- e.i. Reports will be reviewed by SNF DON and Drug Room Nurse Staff.
- d.ii. The SNF <u>Director of Nursing (DON)</u> will review reports weekly and as needed to ensure that the emergency medication was given to the appropriate resident and only approved after hour emergency medications was were used.
- e.iii. The Drug Room Nurse-Staff will review reports on a weekly basis to ensure the LTC medications are monitored for the accuracy of the pocket as well as outdates and restocking of all LTC medications.
- f-iv. Injectable supplies of legend narcotic drugs shall be limited to a maximum of three single doses in ampules or vials or one container of the smallest available multi-dose vial and shall be in sealed, unused containers.

2.4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Pepolicy/Procedure, CMPL-005ADMIN28.

Attachments:

Attachment A: List of Approved Emergency SNF Medications (1 page)

Formatted: Left, Indent: Left: 0.44", Hanging: 0.31", Right: 0.31"

Formatted: Left, Indent: Left: 0.75"

Formatted: Left

Formatted: Left, Indent: Left: 0.44", Hanging: 0.31"

Formatted: Left, Indent: Left: 0.75"

Formatted: Font: Not Bold

Formatted: Font: Bold, Italic

Formatted: Left, Indent: Left: 0.75"

Formatted: Left

Formatted: Font: Bold, Italic

Formatted: Left

Formatted: Left

Formatted: Left, Indent: Left: 0.44", Hanging: 0.31"

Formatted: Left, Indent: Left: 0.75"

Attachment A: List of Approved Emergency SNF Medications

Albuterol 0.083% 2.5 mg/3 mL inh solution

Amoxicillin 250 mg cap

Cefuroxime 250 mg tab

Cephalexin 250 mg tab

Chlorpromazine 25mg /1 ml

Ciprofloxacin 500 mg tab

Clonidine 0.1 mg tab

Diphenhydramine 50mg /1 ml

Diphenoxylate/atropine 2.5 mg tab

Doxycycline 100 mg cap

Duo neb 3 ml solution

Furosemide 20 mg tab

Glucagen 1mg / unit

Haloperidol 5mg/1ml

<u>Hhydrocodone w/apap-Acetaminophen_5mg/325 mg tab</u>

Hhydrocodone w/apap-Acetaminophen_10mg/325 mg tab

Llevofloxacin 250 mg tab

Llorazepam 0.5mg tab

mMorphine sulfate 10 mg/0.5ml oral solution

Mmorphine sulfate 10 mg/1 ml

Nnitrofurantoin mono/macro 100 mg cap

Nitroglycerinnitrostat 0.4mg tab

Oondansetron 4 mg tab

Oexycodone w/ Acetaminophen apap 5 mg/325mg tab

Ppotassium Cehloride 10 mEq ER tab

Pprednisone 5 mg tab

Phenazopyridinepyridium 100 mg tab

Sspironolactone 25 mg tab

Sulfacetamide Opthalmic 10% drops

Ssulfamethoxazole/Ttrimethoprimht 800mg/160mg tab

Ttramadol 50 mg tab

V vancomycin 500 mg injection

SENECA HEALTHCARE DISTRICT POLICY & PROCEDURE

DEPARTMENT: PHARMACY	Page 1 of 2
POLICY TITLE: BANANA BAG COMPOUNDING	Date of Origin:
POLICY NUMBER: RX-030.001	
	Revision Date:
COMPLIANCE REQUIREMENT: 42 CFR	
§485.635(a)(3)(iv); (USP) 797; 22 CCR §76876	Periodic Review
	By:
	Date:
AUTHOR: Raymond Duro, Pharm D.	Policy Rescinded by
REVISED BY:	Policy #:
KE (ISED D I .	Effective Date:

Policy: Seneca Healthcare District (SHD) shall ensure appropriate compounding of Immediate Use Banana Bags.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: DEPT-030.001

1. **Purpose**

The purpose of this policy is to provide guidelines for the appropriate mixture of intravenous Banana Bag compounding for immediate use.

2. Responsibilities

The SHD nursing staff is responsible for appropriate mixing of intravenous mixtures for immediate use. The SHD pharmacy staff is responsible for monitoring compliance with this policy.

3. Policy for Banana Bag Compounding

a. Compounding Intravenous (IV) Rally Bag/Banana Bag for Immediate Use

- i. Limited to 3 ingredients including the base solution IV Bag (NS/0.4NS/D5NS).
- ii. Base solution may or may not contain KCL.
- iii. The base solution IV bag is limited to two injections entries.
- iv. MVI is considered ONE entry only (Both vials of multivitamin may be drawn into one syringe for single injection into bag).
- v. Second entry Folic Acid.
- vi. Thiamine IM.
- vii. Magnesium IV piggyback.

4. **Enforcement**

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

REFERENCE

RX-022 Compounding Sterile Preparations (CSP)

SENECA HEALTHCARE DISTRICT POLICY & PROCEDURE

DEPARTMENT: PHARMACY	Page 1 of 2
POLICY TITLE: NURISNG ORIENTATION AND INSERVICE	Date of Origin:
POLICY NUMBER: RX-033.001	Revision Date:
COMPLIANCE REQUIREMENT: USP 797; BPC §4427.3(c); BPC §4427.5	Periodic Review By: Date:
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D; Vanessa Paap, LVN and Terry Aaroe, RN	Policy Rescinded by Policy #: Effective Date:

Policy: Seneca Healthcare District (SHD) shall ensure that hospital personnel affected by pharmacy are properly oriented and trained.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: RX-033.001

1. Purpose

The purpose of this policy is to provide guidelines for the orientation/training of personnel affected by pharmacy activity.

2. **Responsibilities**

It is the responsibility of pharmacy staff to ensure that personnel are oriented and trained to appropriate pharmacy activities and procedures. The Nurse Educator and HR will be responsible for maintaining employee training files.

3. Policy for Nursing Orientation and Inservice

a. **Procedure**

- i. The Pharmacy Service shall be actively involved in the orientation of all hospital personnel who are affected by Pharmacy activity. Orientation shall include, but not be limited to, Pharmacy forms, policies and procedures and supplies.
- ii. The Pharmacy Service shall actively participate in all phases of in-service training relating to medications.
- iii. The Nursing Orientation Checklist (Attachment A) will be used during the orientation of each nurse. The completed form will be kept on file in the employee's personnel file.
- iv. Sterile compounding preparation policy will be reviewed and skills will be exhibited and checked off annually (Attachment B).
- v. Pyxis Training will be completed on hire and annually.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

Attachment or Attachment List (if applicable)

Attachment A:

Attachment B: IV Compounding Competency Assessment Checklist

Attachment A: Nursing Orientation Checklist

VI	D-t
•	Date:
☐ Where to find	Pharmacy Policies and Procedures
☐ Where to find	_
	the Pharmacist Call Schedule with phone numbers Videos in Lippincott
	videos in Eppincott
olicies and Procedures:	
RX-002 Advers	
	nent and Formulary nous Medication – Insulin – Standardized Infusion Concentrations
☐ RX-008 Intrave	nous Medication – Insulin – Standardized Infusion Concentrations
	sing Medication to Discharged Patients
	ministration of Drugs-Acute and SNF
☐ RX-020 Potassi	ium Scale and Administration
☐ RX-021 Pyxis N	
	ounding Sterile Preparations (CSP)
	ADDS Utilization by the Skilled Nursing Facility istration of Medications
☐ RX-028 Multi D	
☐ RX-029 Medica	ation Allergies
RX-030 Banana	_
☐ RX-035 Paralyt	_
RX-036 High Al	lert Medications ations for Patients on Pass Acute and SNF
	erator Alarms Monitoring and Responding to
	Oral Enteral Syringes
	of Sterile Medications

Attachment B: IV Compounding Competency Assessment Checklist

差 人	IV Compounding Competency Assessment Checklist
SENECA HEALTHCARE DISTRICT	Competency compliance requirements: USP 797; 16 CA ADC § 1751.6
This is to make sure that	the nurse is preparing IV medications for the patient in correct procedure.
☐ The Medication information from	Plastic Bag was labeled with the reconstitution and suitable diluents at the pharmacy.
	medication were applied for the patients: Right patient, Right Medication, ht Route, Right time, Right Frequency and Right Documentation.
☐ Preparation area	is Suitable & clean. (Using Stainless steel for IV preparation).
☐ Cleaned hand pr	operly using antiseptic Agent.
☐ Aseptic techniqu	es for cleaning the vials and ampoules before opening using alcohol's swab.
☐ Correct IV dilue	nts for reconstitution.
Using alcohol sv	vab to clean the vial top or on ampoule's neck.
☐ Proper technique	es for puncture to avoid rubber coring.
Wearing gloves sickness).	and surgical mask (Wearing a surgical mask if needed in case of nurse
☐ Correct dose cal	culation.
Good mixing Te	chniques and correct concentration after reconstitution.
☐ Correct and com	plete labeling.
 Double checking 	g (by another nurse).
Correct Storage.	

DEPARTMENT: PHARMACY PROCEDURE TITLE: AUTHORIZED ACCESS PROCEDURE NUMBER: RX-PRO-001.002	Page 1 of 2 Date of Origin: Unknown	
	Revision Date: 05/29/2015	
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D		

Procedure: The Seneca Healthcare District Pharmacy department will ensure that access to the Pyxis® medication dispensary as well as any other drug in the Drug Room.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-001.002

- 1. Permanent access codes are assigned. These codes will be entered and maintained by the Pharmacy Registered Nurse or Assistant Administrator.
- 2. Nurses and RCP's will have access to their primary nursing units.
 - a. A "temporary access code", usable for fourteen (14) hours, may be assigned by the Registered Nurse or Shift House Supervisor for nurses who have not yet been granted access. Access will be granted at the appropriate user privilege level.
 - b. Nursing students will be assigned a "temporary access code".
 - c. When creating the "temporary access code" for any personnel, the following information is required:
 - i. Full last name,
 - ii. First initial, and
 - iii. License classification (RN or LVN).
- 3. Individuals may have different levels of access assigned to them as defined by their position. Defined user privilege levels are:
 - a. RN/LVN
 - b. Student Nurse RN/LVN
 - c. Nurse Director/Assistant Nurse Manager/Charge Nurse/Nursing Supervisor
 - d. Pharmacy Registered Nurse
 - e. Pharmacist
 - f. Respiratory Care Practitioner (RCP)
 - g. Anesthesia Practitioner
 - h. CRNA
 - i. Physician
- 4. All additions or changes to the permanent access codes must be sent to the Chief Nursing Officer as confidential by the Pharmacy Registered Nurse. Pyxis® users are setup by the Chief Nursing Officer or designee upon notification from the Director of Human Resources. Pyxis® user codes are subject to all applicable Information Technology policies regarding any type of computer access.
- 5. Password Confidentiality:

At no time should passwords be shared. Every effort should be made to conceal passwords.

6. Password Forgotten/Doesn't Work:

A temporary password may be assigned to a nurse by the charge nurse. The request for resetting password will be submitted via "User Sign-on Request/Change" as above. There are no temporary passwords for RCPs. If RCP is unable to remove medications because they do not have access, a nurse will remove the medication until an individual access code is assigned.

- 7. Passwords expire every six months and must be reset by the user upon prompting by system.
- 8. Terminated employees will be removed from the system by the Chief Nursing Officer, or designee, upon notification by the Director or Human Resources.

DEPARTMENT: PHARMACY PROCEDURE TITLE: DISCREPANCY REPORTS PROCEDURE NUMBER: RX-PRO-003.002	Page 1 of 2 Date of Origin: Unknown	
	Revision Date: 05/29/2015	
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D		

Procedure: Seneca Healthcare District's charge nurse must assure that all discrepancies are resolved in the Pyxis® by the end of each shift.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-003.002

- 1. Any discrepancy discovered should be reported to the nurse in charge.
- 2. A discrepancy should be resolved either at the time of discovery or prior to the change of shift using the Quick Reference Guide.
- 3. If a report is found to have "no prior access -no transaction", then the discrepancy report shall be saved for the Nurse Director to resolve with the Pharmacy Registered Nurse.
- 4. Any unresolved narcotic discrepancy from earlier shifts will be reported to the Nurse Director/charge nurse and the Pharmacy Registered Nurse, and an incident report will be filed. After filing the incident report, the Nurse Director/charge nurse will resolve the discrepancy on the PYXIS screen using the option "DISCREPANCY HAS BEEN REPORTED PER POLICY."

DEPARTMENT: PHARMACY
PROCEDURE TITLE: ENTERING PATIENT
INFORMATION
Unknown
PROCEDURE NUMBER: RX-PRO-004.002
Revision Date:
05/29/2015

AUTHOR: Unknown
REVISED BY: Ray Duro, Pharm. D

Procedure: Seneca Healthcare District's electronic health record system should push patient information to the Pyxis® via an electronic interface. For a variety of reasons, some patients may not be listed in the Pyxis® at the time a medication is needed. See the Quick Reference Guide to add a temporary patient using their account number.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-004.002

DEPARTMENT: PHARMACY PROCEDURE TITLE: MEDICATION REMOVAL PROCEDURE NUMBER: RX-PRO-006.002	Page 1 of 2 Date of Origin: Unknown	
	Revision Date: 05/29/2015	
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D		

Procedure: Seneca Healthcare District's pharmacy department will ensure that proper medication removal processes are utilized when medications are removed from the Pyxis®.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-006.002

- 1. Remove the medication at the Pyxis® Station according to Quick Reference Guide attached to Pyxis® station.
- 2. Medication removal is limited to the user privilege level.
- 3. The nurse must verify the inventory count when removing selected medications from the Pyxis® Station (i.e. narcotics).
- 4. Pyxis® does not take the place of medication administration documentation..

DEPARTMENT: PHARMACY PROCEDURE TITLE: INVENTORY COUNT	Page 1 of 1 Date of Origin:
PROCEDURE NUMBER: RX-PRO-005.002	Unknown
	Revision Date: 05/29/2015
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D	

Procedure: Seneca Healthcare District's pharmacy department will ensure that an "Inventory Count" of controlled medications (schedule II-V) will be performed at least once a week by two licensed personnel. (This is similar to a shift count, but is only done once a week); the inventory must be done by "Medication Class" to assure all controlled medications are counted; the Pharmacy Registered Nurse will monitor that the weekly shift counts are being done by printing a report at the central console workstation. If the counts are not being done, the Pharmacy Registered Nurse/designee will report this to the Chief Nursing Officer for resolution.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-005.002

PROCEDURE DEPARTMENT: PHARMACY PROCEDURE TITLE: POISON CONTROL INFORMATION PROCEDURE NUMBER: RX-PRO-009.002 PROCEDURE NUMBER: RX-PRO-009.002 PROCEDURE NUMBER: RX-PRO-009.002

05/29/2015

AUTHOR: Unknown

REVISED BY: Ray Duro, Pharm. D


Procedure:

1-800-342-9293 University of California, Davis

1-916-734-3692 Regional Poison Control Center Sacramento, CA

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-009.002



COMPLIANCE REQUIREMENT: California Ca Board of Pharmacy (CABOP) BPC §4056; §4068 & §4076; California

Health and Safety CodeCa HCS §11165

AUTHOR: Ray Duro, PharmD & Karen Turner, RN, CNO

Revision Date:

Periodic Review

By: Date:

Policy Rescinded by Policy #:

Effective Date:

Policy: -Seneca Healthcare District (SHD) will adhere by to California Board of Pharmacy (CABOP) standards with respect to dispensing of medications for discharged patients as follows per all applicable state federal, and local laws and/or regulations.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: RX-018.001

Formatted: Left

Formatted: Indent: First line: 0"

Formatted: Left

1. Purpose

The purpose of this policy is to comply with the California Board of Pharmacy (CABOP) standards with respect to dispensing of medications for discharged patients and all applicable state federal, and local laws and/or regulations.

2. Responsibilities.

It is the responsibility of the prescriber to dispense drugs according to all applicable laws and regulations. Nursing staff will not dispense drugs.

4.3. Policy for Dispensing Medications to Discharged Patients

a. Pispense Dangerous Drug or Controlled Substance ing Pharmaceuticals to Discharged Emergency Room Patients;

i. Requirements:

- Hi. Notwithstanding any provision of this chapter, a prescriber may dispense a dangerous drug, including a controlled substance, to an emergency room patient if all of the following apply:
 - **a.1.** The hospital pharmacy is closed and there is no pharmacist available in the hospital.
 - b.2. The dangerous drug is acquired by the hospital pharmacy.
 - e.3. The dispensing information is recorded and provided to the pharmacy when the pharmacy reopens.
 - d.4. The hospital pharmacy retains the dispensing information and, if the drug is a schedule II, schedule III, or schedule IV controlled substance, reports the dispensing information to the Department of Justice pursuant to Section 11165 of the Health and Safety Code.
 - e.5. The prescriber determines that it is in the best interest of the patient that a particular drug regimen be immediately commenced or continued, and the prescriber reasonably believes that a pharmacy located outside the hospital is not available and accessible at the time of dispensing to the patient.
 - £.6. The quantity of drugs dispensed to any patient pursuant to this section are limited to that amount necessary to maintain uninterrupted therapy during the period when pharmacy services outside the hospital are not readily available or accessible, but accessible but shall not exceed a 72-hour supply.
 - 7. The prescriber shall ensure that the label on the drug contains all the information required by Section 4076.
 - (b) The prescriber shall be responsible for any error or omission related to the drugs dispense.

8.

- ii. No schedule II medications will be dispensed out of the drug room.
- ii. Take Home Pack medication information will be made available in the drug room for providers to give to patients.

RX-018.001 Dispensing Medications to Discharged Patients

Page 2 of 3

Formatted: Font: Not Bold

Formatted: Left, Indent: Left: 0.19"

Formatted: Font: Not Bold

Formatted: Left, Indent: Left: 0.5", No bullets or numbering

Formatted: Font: Not Bold

Formatted: Left, Indent: Left: 0.19"

Formatted: Left

Formatted: Font: Not Bold

Formatted: Left, Indent: Left: 0.5", No bullets or numbering

Formatted: Left, Indent: Left: 0.19", Hanging: 0.31"

Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted: Left

Formatted: Left

Formatted: Left

Formatted

Formatted

Formatted: Left

b. Nurse Dispensing

i. No registered nurse shall dispense drugs in a pharmacy.

c. There shall be no deviations from this Policy and Procedure.

2.4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the <u>Sanctions Policy/Procedure, CMPL-005.Sanctions policy, ADMIN28.</u>

Formatted: Font: Times New Roman, Font color: Auto

Formatted: Font color: Auto

Formatted: Font color: Auto, Pattern: Clear

Formatted: Font: Bold, Italic

Formatted: Font: Bold, Italic

Formatted: Left, Indent: Left: 1", No bullets or numbering

Formatted: Left, Indent: Left: 0.19", Hanging: 0.31"

Formatted: Left, Indent: Left: 0.5"

Formatted: Left

Formatted: Left, Indent: Left: 0.5"

DEPARTMENT: PHARMACY
PROCEDURE TITLE: POWER OUTAGE/EMERGENCY
BACKUP PROCEDURE
PROCEDURE NUMBER: RX-PRO-010.002

AUTHOR: Unknown
REVISED BY: Ray Duro, Pharm. D

Procedure:

If the Pyxis® Station is plugged into the emergency power system, the station will remain operational. If it becomes necessary to manually open the Pyxis® Station for medication access, the Pharmacy RN should be notified. Pharmacy maintains the set of keys to open the back of the Pyxis® Station to allow for the removal of medications. At this point, controlled substances will be removed to a locked storage area and signed into a Controlled Drug Record for manual signouts.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-010.002



DEPARTMENT: <u>FOOD AND NUTRITION SERVICES</u> (FNS) DIETARY SERVICES	Page 1 of 2
POLICY TITLE: DRINKS AVAILABLE TO MEET RESIDENT NEEDS/PREFERENCES/SUFFICIENT	Date of Origin: 07/25/2019
HYDRATION POLICY NUMBER: DSS-013.002	Revision Date: 08/25/2022,
COMPLIANCE REQUIREMENT: SOM [F8071 §483.60(d)(6)	Periodic Review By: Date:
AUTHOR: Andrea Kelly, <u>Certified Dietary Manager Dietary</u> <u>Services Supervisor</u> REVISED BY:	Policy Rescinded by Policy #: Effective Date:

Policy: Seneca Healthcare District (SHD) shall ensure drinks, including water and other liquids, are available to maintain sufficient hydration adhering to the resident preferences and meeting resident needs.

Authorization	Si nature	Date
Department Head	sudreashelly c Brn	3636002
Medical Department Chair	95 Muran mann	25/2022
Compliance Officer	0/(uZau mace	2 512027 08/25/2022
Chief Nursing Officer	Yung Clinian,	8/25/22
Director, Human Resources		8/25/22
Administration	Xhin.	Tho 122
Medical Chief of Staff	Vouma Wvvte	8/25/22
Governing Board	-lewixn-	2s

POLICY NUMBER REFERENCE: DSS-013.002

DSS-013.002-Drinks Available To Meet Resident Needs Preferences Sufficient Hydration

Page 1 of 2

PROCEDURE

1. Purpose

The purpose of this policy is to provide liquids, to ensure sufficient hydration, for the residents and take into consideration their personal preferences while following their prescribed diets.

2. Responsibilities

It is the responsibility of the Seneca Healthcare District's (SHD) FNS Department to provide drinks and other liquids to the residents to help maintain hydration.

3. Policy for Drinks Available to meet Resident Needs/Preferences/Sufficient Hydration

It is the policy of the Seneca Healthcare District's (SHD) <u>FNSDietary</u> Department to make available drinks, including water and other liquids, for the residents upon request taking into account their prescribed diet and personal preferences to maintain sufficient hydrations;

- a. Drinks shall include, but are not limited to;
 - i. Water ii. Juices iii.

Carbonated beverages

iv.Broths

- v. Other food items that become liquid at room temperature to encourage fluid intake:
 - 1. Ice cream

2. Popsicles

4. Enforcement


Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

REFERENCE

SNF-139-Nutrition Hydration Status Maintenance SNF-OI 7-F1uid Policyfor SNF/LTC Unit

 $DSS\text{--}013.002\text{-}Drinks Available To Meet Resident Needs Preferences Sufficient Hydration}$

Page 2 of 2



POLICY: Seneca Healthcare District (SHD) overall operating cash target is 90 days of operating cash, which includes cash available for operations without Board or other restrictions.

Authorization:	Signature:	Date:
Department		
Head		
Medical		
Department		
Chair		
Chief Nursing		
Officer		
Medical Chief		
of Staff		
Administration		
Governing		
Board		

POLICY NUMBER REFERENCE: FIN-013-001

POLICY

It is the policy of Seneca Healthcare District to invest public funds in a manner which will provide the maximum security of principal consistent with a market rate of return while meeting the cash flow needs of the District and conforming to all applicable State and local statutes, mainly California Government Code Section 53601, governing the investment of public funds.

OBJECTIVES

- 1. Safety of principal
- 2. Portfolio liquidity
- 3. Return on investment

PROCEDURE

- 1. **Purpose:** The purpose of this policy is to define investment protocols.
- 2. Procedures: At anytime in which SHD has more than 10 days of operating cash in our checking account, the end of any month in which we have more than 15 days of operating cash available at Plumas Bank (combined checking and savings), we will transfer the excessremaining amount to our LAIF or California CLASS account(s), or other authorized investment, in order to earn higher rates of return on investments. At anytime in which we have less than 10 days of operating cash available in our checking account, the end of any month in which we have less than 15 days of operating cash available at Plumas Bank (combined checking and savings), we will transfer funds from our investment accounts in an amount to meet immediate obligations the forecasted amount needed to maintain 15 days of operating cash at Plumas Bank (combined checking and savings) during the coming month.
- 3. Attachment: Summary and Features of Current Account Types

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination and or criminal or civil prosecution as outlined in the Sanctions Policy, ADMIN28.

Summary and Features of Current Account Types

We currently have money in cash, checking accounts, savings accounts, series EE Bonds, and a statewide Local Agency Investment Fund (LAIF), and public agency investment fund California CLASS.

- a. Cash: Minimal amounts of cash are kept at the facility for the purposes of change drawers and petty cash. The cash is kept secure and balanced daily.
- b. Checking and Savings: These accounts are used to support operations. They provided minimal interest income (less than 1% annual yield). There are accounts at Plumas Bank and US Bank. FDIC insurance is \$250,000 per account class at each bank. See "Other Insurance" comments below.
- c. Series EE Bonds providing a return of 4%. (Note; these bonds have matured and will be redeemed)
- d. LAIF and California CLASS: These funds are not FDIC insured. We earn approximately an 1.5-1.75% annual yield in line with the short-term treasury market.
- e. Other Insurance: Under the provisions of the California Government Code, California banks and savings and loan associations are required to secure the District's deposits by pledging government securities as collateral. The market value of pledged securities must equal at least 110% of the District's deposits. California law also allows financial institutions to secure Hospital deposits by pledging first trust deed mortgage notes having a value of 150% of the District's total deposits. The pledged securities are held by the pledging financial institution's trust department in the name of the District. Our current bank (Plumas Bank) has confirmed and demonstrated their compliance with this rule.

Other options available to us:

Please see attached worksheet of allowed investments.

DENECA HEALTHCARE DISTRICT POLICY & PROCEDURE

DEPARTMENT: Human Resources	Page 1 of 5
POLICY TITLE: Diversity, Equity, and Inclusion	Date of Origin:
POLICY NUMBER:	
	Revision Date:
COMPLIANCE REQUIREMENT:	
	Periodic Review
	By:
	Date:
AUTHOR: Jennie Mathews, Director of Human Resources	Policy Rescinded by
REVISED BY:	Policy #:
	Effective Date:

Policy: Seneca Healthcare District (SHD) is committed to fostering a work environment that is inclusive, equitable and diverse. One where we celebrate differences; where each employee is treated fairly and is respected for those differences; and where every team member has an equal opportunity to contribute to the success of our company and reach their full potential. This commitment stems from our senior most leaders and includes every member of our team.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: DEPT-###.###

1. **Purpose**

Seneca Healthcare District (SHD) is committed to fostering a diverse workforce, and maintaining a workplace that is equitable, inclusive and safe for all employees. From recruiting practices, to pay and benefits, promotions, and all other aspects of employment with us, an environment of equity is of the utmost importance. We not only recognize that our employees comprise a wide range of backgrounds and characteristics, but we believe those differences should be celebrated and valued.

Whether it's race, religion, gender, national origin, ancestry, color, language, age, marital status, sexual orientation, gender identity, gender expression, physical or mental disability, medical condition, genetic information/characteristics, veteran status, political affiliation or any other characteristic, these are parts of each of you that contribute to your experiences as humans, and ultimately to the knowledge and expertise that make you a valuable asset to the District.

This policy applies to all current employees (full-time, part-time, per diem, and temporary) of Seneca Healthcare District and it extends to our treatment of vendors and suppliers, contractors, visitors, patients and job applicants.

2. Responsibilities

It is the expectation of Seneca Healthcare District that all employees adhere to the commitments outlined in this policy. Should you witness any breach of this policy, please advise your Supervisor or the Human Resources department immediately.

3. **Definitions**

For purposes of this policy and for interpretation by our employees:

- a. **Diversity** refers to the differences in the make up of our employees, including age, race, colour, national or ethnic origin, family or marital status, sex, gender identity or expression, sexual orientation, language, physical and mental ability, genetic characteristics, political affiliation, religion, socio-economic status, and other characteristics that make our employees unique.
- b. **Equity** means ensuring fair access to all employment opportunities for everyone, regardless of diversity or difference. Equity addresses economic and social disparity and injustices against marginalized groups.
- c. **Inclusion** is the process through which the company builds community and where employees and the organization at large experience the benefits of diversity.

4. Commitment

As a company, Seneca Healthcare District is committed to:

a. Creating an environment where the individual differences and contributions of all employees are recognized and valued.

- b. Maintaining a work environment that promotes dignity and respect for every employee.
- c. Attracting and retaining a skilled and diverse workforce that best represents the talent that is available within the communities in which we operate.
- d. Ensuring all selection-based criteria are appropriate and based on diverse skills, experience and perspectives when both hiring new staff and promoting current team members. Selecting team members for new jobs or promotions based solely on merit.
- e. Regularly reviewing and updating as required all employment practices and policies that do not support the intention behind this policy including, but not limited to: recruitment and selection; compensation and benefits; professional development and training; promotions; transfers; social and recreational programs; terminations; and the ongoing development of a work environment built on the premises of diversity, equity and inclusion.
- f. Complying with all associated legislation requirements.
- g. Encouraging respectful communication at all times.
- h. Actively discouraging, and addressing through appropriate disciplinary action, any forms of intimidation, bullying, victimization, vilification or harassment that result from or are contrary to the intentions of this policy.

Additionally, we expect our company management to:

- i. Understand their role in promoting diversity, equity and inclusion within our company.
- j. Act in accordance with this policy at all time.
- k. Actively discourage and address any actions that are contrary to this policy.

And, we require all employees to:

- 1. Treat all employees with dignity and respect at all times.
- m. Act in accordance with this policy at all times.
- n. Identify and bring forward any situations that are contrary to this policy.

5. Enforcement

- a. Seneca Healthcare District is committed and determined that there is access, opportunity and advancement for all individuals. We are always looking for ways in which we can cultivate an inclusive work environment, strengthen our cultural competency, and train our managers and employees to provide opportunities for growth and development.
- b. It is our intention that all our employees, regardless of any particular background or characteristic, are always treated with respect and dignity. Likewise, we expect that as our employees, you treat your coworkers, supervisors and other team

- members with the same dignity and respect at all times. Disrespect, inappropriate behavior or conduct toward others will not be tolerated and may subject an employee to disciplinary action, up to and including termination.
- c. If you feel you have been mistreated, harassed, or discriminated or retaliated against in violation of the SHD's Harassment, Discrimination and Retaliation Prevention policy, please contact your supervisor or the HR Department.
- d. Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.



ACKNOWLEDGEMENT

I acknowledge that I have read and understand the Diversity, Equity and Inclusion Policy. I agree to comply with this Policy and its guiding principles. I understand that I am responsible for creating a workplace that is free from discrimination and where people feel included and welcomed. Should I not act in accordance with the intentions outlined in this policy, I may be subject to corrective action up to and including termination.

Name (Print):	
Signature:	
Signature.	
Date:	



DEPARTMENT: HUMAN RESOURCES POLICY TITLE: COVID-19 Vaccine Mandate POLICY NUMBER: HR-032.002	Page 1 of 20 Date of Origin: 04/28/2022
COMPLIANCE REQUIREMENT: Collective Bargaining Agreement with SHD-General Teamsters, Professional Health Care and Public Employees' Local #137 Memorandum of Understanding.	Revision Date: 08/25/2022, Periodic Review By: Date:
AUTHOR: Jennie Mathews, Director of HR and Stefanie White, Infection Control Nurse REVISED BY:	Policy Rescinded by Policy #: Effective Date:

Policy: Seneca Healthcare District (SHD) shall follow the following guidelines as part of the COVID-19 vaccine mandate for health care personnel (HCP).

Authorization	Signature	Date
Department Head	See Director, Human Resources	
Medical Department Chair	See Medical Chief of Staff	
Compliance Officer	Charline almarcia	08/28/2022
Chief Nursing Officer	Gudy Jine Ro	08/25/2022
Director, Human Resources		8/25/22
Administration		8/25/2022
Medical Chief of Staff	Mure, M	8/25/2012
Governing Board	Seri LA	08/25/22

POLICY NUMBER REFERENCE: HR-032.002

1. **Purpose**

In accordance with Seneca Healthcare District's (SHD) duty to provide and maintain a workplace that is free of known hazards, we are adopting this policy to safeguard the health of our employees and their families, our customers and visitors, and the community at large from COVID-19. This policy complies with all applicable laws and is based on guidance from the Centers for Disease Control and Prevention (CDC), the Centers for Medicare and Medicaid Services (CMS), the California Department of Public Health (CDPH), the Plumas County Public Health Agency, and all applicable state and local health orders.

This policy will be updated per CMS, CDC, and CDPH guidelines as new information becomes available.

2. Responsibilities

This policy applies to all employees and contractors (Full-Time, Part-Time, Per Diem, Temporary Employees and Contractors) who will interact with the public, patients, and/or co-workers. These employees are required to receive the COVID-19 vaccine and booster series, unless a reasonable accommodation is approved. If you have concerns about receiving a COVID-19 vaccine, please contact the Infection Prevention department to discuss. Human Resources will present all of the information in this policy in the prehire process for new employees and contractors, and to all current employees and contractors on an on-going basis.

3. Policy for COVID-19 Vaccine Mandate

a. Vaccine Mandate

In accordance with the State Public Health Officer Order of 8/5/2021 from California Department of Public Health (CDPH), SHD will follow the following guidelines as part of the vaccine mandate for health care personnel (HCP):

- 1. Hospitals, skilled nursing facilities (SNFs), and the other health care facility types identified in this order are particularly high-risk settings where COVID-19 outbreaks can have severe consequences for vulnerable populations including hospitalization, severe illness, and death. Further, the settings in this order share several features. There is frequent exposure to staff and highly vulnerable patients, including elderly, chronically ill, critically ill, medically fragile, and disabled patients. In many of these settings, the patients are at high risk of severe COVID-19 disease due to underlying health conditions, advanced age, or both.
- 2. Vaccinations have been available in California from December 2020 to the present. Increasing numbers of health care workers are among the new positive cases, despite vaccinations being prioritized for this group when vaccines initially became available. Recent outbreaks in health care settings have frequently been traced to unvaccinated staff members.
- 3. Vaccination against COVID-19 is the most effective means of preventing infection with the COVID-19 virus, and subsequent transmission and outbreaks. As we respond to the dramatic increase in cases, all health care workers must be vaccinated to reduce the chance of transmission to vulnerable populations.

4. For these reasons, COVID-19 remains a concern to public health and, in order to prevent its further spread in hospitals, SNFs, and other health care settings, new public health requirements are necessary at this time.

b. Procedures

1. The State Public Health Order required all workers who provide services or work in healthcare facilities (as listed below) to have received either the first dose of a one-dose regimen or their second dose of a two-dose regimen no later than 9/30/2021, unless exempt. All COVID-19 vaccines that are currently authorized for emergency use can be found at the links listed below in the "References" section.

Healthcare Facilities:

- i. Skilled Nursing Facilities (including Subacute Facilities)
- ii. General Acute Care Hospitals
- iii. Intermediate Care Facilities
- iv. Acute Psychiatric Hospitals
- v. Adult Day Health Care Centers
- vi. Program of All-Inclusive Care for the Elderly (PACE) and PACE Centers
- vii. Ambulatory Surgery Centers
- viii. Chemical Dependency Recovery Hospitals
- ix. Clinics & Doctor Offices (including behavioral health, surgical)
- x. Congregate Living Health Facilities
- xi. Dialysis Centers
- xii. Hospice Facilities
- xiii. Pediatric Day Health and Respite Care Facilities
- xiv. Residential Substance Use Treatment and Mental Health Treatment Facilities
- 2. According to the State Public Health Order issued on 12/22/2021, all workers who provide services or work in health care facilities must be "up to date" on COVID-19 vaccination by receiving all recommended doses of the primary series of vaccines and vaccine booster dose if eligible. Per the State Public Health Order dated 2/22/22, all those who are eligible to receive a booster needed to do so to remain in compliance by 3/1/2022. The amended Order also allows for workers with completed primary series vaccination and recent infection to defer booster dose by up to 90 days from infection.
- 3. "Workers" refers to all paid and unpaid individuals who work in indoor settings where (1) care is provided to patients, or (2) patients have access for any purpose. This includes workers serving in health care or other health care settings who have the potential for direct or indirect exposure to patients or SARS-CoV-2 airborne aerosols. Workers include, but are not limited to, nurses, nursing assistants, physicians, technicians, therapists, phlebotomists, pharmacists, students and trainees, contractual staff not employed by the health care facility, and persons not directly involved in patient care, but who could be exposed to infectious agents that can be transmitted in the health care setting (e.g., clerical, dietary, environmental services, laundry, security, engineering and facilities management, administrative, billing, and volunteer personnel).
- c. Reasonable Accommodation

- 1. Workers may be exempt from the vaccination requirements under section (b) only upon providing the operator of the facility a declination form, signed by the individual stating either of the following: (1) the worker is declining vaccination based on Religious Beliefs, or (2) the worker is excused from receiving any COVID-19 vaccine due to Qualifying Medical Reasons.
 - i. To be eligible for a Qualified Medical Reasons exemption the worker must also provide to Human Resources the completed COVID-19 Vaccine Declination form (see Exhibit A) and the Medical Certification/Exemption form (see Exhibit B), which will be signed by a physician, nurse practitioner, or other licensed medical professional practicing under the license of a physician stating that the individual qualifies for the exemption (but the statement should not describe the underlying medical condition or disability) and indicating the probable duration of the worker's inability to receive the vaccine (or if the duration is unknown or permanent, so indicate).
 - ii. To be eligible for a Religious Beliefs exemption for a sincerely held religious belief, the worker must follow the reasonable accommodation process as listed below:
 - 1. Submit the completed COVID-19 Vaccine Declination form (see Exhibit A) and the Religious Exemption Request form (see Exhibit C) to Human Resources.
 - 2. Human Resources will conduct an interactive accommodation process for the religious accommodation, which includes a verbal interview, and approve or deny the request.
 - ii. If SHD deems a worker to have met the requirements of an exemption pursuant to section (c), the unvaccinated exempt worker must meet the following requirements when entering or working in such facility:
 - i. Test for COVID-19 with either PCR or antigen test that either has Emergency Use Authorization by the U.S. Food and Drug Administration or be operating per the Laboratory Developed Test requirements by the U.S. Centers for Medicare and Medicaid Services. Testing must occur twice weekly for unvaccinated exempt workers in acute health care and long-term care settings, as defined in the MOU, and once weekly for such workers in non-patient care settings, via biweekly antigen testing for all direct patient care employees. Non-patient care area employees will comply with weekly testing with antigen swab.
 - ii. Staff who have been granted an exemption to COVID-19 vaccination requirements should adhere to national infection prevention and control standards for unvaccinated health care personnel.

- For additional information see CDC's Interim Infection Prevention and Control Recommendations for Healthcare Personnel During the Coronavirus Disease 2019 (COVID-19) Pandemic webpage (as listed in the References section).
- iii. Contingency Plan. All newly hired and current employees and contracted staff will be required to abide by this policy. If any SHD workers indicate that they are unwilling or unable to either a) receive a COVID-19 initial vaccination or booster, or b) apply for and receive a Qualifying Medical Reasons vaccination declination or Religious exemption, this will be considered a violation of section 16: Required Health Screenings and Vaccinations, per the MOU. The worker and employer agree that failure of the employee to comply with the requirements as listed in the MOU shall result in suspension from duties without pay until this requirement is met.
- iv. If the worker has a temporary delay in vaccination due to the below reasons, they will not be subject to the disciplinary process as outlined in the above section iii, but will be required to promptly comply with all vaccination requirements as soon as possible.
 - i. Two (2) week delay due to a recent PPD, Two-step skin test, or chest X-Ray for Tuberculosis screening; or
 - ii. Ninety (90) day delay after a positive COVID-19 infection.
- v. Consistent with applicable privacy laws and regulations, the Human Resources, Employee Health, and Infection Prevention Departments will maintain records of workers' vaccination or exemption status. If the worker is exempt pursuant to section (c.1), the facility then also must maintain records of the workers' testing results pursuant to section (c.1.ii).
 - The facility must provide such records to the local or state Public Health Officer or their designee promptly upon request, and in any event no later than the next business day after receiving the request.
 - ii. The facility must maintain records pursuant to the CDPH Guidance for Vaccine Records Guidelines & Standards with the following information: (1) full name and date of birth; (2) vaccine manufacturer; and (3) date of vaccine administration (for first dose and, if applicable, second dose).
 - iii. For unvaccinated workers: signed declination forms with written health care provider's statement where applicable, as described in section (c) above.

Testing records pursuant to section (c.1.ii) must be maintained.

- vi. Nothing in this Order limits otherwise applicable requirements related to Personal Protective Equipment, personnel training, and infection control policies and practices.
- vii. Seneca Healthcare District will make every effort to provide onsite vaccination availability, easy access to nearby vaccinations, and education and outreach on vaccinations, including:
 - access to epidemiologists, physicians, and other counselors who can answer questions or concerns related to vaccinations and provide culturally sensitive advice; and
 - ii. access to online resources providing up to date information on COVID-19 science and research.
- viii. This policy is issued pursuant to Health and Safety Code sections 120125, 120140, 120175,120195 and 131080 and other applicable law.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

REFERENCES

https://www.cdph.ca.gov/Programs/CHCQ/LCP/Pages/AFL-21-28.aspx

https://www.cdph.ca.gov/Programs/CHCQ/LCP/Pages/AFL-21-34.aspx

https://www.cdph.ca.gov/Programs/CID/DCDC/Pages/COVID-19/Order-of-the-State-Public-

Health-Officer-Health-Care-Worker-Vaccine-Requirement.aspx

https://www.cdph.ca.gov/Programs/CID/DCDC/Pages/COVID-19/Order-of-the-State-Public-

Health-Officer-Unvaccinated-Workers-In-High-Risk-Settings.aspx

https://www.cdc.gov/coronavirus/2019-ncov/hcp/infection-control-recommendations.html

Attachments

Attachment A-HRF-001-Declination of Covid-19 Vaccination and Request for Medical Exemption

Attachment B-HRF002-Healthcare Provider Medical Certification

Attachment C-HRF003-Request for Religious Exemption

Attachment A-Declination of Covid-19 Vaccination and Request for Medical Exemption



Declination of COVID-19 Vaccination and Request for Medical or Religious Exemption

Employee Name:	Department:
Supervisor:	Employee Phone #:
Email address:	
3	·19 and requesting one of the permitted exemptions as quired to submit additional information and verification as II be provided to me.
to have your physician complete and submit a reasonable accommodation. The form will be medical information form so that your physicia	otion. If you request this exemption, you will be required medical certification form to support your request for provided to you as well as an authorization for release of an may provide the information requested to Seneca on process, you and/or your physician may be required to
complete a religious belief accommodation for	ou request this exemption, you will be required to rm, which will be provided to you. During the evaluation ional information in support of your accommodation
	n exemption from the COVID-19 vaccination requirement, COVID-19 testing requirements and other masking and a law and SHD policies.
this request form itself nor anything else guara	st in accordance with its policy and applicable law. Neither antees my request will be granted, although it is the SHD's t impose undue hardship on the District, its operations,
Signature:	Date:

Attachment B-Healthcare Provider Medical Certification (Page 1 of 11)



CONFIDENTIAL

SENECA HEALTHCARE DISTRICT
HEALTH CARE PROVIDER MEDICAL CERTIFICATION

PATIENT NAME: JOB TITLE (IF APPLICABLE): LOCATION:
INSTRUCTIONS TO HEALTH CARE PROVIDER
Dear Physician:
Your patient works at Hospital, a general acute care Hospital, and has requested a medical exemption from the mandatory COVID-19 vaccination requirement. The COVID-19 vaccination has been mandated for healthcare workers in California. The vaccine is effective in slowing the spread COVID-19 and reducing the risk of COVID infection to our at-risk patient populations Hospital permits medical exemption from the COVID-19 vaccination pursuant to the State of California Department of Public Health, State Public Health Officer Order issued on August 5, 2021.
This request for medical information is part of an interactive process that is necessary in order to determine if your patient is a qualified individual with a disability recognized under the Americans with Disabilities Act ("ADA"), and the California Fair Employment and Housing Act ("FEHA"), or if the COVID-19 vaccination is otherwise contraindicated pursuant to the CDC's guidelines, and whether the medical condition would prevent him/her from receiving a COVID-19 vaccination in accordance with the Hospital's mandatory vaccination policy and applicable law, as well as what, if any, accommodations are appropriate or possible.
If you believe that your patent qualifies for the medical exemption from the COVID-19 vaccine, please answer each and every question contained in this Medical Certification in the most complete manner possible. If additional space is required, please attach separate sheets of paper referencing the applicable question number contained in this questionnaire. Should you have any questions, please call Hospital Employee Health Services at, ext

Attachment B-Healthcare Provider Medical Certification (Page 2 of 11)



AUTHORIZATION FOR RELEASE OF MEDICAL INFORMATION By signing this form, you authorize the release of the following described medical information by any physician, health care provider, hospital or medical facility to _____ Hospital (the "Hospital") and its authorized agents and representatives. This authorization is limited to information regarding any physical or mental limitation(s) you may have which may affect your ability to receive a COVID-19 vaccination under the Hospital's mandatory vaccination policy and applicable law. Specifically, you authorize any physician, health care provider, hospital or medical facility to consult with the Hospital and release any medical information concerning the extent to which your medical condition(s) constitute a disability, your ability to receive the COVID-19 vaccination, whether you qualify for the medical exemption from the COVID-19 vaccine, and your eligibility for consideration for possible reasonable accommodation in accordance with applicable law. The Hospital will use this information to determine the extent to which your medical condition(s) constitute a disability, whether you qualify for the medical exemption from COVID-19 vaccination, and whether any reasonable accommodation is required in accordance with applicable law. This authorization shall be effective as of the date of your signature and shall continue in full force and effect for one year thereafter. You have a right to receive a true copy of this authorization from the Human Resources Department. Dated: _____ Employee Print Name: ____

Attachment B-Healthcare Provider Medical Certification (Page 3 of 11)



MEDICAL CERTIFICATION

We ar questi disabi Housii individ vaccin COVID possib	ionnaire is part of an interactive p lity recognized under the Americ ng Act, or a contraindicated medi dual from receiving a COVID-19 nation policy and applicable law, w 0-19 vaccination requirement, and i	writterocess ans Wical corvaccin whether	nis certification in full. In authorization from your patient whether is necessary in order to determith Disabilities Act, or the Californialition under the CDC's Guidelines, ation in accordance with The individual is eligible for a meditat, if any, reasonable accommodation would enable your patient to perform	ine if y a Fair that w _ Hosp cal exe n(s) ar	rour patient has a Employment and rould prevent the pital's mandatory emption from the e appropriate and
exce info law, men indiv	ered entities from requesting, or required entities from requesting, or required as specifically allowed by this law. Includes an individual's or the individual and regarestic tests, information regarestical, and it includes information from	ing, ger To con est for n al's fam ding th m genet	Act of 2008 and analogous state laws pro netic information of an individual or family apply with this law, we are asking that you nedical information. "Genetic information and information is member's medical history, the results we manifestation of a disease or disorder tic services or participation in clinical results the individual. "Genetic Information" do	y memb ou not p n," as de of an in in a far earch th	per of the individual, provide any genetic efined by applicable ndividual's or family mily member of the nat includes genetic
1. 2.	Patient Name:	or men	tal impairment that limits a major life	 e activi	ty (e.g., seeing,
	manual tasks, caring for oneself,	workin	thing, standing, sitting, reaching, lifting, concentrating, learning, reading, the ease check the appropriate activities YES NO _	ninking	
	Seeing		Concentrating		1
	Hearing		Learning		
	Walking		Reading		

Page - 1 -

Thinking

Speaking

Attachment B-Healthcare Provider Medical Certification (Page 4 of 11)



	Eating	Communicating	
	Breathing	Interacting with Others	
	Standing	Other (provide detail belo	w)
	Sitting		
	Reaching		
	Lifting		
	Bending		
	Performing Manual Tasks		
	Caring for Oneself		
	Working		
i.	Do you consider the patient's di	isorder, condition, etc. to be tempor YES	rary and non-chronic? NO
	receive a COVID-19 vaccination	YES	ts him/her from being able to
	Date Impairment Commenced:		
	Expected Duration of Impairme	ent:	
	: If the answers to Questions 2 an ture and information section at th	nd 4 are "NO," then skip the remaind he end.	ler of this form and complete the

Attachment B-Healthcare Provider Medical Certification (Page 5 of 11)



If the answer to Question 4 is "YES," please provide a description of the physical or mental limitations that affect the patient's ability to receive the COVID-19 vaccination NOTE: Do NOT disclose the diagnosis or specific condition of the patient.
disclose the diagnosis of specific condition of the patient.
What are the medical facts that indicate your patient should not receive a COVID-19 vaccine? NOTI Do NOT disclose the diagnosis or specific condition of the patient.
Does your patient need any other modification or other accommodation in response to the information indicated in response to Questions 2 or 4?
YES NO
If the answer to Question 7 is "YES," please describe in detail the suggested modification(s) or oth accommodation(s).
Does the patient have a medical condition, which is not a disability or impairment, for which COVI 19 vaccination is contraindicated pursuant to the CDC's Guidelines? Please mark the applicable vaccine types below and indicate the contraindications. Duration of Condition? Permanent or
temporary? Note: the CDC has indicated that pregnant or breastfeeding women can receive COVI 19 vaccinations.
Page - 3 -

Attachment B-Healthcare Provider Medical Certification (Page 6 of 11)



	Pfizer Contraindications:			
	□ Moderna			
	Contraindications:			_
	□ Janssen			
	Contraindications:			
L O .	Does the patient need a leave of absence bec	ause of his/her cond YES	dition, disorder, etc.? NO	
11.	If the answer to Question 10 is "YES," how low work?		that the patient will need to	oe off
	CERTIFICATION OF PHY	/SICIAN/HEALTH CA	RE PROVIDER	
nedio	: This form must be certified and signed only b al professional practicing under the license of a Public health Officer Order.		-	
	I hereby certify that all of the foregoing inform	mation is true and c	orrect.	
	Printed Name of Provider:			
	Licenses and Specialties of Provider:			
	Signature of Provider:			
	Date Signed:			
	Address of Provider:		-	
	Telephone Number of Provider:			
	Pa	ge - 4 -		

Attachment B-Healthcare Provider Medical Certification (Page 7 of 11)





	Pfizer-B	ioNTech	Moderna	Janssen	
Preferential recommendation	mRNA COVID-19 vaccines (Pfizer-BioNTech and Moderna) are preferred over Janssen COVID-19 Vaccine for the primary series and booster doses.				
Age groups	5 through 11 years of age	12 years of age and older	18 years of age and older	18 years of age and older	
Vaccine type	mRNA	mRNA	mRNA	Replication-incompetent adenovirus type 26 vector	
Dose	10 μg (orange cap)	■ 30 μg (purple cap) ■ 30 μg (gray cap)	■ 100 µg (primary series and additional primary dose) ■ 50 µg (booster dose)	5×10 ¹⁰ viral particles	
Dosage (volume)	0.2 mL	0.3 mL	0.5 mL (primary series and additional dose for moderately or severely immunocompromised persons) 0.25 mL (booster dose)	0.5 mL	
COVID-19 vaccination is recommended for persons 5 years of age and older. For most people a primary series is 2 doses of an mRNA vaccine (Pfizer-BioNTech and Moderna) or a single dose of Janssen COVID-19 Vaccine. NOTE: mRNA vaccines (Moderna, Pfizer-BioNTech) are preferred in most situations over Janssen COVID-19 Vaccine. For persons who are moderately or severely immunocompromised 5 years of age and older, a 3-dose primary series of an mRNA vaccine (Moderna, Pfizer-BioNTech) is recommended. An mRNA vaccine is preferred, but a single primary Janssen vaccine dose can be used for persons 18 years of age and older followed by a 2nd dose of an mRNA at least 4 weeks later. A booster dose is recommended for persons 5 years of age and older. Some persons should receive a 2nd booster dose: See the Interim COVID-19 Immunization Schedule for Ages 5 Years of Age or older at https://www.cdc.gov/vaccines/covid-19/downloads/COVID-19-immunization-schedule-ages-Syrs-older.pdf					

05/27/2022 CS321571-W

Attachment B-Healthcare Provider Medical Certification (Page 8 of 11)



Summary Document for Interim Clinical Considerations



for Use of COVID-19 Vaccines Currently Authorized or Approved in the United States

All currently authorized or approved C	OVID-19 vaccines
	Prior to vaccination: Provide the vaccine-specific Fact Sheet for Recipients and Caregivers Pfizer-BioNTech (https://www.fda.gov/media/144413/download), Moderna (https://www.fda.gov/media/144413/download), Janssen (https://www.fda.gov/media/144413/download), Prior to vaccination:
	Screen for contraindications and precautions. CDC's Prevaccination Screening Form and Guidance document can be found at www.cdc.gov/vaccines/covid-19/info-by-product/index.html .
	■ Inform vaccine recipients mRNA vaccines are preferred over Janssen COVID-19 Vaccine.
Pre-vaccination counseling	 Counsel COVID-19 vaccine recipients, parents, or guardians about expected reactions post-vaccination (e.g., pain and swelling at the injection site, fever, fatigue, headaches).
	Inform persons receiving mRNA COVID-19 vaccines, especially males ages 12-39 years, of the rare risk of myocarditis and/or pericarditis following receipt of mRNA COVID-19 vaccines and the benefit of COVID-19 vaccination in reducing the risk of severe outcomes from COVID-19.* Counseling should also include the need to seek care if symptoms of myocarditis or pericarditis occur after vaccination, particularly in the week following vaccination. For more information see: https://www.cdc.gov/vaccines/covid-19/clinical-considerations-interim-considerations-us.html#safety-mRNA .
	Inform persons interested in or receiving Janssen COVID-19 Vaccine of the risk and symptoms of thrombosis with thrombocytopenia syndrome (TTS), as well as the need to seek immediate medical care should symptoms develop after receiving Janssen vaccine. For more information see: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#considerations-Jansser
	In general, the same mRNA vaccine product should be used for all doses in the primary series. In exceptional situations for persons 18 years of age or older, such as a contraindication to a second dose of mRNA vaccine or when the previous product cannot be determined or is not available, another FDA-approved or -authorized COVID-19 vaccine may be used (administer at a minimum of 28 days).
Interchangeability of vaccines	 Only Pfizer-BioNTech vaccine products can be used in persons 5-17 years of age. The Pfizer-BioNTech formulation for children ages 5-11 years (orange cap) is not interchangeable with the Pfizer-BioNTech formulation for persons ages 12 years and older (purple or gray cap).
	Any FDA-authorized or -approved COVID-19 vaccine can be used for the booster dose; mRNA vaccines are preferred. When a different product is used, the eligible population and dosing intervals are those of the vaccine used for the primary series (https://www.cdc.gov/vaccines/covid-19/clinical-considerations/covid-19-vaccines-us.html#Interchangea .
Coadministration with other vaccines	 COVID-19 vaccines may be administered on the same day as other vaccines. Administer each injection in a different injection site.
	History of:
	 Severe allergic reaction (e.g., anaphylaxis) after a previous dose or to a component of the COVID-19 vaccine
Contraindications	A known diagnosed allergy to a component of the COVID-19 vaccine
	For the Janssen COVID-19 Vaccine, TTS following receipt of a previous Janssen vaccine (or other COVID-19 vaccines not currently authorized in the United States that are based on adenovirus vectors, e.g., AstraZeneca)*

^{*} See Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Approved or Authorized in the United States at http://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#recommendations for detailed guidance. † Although CDC provides considerations for a mixed series in exceptional circumstances for a primary or additional dose, this is still considered an administration error that requires VAERS reporting. Heterologous booster doses are allowed (mRNA vaccines preferred) and are not considered a vaccine error.

05/27/2022 C\$321571-W

[‡] Additionally, people with a history of an episode of immune-mediated syndrome characterized by thrombosis and thrombocytopenia, such as spontaneous or classic HIT, should not receive Janssen COVID-19 Vaccine. These people should receive an mRNA COVID-19 vaccine.

Attachment B-Healthcare Provider Medical Certification (Page 9 of 11)



Summary Document for Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Authorized or Approved in the United States



All currently authorized or approved COVI	D-19 vaccines
Precautions	 Allergy-related contraindication to one type of COVID-19 vaccine (mRNA) is a precaution to other types of COVID-19 vaccines (e.g. Janssen). History of an immediate (within 4 hours of exposure) non-severe allergic reaction after a dose of one type of COVID-19 vaccine have a precaution to the same type of COVID-19 vaccine. History of multisystem inflammatory syndrome in children (MIS-C) or multisystem inflammatory syndrome in adults (MIS-A). Moderate or severe acute illness, with or without fever. History of immediate allergic reaction to any other vaccine or injectable therapy (i.e., intramuscular, intravenous, or subcutaneous vaccines or therapies [excluding subcutaneous immunotherapy for allergies, i.e., "allergy shots"]). For mRNA COVID-19 vaccine, shistory of myocarditis or pericarditis after a dose of an mRNA COVID-19 vaccine. For Janssen COVID-19 Vaccine, a history of Guillain-Barré syndrome⁵
Considerations for all FDA-authorized or -a	approved COVID-19 vaccines
Persons receiving HCT and CAR-T-cell therapy	 If received doses of COVID-19 vaccine prior to or during HCT or CAR-T cell therapy, should be revaccinated with a primary series at least months (12 weeks) after transplant or CAR-T-cell therapy
Persons receiving immunosuppressive therapies	 Whenever possible, COVID-19 vaccines should be administered at least 2 weeks before initiation or resumption of immunosuppressive therapies
SARS-CoV-2 infection ■ Current infection ■ History of previous infection	COVID-19 vaccination is recommended for everyone ages 5 years and older, regardless of a history of symptomatic or asymptomatic SARS CoV-2 infection. Defer vaccination until person has recovered from acute illness and criteria have been met for them to discontinue isolation. People who recently had SARS-CoV-2 infection may consider delaying their first or second COVID-19 vaccine booster dose by 3 months from symptom onset or positive test (if infection was asymptomatic). Viral testing to assess for acute SARS-CoV-2 infection or serologic testing to assess for prior infection is not recommended for the purpose of vaccine decision-making. Additional information at: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#infection
Persons with history of multisystem inflammatory syndrome (MIS-C and MIS-A) from SARS-CoV-2 infection	 COVID-19 vaccines can be given. For persons who have had MIS-C or MIS-A from SARS-CoV-2 infection who have not yet received COVID-19 vaccine, a conversation between the vaccine recipient, guardian, and clinical team to discuss benefits and risks of receiving a COVID-19 vaccine is encouraged. Clinical recovery, including return to normal cardiac function, is an important factor when considering COVID-19 vaccination. Additional information at: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#infection
Persons who received passive antibody therapy (convalescent plasma/monoclonal antibodies)	COVID-19 vaccination can be given at any interval following receipt of passive antibody therapy. Persons should wait 2 weeks after COVID-19 vaccination before receiving tixagevimab/cilgavimab (EVUSHELD) for pre-exposure prophylaxis.
Persons with a known SARS-CoV-2 exposure	 COVID-19 vaccines are not recommended for post-exposure prophylaxis. Persons should defer vaccination until quarantine period has ended. People who recently had SARS-CoV-2 infection may consider delaying a primary series dose or their first or second COVID-19 vaccine booster dose by 3 months from symptom onset or positive test (if infection was asymptomatic).

§ People who develop GBS within 6 weeks after receipt of Janssen COVID-19 Vaccine should not receive another dose of Janssen COVID-19 Vaccine. These people should receive an mRNA COVID-19 vaccine.

Attachment B-Healthcare Provider Medical Certification (Page 10 of 11)



Summary Document for Interim Clinical Considerations



Interim Clinical Considerations
for Use of COVID-19 Vaccines Currently Authorized or Approved in the United States

Considerations for all FDA-authorized or	-approved COVID-19 vaccines
Persons who are pregnant, breastfeeding, trying to get pregnant, or might become pregnant in the future	Are recommended to receive a COVID-19 vaccine primary series, additional mRNA doses (if indicated), and a booster dose.
	Are only eligible for Pfizer-BioNTech COVID-19 Vaccine.
	Should receive the age-appropriate vaccine formulation. Follow the schedule based on their age on the day of vaccination, regardle their size or weight.
Children and adolescents	For most children 5 years of age and older, a 2-dose primary series is recommended. A 3-dose primary series is recommended for children in this age group who are moderately or severely immunocompromised.
	Booster doses are not recommended for persons younger than 12 years of age.
	If a child who started the series at 11 years of age turns 12 years old between doses, CDC recommends administering the age-appropriate Pfizer-BioNTech COVID-19 Vaccine (purple or gray cap) formulation for subsequent doses. However, the FDA authorizati allows children who will turn from age 11 years to 12 years to receive either product (orange or purple/gray cap).
Considerations for mRNA vaccines	
	Development of myocarditis or pericarditis after a dose of an mRNA COVID-19 vaccine is a precaution to a subsequent dose of any COVID-19 vaccine.
	If after a risk assessment the decision is made to receive a subsequent COVID-19 vaccine dose, the person should wait until after the episode has resolved.
Persons with a history of myocarditis or pericarditis	■ For men ages 18 years and older who choose to receive a subsequent COVID-19 vaccine, a Janssen COVID-19 Vaccine can be considinstead of mRNA COVID-19 vaccines.
	Persons who have a history of myocarditis or pericarditis unrelated to mRNA COVID-19 vaccination may receive any currently FDA-approved or -authorized COVID-19 vaccine after the episode of myocarditis or pericarditis has resolved.
	For more information see: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#safety-m
Considerations for Janssen COVID-19 Vac	ccine
	A history of GBS, either before or after COVID-19 vaccination, is a precaution for receipt of Janssen COVID-19 Vaccine. An mRNA vaccine is preferred.
Persons with a history of Guillain-Barré syndrome (GBS)	Persons who develop GBS within 6 weeks of Janssen COVID-19 vaccination should only receive an mRNA COVID-19 vaccine for subsequent doses.
	■ For more information see: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#considerations-Janssen
	It is contraindicated to administer Janssen COVID-19 Vaccine to persons with a history of TTS following receipt of the Janssen COVID Vaccine or any other adenovirus vector-based COVID-19 vaccines (e.g., AstraZeneca's COVID-19 Vaccine).
Persons with a history of thrombosis with thrombocytopenia syndrome (TTS)	These persons should receive a dose of an mRNA COVID-19 vaccine as a booster dose at least 2 months (8 weeks) following their do the Janssen COVID-19 Vaccine and after their clinical condition has stabilized.
	Prior to booster vaccination, a conversation between the patient and their clinical team, including hematologists or other specialists assist with vaccination decisions.

0E/37/2022 CONSETS W

Attachment B-Healthcare Provider Medical Certification (Page 11 of 11)



Summary Document for



Interim Clinical Considerations for Use of COVID-19 Vaccines Currently Authorized or Approved in the United States

Considerations for Janssen COVID-19 Vaccine		
Persons with a history of heparin-induced thrombocytopenia (HIT)	 Persons with a history of an episode of an immune-mediated syndrome characterized by TTS, such as a spontaneous or classic HIT, should not receive Janssen COVID-19 Vaccine. These persons should receive an mRNA COVID-19 vaccine. 	
General COVID-19 Vaccination Information		
Persons vaccinated outside the United States	■ The recommendations for people vaccinated outside the United States depend on the vaccine(s) received for the primary series, whether the primary series was completed, and whether a booster dose was received. Current guidance can be found at: https://www.cdc.gov/vaccines/covid-19/clinical-considerations/interim-considerations-us.html#appendix-a	
Post-vaccination observation periods	30 minutes – people with a history of: A contraindication to another type of COVID-19 vaccine product (i.e., mRNA or viral vector COVID-19 vaccines) Immediate (within 4 hours of exposure) non-severe allergic reaction to a COVID-19 vaccine Immediate allergic reaction of any severity to a non-COVID-19 vaccine or injectable therapies Anaphylaxis due to any cause 15 minutes – all other persons	
SARS-CoV-2 antibody testing	Antibody testing is not recommended for vaccine decision-making or to assess immunity following vaccination.	
Reporting requirements	Adverse events that occur following COVID-19 vaccination should be reported to VAERS (https://vaers.hhs.gov/). COVID-19 providers are required to report: Vaccine administration errors Serious adverse events Cases of Multisystem Inflammatory Syndrome Cases of COVID-19 that result in hospitalization or death	

05/27/2022 CS321571-W

Attachment C-Request for Religious Exemption (Page 1 of 2)



REQUEST FOR RELIGIOUS EXEMPTION

Under the State Public Health Officer Order of August 5, 2021

Employee's name:	Date of Request:
Department:	
SECTION 1 - RE	QUEST
Basis for exemption. By completing this Section, I am declaring th following basis:	at I am unable to be vaccinated for COVID-19 on the
Religious Beliefs: I am declining vaccination based on Religious Public Health Officer Order. I have a sincerely held religious belief, any of the FDA authorized or approved COVID-19 vaccines.	
* I understand that my request will be sincerely considered, and the in an interactive discussion with my employer. I understand that I reasonable request for information and verification of the sincerit	am responsible to fully participate in my employer's
In the space below, please explain to the best of your ability why your detail as possible regarding the basis for the exemption and COVID-19 vaccination. Please use additional sheets of paper as ne	explain any principles that guide your objections to the
SECTION 2 – OBLIGATIONS IF R	EQUIEST IS GRANTED
	•
I understand that if my request for an exemption is granted as req that I must meet the following requirements when entering or wo	
a. Test for COVID-19 with either PCR or antigen test that of and Drug Administration or be operating per the Laborat Medicare and Medicaid Services. Testing must occur to health care and long-term care settings, and once weekly	ory Developed Test requirements by the U.S. Centers for wice weekly for unvaccinated exempt workers in acute
b. For workers in patient-care areas, I agree to wear a hig Occupational Safety and Health (NIOSH), such as an N9 facility. For workers in non-patient care areas, I agree to w	5 filtering facepiece respirator, at all times while in the

Attachment C-Request for Religious Exemption (Page 2 of 2)




by the National Institute of Occupational Safety and Health (NIOSH), such as an N95 filtering facepiece respirator, at all times while in the facility.

* I also understand that the District may implement additional requirements to comply with personal protective equipment, personnel training, and infection control policies and practices, or other applicable laws now or in the future.

SECTION 3 – ATTESTATION

I declare under penalty of perjury under the laws of the State of California that the statement(s) in Section 1 above are true and correct.

Signature:	Date:
oignature.	Date.



COMPLIANCE REQUIREMENT: Health Insurance Portability and Accountability Act (1996) 49 CFR Subpart C §164.306, \$164.308, \$164.312, CA Civil Code 56.05

§164.308, & §164.312; CA Civil Code 56.05

Periodic Review:

By: Date:

AUTHOR: Elizabeth L Steffen, Director of Information

Technology

REVISED BY: Elizabeth L. Steffen Brian C Churchill, Director

of Information Technology

Policy Rescinded by Policy #:
Effective Date:

POLICY: All Seneca Healthcare District (SHD) confidential and/or sensitive information that is stored or transported on portable media shall be encrypted. Portable storage media are to include any device that allows for the removal and transport of any SHD confidential and/or sensitive information. All portable devices shall be approved by the SHD Information Technology department The SHD Information Technology department shall approve all portable devices prior to use on the SHD network. This policy is applied in conjunction with SHD's the Data Encryption Policy (IT-008) and the Mobile Device Policy (IT-015).

Authorization	Signature	Date
Department Head		
Medical Department Chair	N/A	
Compliance Manager		
Chief Nursing Officer	N/A	
Administration		
Medical Chief of Staff	N/A	

Governing Board		
------------------------	--	--

POLICY NUMBER REFERENCE: IT-017.0043

PROCEDURE

1. **Purpose**

The purpose of this policy is to describe the requirements to effectively and efficiently secure confidential and/or sensitive information that is stored and/or transported on portable media.

2. Responsibilities

The SHD IT Department is responsible for maintaining the current list of supported and acceptable portable media devices and for deploying procedures to selected employees and/or contractors of SHD for portable device encryption setup, see IT-Supported-HW-SW-Other.xls. Users are responsible for understanding the procedures of how to encrypt the portable media, practicing said procedures, and for reporting instances of misuse to the IT department and the Security Officer.

3. Policy for Portable Device Use

a. USB Storage Devices

All transportation and/or storage of confidential data must be on SHD ### approvedIT-approved portable media and encrypted with 128 or 256-bit256-bit encryption software using password protection. The software program of choice for encryption is EncryptStick (www.encryptstick.com). Portable data devices provided by any person or entity other than SHD's IT department will not be permitted to be used on any SHD system without prior consent from the SHD IT department. Should the SHD IT department make an exception to allow such usage, the device will be scanned for any viruses, malware etc. on an off-network system to ensure it is clean; prior to its usage on the SHD network.

b. Laptop Devices

All laptops used by SHD employees that attach to the SHD network must be SHD provided. The laptops must have the Beachhead security/encryption software installed and must be kept up-to-date. Users of SHD providedSHD-provided laptops must connect their laptops to the SHD network at least once every 30 calendar days in order for for the laptop to receive critical updates and to allow the device to eheck-incheck in with the security software control center.

c. Tablet/Mobile Devices


- i. SHD IT and the CEO must approve any SHD employee for tablet/mobile device access. The devices must have remote data-wipe capability for protection if the device is lost, a; a local password or PIN must be set to protect any SHD data residing on the device, and allow enforcement ofenforce password/PIN compliance to limit work-aroundsworkarounds that compromise data protection. Any tablet/mobile device that is lost or stolen will be remotely wiped by SHD IT to ensure Protected Health Information (PHI) is not compromised.
- ii. For SHD electronic mail access through the ZIX One®Microsoft Exchange application, remote wipe is not necessary as no data is stored on the devicethe Beachhead® SimplySecure®Sentinel One is to be installed on the device according to policy IT 015.

d. Servers

SHD servers will have <u>a USB</u> Defender program provided by <u>SolarWinds @ESET</u> installed to prevent unauthorized USB devices from being allowed to be read.

4. Enforcement

Violation or crimin	Violation of this policy may result in disciplinary action, up to and including termination or criminal or civil prosecution, as outlined in the Sanctions Policy, ADMIN28.			



POLICY TITLE: SWITCH HARDENING

POLICY NUMBER: IT-033.002

COMPLIANCE REQUIREMENT: Health Insurance Portability and Privacy Act (1996) 49 CFR Subpart

C164.306 & 164.308

11/6/2023 **Periodic Review:**

12/24/2012 **Revision Date:**

By: Date:

AUTHOR: Elizabeth L Steffen, IT Manager Director of

Information Technology

REVISED: Brian C Churchill, Director of Information

Technology

Policy Rescinded by Policy #:

Effective Date:

POLICY: Seneca Healthcare District (SHD) network switches are depended upon to deliver network levelnetwork-level access for computer & server infrastructure equipment for patient care and administrative functions in a secure, reliable fashion. Data integrity, confidentiality, and availability shall be maintained. Switches shall be setup-set and maintained in a manner that prevents unauthorized access, unauthorized use, minimizes disruptions of service, and allows the users of such systems to provide excellence and ease of patient care.

Authorization:	Signature:	Date:
Department Head		
Medical Department Chair	<u>N/A</u>	
Compliance Officer		
Chief Nursing Officer		
Medical Chief of Staff		
Administration		

Formatted: Font color: Red

Formatted: Justified

Formatted: Space Before: 6 pt, After: 6 pt

Formatted: Space Before: 6 pt, After: 6 pt Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: Bold

Formatted: Font: +Body (Calibri), 11 pt

Page 1 of 4

Governing Board		-	Formatted: Space Before: 6 pt, After: 6 pt

POLICY NUMBER REFERENCE: IT-033.002

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: Bold

Formatted: Font: +Body (Calibri), 11 pt

PROCEDURE

1. Purpose

The purpose of this policy is to describe the requirements for <u>the</u> installation and operation of a switch in a secure fashion, maintaining the security of the device and the systems that it feeds.

2. Responsibilities

This policy applies to all individuals (contracted or employees of Seneca Healthcare District) that who are responsible for the installation of new information resources for patient care, administrative administration, research and development (R&D), as well as the operation of existing information resources.

3. Policy for Switch Hardening

A switch must be procured by the Information Technology Department (IT) according to the Hardware and Software Procurement Policy and in compliance with the Standard List of Supported Hardware and Software. The switch must be hardened before it is connected to and operational by the SHD network. At the time of registration, an individual and/or department may be identified and assigned by IT as the owner and/or custodian of the applications residing on the server.

- a. All switches are subject to the following rules:
 - i. Only authorized and approved firmware will be installed and only by IT
 - ii. <u>If possible, All</u>-switches shall display a logon banner with the warning statement that includes:
 - 1. Unauthorized use is prohibited;
 - 2. Usage may be subject to security monitoring and testing;
 - 3. Misuse is subject to criminal prosecution; and
 - No expectation of privacy except as otherwise provided by applicable privacy laws.
 - iii. IT will maintain an Incident Response and Business Continuity Plan along with assigned departmental individuals (if applicable) to commensurate with the impact of failure or loss of the server in accordance with SHD's Backup and Business Continuity policies.
- b. IT will monitor the release of firmware and/or IOS_updates and routinely monitor to ensure systems are in compliance. IT will perform due diligence in testing updates prior to release when practical.
- c. IT will utilize the Switch Hardening Checklist (Appendix A) to ensure all aspects of this policy are met when hardening a new switch for use on the SHD network.

4. Enforcement

<u>Violation of this policy may result in suspension of access along with disciplinary action, up to and including termination as outlined in the Sanctions Policy, ADMIN28.001.</u>

5. Violation of this policy may result in disciplinary action, up to and including termination.

APPENDIX A: Page 3

Formatted: Normal, No bullets or numbering

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: Bold

Formatted: Font: +Body (Calibri), 11 pt

APPENDIX A: Switch Hardening Checklist

DIX A: Switch Harde	ening Checklist	Formatted: Font: Bold	
		<u></u>	
and the same	IP Address:		
	Installer:		
Switch Hardening	Date:		
,	Physical Info		
Machine Name	·	_	
MAC Address			
Asset Tag			
System Serial Number			
Local Admin Password			
Local Admin Password	Catus Stane	_	
Step	Setup Steps ✓ To-Do	_	
эсер	Preparation & Installation		
1	Initial Setup off-network		
1	System Setup		
2	Ensure physical switch security		
3	Install most recent version of firmware/IOS		
4	Set administrative password		
5	Set time outs for sessions		
6	Configure priviledge levels		
7	Disable unnecessary services (tcp, http, etc.)		
8	Enable necessary network services and configure securely		
9	If possible, Utilize SSH instead of telnet and set strong SSH password		
10	If SNMP necessary, set strong community string		
11	If necessary, Utilize the switch's port mirroring for IDS access		
12	Disable unused ports and assign them a VLAN that is not in use		
13	Assign trunk ports a native VLAN number not used by other ports		
14	Limit VLANs that can be transported over trunk to only those needed		
15	Utilize static VLAN configuration		
16	If possible, disable VTP; otherwise limit to mgmt domain, pwd & pruning	;	
	Set VTP to transparent mode		
17	Use access control lists where appropriate		
18	Enable logging and send logs to a dedicated, secure host		
19	Configure logging to include accurate time information using NTP		
20	Setup VLANs (10 &30)		
21	If necessary, Configure routing table		
22	Set hostname per naming convention already in use		
23	Affix Asset Tag		
24	Always use GBIC Port to trunk to other switch		
25	Update IT Inventory Spreadsheet		
26	Create hardware profile		
27	File paperwork in IT		
28	Rack, Stack and implement	ormatted: Font: +Body (

ormatted: Font: +Body (Calibri), 11 pt

Formatted: Font: +Body (Calibri), 11 pt

Formatted: Font: Bold

Formatted: Font: +Body (Calibri), 11 pt



SENECA HEALTHCARE

DISTRICT

POLICY

DEPARTMENT: INFORMATION TECHNOLOGY POLICY TITLE: SERVER-EQUIPMENT HARDENING	Page 1 of 37
POLICY NUMBER: IT-023.0043	Date of Origin: 12/24/2012
COMPLIANCE REQUIREMENT: Health Insurance Portability and Accountability Act (1996) 49 CFR Subpart C §164.306 &, §164.308, §164.310(c) & §164.310(d)(1)	Revision Date: 03/27/2014, 01/29/2015,11/6/2023
	Periodic Review: By: Date:
AUTHOR: Elizabeth L Steffen, Director of Information Technology REVISED BY: Elizabeth L SteffenBrian C Churchill, Director of Information Technology	Policy Rescinded by Policy #: Effective Date:

POLICY: Seneca Healthcare District (SHD) <u>Information Technology equipment (servers, switches, workstations, and laptops) servers are is</u> depended upon to deliver data in a secure, reliable fashion. Data integrity, confidentiality, and availability shall be maintained. <u>Servers All equipment</u> shall be installed and maintained in a manner that prevents unauthorized access, <u>and</u> unauthorized use, <u>and</u> minimizes disruptions of service, <u>and allows the users of such systems to provide excellence and ease of patient care</u>.

Authorization:	Signature:	Date:
Department Head		
Medical Department Chair	N/A	
Administration		
Chief Nursing Officer	N/A	
Compliance Officer		
Medical Chief of Staff	N/A	
Governing Board		

POLICY NUMBER REFERENCE: IT-023.004

PROCEDURE

1. Purpose

The purpose of this policy is to describe the requirements for installation and operation of installing and operating a server, workstation, laptop, and/or switch in a secure fashion, maintaining the security of the server equipment and the application software it runs.

2. Responsibilities

This policy applies to all individuals (contracted or employees of Seneca Healthcare District) that who are responsible for the installation of new information resources for patient care, administrative administration, research and development (R&D), as well as the operation of existing information resources.

3. Policy for Server Equipment Hardening

- a. A serverAll equipment must be procured by the Information Technology Department (IT) according to the Hardware and Software Procurement Policy and in compliance with the Standard List of Supported Hardware and Software; the Operating System (OS) installed (unless this is already done by the vendorthe vendor already does this) before it is connected to the SHD network.
- b. IT will maintain an Incident Response and Business Continuity Plan along with assigned departmental individuals (if applicable) to commensurate with the impact of failure or loss of the server in accordance withunder SHD's Backup and Recovery policies.
- c. All servers, switches, workstations and laptops are subject to SHD's Acceptable Use and Access Administration Policies.

d. Servers

- i. Microsoft Second, itServers must be registered in Active Directory and have the Server Hardening Group Policy applied to the server before it can be operational on the SHD network, unless there is a valid reason that is eleared by the IT department and Administration the IT department and Administration clear for the server to not be not to be attached to the SHD Domain. At the time of registration, an individual and/or department may be identified and assigned by IT as the owner and/or custodian of the applications residing on the server.
- ii. The server will be classified as Mission Critical (MC) or Non-Mission Critical (NMC). If any information stored or processed by the server is classified and/or confidential, the server will be classified as MC.
- iii. All servers, whether MC or NMC, are subject to SHD's Acceptable Use and Access Administration Policies.
- iv.iii. All servers, whether MC or NMC, are subject to the following rules:
 - 1. Only authorized and approved software will be installed
 - v. Servers must be a member of SHD's Active Directory Domain
 - 4.2. Anti-virus software will be installed and maintained
 - 2.3. Patches will be installed and maintained, as deemed necessary.
 - 3.—All systems shall display a logon banner with the SHD approved logon warning banner. warning statement that includes:
 - 4. Unauthorized use is prohibited;
 - 5. Usage may be subject to security monitoring and testing;
 - 6. Misuse is subject to criminal prosecution; and

- vi.<u>iv.</u> No expectation of privacy except as otherwise provided by applicable privacy laws.
- b. IT will maintain an Incident Response and Business Continuity Plan along with assigned departmental individuals (if applicable) to commensurate with the impact of failure or loss of the server in accordance with SHD's Backup and Business Continuity policies.
 - i.v. Servers will have the SolarWinds® monitoring software installed as well as SolarWinds® USB defender.
 - <u>ii.vi.</u> Servers classified as MC are subject to the following rules:
 - 1. Reside in the data center (DC); a physically secure environment;
 - IT must implement ensure appropriate access controls and the corresponding documented approval procedures which assure the protection of data against unauthorized access;
 - 3. IT must maintain auditing and security logs which record and archive security events necessary to fulfill the requirements of the Incident Response policy;
 - 4. <u>If applicable</u>, IT will implement Change Management procedures which assure the integrity of data and applications, in accordance with the Change Management Policy; and
 - 5. IT will ensure that the server is protected under SHD's intrusion detection.
- c. All servers are required to pass a vulnerability assessment performed by IT prior to use. Any vulnerabilities identified as high or medium risk will be corrected immediately. Examples include:
 - i. Accounts with blank or weak passwords;
 - ii. Outdated Anti-Virus definitions; and/or
 - iii. Outdated patches and/or software versions.
 - iv.vii. IT will monitor the release of security patches and routinely monitor to ensure systems are in compliance. IT will perform due diligence in testing security patches prior to release when practical.
 - <u>viii.</u> IT will utilize the Server Hardening <u>Checklist Group Policy Object</u> to ensure all aspects of this policy are met when hardening a new server <u>that</u> <u>is attached to the SHD Domain</u> for use on the SHD network.
 - ix. IT will utilize the Server Hardening Checklist (Attachment A) to ensure all aspects of this policy are met when hardening a new server that is not attached to the SHD Domain for use on the SHD network.
 - <u>x.</u> This policy is utilized in conjunction with the Hardware and Software Procurement Policy and Procedure.

e. Switches

- i. All switches are subject to the following rules:
 - 1. Only authorized and approved firmware will be installed and only by IT
 - 2. Where possible, switches shall display a logon banner with the warning statement that includes:
 - a. Unauthorized use is prohibited;
 - b. Usage may be subject to security monitoring and testing;
 - c. Misuse is subject to criminal prosecution; and
 - d. No expectation of privacy except as otherwise provided by applicable privacy laws.

- ii. IT will monitor the release of firmware and/or IOS updates and routinely monitor to ensure systems are in compliance comply. IT will perform due diligence in testing updates prior tobefore release when practical.
- iii. IT will utilize the Switch Hardening Checklist (Attachment B) to ensure all aspects of this policy are met when hardening a new switch for use on the SHD network.

f. Workstations and Laptops

- i. Operating System (OS) areis to be installed (unless this is already done by the vendor the vendor already does this) before it is connected to and operational by the SHD network.
- ii. Once connected to the SHD network, the equipment must be registered in Active Directory. At the time of registration, an individual and/orand department may be identified and assigned by IT as the owner and/or custodian of the applications residing on the server.
- iii. All workstations and laptops are subject to the following rules:
 - 1. Only authorized and approved software will be installed
 - 2. Equipment must be a member of SHD's Active Directory Domain
 - 3. Anti-virus software will be installed and maintained
 - 4. Patches will be installed and maintained
 - 5. All systems shall display a logon banner with the SHD approved SHD-approved logon warning banner.
- iv. IT will monitor the release of security patches and routinely monitor to ensure systems are in compliance comply. IT will perform due diligence in testing security patches prior tobefore release when practical.
- v. IT will utilize the Workstation and Laptop Hardening Checklist

 (Attachment C) to ensure all aspects of this policy are met when hardening a new Workstation or Laptop for use on the SHD network.
- 4. This policy is utilized in conjunctionused with the Hardware and Software Procurement Policy and Procedure.

5. Enforcement

Violation of this policy may result in suspension of access along with and disciplinary action, up to and including termination, as outlined in the Sanctions Policy, ADMIN28.001.

Attachments:

Attachment A: Server Hardening Checklist (1 page)

Attachment B: Switch Hardening Checklist (1 page)

Attachment C: Workstation/Laptop Hardening Checklist (1 page)

Attachment A: Server Hardening Checklist


	System Name:
	Installer:
dist	Date:
	Physical Info
	Hardening Steps
	To-Do
	paration & Installation
	rvice Packs & Hotfixes
	•
	iting & Account Policies
	•
	9
	· ·
GPO Configure Event	•
CDO Disable services	Security Settings
	onymous enumeration of SAM accounts (default)
	onymous enumeration of SAM accounts and shares
	•
	or Sign Secure Channel Data (Always)(default)
	Secure Channel Data (When Possible)(default)
	ure Channel Data (When Possible)(default)
	arning banner message text for users attempting to login
	ing of unencrypted pwd to connect to 3rd party svrs (default)
	ryone permissions to apply to anonymous users (default)
	named pipes to be accessed anonymously
	ous access to Named Pipes and Shares
	can be accessed anonymously
	as the sharing and security model for local accts (default)
	r Authentication to NTLMv2 only
	tional Security Protection
	ights to be as secure as possible
	stem permissions if applicable
Configure Registr	ry permissions if applicable
Cot the date (time	Additional Steps
	e and configure to synchronize with Microsoft
GPO Configure screen	-saver to lock the console automatically if host unattended
set a BIOS/Firmwar	re password to prevent unathorized access if necessary
	rice order to prevent booting from other media
	p encryption level to high
Asset Tag Affixed	
	a Market back
Update IT Inventor	•
	New Machine: In Se Install all Microso Enable Automati Schedule Update Enable Automati Aud GPO Enable Automati Aud GPO Configure Audit I GPO Enable Password Configure Event GPO Disable anonymo Do not allow And Do not allow And Disable the guest Def Digitally Encrypt Def Digitally Encrypt Def Digitally Sign Sec GPO Place the SHD wo Do not allow And Do not allow Eve Do not allow Eve Do not allow Eve Do not allow Eve Do not store LAN Set LAN Manage Addit Disable or delete Configure User R Ensure all volum Configure Regist Set the date/tim Install and enable GPO Set Remote deskto

Attachment B: Switch Hardening Checklist

And the same	IP Address:		
Installer:			
Switch Hardening	Date:		
	Physical Info		
Machine Name			
MAC Address			
Asset Tag			
System Serial Number			
Local Admin Password			
	Setup Steps		
Step	√ To-Do		
	Preparation & Installation		
1	Initial Setup off-network		
	System Setup		
2	Ensure physical switch security		
3 4	Install most recent version of firmware/IOS Set administrative password		
5	Set timeouts for sessions		
6	Configure priviledge levels		
7	Disable unnecessary services (tcp, http, etc.)		
8	Enable necessary services (tcp, nttp, etc.) Enable necessary network services and configure securely		
9	If possible, Utilize SSH instead of telnet and set strong SSH password		
10	If SNMP necessary, set strong community string		
11	If necessary, Utilize the switch's port mirroring for IDS access		
12	Disable unused ports and assign them a VLAN that is not in use		
13	Assign trunk ports a native VLAN number not used by other ports		
14	Limit VLANs that can be transported over trunk to only those needed		
15	Utilize static VLAN configuration		
16	If possible, disable VTP; otherwise limit to mgmt domain, pwd & pruning		
_	Set VTP to transparent mode		
17	Use access control lists where appropriate		
18	Enable logging and send logs to a dedicated, secure host		
19	Configure logging to include accurate time information using NTP		
20	Setup VLANs (10 &30)		
21	If necessary, Configure routing table		
22	Set hostname per naming convention already in use		
23	Affix Asset Tag		
24	Always use GBIC Port to trunk to other switch		
25	Update IT Inventory Spreadsheet		
26 27	Create hardware profile		
28	File paperwork in IT Rack, Stack and implement		
20	nack, stack and implement		

<u>Attachment C: Workstation/Laptop Hardening Checklist</u>

		System Name	
		Installer	
New Workstation/Laptop Setup Checklist Date:			
	F	hysical Info	
Machine Name			_
Asset Tag			-
System Serial No.			-
Local Admin Passw		Catura Stance	
C+on		Setup Steps To-Do	
Step	V		
		ation & Installation	
1	Initial Bootup; Allow Upda		
2		Packs & Hotfixes	
2	Install all Microsoft SP's an		
3 4	Enable Automatic Updates Schedule Updates: Mo/Las		
4		ystem Setup	
5	Remove all unnecessary ve	, ,	
6		Tools and ancillary items associate	d
7	Remove Bing Bar	roots and anemary nems associate	
8		never shut down monitor or HDE	
	And when close lid, do not		
9		VLAN (see run book for WEP Key)	
10	Put in proper OU in AD	,,	
11	Install MS Office Pro & Act	tivate	
12	Install AVG; Update & Acti	vate/Exclude C:\CPSI	
13	Give Device a TTY number	in CPSI; label machine w/ number	
14	Install CPSI; login to compl	ete update; Change Icon	
	https://userareas.cpsinet.o	com/nt/default.php	10.110.2.30 (server)
15	Install Chartlink; 10.110.2.	35; & all ancillary apps in Maint	
17	Setup MedWeb; Install cor	mponents; Favorite site & create d	esktop shortcut
	https://192.168.252.62/cd	balt	
	NOTE: View Patients; login	n: admin/1m3dw3b; install first & t	hird plugin
18	Install Beachhead Security	Software	
		idsolutions.net/Administration/Log	gon.aspx
	See IT Run book for login c		
	Ensure that laptop is check	ced in and on-time	
19	Affix Asset Tag		
20	Update IT-Inventory Work	sheet	
21	Paperwork filed in IT		
22	Deploy equipment to user,	/area	



POLICY: Seneca Healthcare District (SHD) shall establish a means of user authentication for all users (employees, contracted employees, vendors, etc.) in order toto control who has access to any and allany information resources through the utilization of complex password authentication. Access gained by non-authorized users can cause a loss of information, confidentiality, and the integrity of the District. This policy establishes the rules for the creation, distribution, and safeguarding of user authentication mechanisms and is. It is applied in conjunction with the Access Administration, Remote Access/VPN, Acceptable Use, and Data Encryption policies.

REVISED: Brian C Churchill, IT Manager

Authorization	Signature	Date
Department Head		
Medical Department Chair	N/A	
Compliance Officer		
Chief Nursing Officer	N/A	
Medical Chief of Staff	N/A	
Administration		
Governing Board		

Formatted: Normal

POLICY NUMBER REFERENCE: IT-014

PROCEDURE

1) Policy for Passwords

- All passwords, including initial passwords, must be constructed and implemented according to the following:
 - i) The password must be routinely changed
 - ii) The password must adhere to a minimum length
 - iii) The password must be a combination of upper and lowercase alpha characters, numeric characters, and special characters
 - iv) The password should not contain anything that can easily be tied back to the user, such as; user nameusername, social security number, nickname, relative's names, pets pet names, birth date, etc.
 - v) The password should not be a dictionary word or acronym
 - vi) Password history must be kept to prevent reuse of a password for a certain amount of passwords
 - vii) The passwords will lock out the user after five (5) unsuccessful attempts
- b) Stored passwords must be encrypted. Passwords may be saved in an Excel spreadsheet that is password protected password-protected on the user's home drive. The user's home drive is a network share that has with encryption built-in to the server it is housed on.
- User account passwords must not be divulged to anyone. SHD and any SHD contractors will never ask a user for their passwords.
- d) If the security of a password is in doubt, it must be changed immediately.
- e) Administrators must not circumvent the Passwords policy for the sake of ease of use.
- f) Users cannot circumvent the password entry with auto logon, application remembering, embedded scripts, or hardcoded passwords in client software or through internet browsers.
- g) Computing devices must not be left unattended without locking the machine.
- h) In the event that passwords are found or discovered, the following steps must be taken:
 - i) Take control of the password(s) and protect it/them
 - ii) Report the discovery to the IT Manager and the Compliance Officer immediately
 - iii) Turn over any found evidence to the IT Manager and/or the Compliance Offer at the earliest possible time

2) Password Guidelines

a) Passwords must be changed every ninety (90) calendar days.
 SHD Password Policy

- b) Passwords must have a minimum length of ten (10) characters.
- c) Passwords must contain a mix of upper and lower case characters and have at least one(1) number and one(1) special character.

Special characters are:)! @ # \$ % ^ & * (;.,?/<\>|

- d) Passwords must not be easy to guess, and they;
 - i) Must not be the user's user ID
 - ii) Must not be the user's first and/or last name
 - iii) Should not be the user's social security number
 - iv) Should not be the user's birth date
 - v) Should not be the user's pet names
 - vi) Should not be the user's relatives names
 - vii) Should not contain the user's address
 - viii) Should not be a word found in the dictionary
 - ix) Should not be an acronym found in the dictionary
- e) Passwords may not be reused for a cycle of five (5) passwords.
- f) Passwords must not be shared with anyone for any reason.
- g) Passwords must be treated as confidential information.

3) Creating a Strong Password

- a) Combine short, unrelated words with numbers and special characters: Example: 89XyRt#DfH
- b) Make the password difficult to guess, but fairly easy to remember.

4) Enforcement

Violation of Violating this policy may result in suspension of access along withand disciplinary action, up to and including termination.

Reference: SHD policy Acceptable Use, IT-001

SHD policy Access Administration, IT-002 SHD policy Data Encryption, IT-008 SHD policy Remote Access/VPN, IT-018



DISTRICT

POLICY

DEPARTMENT: INFORMATION TECHNOLOGY POLICY TITLE: WORKSTATION & LAPTOP

HARDENING

POLICY NUMBER: IT-031.002

COMPLIANCE REQUIREMENT: Health Insurance

Portability and Accountability Act (1996) 49 CFR Subpart C 164.310(c) & 164.310(d)(1)

AUTHOR: Elizabeth L Steffen, Director of Information **Technology**

Director of Information Technology

Page 1 of 3

Date of Origin: 12/24/2012

Revision Date: 11/6/2023

Periodic Review:

By: Date:

REVISED BY: Elizabeth L. SteffenBrian C Churchill,



SENECA HEALTHCARE DISTRICT **POLICY**

DEPARTMENT: Information Technology

POLICY TITLE: PC Workstation & Laptop Hardening

POLICY NUMBER: IT-031.002

Information Technology

COMPLIANCE REQUIREMENT: Health Insurance Portability and Privacy Act (1996) 49 CFR Subpart C 164.310 (c) & 164.310 (d)(1)

AUTHOR: Elizabeth L Steffen: IT Manager Director of

Page 1 of 31

Date of Origin: 2012-09-28

Revision Date: 2012-12-04

Formatted: Font: Not Bold Formatted: Font: Not Bold

Formatted: Normal

POLICY: Seneca Healthcare District (SHD) workstations and laptops are depended upon to deliver resources for patient care and administrative functions in a secure, reliable fashion. Data integrity, confidentiality, and availability shall be maintained. Workstations and laptops shall be setup-set up and maintained in a manner that prevents unauthorized access, and unauthorized use, minimizes disruptions of service, and allows the users of such systems to provide excellence and ease of patient care.

<u>Authorization</u>	<u>Signature</u>	<u>Date</u>
Department Head		
Medical Department Chair	<u>N/A</u>	
Compliance Manager		
Chief Nursing Officer	<u>N/A</u>	
Administration		
Medical Chief of Staff	<u>N/A</u>	
Governing Board		
Authorizations	Signature:	Date:

Authorization:	Signature:	Date:
Department		
Head		
Medical		
Department		
Chair		
Chief Nursing		
Officer		
Medical Chief of		
Staff		
Administration		
Governing		
Board		
Compliance		
Officer		

POLICY NUMBER REFERENCE: IT-031.002

PROCEDURE

1. Purpose

Formatted: Font: Bold

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: Not Bold Formatted: Font: Not Bold The purpose of this policy is to describe the requirements for installation and operation of a <u>PC_workstation</u> and/or laptop in a secure fashion, maintaining the security of the device and the applications that it runs.

2. Responsibilities

This policy applies to all individuals (contracted or employees of Seneca Healthcare District) that are responsible for the installation of new information resources for patient care, administrative, research and development (R&D), as well as the operation of existing information resources.

3. Policy for Server Hardening

- a. A PC-workstation or laptop must be procured by the Information Technology Department (IT) according to the Hardware and Software Procurement Policy and in compliance with the Standard List of Supported Hardware and Software; the Operating System (OS) installed (unless this is already done by the vendorthe vendor already does this) and it must be registered in Active Directory before it is connected to and operational by the SHD network. Once connected to the SHD network, the equipment must be registered in Active Directory. At the time of registration, an individual and/or department may be identified and assigned by IT as the owner and/or custodian of the applications residing on the server.
- •<u>b.</u> All <u>PC's-workstations</u> and laptops, are subject to SHD's Acceptable Use and Access Administration Policies.
- •c. All PC's workstations and laptops are subject to the following rules:
 - →i. Only authorized and approved software will be installed
 - →<u>ii.</u> Servers Equipment must be a member of SHD's Active Directory Domain
 - →iii. Anti-virus software will be installed and maintained
 - →iv. Patches will be installed and maintained
 - →v._All systems shall display a logon banner with the warning statement that includes:
 - •1. Unauthorized use is prohibited;
 - Usage may be subject to security monitoring and testing;
 - *3. Misuse is subject to criminal prosecution; and
 - •4. No expectation of privacy except as otherwise provided by applicable privacy laws.
- d. IT will maintain an Incident Response and Business Continuity Plan along with assigned departmental individuals (if applicable) to commensurate with the impact of failure or loss of the server in accordance withper SHD's Backup and Business Continuity policies.
- 4. All PC's-workstations and laptops are required to pass a vulnerability assessment performed by IT prior to use. Any vulnerabilities identified as high or medium risk will be corrected immediately. Examples include:
 - Accounts with blank or weak passwords;
 - Outdated Anti-Virus definitions; and/or
 - •c. Outdated patches and/or software versions.

Formatted: Indent: Left: 0.25"

Formatted: Font: Bold

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Indent: Left: 0.25"

Formatted: Font: Bold

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: List Paragraph, Numbered + Level: 2 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.75" + Indent at: 1"

Formatted: Numbered + Level: 3 + Numbering Style: i, ii, iii, ... + Start at: 1 + Alignment: Right + Aligned at: 1.38" + Indent at: 1.5"

Formatted: Numbered + Level: 4 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 1.75" + Indent at: 2"

Formatted: Numbered + Level: 2 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.75" + Indent at: 1"

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Numbered + Level: 2 + Numbering Style: a, b, c, ... + Start at: 1 + Alignment: Left + Aligned at: 0.75" + Indent at: 1"

Formatted: Font: Not Bold
Formatted: Font: Not Bold

- 5. IT will monitor the release of security patches and routinely monitor to ensure systems are in compliance. IT will perform due diligence in testing security patches prior to release when practical.
- 6. IT will utilize the PC-Workstation and Laptop Hardening Checklist to ensure all aspects of this policy are met when hardening a new PC-Workstation or Laptop for use on the SHD network.
- This policy is <u>utilized in conjunctionused</u> with the Hardware Procurement Policy and Procedure.

8. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination, or criminal or civil prosecution, as outlined in the Sanctions Policy, ADMIN28.001.

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: <math>1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"


Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: 1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Font: Bold

Formatted: List Paragraph, Numbered + Level: 1 + Numbering Style: 1, 2, 3, ... + Start at: <math>1 + Alignment: Left + Aligned at: 0.25" + Indent at: 0.5"

Formatted: Indent: Left: 0.25"

Formatted: Font: Not Bold
Formatted: Font: Not Bold



11/2010

Revision Date:

COMPLIANCE REQUIREMENT:

AUTHOR: Diane Dowden, R.C.P.

POLICY:

By physician order, a <u>Holter Cardiac Monitor</u> will be placed on a patient for <u>24 hours 2</u> <u>to 7 days</u>, unless otherwise indicated in order to record patient heart rate and ECG signals while patient is going about their daily routine.

Authorization:	Si nature:	Date:
Department	X - X	5/7/12
Head	I went X tond	3/1/16
Medical		
Department		
Chair		
Chief Nursing	21,000	6/22// Q
Officer	& Willnen	0/22// 2
Medical Chief	Make to	6/13/12
of Staff	MUNI PUU	
Administration	L'Wagne Interin	6/18/12
	or course order	1:0/12
Governing		7-12-12
Board	The floores	

PURPOSE: To establish guidelines for the proper set up and instructions for patients with physicians order for Holter-Cardiac Monitoring.


SCOPE: Respiratory Care Department staff as defined by job description.

1

PROCEDURE:

- 1. All orders must be signed by physician, along with diagnosis.
- 2. Write name, date and time of hook-up on patient label and place on monitor diary.
- 3. Inform patient of procedure and operation of monitor.
- 4. Prep area with alcohol and Pplace electrodes monitor on patients sternum as directed. and hook up monitor, including battery. Push button on monitor.—Green light will flash.
- 5. Emphasize the importance of patient not opening battery door or removing battery as this will erase test.
- 6.5. Inform patient not to use an electric blanket during recording.
- 7.6. Encourage patient to press "event" button if experiencing symptoms such as palpitations, shortness of breath, etc. If patient experiences symptoms such as chest pain, or other emergencies, call 911. i
- 8.7. Fill out patient daily name, Fin # on diary completely, including Holter and place Monitor number sticker on diary. Give patient daily diary and request patient to enter any symptoms along with time of day and activity.
- 9. Fill out Patient Log Sheet including Monitor number. Input patient information in Bardy website log.
- 10.8. Patient will return monitor-after 24 hour period. In two to seven days as prescribed.

 Download recorder in "Bd download".
- 9. Recording will be sent to Cardiac Monitoring Systems for report. Once report has been returned, a copy will be sent to both medical records and ordering physician report will be sent to cardiologist for -interpretation.



Policy: Seneca Healthcare District (SHD) shall ensure that arterial blood is to be drawn by Respiratory Care personnel for the purpose of obtaining Blood Gas Samples according to procedure, only when ordered by a physician.

Authorization	Signature	Date
Department Head		
Medical Department Chair	See, Medical Chief of Staff	
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

AUTHOR: Diane Dowden, RCP

REVISED BY: Diane Dowden, RCP

Policy Rescinded by

Effective Date:

Policy #:

POLICY NUMBER REFERENCE: RT-003.006

PROCEDURE

1. **Purpose**

The purpose of this policy is to obtain arterial blood for the evaluation of acid-base status, and the determination of P02 and PC02.

2. **Responsibilities**

The SHD Respiratory Care Department is responsible for obtaining arterial blood for the evaluation of acid-base status, and the determination of P02 and PC02.

3. Policy for Arterial Blood Gas Drawing

a. Purpose

i. Obtaining of arterial blood for the evaluation of acid-base status, and the determination of P02 and PC02

b. Scope

i. Respiratory Care Department staff as defined by job description.

c. Guidelines

- i. Arterial blood gases are samples obtained in order to monitor patients acid/base status along with PC02, P02, HC03, B.E., tC02, and blood saturation.
- ii. RCP's trained to perform withdrawal of material blood via direct puncture may do so if the following conditions exist:
 - 1. The RCP will perform arterial puncture only after obtaining a written order from the physician.
 - 2. The RCP shall not use anesthetics when preparing the puncture site.
 - 3. Arterial blood may be drawn only from sites exhibiting signs of adequate circulation. Generally, sites showing local gross complications such as gross hematoma, collateral circulation (i.e. negative Allens test for radial puncture) shall be avoided.
 - 4. Puncture site will include the radial and brachial arteries. Unless specified by the physician, the choice of site will be made by the RCP. Puncture sites for capillary samples are heel, toes, and fingers, in that order.
 - 5. If the RCP has difficulty obtaining arterial blood, after three attempts, another RCP or the physician should attempt the draw.
 - 6. Results shall be placed in patient chart.
 - 7. Physician shall be notified of critical values.

d. Equipment Needed

- i. Alcohol swab
- ii. Dry heparin syringe/capillary tube
- iii. 2-25g needles/25g butterfly/ lancet
- iv. 2 X 2 gauze
- e. Contraindications/Adverse Reactions

- i. Hematoma formation is the most frequent complication.
- ii. Blanching, if severe, may be managed by application of heat to the extremity.
- iii. Sloughing of skin may result from temporary or persistent arteriospasm.
- iv. Thrombosis.
- v. Peripheral embolism.
- vi. Nerve injury with subsequent wrist drop.
- vii. Scarring can result from chronic hematoma formation in the region of the radials.
- viii. False aneurysm or arteriovenous fistula (particularly in the brachial region).
 - ix. Infection

f. Specific Procedure for Obtaining the Blood Sample

This procedure is done either by the operator alone or ideally with an assistant to immobilize the patients's extremity, leaving one of the operator's hands free to palpate the vessel.

- i. Check the chart for orders and contraindications.
- ii. Wash hands and observe universal precautions.
- iii. Assemble equipment.
- iv. Select the sample site following this criteria:
 - 1. If obtaining an arterial sample, choose the radial or brachiaartery of either arm.
 - 2. Do not choose the radial artery unless the ulnar pulse to the same extremity is adequately palpated and exhibits good circulation (positive Allen test).
 - 3. Do not use arteries with surrounding hematoma or limbs manifesting circulatory difficulties.
 - 4. Generally, the choice in order should be:
 - a. Radial Artery
 - i. This is an excellent site to use since the ulnar artery supplies collateral circulation to the hand in the event of arteriospasm and since the vessel is not close to any important nerve. It is relatively immobile in its position at the wrist and does not have an accompanying vein. The right radial blood is identical to the carotid arteries, even in the event of right to left shunt through the ductus arteriosus.

b. Brachial Artery

- i. This site is often chosen because the brachial artery may be easily palpable even when the radial pulse is faint. The main disadvantages are:
 - 1. The close proximity to the corresponding vein, making the sample less reliable.
 - 2. The closeness of the median nerve and the risk of trauma to it.

- 3. There is no large collateral artery, thus arteriospasm carries a higher risk of significant ischemia.
 - However, when the artery is pierced, the flood flow is usually excellent even in the smallest infant and several milliliters can be obtained for additional studies.
- 4. For capillary draws, wrap extremity with warm damp cloth to increase blood flow to the area.
- v. Straighten the limb to be used.
- vi. Cleanse area over puncture site with alcohol.
- vii. Obtain sample using universal precautions.
- viii. Once the sample is obtained, withdraw and immediately apply gentle digital pressure with a sterile 2 X 2 over the puncture site for a period of not less than 5 minutes by the clock. This is performed to prevent leakage and/or hematoma.
 - ix. After the procedure, observe for adequacy of circulation in the hand.
 - x. A stopper should be placed on the end of the syringe or capillary tube to prevent air from entering sample. Ice sample.
- xi. Complete the requisition and all charting.
- xii. Complete department records.

g. Specific Procedure for OPTI-CCA2 Blood Sample Requirements

- i. Parameters out of range; see current CLIA standards for protocol.
- ii. Procedure for running whole blood samples will be completed using manufactures guidelines.
- iii. Prior to running a blood sample, a liquid QC sample must have been run within the last 8 hours. Three liquid QC samples must be run within 24 hour period.
- iv. 3 level SRCs must be completed daily.
- v. 3 minimum levels of liquid controls will be run monthly.
- vi. All RCPs must complete yearly compliance testing in order to run whole blood samples.
- vii. HB must be run quarterly.

h. Arterial Blood Gas Testing-Abbott i-STAT method

- i. Procedure
 - 1. The Abbott i STAT analyzer is a handheld device that allows for the performance of near patient blood chemistry testing of several analytes, including an assay for blood gas analysis. The Clinical Laboratory has oversight of all laboratory testing in the Acute facility at SHD, both in laboratory and dispersed testing outside of laboratory. This procedure, in collaboration with the staff of the Respiratory Therapy department, has been developed to implement blood gas testing protocols using the i-STAT, as required per CLIA & COLA quality performance standards, as a back up system when OPTI CCA device not available.
 - 2. Specimen Requirements

- a. 95µl arterial whole blood collected in a heparinized syringe.
- b. All samples are collected by arterial puncture following standard precautions.
- c. Heparin is the only acceptable anticoagulant for blood gas testing with the i-STAT test system. (Precaution: Expel air bubbles immediately for syringe collections.) All samples must be labeled with patient's name, collection date and time, and medical record number and/or patient account admission label.

3. Specimen Stability

a. Only fresh whole blood samples are recommended for use with the i-STAT test system.

4. Specimen Identification

- a. Testing personnel will identify each patient through verification of the patient's name, medical record number and date of birth. During order entry each specimen is given a unique specimen order number.
- b. Testing personnel are responsible for correctly identifying each patient.

5. Unacceptable Specimens:

- a. Clotted specimens
- b. Specimens not tested within 10 minutes
- c. Iced specimens should not be tested on the i-STAT system
- d. Large air bubbles in syringe samples will yield inaccurate results and should be recollected.
- e. Unlabeled specimens

6. Materials and Reagents

- a. I-STAT G3 + Test Cartridges, Abbott Corporation:
- b. Store the cartridges in the manufacturer sealed pouches at 2-8°C. Do not allow cartridges to freeze. Refrigerated cartridges are stable until the expiration date listed on the cartridge box. Cartridges may be stored at room temperature (18-30°C or 64-86°F) for up to 2 months.
- e. Cartridges should not be returned to the refrigerator once equilibrated to room temperature. Mark the modified 60-day expiration date on each individual cartridge package. The cartridge must remain in the sealed pouch until time of use. Do not use any cartridges after the expiration date (manufactured or modified).

7. Controls

- a. OPTI CHECK Tri-level controls, Opti Medical:
- b. Store unopened control ampules at room temperature 15-30*C (59-86*F), not to exceed expiration date. Do not subject this product to excessive temperature fluctuations or prolonged exposure to light.
- 8. Linearity Tri-Controls Calibration Verification:

- a. Linearity standards are optional for electronically calibrated test devices.
- 9. Equipment / Instrumentation:
 - a. I-STAT Test system
 - b. Electronic Simulator quality control device
 - c. Charging station for i-STAT analyzer

10. Calibration:

- a. The i-STAT cartridge is standardized against known methodologies at the factory. A multi-point calibration curve, the slope or sensitivity of which is defined by coefficients in the CLEW software, is derived for each sensor by this process. These calibration curves are adjusted twice per year through CLEW software updates.
- b. A one-point calibration test is performed on each cartridge automatically before the blood is tested. No operator intervention is required to initiate this process. The calibrating solution is automatically released from its foil pack and positioned over the sensor with cartridge insertion. Signals produced during this one-point calibration adjust the offset of the stored calibration curve. The analyzer automatically moves the sample over the same sensors and the signals produced by the same sample sensors are measured. While coefficients are used rather than graphic calibration curves, the calculation of the results is equivalent to reading the sample's concentration from the adjusted calibration curve.
- c. Calibration Verification/Analytical Measurement Range is validated by testing personnel as needed, for example when receiving a replacement i-STAT device or after major repairs on the current device, and for troubleshooting investigations.

11. Quality Control:

- a. The i-STAT quality control program is designed to verify the performance of the analyzer and cartridges.
 - i. To meet this requirement, an internal simulator check (automatic with cartridge insertion) is preprogramed within the iSTAT device.
 - ii. The internal simulator runs automatically after every eight hours when a test cartridge is inserted.
 - 1. If FAIL is displayed, retest the simulator. Remove the simulator from the analyzer's cartridge port. Select "1 Test Option", and then Select "2 Same Simulator". Repeat steps 5-7.
 - 2. If FAIL is displayed a second time. DO NOT USE the i-STAT. Contact the Technical Support.

- iii. Patient testing cannot continue if the electronic simulator QC has failed.
- b. activate the barcode scanner in the top of the analyzer. Pass the laser light over the control lot barcode found on the QC vial. The screen advances automatically.
- c. Scan or enter the Cartridge Lot Number. The current cartridge lot number barcode is located on the cartridge package or on the side of the refrigerated cartridge box. Press and hold the scan button to activate the barcode scanner. Pass the laser light over the cartridge lot number. The screen advances automatically.
- d. The analyzer holds the entered information for 10 minutes, allowing sufficient time to prepare the control vial for testing. To prepare the control vial properly, hold the glass vial at the top and bottom with your forefinger and thumb to minimize increasing the temperature of the solution. Immediately before use, shake the control vial vigorously for 5 to 10 seconds to equilibrate the liquid and gas phases.
- e. Protect your fingers with gloves, gauze, tissue or the provided plastic protective sleeves and snap off the tip of the glass vial.
- f. Immediately transfer the solution to the G3+ test cartridge using syringe.
- g. Immediately seal the cartridge and insert into the prepared analyzer. (Note: Aqueous based solutions, such as these controls, lack the buffering capabilities of whole blood. Therefore, the transfer process from vial to cartridge must be more expedient than a patient sample).
- h. View the 120-second test timer on the screen. Remove the test cartridge only when "Cartridge Lock" message disappears.
- i. Compare the test results displayed on the screen to the assigned value sheet.
- j. Press "1-Test Options" on the result page and then press "1-Next level:" Repeat steps 6-16 to test the other control level.

12. Acceptable Tolerance Limits:

a. Initially, the expected values established by the manufacturer in the package inserts are used to assess cartridge performance. The manufacturer's mean and acceptable range is used to evaluate cartridge performance. Once adequate data is collected, historical performance limits may be determined and utilized to adjust the manufacturer ranges to better monitor the testing system, when indicated.

13. Corrective Action:

a. If quality control tests fall within the acceptable control ranges, patient testing may continue. However, if quality

control tests fall outside the acceptable control ranges, the problem must be corrected before proceeding with patient testing. Refer to the Troubleshooting section of the i-STAT User Guide for a quick reference to possible solutions. i-STAT offers an overnight replacement program for non-operational analyzers when contacted before 3:00 p.m. Call the regional lab office for help with unresolved problems or for a replacement analyzer.

14. Recording QC Data:

a. The quality control results (external and internal simulator and liquid QC) are stored in the memory of the analyzer. The room temperature reading is captured with each external simulator QC test. The thermal probe check is accomplished by reviewing the Probe Delta Station. The thermal probe check is accomplished by reviewing the Probe Delta column for readings of <0.1. This result is recorded. The room temperature and refrigerator used to store i STAT reagents are recorded daily.

15. i-STAT Maintenance:

a. Gently clean the display screen and case using an Accel TB wipe. Rinse the outside of the analyzer with another gauze pad moistened with water and wipe dry. Avoid getting excess fluids in the seam between the display screen and the case.

16. Proficiency Testing:

a. The laboratory is enrolled in a proficiency testing (PT) agency. The Laboratory Manager/ Technical Supervisor and Laboratory Medical Director review PT results.

17. Procedural Steps for Patient Testing:

- a. Pull the necessary G3+ cartridges from the refrigerator to warm to room temperature. Modify the cartridge foil package to indicate the modified 2 month expiration date. Plan to use the cartridges with the oldest modified expiration date first.
- b. Turn the analyzer "On". From the Test Menu screen, select "2 i STAT Cartridge" to prepare for a test patient test.

18. Scan or Enter Operator ID.

- i. Option 1: Press and hold the scan button to activate the barcode scanner in the top of the analyzer. Pass the laser light over your ID barcode, if you have one. The screen advances automatically.
- ii. Option 2: Type your six digit employee number into the analyzer using the numeric keypad. Press "Ent" to store and to advance the screen to the next page.
- b. Scan patient#, Scan cartridge lot #.
- c. "Insert cartridge" prompt appears on the screen. The screen maintains the prompt for 10 minutes. Remove the cartridge

- carefully from the foil pouch and place on clean, dry surface. (Testing tips: Hold the cartridge by the sides. Do not contaminate the contact pads. Do not apply pressure to the central area of the label as the calibrant pack inside could burst prematurely. Do not block the air vent on the back of the testing cartridge.)
- d. Direct the tip of the syringe into the sample well.
- e. Dispense the sample slowly and steadily until it reaches the blue minimum fill mark. Leave some sample in the sample well.
- f. Fold the snap closure over the sample well. Press the rounded end of the cover until it snaps into place.
- g. Insert the filled cartridge into the i-STAT cartridge port.
- h. The i-STAT analyzer identifies the cartridge and performs a one point calibration during the first 90 seconds. The patient sample is tested during the last thirty seconds only if the one point calibration was successful. The chart page is displayed.
- i. Enter sample type 1—arterial; 2-venous; 3—capillary.
- j. Enter oxygen delivered.
- k. Press the "→" to page to the test timer page.
- l. Do not remove the cartridge until the message Cartridge Lock disappears from the screen. Wait for the results to appear.
- m. Review the blood gas results. Document the result per protocol.
- n. Chart Allen test results as per established protocol.
- o. Remove the test cartridge. Dispose of the test cartridge and all collection apparatus into appropriate biohazard containers.

19. Calculations:

- a. The i-STAT analyzer automatically performs all the required calculations from the measured parameters (pH, pCO2, pO2) to yield the following calculated parameters (O2 Sat, HCO3, TCO2 and Base Excess).
- b. *** (Instead of Results)
 - i. A particular sensor's signal falls outside of operational limits. Uncharacteristic signals can be caused by a compromised sensor or by an interferent in the sample. This flag also appears for any calculated test dependent on a measured test parameter flagged with stars. The sample should be retested only once using another cartridge. Otherwise, collect a new sample for confirmation.
 - ii. Refer to the Troubleshooting section of the i-STAT 1 User guide when evaluating the error messages. Contact Technical Support.
 - iii. Limitations:

iv. Factors Affecting Results/Interfering Substances:

- 1. Exposure of the whole blood sample to air will cause an increase in pO2 when values are below 150 mmHg and a decrease in pO2 when values are above 150 mmHg.
- 2. Do not ice sample before testing pO2 results may be falsely elevated in cold samples. Do not use a cold cartridge pO2 results may be falsely decreased if the cartridge is cold.
- 3. Exposing a sample to air will cause an increase in pH due to loss of CO2. pH decreases on standing anaerobically at room temperature at a rate of 0.03 pH units per hour.
- 4.1. When increased amounts of dysfunctional hemoglobin (carboxy, met, and sulfhemoglobin) are present, the oxygen saturation cannot be used as a predictor of the amount of oxygen available for tissue perfusion.

i-g. Arterial Blood Gas Testing- Siemans Rapid Point 500 Blood Gas Analyzer

i. Procedure: The current Siemans Rapid Point Blood Gas Machine is a point of care system for blood gas analysis. The Clinical Laboratory has oversite of all lab testing in the Acute facility at SHD, both in laboratory and disbursed testing outside of the lab. This procedure, in collaboration with the cardiopulmonary Department to implement blood gas protocols using the Siemans Rapid point 500, as required per CLIA and COLA quality performance standards, as the primary testing system for blood gasses, as clinical needs dictate. The Rapid Point 500 Operators Manual will act as the procedure guide for operation of this machine.

ii. Procedure

- 1. Specimen requirements
 - a. 95µl arterial whole blood collected in a heparinized syringe.
 - b. All samples are collected by arterial puncture following standard precautions.
 - c. Heparin is the only acceptable anticoagulant for blood gas testing with the rapid Point 500 test system. (Precaution: Expel air bubbles immediately for syringe collections.) All samples must be labeled with patient's name, collection date and time, and medical record number and/or patient account admission label.
- 2. Specimen Stability:
 - a. Only fresh whole blood samples are recommended for use with the Siemans test system.
- 3. Specimen Identification:

- a. Testing personnel will identify each patient through verification of the patient's name, medical record number and date of birth. During order entry each specimen is given a unique specimen order number.
- b. Testing personnel are responsible for correctly identifying each patient.

4. Unacceptable Specimens:

- a. Clotted specimens
- b. Specimens not tested within 10 minutes
- c. Large air bubbles in syringe samples will yield inaccurate results and should be recollected.
- d. Unlabeled specimens.

5. Materials and Reagents

- a. Measurement Cartridge: Contains sensors, regents, and electronic and fluid components needed to analyze patient and QC samples, and to calibrate the Rapid Point 500. Store the cartridges in the manufacturer sealed pouches at 2-8°C. Do not allow cartridges to freeze. Each cartridge is stable for 28 days after installation if installed by the installation date. If installed after the installation date, cartridge is stable for remaining dates from install date.
- b. Wash/Waste Cartridge: Contains the wash regent, which cleans the sample path after analysis, and calibration. The cartridge also stores liquid waste. Each cartridge is stable for 10 days after installation to the system. The system prompts you when the cartridge needs to be changed. The cartridge is stored at room temperature (Between 2* to 25*).

6. AutomaticQC Cartridge

a. The AutomaticQC cartridge contains quality control material, plus the electronic, mechanical, and fluid components needed to analyze QC samples. The quality control material is uniquely formulated to provide verification of performance at several points in the clinical range for the Rapid Point 500 system.

7. External QC Analysis:

- a. During AutomaticQC analysis, the system compares the results for each parameter and identifies any results that are out of range. Any parameters that fail QC are turned off. If defined in the set up, the system repeats the analysis if any parameters are out of range. If again the parameters fail, an external QC must be performed:
 - i. Select the perform QC button
 - ii. Scan the Barcode on the OC sample
 - iii. Open the ampule using the ampule breaker.
 - iv. Attach the Quick adaptor to the ampule.
 - v. Insert the quick adaptor with the ampule into the sample port.

- vi. Select the continue button
- vii. Remove the quick adaptor and ampule when prompted,
- viii. Enter user ID number.
- b. Quality Control:
 - i. The Seiman's quality control program is designed to verify the performance of the analyzer.
 - 1. To meet this requirement, internal QC's will be run every 8 hours.
 - a. If FAIL is displayed x 2 during daily check, an external QC must be run on any failed level.
 - b. If FAIL is displayed again, DO NOT USE the Seimans Rapid Point 500. Contact the Technical Support.
 - 2. Patient testing cannot continue if the QC has failed. The i STAT testing system will go into place until repairs have been made.
- c. Acceptable Tolerance Limits:
 - i. Initially, the expected values established by the manufacturer are used to assess cartridge performance. The manufacturer's mean and acceptable range is used to evaluate QC performance. Once adequate data is collected, historical performance limits may be determined and utilized to adjust the manufacturer ranges to better monitor the testing system, when indicated.
- d. Corrective Action:
 - If quality control tests fall within the acceptable control ranges, patient testing may continue.
 However, if quality control tests fall outside the acceptable control ranges, the problem must be corrected before proceeding with patient testing.
- e. Recording OC Data:
 - i. The quality control results (external and internal simulator and liquid QC) are stored in the memory of the analyzer. Daily check off sheet must be performed, including viewing the event log, which lists system messages that provide information about system activities and error conditions. All corrective measures must be documented. The system maintains 250 records of each type of data, (patient samples, QC samples, and calibrations). Monthly QC data is downloaded and submitted to Seimans for the purpose of generating monthly and year-to-date peer comparison reports.
- f. Seimans Rapid Point 500 Maintenance:

i. Gently clean the display screen with a lint free cloth and 0.5% sodium hydroclorite solution. Do not use any solutions containing benzalkonium chloride ion. Wipe the exterior surface with the solution with cloth and dry thoroughly.

g. Proficiency Testing:

 The laboratory is enrolled in a proficiency testing (PT) agency. The Laboratory Manager/ Technical Supervisor and Laboratory Medical Director review PT results.

8. Procedural Steps for Patient Testing:

- a. Select blood sample type on screen.
- b. Insert sample using universal precautions.
- c. Enter operator ID #.
- d. Enter Pt ID #.
- e. Enter Pt DOB.
- f. Enter Oxygen settings
- g. Review the blood gas results. Document the result per protocol.
- h. Chart Allen test results as per established protocol.
- i. Report all critical results to physician.
- j. Remove the syringe and deposit into appropriate biohazard containers.

9. Calculations:

a. The Rapid Point 500blood gas analyzer automatically performs all the required calculations from the measured parameters (pH, pCO2, pO2) to yield the following calculated parameters (O2 Sat, HCO3, TCO2, Base Excess, tHB, FO2Hb, FCOHb, FMetHb,, and FHHb).

10. Limitations:

- a. Factors Affecting Results/Interfering Substances:
 - Exposure of the whole blood sample to air will cause an increase in pO2 when values are below 150 mmHg and a decrease in pO2 when values are above 150 mmHg.
 - ii. Do not ice sample before testing pO2 results may be falsely elevated in cold samples.
 - iii. Exposing a sample to air will cause an increase in pH due to loss of CO2. pH decreases on standing anaerobically at room temperature at a rate of 0.03 pH units per hour.

4. **Enforcement**

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.



RESCIND

SENECA HEALTHCARE DISTRICT PROCEDURE

DEPARTMENT: PHARMACY	Page 1 of 1
PROCEDURE TITLE: PROBLEM SOLVING	Date of Origin:
PROCEDURE NUMBER: RX-PRO-011.002	Unknown
	Revision Date: 05/29/2015
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D	

Procedure:

If the Quick Reference Guide and/or the Trouble Shooting Guide for the Pyxis® have been referred to with no results, contact CareFusion for assistance or to answer questions at:

1-800-36-PYXIS.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-011.002

DEPARTMENT: PHARMACY
PROCEDURE TITLE: PYXIS® MEDSTATION
PROCEDURE NUMBER: RX-PRO-013.002

Revision Date:
05/29/2015

AUTHOR: Scott Buck, RN, MSHA
REVISED BY: Ray Duro, Pharm. D

Procedure: Nursing Service, Pulmonary Services, Emergency Medical Services, Pharmacy Drug Room, Medical Staff and Pharmacy will utilize the Pyxis® MedStation as an

administration and inventory control system

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-013.002

DEPARTMENT: PHARMACY PROCEDURE TITLE: PYXIS® FAILURE PROCEDURE PROCEDURE NUMBER: RX-PRO-012.002	Page 1 of 3 Date of Origin: 02/20/2002 Revision Date: 05/29/2015
AUTHOR: Scott Buck, RN, MSHA REVISED BY: Ray Duro, Pharm. D	

Procedure: In order to assure quality pharmacy services and no significant disruption in services, this following procedure should be followed in the event of a complete software or mechanical failure of the system.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-012.002

PROCEDURE

- 1. Contact the nurse covering Nursing Administration or the Chief Nursing Officer of the failure.
- 2. Contact Customer support as listed on the front right hand corner of the Pyxis® Console. The Console is the computer built into the Pyxis®. Pyxis® may be able to help you correct the error without needing the Override keys located in the Nursery Anteroom lockbox. The Override keys are generally not needed for individual drawer failures. The Override keys are not useful in the event of an individual Cubie failure. Try to recover individual Cubies. In the event that you cannot and the nurse covering Nursing Administration or the Chief Nursing Officer, contact Customer Support. If Customer Support cannot help you, and the drug is needed immediately and there is no other stock of it, pry it open with a screwdriver. If Maintenance is not available, the nurse covering Nursing Administration or the Chief Nursing Officer, contact me prior to prying the Pyxis® open. Remember, any narcotics taken out that cannot be returned must be put in the backup narcotic drawer and a count sheet started: including shift counts and documentation of usage.
- 3. Contact Maintenance. Inform them of the Pyxis®failure.
- 4. Obtain the Nurse's key ring with the key labeled "PIX".
- 5. LTC Nurse will have a similar key labeled "PIX".
- 6. Take LTC to the lock box located in the Nursery anteroom. It will require both the nurse's key and LTC to open the lock box. Complete an incident report to allow tracking of this unusual event. Failure to complete an incident report will result in disciplinary action for both nurses involved.
- 7. Take out the override keys identified with a Pyxis® label. These keys are round in nature and are labeled as to where they can be used. There will be a total of 3 (three) keys. Two match the back of the machines and the top of the glass door auxiliary. The third key fits the top front lock on the refrigerator. This is the override lock. The key will need to remain in the lock until the malfunction is repaired.
- 8. Follow instructions as given by the Pyxis® Technical Support.
- 9. In the event that Technical Support requires everything be put on override, all narcotics in the machine must be placed in the backup drawer. Do not pry any cubies open unless the drugs are needed for immediate use. The cubies are secure and cannot be opened unless you use a screwdriver. Pry any cubies open that are immediately needed with a flat head screwdriver. Once they are open, indicate on the count sheet for the temporary narcotic drawer how many have been used. These narcotics should not be issued until such time as they are logged into the drawer, and then may be issued to patients, just as any paper system would require. The numbers of drugs entered into the backup drawer must precisely match the numbers removed from the Pyxis®.
- 10. To place drawers on override requires that the top cover on the glass cabinets, the backs of each of the other machines, and the refrigerator all be unlocked. You will have to leave the refrigerator key in the lock. The other areas can be unlocked and the keys removed. Each drawer will have a red lever that must be released to allow the drawers to open. The carousel (drawer 17) requires that you release it, pull it out as far as it will go, and release

- it a second time. The smaller mini drawers require that you pull the release lever to the right.
- 11. Once the Pyxis® has been repaired, all drugs from the backup drawer that had been removed must be returned to the Pyxis®. Indicate on the Narcotic record from the drawer what has been returned. Once returned, resolve all discrepancies developing from usage during the down time.
- 12. Notify Accounting that pharmacy charges will need to be done by hand until the system is up and running for a full 24 (twenty-four) hours.

DEPARTMENT: PHARMACY PROCEDURE TITLE: STOCK REPLENISHMENTS PROCEDURE NUMBER: RX-PRO-018.002	Page 1 of 1 Date of Origin: Unknown
	Revision Date: 05/29/2015
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D	

Procedure:

- 1. The Pharmacy Registered Nurse will be responsible for maintaining adequate inventory of all medications in the Pyxis®.
- 2. On occasion, medications that are not stocked in the Pyxis® may be ordered for a patient.
- 3. Controlled medications (schedule 11-V) will be loaded at the Pyxis® by the Pharmacy Registered Nurse. Non-controlled medications will be delivered to the nursing unit for placement in the patient's cassette..

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-018.002

DEPARTMENT: PHARMACY PROCEDURE TITLE: WASTING MEDICATIONS PROCEDURE NUMBER: RX-PRO-019.002	Page 1 of 1 Date of Origin: Unknown Revision Date: 05/29/2015
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D	

Procedure:

- 1. If all or part of a controlled medication originally taken from the Pyxis® is to be wasted, it will be documented at the Pyxis®. Two licensed personnel will be required to witness waste of medications.
- 2. The wasted medication must be documented either at the time the medication is removed or at the time it is wasted. Another licensed staff member must co-sign the documentation.
- 3. This procedure follows policy RX-010.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-019.002



DEPARTMENT: PHARMACY PROCEDURE TITLE: RETURNING MEDICATIONS PROCEDURE NUMBER: RX-PRO-017.002	Page 1 of 1 Date of Origin: Unknown
	Revision Date: 05/29/2015
AUTHOR: Unknown REVISED BY: Ray Duro, Pharm. D	

PROCEDURE

Procedure:

- 1. Medication removed from the Pyxis® that is in its original package and not administered to the patient will be returned to the Pyxis®, in the same location that it was taken from, with the exception of narcotics (see # 3).
- 2. The med being returned should be returned under the same patient name from which it was withdrawn. See Quick Reference Guide.
- 3. If the medication package is not intact for controlled medication, then follow the procedure for "Wasted Medication." Carpujects removed from their trays must always be wasted.
- 4. For other medications, if the package is not intact, discard per hospital policy, RX-010.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Administration		

PROCEDURE NUMBER REFERENCE: RX-PRO-017.002



DEPARTMENT: NURSING-SWING	Page 1 of 2
POLICY TITLE: CHARTING BY NURSING PERSONNEL	Date of Origin:
POLICY NUMBER: NSG-072.001	
	Revision Date:
COMPLIANCE REQUIREMENT: Title 22 CCR §72547,	
§72315, §72311(b)	Periodic Review
	By:
	Date:
AUTHOR: Kacie Broussard, RN, BSN, House Supervisor	Policy Rescinded by
REVISED BY:	Policy #:
	Effective Date:

Policy: Seneca Healthcare District shall ensure charting in the electronic medical record (EMR) performed by Acute Care Nursing staff shall include pertinent and concise clinical observations relating to the resident's physical and other noted conditions or change in condition.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: NSG-072.001

PROCEDURE

1. Purpose

The purpose of this policy is to ensure all Acute Care Nursing Staff chart to relate pertinent and concise observations on the Nursing notes and ensure proper Nursing General Services as outlined in Title 22 §72311 will be followed.

2. **Responsibilities**

The SHD RNs, LVNs, Activities Staff, <u>Social Services Designee</u> (SSD), are responsible for charting in the resident's electronic medical record (EMR).

3. Policy for Charting by Nursing Personnel

All RN and LVN staff are expected to relate pertinent and concise observations in the EMR. These notes must also reflect medical orders carried out, stat and one time one-time medications, narcotics given and effect of all drugs and treatments.

a. Assessments

The LVN/RN charge nurse will document all:

- i. cares, treatments, and medications timely;
- ii. follow-up on PRN medications;
- iii. narrative nurses notes as indicated and specific to the patient's needs, care plan, and response to care and treatment;
- iv. weekly summaries as assigned;
- v. notification of physicians and families/responsible parties of change in
 - 1. -Condition,
 - 2. Treatments,
 - 3. Unusual Occurrences.
 - 4. Abnormal Lab Results,
 - 5. Weekly Skin Assessments,
 - 6. Weekly/Monthly Weights, and
 - 7. Aadmission documents per policy; and
 - 7.8. Orders received from physicians..
- vi. Nurse's aides are to chart in the EMR for residents who they have given care. They are to chart -TPR, B/P, weight, I&O's, meals, skin changes, every two-hour rounds, personal cares, position changes, ambulation, etc. These recordings should be checked by the LVN/RN for accuracy.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.



POLICY & PROCEDURE

DEPARTMENT: NURSING-SWING	Page 1 of 5
POLICY TITLE: TRANSFER AND DISCHARGE RESIDENTS	Date of Origin:
POLICY NUMBER: NSG-074.001	Revision Date:
COMPLIANCE REQUIREMENT: <u>42 CFR</u> §483.12, §483. 12(a) <u>15(c)</u>	Periodic Review By: Date:
AUTHOR: Kacie Broussard, RN, BSN, House Supervisor REVISED BY:	Policy Rescinded by Policy #: Effective Date:

Policy: Seneca Healthcare District's (SHD) Skilled Nursing Facility (SNF), shall transfer or discharge the resident for the necessity of the resident's welfare; if the resident's needs cannot be met in the facility, the request of the resident, the health or safety of individuals in the facility would be endangered, or for failure to pay in accordance to State and Federal regulations.

Authorization	Signature	Date
Department Head		
Medical Department Chair	See Medical Chief of Staff	
Compliance Officer		
Chief Nursing Officer		
Director, Human Resources		
Administration	See Governing Board	
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: SNFNSG-165074.001

PROCEDURE

1. **Purpose**

The purpose of this policy is to provide a systematic transfer or discharge in compliance with State and Federal regulations.

2. **Responsibilities**

The SHD Skilled Nursing Facility (SNF) Acute nursing department and S/P Licensed Nurses is are responsible for compliance and the Director of Nursing (DON) Care Coordination Department and House Supervisor to monitor compliance.

3. Policy for Transfer and Discharge Residents

- a. Seneca must permit each resident to remain in the facility, and not transfer or discharge the resident from the facility unless;
 - i. The transfer or discharge is necessary for the resident's welfare and the resident's needs cannot be met in the facility.
 - ii. The transfer or discharge is appropriate because the resident's health has improved sufficiently so the resident no longer needs the services provided by the facility;
 - iii. The safety of individuals in the facility is endangered due to the clinical or behavioral status of the resident; The facility must document the danger that failure to transfer or discharge would pose.
 - iv. The health of the individual in the facility would otherwise be endangered; Emergency transfers to the Acute Care/Emergency Department.
 - 1. Residents who are sent to the Emergency Department (ED), must be permitted to return to the facility, unless the resident meets one of the criteria under which the facility can initiate discharge. In a situation where the facility initiates discharge while the resident is in the hospital following emergency transfer, the facility must have evidence that the resident's status is not based on his or her condition at the time of transfer and meets one of the discharge criteria.
 - v. The resident has failed, after reasonable and appropriate notice, to pay for (or to have paid under Medicare or Medicaid) their stay at the facility. Nonpayment applies if the resident does not submit the necessary paperwork for third party payment or after the third party, including Medicare or Medicaid, denies the claim and the resident refuses to pay for his or her stay. The facility may not transfer or discharge the resident while the appeal is pending.
 - 1. It is the responsibility of the facility to notify the resident of their change in payment status, and the facility should ensure the resident has the necessary assistance to submit any third-party paperwork. In situations where a resident representative has failed to pay, the facility may discharge the resident for nonpayment.
 - vi. The facility ceases to operate.
 - vii. The facility will not transfer or discharge the resident while the appeal is pending, pursuant to §431.230 of this chapter, when a resident exercises

his or her right to appeal a transfer or discharge notice from the facility pursuant to §431.220(a)(3) of this chapter, unless the failure to discharge or transfer would endanger the health or safety of the resident or other individuals in the facility. The facility must document the danger that failure to transfer or discharge would pose.

b. Documentation

- i. The documentation required: Record of the reason(s) for the transfer or discharge in the resident's medical record
 - 1. The specific resident needs, that the facility could not meet;
 - 2. The facility efforts to meet those needs;
 - 3. The specific services the receiving facility will provide to meet the needs of the resident which cannot be met at the current facility.

c. Before a facility transfers or discharges a resident, the facility must-

- i. Notify the resident and the resident's representative(s) of the transfer or discharge and the reasons for the move in writing and in language and manner they understand. Except in emergent situations, the notice of transfer or discharge must be made by the facility at least 30 days before the resident is transferred or discharged.
- ii. The facility must send a copy of the notice to a representative of the Office of the State Long-Term Care Ombudsman.
 - 1. Likewise, if a facility has limitations in the type of medical care it can provide, this information must be communicated prior to admission. For example, if the need for a specific type of care or service becomes necessary, knowledge of service limitations may make the need for transfer or discharge more predictable and understandable for the resident and/or his or her representative.

d. Transfer or Discharge Documentation required:

- i. The resident's physician discharge orders.
 - 1. Contact information of the practitioner who was responsible for the care of the resident;
 - 2. Resident representative information including contact information;
 - 3. Advance directive information;
 - 4. Special instructions and/or precautions for ongoing care, as appropriate, which must include, if applicable, but not limited to: 0 Treatments and devices (Oxygen, implants, IVs, Tubes/Catheters)
 - 5. Precautions such as isolation or contact;
 - 6. Special risks such as risk for falls, elopement, bleeding, or pressure injury and/or aspirations precautions;
 - 7. The resident's comprehensive care plan goals; and
 - 8. All information necessary to meet the resident's needs, which includes, but may not be limited to: 0 resident status, including baseline and current mental, behavioral, and functional status, reason for transfer, recent vital signs:
 - 9. Diagnosis and allergies;
 - 10. Medications (including when last received); and
 - 11. Most recent relevant labs, other diagnostic tests and recent immunizations.

- 12. SBAR form for emergency room transfers. (see Attachment A)
- 13. In the resident's SNF record document;
 - a. Basis for transfer
 - b. In the case of inability to meet resident's needs the specific resident's needs that can not be met, the facility's attempt to meet the resident's needs and services available at the receiving location.

Note: It may not be possible to convey all care plan information prior to urgent transfers, however, this information must be conveyed as close as possible to the actual time of transfer.

- e. Upon the discharge, eviction, or death of a resident with personal funds deposited with the facility, the facility must convey within 30 days the resident's funds, and a final accounting of those funds, to the resident, or in the case of death, the individual or probate jurisdiction administering the resident's estate, in accordance with State law.
 - i. A resident assessment specific to medical needs for ED transfer and intervention done.
 - ii. Discharge summary if resident will not return due to discharge transfer or death.
 - iii. Notification to Ombudsman post discharge transfer.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions Policy/Procedure, CMPL-005.

Attachments:
Attachment A: SNF-FORM-SBAR



Resident Label

SBAR

	s, racintify rea	son for tims comin	nunication, descril	oe your conc	e ern.)	
oout:			DOB: _			
ode status i						
m reporting	; about is:					
sed the resi	dent:					
_P	_Resp	Temp	SAO2	O2		L/Min
nents) n <mark>ental status</mark>	S				S,	
				L/Min	NC, fac	ee mask
–(What is yo s, early warni	ur assessmen ng signs)	t of the resident o	r situation, this ca	n include cli	nical	
	sed the resi	sed the resident: PResp : (relating to the resident ments) mental status NOT or IS on oxygen _	sed the resident: PRespTemp : (relating to the resident significant historyments) nental status NOT or IS on oxygen : (What is your assessment of the resident or	sed the resident:	sed the resident: PRespTempSAO2O2 : (relating to the resident significant history, this may include medication ments) nental statuschange NOT or IS on oxygenL/Min	sed the resident: PRespTempSAO2O2

Attachment A: SNF-FORM	I- SBAR (Page 1 of 1)		



Page 1 of 65 **DEPARTMENT: PHARMACY** POLICY TITLE: DEPARTMENTAL CONTROLS **Date of Origin: POLICY NUMBER: RX-005.002 Revision Date: COMPLIANCE REQUIREMENT:** 42 CFR §482.25(b); Periodic Review JCAHO MM.05.01.05; 22 CCR §70263(n), §1711(f); BPC Bv: §4427.3, §4427.5, §4427.7; HSC §1261.6 Date: Policy Rescinded by **AUTHOR: Unknown** Policy #: REVISED BY: Elizabeth L Steffen, Director of Information **Effective Date: Technology and Policy Committee Chair AND**

Policy: Seneca Healthcare District (SHD) shall ensure that the pharmacy department is managed and operated within all state, federal, and hospital regulations. SHD does not operate a pharmacy, but a drug room; therefore, a licensed pharmacist does not need to be on staff. A consultant licensed pharmacist is contracted with SHD and is always available. Access to the Drug Room will be limited at all times to appropriate staff only. All data from the Pyxis® will be monitored and archived regularly. SHD shall meet STATE and CMS regulations relating to medication review by a registered pharmacist (Rph). All medication orders (except in emergency situations) should be reviewed for appropriateness by an Rph before the first dose is dispensed.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Administration		
Medical Chief of Staff		
Governing Board		

RX-005.002 Departmental Controls

Ray Duro, PharmD

Page 1 of 6

Formatted: Indent: Left: 0", Right: 0"

POLICY NUMBER REFERENCE: RX-005.002 RX-005.002 Departmental Controls Page 2 of 6

PROCEDURE

1. Purpose

The purpose of thies policy is to outline the operations and controls of the Pharmacy department, Aincluding access to the Drug Room-will be limited at all times to appropriate staff only. All, data from the Pyxis® will be monitored and archived regularly. SHD shall meet STATE and CMS regulations relating to medication review by a registered pharmacist (Rph). All medication orders (except in emergency situations) should be reviewed for appropriateness by an Rph before the first dose is dispensed.

2. Responsibilities

The SHD Pharmacy department is responsible for ensuring it is managed and operated within state, federal, and hospital regulations with oversite from Consulting Pharmacists.

3. Policy for Departmental Controls

a. Consultant Pharmacist

- i. The Consultant Pharmacist under contract to Seneca Healthcare District will strive to give the most complete and accurate answers to any and all drug information questions posed by physicians, nurses and other hospital personnel. The Consultant Pharmacist will be available by phone as per contract while at the facility.
- ii. The Consultant Pharmacist will conduct a monthly review of the Automated Drug Delivery System (ADDS) for cleanliness, transaction records, security, and accountability, as well as a physical inspection of medications.
- i-iii. The Consultant Pharmacist will submit quality assurance records related to licensed ADDS as required per CCR 1711(f) and the ADDS self assessment.
- iii.v. SHD will maintain a supply of medication reference books as recommended by the Consultant Pharmacist. These shall include AHFS Drug Information, Facts and Comparisons, Handbook of injectable Drugs and the PDR.

b. Pharmacy Department Organization

- The Pharmacy Service is a major Department of the hospital and is organized to guarantee the best possible service to the patient in all areas of medication utilization.
- ii. The Pharmacy Service of SHD is operated from a Drug Room with a limited permit issued by the California Board of Pharmacy.
- iii. The service is under the supervision of a Consultant Pharmacist who is employed-under contract with the Hospital. The Consultant Pharmacist is directly responsible to Administration and indirectly responsible to the Medical Staff. The Consultant Pharmacist shall submit a report, at least quarterly, to Administration covering the activities of the Pharmacy Service.

c. Access to the Drug Room

 The Drug Room shall be secured by means of a coded lock. Only licensed personnel shall have access to the code for the Drug Room Lock. Formatted: Indent: Left: 0.5"

ii. Other persons who may have duties which require entrance into the Drug Room, (such as housekeeping to empty the trash), will be permitted into the Drug Room only when a person authorized to enter the Drug Room is present.

d. Automated Dispensation Reporting, Monitoring, and Archiving of Pyxis® Data

- i. Pyxis® reports will be regularly monitored.
- Pyxis® data will be regularly archived. Data will be retained in accordance with federal and state rules and regulations regarding record retention or per hospital policy. (Note: the more stringent retention policy shall be followed.)
- iii. Weekly Pharmacy Responsibilities
 - 1. "Medication Outdates"- This report is used to help pull outdated medication stocks located in the Pyxis® machine.
- iv. Monthly Pharmacy responsibilities
 - "Documented Discrepancies" This report is used to ascertain that the discrepancy resolution reasons provided by the users are acceptable by the rules and regulations of the State Board of Pharmacy.
 - 2. "Drug Reversals"- This report is used to monitor drugs that may have been for possible Adverse Drug Reactions.
 - "Fentanyl Patch"- This report is used to monitor the execution of Fentanyl Patch Order Form.
 - 4. "High Alert Meds"- This report is used to monitor that the facility stays in compliance with High Alert Med use policy.
 - 5. "Undocumented Waste"- This report is used to monitor that the facility is in compliance with regard to narcotic waste.
- v. "Open Discrepancies" report Nursing responsibility
 - 1. On a daily basis, the Department of Pharmacy will forward this report to the appropriate Director of Nursing or designee. The Director of Nursing or designee will resolve the discrepancies within 72 (seventy-two) hours of receiving the report.

e. Medication Administration Personnel

- Medication Administration at Seneca District Hospital is limited to professional health care practitioners listed below within the specifications of established Hospital Policies and Procedures and approved job descriptions.
 - 1. PHYSICIANS
 - 2. REGISTERED NURSES
 - RESPIRATORY THERAPISTS (inhalational medications only)
 - 4. CRNA's
 - LICENSED VOCATIONAL NURSES (except IV medications)

f. Medication Review by Pharmacist

i. Physician Order Entry (CPOE)

- All medication orders (except in emergency situations) should be reviewed for appropriateness by a ppharmacist before the first dose is dispensed and administered.
- Once an order has been directly entered by a physician into CPSIthe EHR, the nurse on duty for that patient shall call the Pharmacist on duty to verify the entered medications.
- 3. Once the medications have been verified by the Pharmacist, nursing may dispense and administer medications.
- Meds given during emergent situations shall be given without review, but the Pharmacist shall be notified for retroactive review of medications.
- 5. The Pharmacist will call the physician for any order clarifications that need urgent attention.
- ii. Nursing Order Entry
 - All medication orders (except in emergency situations) should be reviewed for appropriateness by a Pharmacist before the first dose is dispensed and administered.
 - Once an order has been directly entered by a nurse into CPSI the EHR, the nurse on duty for that patient shall call the Pharmacist on duty to verify the entered medications.
 - 3. Once the medications have been verified by the Pharmacist, nursing may dispense and administer medications.
 - Medsications given during emergent situations shall be given without review but the Pharmacist shall be notified for retroactive review of medications.
 - 5. The Pharmacist will call nursing for any order clarifications that need minor attention.
 - 6. The Pharmacist will call the physician for any order clarifications that need urgent attention.
- iii. Medication Review Turn-Around Time
 - 1. Stat orders: 30 minutes (orders indicated as such by a physician)
 - 2. Routine orders: 60 minutes
- iv. Monthly QA Report
 - 1. A monthly summary report will be generated detailing RpH pharmacist interventions dealing with:
 - a. Continue/DIC drugs
 - b. Change medication
 - c. Clinical monitoring
 - d. Dose clarification
 - e. Do not use abbreviations
 - f. Duplicate therapy
 - g. Fentanyl Patch Documentations
 - h. Illegible order
 - i. Improved monitoring
 - i. Interactions
 - k. Lab requests
 - 1. Medication administration

Formatted: Left

- m. Order elarificationsy
- n. Possible ADRs
- o. Possible inappropriate meds
- p. PRN diagnosis for use
- q. Pt info: ht/wt/allergies/name

g. Pharmacy Services: Acute Care

- The basic guiding philosophy for the Pharmacy Service is to provide the most accurate, complete, neat and expeditious pharmacy service for the patients of Seneca Healthcare District it is possible to render.
- ii. Pharmacy Services will render the following services:
 - 1. Purchase and stock all medications.
 - 2. Supply floor stock and patient medications.
 - 3. Effect distribution of all Pharmacy items to nursing stations.
 - 4. Utilize a unit dose program.
 - 5. Provide drug information to physicians and nurses.
 - 6. Conduct in-service educational programs as needed.
 - 7. Supply Pharmacy items to other departments as required.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions policy, CMPL-005.

References:

- Equipment Management Guide. (December, 1996.) Improving the Drug Distribution Process – Do You Need an Automated Decentralized Pharmacy Dispensing System. Health Devices. P 441-451
- How to Monitor Drug Diversion From Automated Dispensing Cabinets. (July, 2002.) *Health Hazard Manage Monitoring*. P. 6-7
- Pyxis® Operations Manual
- Schwarz, H.O., & Bordowy, B.A. (April 1995.) Implementation and Evaluation of an Automated Dispensing System. *American Journal of Health-System Pharmacy*. 52; 823-828
- Sutter, T.L. et. al. (September 1998.) Discrepancies with Automated Drug Storage and Distribution Cabinets. *American Journal of Health-System Pharmacy*. 55; 1924-1926
- Wellman, G.S., Hammond, R.L., & Talmage, R. (October 2001.) Computerized Controlled-Substance Surveillance: Application Involving Automated Storage and Distribution Cabinets. *American Journal of Health-System Pharmacy*. 58; 1830-1835



DEPARTMENT: PHARMACY	Page 1 of 4
POLICY TITLE: EQUIPMENT AND FORMULARY	Date of Origin:
POLICY NUMBER: RX-006.002	Revision Date:
COMPLIANCE REQUIREMENT: 22 CCR §51313; §51313.3; §51313.6, §70263	Periodic Review By: Date:
AUTHOR: Unknown REVISED BY: Elizabeth L Steffen, Director of Information Technology and Policy Committee Chair AND Ray Duro, PharmD	Policy Rescinded by Policy #: Effective Date:

Policy: Seneca Healthcare District (SHD) shall ensure that the hospital drug formulary is properly administered and the Pyxis® equipment is maintained correctly.

Authorization	Signature	Date
Department Head		
Medical Department Chair		
Compliance Officer		
Chief Nursing Officer		
Administration		
Medical Chief of Staff		
Governing Board		

POLICY NUMBER REFERENCE: RX-006.002

PROCEDURE

1. Purpose

The purpose of this policy is to ensure the Pyxis equipment and hospital drug formulary is properly updated and maintained.

2. Responsibilities

The Medical Staff and Pharmacy and Therapeutics Committee is responsible for reviewing and evaluating the Hospital Formulary. The Medical Staff is responsible for approving any changes to the Hospital Formulary.

3. Policy for Equipment and Formulary

a. Formulary Considerations

- ri. The treatment of patients in hospitals is largely dependent upon the effective use of drugs. The multiplicity of drugs available makes it mandatory that a sound program of drug usage be developed within the hospital to ensure that patients receive the best care and protection possible. Such a program should involve thorough evaluation, selection, and use of medicinal agents. This is the basis of rational drug therapy. The hospital formulary concept provides a method for achieving rational drug therapy.
- b.ii. A hospital formulary is a continually revised compilation of pharmaceuticals which reflects the current clinical judgement of the medical staff of a hospital. The Pharmacy and Therapeutics Committee evaluates, appraises, and selects from numerous available medicinal agents and dosage forms those that are considered most useful in patient care. The hospital formulary system provides for the procuring, prescribing, dispensing and administration of these drugs.
- e-iii. The formulary system serves other purposes as well. By minimizing duplication, it lowers the hospital drug inventory and allows for quantity purchasing. Packaging, labeling, and storage costs for the hospital are all reduced. All of these factors result in lower drug costs to the patient. A uniform drug supply is also advantageous to the nurse and as a result facilitates an important safety factor in the administration of medication to the patient.

d.b. Formulary Additions and Deletions

- i. The formulary is a dynamic list. As new medications are developed, the Medical Staff is encouraged to evaluate them for use at SHD. The Pharmacy and Therapeutics Committee is charged by the Medical Staff with continuously evaluating current formulary medications as well as new medications as they are released. Those that are of value to the patients of SHD will be added to the formulary and maintained in Pharmacy stock. Those that do not represent an advantage to the current formulary medications will not be added. Medications that no longer meet the needs of the patients will be removed from the formulary.
- ii. Any member of the Medical Staff or Pharmacy and Therapeutics Committee may submit a Request for Formulary Addition/Deletion (Attachment A). The Pharmacy and Therapeutics Committee is

Formatted: Font: Bold, Italic

Formatted

RX-006.002 Equipment and Formulary

Page 2 of 4

responsible for evaluating each request and submitting their recommendations to the Medical Staff for approval.

iii. Decisions of the Medical Staff are binding.

c. Drug Room Equipment

- i. The drug room will have an Automatic Drug Dispensing System (ADDS) located in the ED, Acute, and LTC, stocked with medications for the patients and residents of the hospital.
- ii. The ADDS will be remotely updated as software upgrades are available from the manufacturer.
- iii. Review policy RX-021 for use of the ADDS machine.
- iii.iv. Staff with ADDS access will be trained on hire and annually on the use of the machine.

4. Enforcement

Violation of this policy may result in disciplinary action, up to and including termination as outlined in the Sanctions policy, CMPL-005.

Attachment A: Request for Formulary Addition-Deletion (1 page)

Formatted: Font: Bold, Italic

Attachment A: Request for Formulary Addition-Deletion

Request for Formulary Addition/Deletion			
Che	ck one:	Addition to Formulary Deletion from Formulary	<u> </u>
1.	Generic	Name	
2.			
3.	Dosage Form(s)		
4.	Reason f	or Request	
	Control of the contro		
5.	Estimate		
6.	6. What Item Does This Replace		
Pleas	Please attach any supporting information relevant to this request.		

California CLASS



California CLASS Registration Packet



Welcome to California CLASS

Thank you for choosing California CLASS!

We believe you have made a sound financial decision in choosing California Cooperative Liquid Assets Securities System (California CLASS). We look forward to being a trusted partner to your organization and its investment management goals and are excited to connect with you to make your investment process a positive, easy experience.

This packet contains all the materials necessary to set up your California CLASS account(s). If you have any questions about the registration process or about your California CLASS account(s), please do not hesitate to contact us. The California CLASS Client Service team can be reached any business day from 8:00 a.m. to 4:00 p.m. PT by phone at (877) 930-5213 or by email at clientservices@californiaclass.com.



Registration Procedures

To participate in California CLASS, please complete the following:

- 1) Review the Joint Exercise of Powers Agreement and the applicable Information Statements relating to the California CLASS Prime Fund and the Enhanced Cash Fund (located in the Document Center at www.californiaclass.com).
- 2) Complete the California CLASS Participant Representation Form (page 4).
- 3) Complete the Participant Registration (page 5).
- 4) Complete the Authorized Contacts Form (pages 6/7).
- 5) Should you be interested in participating in California CLASS Prime, complete the California CLASS Prime Fund Account(s) to be Established form; you may open as many accounts as you wish (page 8).
- 6) Should you be interested in participating in California CLASS Enhanced Cash, complete the California CLASS Enhanced Cash Fund Account(s) to be Established Form; you may open as many accounts as you wish (page 9).
- 7) Keep the original forms for your records and send the completed packet to the California CLASS Client Service team by fax (877) 930-5214 or by email <u>clientservices@californiaclass.com</u>.

Questions? Please contact us; we would love to hear from you:

California CLASS Client Service Team T (877) 930-5213 clientservices@californiaclass.com

Through the California CLASS website, www.californiaclass.com, Participants will be regularly informed of important program information, holidays, upcoming Board meetings, Participant events, conferences, and more. Board of Trustee meetings, which are open to the public, are generally held quarterly and discuss relevant issues to the governance and operations of the California CLASS program.



Participant Representation Form

Participant Information Intity Name (Participant)				
Participant Representations				
The undersigned Authorized Signer for th the Participant is investing in the Californ	Participant hereby represents and warrants the following during the period CLASS Investment Program:			
political subdivision of the State of income under Section 115 of the	ency (as defined in the Joint Exercise of Powers Agreement) and (2)(a) a California or (b) an organization whose income is excluded from taxable gross nternal Revenue Code, in each case, that has the authority to invest funds in rdance with Section 53601 of the California Government Code.			
The Participant is authorized to in	est in the California CLASS.			
and authority to make investmen	cipant designated in this California CLASS Registration Packet has full power for the above Participant in the California CLASS Investment Program unless en notice from the Participant otherwise.			
and the Information Statemer acknowledges that it has been su	agrees to the limitations described in the Joint Exercise of Powers Agreement for the Funds within the California CLASS Investment Program and colled with or been given access to information it requested in connection with prinia CLASS Investment Program.			
•	Investment Policies for the Funds within the California CLASS Investment they are consistent with the legal and policy limitations applicable to the			
The Participant has consulted with California CLASS Investment Pro	its own counsel and advisers as to all matters concerning investment in the am.			
Authorized Signer				
Signature	Date			
Print Name	 Title			

717 17th Street, Suite 1850 Denver, Colorado 80202

performance is no guarantee of future results. Any financial and/or investment decision may incur losses.

Many factors affect performance including changes in market conditions and interest rates and in response to other economic, political, or financial developments. Investment involves risk including the possible loss of principal. No assurance can be given that the performance objectives of a given strategy will be achieved. **Past**



Participant Registration

Entity Informa	tion				
Entity Name (Pa	rticipant)				
Entity Type:	City/Town	County	School District	Special	District
	Other (Specify)				
Mailing Address					
City		Zip	County		
Physical Address	s (if different than abo	ve)			
City		Zip	County		
Tax ID	Fisc	al Year End Date (I	Month/Day)		
Participant is responded from available of Wires will be distracted by the Call to receive same data.	onsible for notifying Calif In the California CLASS we be ibuted every hour with the lifornia CLASS Administra ay credit. If funds are n	ornia CLASS of any obsite. The final distribution of the Additionally, Ca	nk(s) indicated below unless changes to its account by filling of the ending at 11:00 a.m. PT; distribution orders p.m. PT, contribution orders	ut and sending via ution times are su f any contribution	a mail or email the ubject to change a
Banking Inform	mation		Bank Routing Number (AB	۸)	
Dalik Name			bank Routing Number (Ab.	A)	
Account Title			Account Number		
Bank Contact			Contact's Phone Number _		
Wire	ACH	Both			
Additional Ban	king Information (C	Optional)			
Bank Name			Bank Routing Number (AB	A)	
Account Title			Account Number		
Bank Contact			Contact's Phone Number _		_
Wire	ACH	Both			
717 17th Street	Suite 1850	T (977	930-5213	clientservices@	californiaclass co



Authorized Contacts

Authorized Signers Can	Read-Only Users Can:
Approve changes to the Investor Profile	Receive account updates
Update banking/contact information	Request "view-only" access to monthly statements
Transfer funds	and transaction confirmations
Receive account updates	
Authorized Signer	
Print First and Last Name	Title
Signature Required	Phone
Email	Fax
Email Notifications (notice of report availability Monthly Statements Transaction Confirmations	in the online portal)
Additional Contact (Optional)	
Print First and Last Name	Title
*(Signature Required if Authorized Signe	r) Phone
Email	Fax
Permissions (check one only)	Email Notifications (notice of report availability in the online portal)
Authorized Signer to Move Funds*	Monthly Statements
Read-Only Access	Transaction Confirmations
Additional Contact (Optional)	
Print First and Last Name	Title
*(Signature Required if Authorized Signe	r) Phone
Email	Fax
Permissions (check one only)	Email Notifications (notice of report availability in the online portal)
Authorized Signer to Move Funds*	Monthly Statements
Read-Only Access	Transaction Confirmations
717 17th Street Suite 1850	T (877) 030-5213 clientconvices@californiaclass co



Authorized Contacts (cont.)

Additional Contact (Optional)	
Print First and Last Name	Title
*(Signature Required if Authorized Signer)	Phone
Email	Fax
Permissions (check one only)	Email Notifications (notice of report availability in the online portal)
Authorized Signer to Move Funds*	Monthly Statements
Read-Only Access	Transaction Confirmations
Additional Contact (Optional)	
Print First and Last Name	Title
*(Signature Required if Authorized Signer)	Phone
Email	Fax
Permissions (check one only)	Email Notifications (notice of report availability in the online portal)
Authorized Signer to Move Funds*	Monthly Statements
Read-Only Access	Transaction Confirmations
Additional Contact (Optional)	
Print First and Last Name	Title
*(Signature Required if Authorized Signer)	Phone
Email	Fax
Permissions (check one only)	Email Notifications (notice of report availability in the online portal)
Authorized Signer to Move Funds*	Monthly Statements
Read-Only Access	Transaction Confirmations



California CLASS Prime Fund Account(s) to be Established

Entity Name (Participant):	
Desired Subaccount Name(s)*:	
(To be completed by Participant)	

Once your California CLASS account has been established, you will receive a confirmation email with your login credentials from no-reply@californiaclass.com. If you do not receive your login credentials within 48 business hours of submission, please first check your junk or spam folder before calling the California CLASS Client Service team.

^{*}Name must be limited to 35 characters.



California CLASS Enhanced Cash Fund Account(s) to be Established

Entity Name (Participant):	
Desired Subaccount Name(s)*:	
(To be completed by Participant)	
	California CLASS Enhanced Cash is designed to complement the daily liquidity offered by the
	California CLASS Prime portfolio.
	Enhanced Cash does not seek to maintain a
	stable net asset value (NAV) and does not offer daily liquidity. Unlike the Prime Fund, investing in
	Enhanced Cash introduces the potential for the
	reporting of unrealized and realized gains and losses.
	. If you have questions about which of your local
	government's funds are appropriate for the California
	CLASS Enhanced Cash portfolio, please contact your
	California CLASS representative or email info@californiaclass.com.

Once your California CLASS account has been established, you will receive a confirmation email with your login credentials from no-reply@californiaclass.com. If you do not receive your login credentials within 48 business hours of submission, please first check your junk or spam folder before calling the California CLASS Client Service team.

^{*}Name must be limited to 35 characters.

CODING STATEMENT OF WORK

This Coding Statement of Work (the "Coding SOW") effective on the last signature date set forth below ("Coding SO Effective Date") by and between Seneca Healthcare District, a California Special District, on behalf of itself and its affiliates and subsidiaries (the "Client"), and R1 RCM Holdco Inc., a Delaware corporation ("R1"). Client and R1 are Parties to that certain Master Services Agreement ("MSA"), dated as July 22, 2022. The terms and conditions of the MSA shall govern this SOW and are incorporated by reference herein. The MSA and this SOW are intended to be correlative and complementary, and are hereinafter collectively referred to as the "Agreement". Capitalized terms not otherwise defined in this SOW shall have the meanings ascribed to such terms in the MSA. Client and R1 are sometimes referred to herein as a "Party" and collectively as the "Parties". All signatories to this SOW shall be bound to the terms of the MSA as if original signatories thereto.

SECTION I CODING SERVICES

- 1. <u>R1's Scope of Services.</u> R1 will provide to Client such remote professional coding services as mutually agreed upon by both Parties that shall include the following services (collectively, "Coding Services"):
 - a. Review completed patient medical records and health information and code each patient's medical record with the appropriate ICD-10,CPT-4/HCPCS, and or Modifier codes for professional encounters, as appropriate.
 - b. Work with Client to promptly obtain all information necessary to code claims to include physician queries and chart deficiencies.
 - c. Resolve specific billing rejections or denials related to coding which may include: LCD/NCD determinations, CCI or NCCI edits, CPT/HCPCS or modifier usages.
 - d. Provide a representative for Client support related to the Coding Services.
- 2. <u>R1 Personnel</u>. In performing the Coding Services, R1 shall ensure that all R1 personnel will be appropriately trained and comply with all applicable laws, rules and regulations, and the standards provided in the following professionally recognized coding guidelines: (i) International Classification of Diseases, Tenth Revision Clinical Modification (ICD-10-CM), (ii) Healthcare Common Procedures Coding System (HCPCS) which includes Current Procedural Terminology (CPT), (iii) the Coding Clinic, and (iv) any other professional standard set forth by the American Hospital Association (AHA), American Health Information Management Association (AHIMA), or the Center of Medicare and Medicaid Services (CMS). Further, R1 personnel shall comply with all of Client's specific coding rules, including for assigning history, injury, and illness codes, so long as such rules are consistent with the above authoritative guidelines, after Client notifies R1 of such coding rules.
- 3. <u>Monthly Reports.</u> R1 shall provide standard month-end reports. Reports are compiled based on date of the Coding Services and are generally available upon receipt of all records for the given month. Custom reports may incur additional charges. R1 will provide Client with an estimate for approval prior to creating a specially requested report.
- 4. <u>Audits</u>. R1 will be responsible for conducting bi-annual audits of <u>their-R1's</u> coding work to ensure compliance with applicable coding guidelines, regulations, and industry standards.
 - a. Audits will be carried out by qualified personnel designated by the vendor's coding compliance teamR1. If audits finding reveal coding inaccuracies, R1 shall promptly address these issues and implement corrective actions.
 - b. R1 shall maintain records the results of these audits reports, including the scope, findings, and corrective actions taken. Client may request access to these audit results records for review, but R1 will not provide individual coder information such as Name or Employee identification.

SECTION II OBLIGATIONS OF CLIENT

 Professional Services. Client shall furnish, and cause the licensed personnel who are members, employees or independent contractors of Client (collectively, the "Professionals") to furnish those health care services that are within the scope of practice for Client's Professionals and necessary or appropriate for Client's patients as well as prepare related medical records and reports (collectively, "Medical Services"), all in accordance with applicable laws and payor requirements. Client agrees and acknowledges that it is responsible for performing, or ensuring the Professionals' performance of the following acts:

- a. Client shall have the exclusive authority to control all aspects of the provision of Medical Services, which shall be the sole responsibility of Client. R1 shall have no authority or responsibility regarding the provision or supervision of Medical Services.
- b. The Professionals shall alone be responsible for the examination of Client's patients and will cause a complete and accurate record to be made of each patient examination, in keeping with applicable laws and payor requirements regarding adequate documentation and medical necessity.
- c. Each Professional shall personally sign all charts for patients seen by the Professional and billed in the Professional's name and shall agree that he/she is responsible for all information recorded on the patient's chart as well as that he/she signed the original copy of the chart in an instance in which Client provides R1 only with an unsigned copy of the chart prior to the submission of a reimbursement claim for which the chart serves as necessary supporting documentation.
- 2. <u>Professional Standards</u>. Client shall ensure that Professionals shall be duly licensed to practice medicine, or to provide any other applicable category of health care services, and participate in continuing education as necessary to maintain such licensure, professional competence and skills commensurate with the standards of the medical community and as otherwise required by the medical profession. All Professionals will comply with their scope of licensure and payor rules with respect to eligibility and entitlement for payment.

3. Additional Obligations.

- a. Client shall provide to R1 complete, accurate and timely patient medical records (electronic and/or paper), health information, billing documentation and other information reasonably required for R1 to perform the Coding Services. Client agrees to provide R1 with access to Client's patient accounting system and individual patient health information records as reasonably required by R1 to perform the Coding Services. Client agrees to obtain all patient authorizations and other consents required to provide R1 with such information and access.
- b. Each Professional shall refrain from submitting false or inaccurate information, documentation, or records to R1. Once a Professional or Client becomes aware of any such submission, immediate action shall be taken to correct identified false or inaccurate information, documentation or records in accordance with applicable laws and payor requirements.
- c. Client shall immediately notify R1 in the event it believes a coding error has been made to enable R1 to correct any such errors.
- d. Client shall respond in a timely manner to R1's written requests for information regarding services, diagnoses, or other matters on any document relevant to coding received from Client.
- e. Client agrees to work in good faith with R1 to implement appropriate processes to address any incomplete or inaccurate medical records to facilitate accurate and timely coding.
- 4. <u>Notification</u>. Subject to any attorney-client privilege, Client shall notify R1 promptly in writing upon receipt of notification of an investigation or audit by a government agency or contractor in which the subject of the investigation includes the Coding Services provided by R1.

SECTION III PAYMENT

1. <u>Payments for Services.</u> In consideration of the Coding Services rendered by R1 under this Coding SOW, Client shall pay R1 the applicable fees as set forth below:

Ongoing Monthly Volume

Chart Type	Minimum Monthly	Fixed Monthly Fee
	Volumes	(Ongoing)

Professional, Office Coding	500	\$2,500

If the volumes set forth above are exceeded, additional chart types may be purchased at the rates in the table below. We will also use this per chart rate to bill for the backlog cleanup work as incurred. Additionally, following six (6) months from the effective date of this agreement, parties may agree to change the monthly minimum volume and will be agreed upon in writing.

Excess Volume Rates

Туре	Price
Professional Office Coding	\$5/Chart

2. <u>Payment Terms</u>. R1 will invoice Client for the fees on a monthly basis in arrears for the Coding Services performed during the preceding month. All such invoices will be due and payable by Client within thirty (30) days of the invoice date.

SECTION IV FACILITIES

<u>Facilities</u>. Coding Services shall apply to the Medical Services provided by Client at the facility(ies) set forth in <u>SOW Exhibit A</u> (each a "<u>Client Facility</u>"). Should Client wish to amend Client Facilities, the Parties shall amend SOW Exhibit A as appropriate. Client acknowledges and agrees that the addition of a new Client Facility may result in additional charges to Client.

SECTION V TERM AND TERMINATION

- 1. <u>Term of Statement of Work</u>. The term of this Coding SOW shall begin as of the Coding SOW Effective Date and shall continue for one (1) year ("<u>Initial Term</u>") and thereafter shall renew automatically for consecutive one-year terms (each, a "<u>Renewal Term</u>") unless a Party elects not to renew this SOW by providing written notice of its intention not to renew to the other Party at least one-hundred and twenty (120) days prior to the expiration of the then-current Term or until terminated in accordance with the provisions of the MSA. The SOW Initial Term and any SOW Renewal Terms are together referred to herein as the "Term".
- 2. <u>Termination for Convenience</u>. Following the SOW Initial Term, either Party may terminate this SOW without cause, upon one hundred twenty (120) days prior written notice to the other Party.
- 3. <u>Termination</u>. The termination or expiration of this Coding SOW shall not affect the underlying MSA or any other statement of work.

SECTION VI GENERAL

- 1. Order of Precedence. In the event of a conflict between the MSA and this Coding SOW, the terms of this Coding SOW will prevail.
- 2. <u>Counterparts</u>. This Coding SOW may be executed in several counterparts, all of which taken together constitute the entire agreement between the Parties hereto.

[SIGNATURE PAGE FOLLOWS]

IN WITNESS WHEREOF, the Parties have caused this Coding SOW to be signed as of the Coding SOW Effective Date.

SENECA HEALTHCARE DISTRICT	R1 RCM HOLDCO INC.
Ву:	Ву:
Name:	Name:
Title:	Title:
Date:	Date:
Client Accounts Payable (AP) Information:	
AP Email Address:	
AP Mailing Address:	
Billing Contact Name:	
Billing Contact Email:	
Billing Contact Phone:	
ACH/Wire Instructions:	

Purchase Order Number, if applicable:

SOW EXHIBIT A CLIENT FACILITIES

Facility Name	Street Address
	199 Reynolds Road
Lake Almanor Clinic	PO Box 1460
	Chester, CA 96020

CODING STATEMENT OF WORK

This Coding Statement of Work (the "Coding SOW") effective on the last signature date set forth below ("Coding SO Effective Date") by and between Seneca Healthcare District, a California Special District, on behalf of itself and its affiliates and subsidiaries (the "Client"), and R1 RCM Holdco Inc., a Delaware corporation ("R1"). Client and R1 are Parties to that certain Master Services Agreement ("MSA"), dated as July 22, 2022. The terms and conditions of the MSA shall govern this SOW and are incorporated by reference herein. The MSA and this SOW are intended to be correlative and complementary, and are hereinafter collectively referred to as the "Agreement". Capitalized terms not otherwise defined in this SOW shall have the meanings ascribed to such terms in the MSA. Client and R1 are sometimes referred to herein as a "Party" and collectively as the "Parties". All signatories to this SOW shall be bound to the terms of the MSA as if original signatories thereto.

SECTION I CODING SERVICES

- 1. <u>R1's Scope of Services.</u> R1 will provide to Client such remote professional coding services as mutually agreed upon by both Parties that shall include the following services (collectively, "<u>Coding Services</u>"):
 - a. Review completed patient medical records and health information and code each patient's medical record with the appropriate ICD-10,CPT-4/HCPCS, and or Modifier codes for professional encounters, as appropriate.
 - b. Work with Client to promptly obtain all information necessary to code claims to include physician queries and chart deficiencies.
 - c. Resolve specific billing rejections or denials related to coding which may include: LCD/NCD determinations, CCI or NCCI edits, CPT/HCPCS or modifier usages.
 - d. Provide a representative for Client support related to the Coding Services.
- 2. <u>R1 Personnel</u>. In performing the Coding Services, R1 shall ensure that all R1 personnel will be appropriately trained and comply with all applicable laws, rules and regulations, and the standards provided in the following professionally recognized coding guidelines: (i) International Classification of Diseases, Tenth Revision Clinical Modification (ICD-10-CM), (ii) Healthcare Common Procedures Coding System (HCPCS) which includes Current Procedural Terminology (CPT), (iii) the Coding Clinic, and (iv) any other professional standard set forth by the American Hospital Association (AHA), American Health Information Management Association (AHIMA), or the Center of Medicare and Medicaid Services (CMS). Further, R1 personnel shall comply with all of Client's specific coding rules, including for assigning history, injury, and illness codes, so long as such rules are consistent with the above authoritative guidelines, after Client notifies R1 of such coding rules.
- 3. <u>Monthly Reports.</u> R1 shall provide standard month-end reports. Reports are compiled based on date of the Coding Services and are generally available upon receipt of all records for the given month. Custom reports may incur additional charges. R1 will provide Client with an estimate for approval prior to creating a specially requested report.
- 4. <u>Audits</u>. R1 will be responsible for conducting bi-annual audits of R1's coding work to ensure compliance with applicable coding guidelines, regulations, and industry standards.
 - a. Audits will be carried out by qualified personnel designated by R1. If audits reveal coding inaccuracies, R1 shall promptly address these issues and implement corrective actions.
 - b. R1 shall maintain the results of these audits reports, including the scope, findings, and corrective actions taken. Client may request access to the audit results, but R1 will not provide individual coder information such as Name or Employee identification.

SECTION II OBLIGATIONS OF CLIENT

1. <u>Professional Services.</u> Client shall furnish, and cause the licensed personnel who are members, employees or independent contractors of Client (collectively, the "<u>Professionals</u>") to furnish those health care services that are within the scope of practice for Client's Professionals and necessary or appropriate for Client's patients as well as prepare related medical records and reports (collectively, "<u>Medical Services</u>"), all in accordance with applicable laws and payor

requirements. Client agrees and acknowledges that it is responsible for performing, or ensuring the Professionals' performance of the following acts:

- a. Client shall have the exclusive authority to control all aspects of the provision of Medical Services, which shall be the sole responsibility of Client. R1 shall have no authority or responsibility regarding the provision or supervision of Medical Services.
- b. The Professionals shall alone be responsible for the examination of Client's patients and will cause a complete and accurate record to be made of each patient examination, in keeping with applicable laws and payor requirements regarding adequate documentation and medical necessity.
- c. Each Professional shall personally sign all charts for patients seen by the Professional and billed in the Professional's name and shall agree that he/she is responsible for all information recorded on the patient's chart as well as that he/she signed the original copy of the chart in an instance in which Client provides R1 only with an unsigned copy of the chart prior to the submission of a reimbursement claim for which the chart serves as necessary supporting documentation.
- 2. <u>Professional Standards</u>. Client shall ensure that Professionals shall be duly licensed to practice medicine, or to provide any other applicable category of health care services, and participate in continuing education as necessary to maintain such licensure, professional competence and skills commensurate with the standards of the medical community and as otherwise required by the medical profession. All Professionals will comply with their scope of licensure and payor rules with respect to eligibility and entitlement for payment.

3. Additional Obligations.

- a. Client shall provide to R1 complete, accurate and timely patient medical records (electronic and/or paper), health information, billing documentation and other information reasonably required for R1 to perform the Coding Services. Client agrees to provide R1 with access to Client's patient accounting system and individual patient health information records as reasonably required by R1 to perform the Coding Services. Client agrees to obtain all patient authorizations and other consents required to provide R1 with such information and access.
- b. Each Professional shall refrain from submitting false or inaccurate information, documentation, or records to R1. Once a Professional or Client becomes aware of any such submission, immediate action shall be taken to correct identified false or inaccurate information, documentation or records in accordance with applicable laws and payor requirements.
- c. Client shall immediately notify R1 in the event it believes a coding error has been made to enable R1 to correct any such errors.
- d. Client shall respond in a timely manner to R1's written requests for information regarding services, diagnoses, or other matters on any document relevant to coding received from Client.
- e. Client agrees to work in good faith with R1 to implement appropriate processes to address any incomplete or inaccurate medical records to facilitate accurate and timely coding.
- 4. <u>Notification</u>. Subject to any attorney-client privilege, Client shall notify R1 promptly in writing upon receipt of notification of an investigation or audit by a government agency or contractor in which the subject of the investigation includes the Coding Services provided by R1.

SECTION III PAYMENT

1. <u>Payments for Services.</u> In consideration of the Coding Services rendered by R1 under this Coding SOW, Client shall pay R1 the applicable fees as set forth below:

Ongoing Monthly Volume

Chart Type	Minimum Monthly	Fixed Monthly Fee
	Volumes	(Ongoing)

		4 4.
Professional, Office Coding	500	\$2,500

If the volumes set forth above are exceeded, additional chart types may be purchased at the rates in the table below. We will also use this per chart rate to bill for the backlog cleanup work as incurred. Additionally, following six (6) months from the effective date of this agreement, parties may agree to change the monthly minimum volume and will be agreed upon in writing.

Excess Volume Rates

Туре	Price
Professional Office Coding	\$5/Chart

2. <u>Payment Terms</u>. R1 will invoice Client for the fees on a monthly basis in arrears for the Coding Services performed during the preceding month. All such invoices will be due and payable by Client within thirty (30) days of the invoice date.

SECTION IV FACILITIES

<u>Facilities</u>. Coding Services shall apply to the Medical Services provided by Client at the facility(ies) set forth in <u>SOW Exhibit A</u> (each a "<u>Client Facility</u>"). Should Client wish to amend Client Facilities, the Parties shall amend SOW Exhibit A as appropriate. Client acknowledges and agrees that the addition of a new Client Facility may result in additional charges to Client.

SECTION V TERM AND TERMINATION

- 1. <u>Term of Statement of Work</u>. The term of this Coding SOW shall begin as of the Coding SOW Effective Date and shall continue for one (1) year ("<u>Initial Term</u>") and thereafter shall renew automatically for consecutive one-year terms (each, a "<u>Renewal Term</u>") unless a Party elects not to renew this SOW by providing written notice of its intention not to renew to the other Party at least one-hundred and twenty (120) days prior to the expiration of the then-current Term or until terminated in accordance with the provisions of the MSA. The SOW Initial Term and any SOW Renewal Terms are together referred to herein as the "Term".
- 2. <u>Termination for Convenience</u>. Following the SOW Initial Term, either Party may terminate this SOW without cause, upon one hundred twenty (120) days prior written notice to the other Party.
- 3. <u>Termination</u>. The termination or expiration of this Coding SOW shall not affect the underlying MSA or any other statement of work.

SECTION VI GENERAL

- 1. Order of Precedence. In the event of a conflict between the MSA and this Coding SOW, the terms of this Coding SOW will prevail.
- 2. <u>Counterparts</u>. This Coding SOW may be executed in several counterparts, all of which taken together constitute the entire agreement between the Parties hereto.

[SIGNATURE PAGE FOLLOWS]

IN WITNESS WHEREOF, the Parties have caused this Coding SOW to be signed as of the Coding SOW Effective Date.

SENECA HEALTHCARE DISTRICT	R1 RCM HOLDCO INC.
Ву:	Ву:
Name:	Name:
Title:	Title:
Date:	Date:
Client Accounts Payable (AP) Information:	
AP Email Address:	
AP Mailing Address:	
Billing Contact Name:	
Billing Contact Email:	
Billing Contact Phone:	
ACH/Wire Instructions:	

Purchase Order Number, if applicable:

SOW EXHIBIT A CLIENT FACILITIES

Facility Name	Street Address
	199 Reynolds Road
Lake Almanor Clinic	PO Box 1460
	Chester, CA 96020

SENECA HEALTHCARE DISTRICT

Seneca Healthcare District

Financial Statements - Board Report (DRAFT)

September 2023

Summary

Seneca Healthcare District had a net loss of \$1.3M, for the year to date, compared to a budgeted loss of \$1.0M; for a negative variance of \$285k. This was due to negative variances in gross inpatient revenue (all areas) and total operating expenses.

Revenues

Gross patient revenue, for the year to date, ended at \$6.28M compared to a budgeted amount of \$6.51M, for a negative variance of \$235k. This was due to a large drop in the inpatient utilization (mostly acute) and a small decrease in the long-term care census. Net patient revenue as a percent of gross was 65.1% compared to a budget of 64.7%.

There were 31 acute inpatient days for the year to date (budget of 69) and 30 swing bed days (budget of 46), resulting in an average daily (ADC) of .66 patients per day. The skilled nursing unit had an ADC of 12.30 (budget of 13), resulting in an occupancy percent of 76.90%.

Outpatient revenue was \$5.15M versus a budget of \$4.95M for a positive variance of \$199k. Lake Almanor Clinic visits were 2,131 versus a budgeted amount of 2,045.

Expenses

Total operating expenses for the year to date were \$5.53M, versus a budget of \$5.37M, for a negative variance of \$158k.

<u>Salaries & Wages</u>: Salaries and wages were under budget by \$113k. FTEs, for the year to date, were 97.93 versus a budget of 101.25 and the average hourly wage (AHW) was \$40.28 versus a budget of \$41.80. <u>Contract Labor</u>: Contract labor was over budget by \$276k, year to date. FTEs, for the year to date, were 14.72 versus a budget of 9.96 and the AHW was \$91.70 versus a budget of \$90.23. There were unbudgeted FTEs in the lab and long-term care departments due to open mandatory positions and department staff on extended leaves of absence.

Pro Fees Medical: See attached analysis


<u>All Other Expense Categories</u>: All categories either slightly above or slightly below the budgeted amount.

Additional Information


Days of cash on hand decreased from 171.98 to 95.33. This was mainly due to the decreased patient AR collections and new hospital build project expenditures.

Revenue Cycle

Gross accounts receivable ended the month at \$6.31M, which is a \$1.50M increase (LTC payment and Cerner implementation issues) over June 2023. Gross accounts receivable days increased this month to 91.53 and remained well above the best practices target of 45-55 days.







Seneca Healthcare District Income Statement (DRAFT) For the Month of September 2023

		% Net Pt		Month-to-Date		% Net Pt	,	Year-to-Date				
	I	Revenue	Actual	Budget	\$ Variance	Revenue	Actual	Budget	\$ Variance			
1	REVENUE											
2	Inpatient Revenue - Acute		50,190	75,074	(24,884)	<u> </u>	98,625	222,801	(124,176)			
3	Inpatient Revenue - Swing Bed Inpatient Revenue - SNF		60,401	49,409	10,992		95,370	146,635	(51,265)			
5	Inpatient Revenue - Sive	-	258,684 69,956	273,000 117,446	(14,316)	-	785,954	837,200	(51,246)			
					(47,491)		152,717	360,168	(207,451)			
6	Inpatient Revenue - Total		439,230	514,930	(75,700)		1,132,666	1,566,804	(434,138)			
7	Outpatient Revenue		1,628,098	1,612,909	15,188		5,145,247	4,946,255	198,992			
8	Total Patient Revenue		2,067,328	2,127,839	(60,511)		6,277,913	6,513,059	(235,146)			
9	Contractual Allowances		(632,135)	(638,352)	6,217		(1,955,122)	(1,953,918)	(1,204)			
10	Charity Discount		(81,673)	(10,639)	(71,034)		(100,522)	(32,565)	(67,957)			
11	Other Allowances		(42,731)	(42,557)	(175)		(80,969)	(130,261)	49,292			
_12	Bad Debt		(3,085)	(59,792)	56,707		(57,220)	(183,017)	125,797			
13	Total Deductions		(759,624)	(751,340)	(8,284)		(2,193,833)	(2,299,761)	105,929			
14	Net Patient Revenue		1,307,704	1,376,499	(68,796)		4,084,080	4 242 200				
Ë	% of Gross Revenue		63.3%	64.69%	-1.4%		65.1%	4,213,298 64.7%	(129,218)			
15	Meaningful Use Revenue		-		7.40			-				
16	Quality Payments			-	-							
17	Other Operating Revenue		4,893	1,805	3,088		8,078	5,414	2,664			
18	Total Operating Revenue		1,312,596	1,378,304	(65,708)		4,092,158	4,218,712	(126,554)			
19	EXPENSES					- - 	 -					
20	Salaries & Wages	53.2%	(695,524)	(723,472)	27,948	51.6%	(2,105,735)	(2,218,646)	112,911			
21	Employee Benefits	11.6%	(152,099)	(150,499)	(1,599)	10.7%	(437,173)	(461,532)	24,359			
22	Contract Labor	17.4%	(227,458)	(149,058)	(78,400)	17.9%	(732,820)	(457,111)	(275,708)			
23	Professional Fees - Medical	19.9%	(259,900)	(265,783)	5,883	20.8%	(851,334)	(818,822)	(32,511)			
24	Professional Fees - Other	1.7%	(22,170)	(19,517)	(2,653)	1.5%	(60,424)	(58,550)	(1,874)			
25	Supplies	9.8%	(127,730)	(87,464)	(40,266)	8.4%	(344,787)	(268,223)	(76,563)			
_26	Purchased Services	10.9%	(141,908)	(190,747)	48,839	12.5%	(512,064)	(572,241)	60,176			
27	Insurance	2.0%	(26,519)	(25,689)	(831)	1.9%	(78,359)	(77,066)	(1,292)			
28	Rentals and Leases	1.2%	(15,400)	(15,442)	42	1.0%	(41,980)	(46,325)	4,345			
_29	Repairs and Maintenance	0.9%	(11,120)	(17,470)	6,350	1.1%	(46,671)	(52,411)	5,740			
30	Utilities and Telephone	1.4%	(18,949)	(27,796)	8,846	1.6%	(66,457)	(83,387)	16,930			
31	Depreciation & Amortization	2.7%	(35,816)	(36,966)	1,150	2.6%	(107,448)	(110,898)	3,450			
32	Other Expenses	2.6%	(34,613)	(47,000)	12,387	3.4%	(138,839)	(141,001)	2,162			
33	Total Operating Expenses	135.3%	(1,769,205)	(1,756,902)	(12,303)	135.3%	(5,524,089)	(5,366,214)	(157,875)			
34	Income From Operations	-34.9%	(456,609)	(378,599)	(78,011)	-35.1%	(1,431,932)	(1,147,502)	(284,429)			
35	Tax Revenue	0.0%				0.0%						
36	IGT - Incoming Portion	0.0%				0.0%						
37	Non Capital Grants and Donations	1.0%	12,783	_	12,783	0.3%	12,783	18,333	(5,551)			
38	Interest Income	0.2%	2,577	3,000	(423)	2.2%	90,254	86,000	4,254			
39	Interest Expense	0.0%	(9)	(300)	291	0.0%	(399)	(900)	501			
40	Non-Operating Income (Expense)	0.0%		(550)	-	0.0%	(000)	- (500)	- 301			
41	Total Non-Operating Gain (Loss)	1.2%	15,350	2,700	12,650	2.5%	102,637	103,433	(797)			
42	Net Income	-33.7%	(441,259)	(375,899)	(65,360)	-32.5%	(1,329,295)	(1,044,069)				
-72	1401 MICOMIC	-55.1 76	(441,209)	(3/3,039)	(00,300)	-32.5%	(1,329,295)]	(1,044,069)	(285,226)			
	Operating Margin %		(34.8%)	(27.5%)	-7.32%		(35.0%)	(27.2%)	-7.79%			
44	Net Margin %		(33.6%)	(27.3%)	-6.34%		(32.5%)	(24.7%)	-7.74%			
45	Payroll as % of Operating Expense		39.31%	41.18%	4 070/	\perp	00.4001	44.046	0.000			
	ayron as 70 or Operating Expense		39.31%	41.18%	-1.87%	+	38.12%	41.34%	-3.23%			
	IGT Transaction Summary											
47	Outgoing								-			
48	Incoming		-	-	-							
49	Net Impact				-			-	-			

Seneca Healthcare District Income Statement (DRAFT) 13-Month Trend Ended September 30, 2023

23 Sep-23	H	Ц	12,716 60,401	24,434 69,956	297,853 439,230	,962 1,628,098	,815 2,067,328	(554,036) (632,135)	1	(22,517) (42,731)	(3,085)	(634,661) (759,624)	1,154 1,307,704	67.9% 63.3%		- 000	Щ	,086 1,312,596		(728,270) (695,524)		1	(21 505) (238,900)	(91,137) (22,170)		П			(35 846) (16,949)		(1,769,205)	(518,974) (456,609)	Ш	,		2,57	(504)	3,838 15,350	4		(38.6%) (34.8%)	Ш	39.11% 39.31%		_
23 Aug-23	L	Ц	22,253 12	L	395,583 297	1,840,187 1,676,962	2,235,770 1,974,815	(768.951) (554		Ц	(14,8/6) (39	(799,547) (634	1,436,222 1,340,154	64.2%	·			1,436,476 1,343,086	_			\perp			l	П			(35,091) (24		(1,892,824) (1,862,060)	(456,349) (518	Щ			4	(001)	83,448			(31.8%) (38		36.03% 39	 -	
Jun-23 Jul-23	_	48,435 38	- 22	\perp	388,246 399	1,476,308 1,840	1,864,555 2,23	(538.063) (768	l	(30,642) (15		(697,124) (799	1,167,431 1,436	62.6%		923	Щ	1,158,00/		436)	\perp	(242,451) (26,	\perp	(127.856) (129		(23,516) (27			(26,194)		(2,035,755) (1,892	(867,748) (456	Щ		Ц	2,750 8:	(101)	567,036 83	712)	Ц	(74.3%) (3	Ц	34.06% 36	1	
May-23 Ju	_	12,916	700 700		353,959	1,341,411 1,4	1,695,371	(546.038) (5	L	Ц	(00,133)	(666,021) (6	1,029,350 1,1	60.7%		- 20. 1	Щ	1,030,314			(137,230) (1		┸	(64.984)		Ш			(35,885)		(1,562,533) (2,0	(532,019)	-	L	Ц	4,175	3,000	_		Ш	(37.7%)		40.42%		
Apr-23	L	138,847	1 000 000	186,226	582,335	1,511,744	2,094,079	(709.935)	(22,548)	(71,204)	(48,203)	(852,952)	1,241,127	59.3%	-	, 30, 1	Ш,	1,242,293		(761,394)	(146,083)	(99,034)	(20,203)	(91,570)	(176,901)	(13,870)	(7,358)	(10,193)	(35,885)	(49,143)	(1,705,230)	(462,937)	<u> </u>	-	4,175	68,094	(000)	71,881	(391,056)		(37.3%)		44.65%		
Mar-23		142,076	200444	210,676	621,893	1,548,012	2,169,904	(747,583)	(7,213)	(67,310)	(47,039)	(864,765)	1,305,140	60.1%	•	1 220		cuu,aus, r		(727,030)	(128,148)	(103,343)	(40 782)	(81.127)	(127,581)	(12,263)	(21,381)	(8,927)	(35,885)	(62,002)	(1,622,041)	(316,035)	•	•	150	1,975	(60)	2,043	(313,993)		(24.2%)		44.82%		
Feb-23		100,099	200 450	190,696	551,253	1,468,780	2,020,034	(593,285)				(772,952)	1,247,082	61.7%	•	1 670	2001	1,246,000				(101,330)			(182,950)	Ц			(36 150)		(1,566,175)	(317,515)	•	•	130,209	2,266	- (305)	132,113	(185,402)		(14.8%)		43.03%		
Jan-23		25,832		50,997	372,414	1,796,058	2,168,472	(672,755)	L	(75,926)		(814,038)	1,35	62.5%	,	7886	∐;	1,336,109	Ш	-	(126,941)		1		(205,636)			(22,165)		(59,262)	(1,711,544)	(353,435)	,	-	132	42,984		42,768	(310,667)		(26.0%)		41.04%		
Dec-22	L		\downarrow	226,865	661,310	1,775,759	2,437,069	(790,961)	11	(37,429)		(903,851)	1,533,2	9 65 39%	•	A 27A	;	780,020,1			(128,026)				Ĭ					(32,628)	(1,768,719)	(230,127)	'			2,040		1,601	(228,525)		(15.0%)		96.32%		
Nov-22		3 29,061	240 046	1 5	332,705	1,652,746	1,985,451	(551,455)	1		2	(704,763)	1,280	64.5%		1 626		1,202,313		89	(127,879)	3 5	3 5	2	(13	(2	=	1		(51,380)	(1,658,508)	(376,193)			-	2,634		14,161	(362,033)	Ц	(28.2%)		41.27%		İ
Oct-22		Ц		57,577	358,986	1,769,547	2,128,533	(644,846)	Ц	(94,463)		(789,422)	1,339	62.9%		1 544		000,000,	11	-	(142,507)		1	l				(32,036)		П	(1,719,607	(378,951)		Ц	2,020	1		26,316	(3)	Ц	(28.3%)	Ц	42.80%		
Sep-22		22,603	774,444	127,889	488,186	1,632,779	2,120,965	(556,074)	(6,817)	(140,779)	00*(17)	(725,107)	1,395,858	65.8%		2 045 573		24,144,0		(628,378	(135,973)	(242 562	(35,109	(85,121	(169,742	(12,359	(14,470)	(14,801)	(35,797	(34,776	(1,554,827)	1,886,604	265,767		29,138	2,391		296,729	2,183,332		63.4%		40.41%		
	REVENUE	Inpatient Revenue - Acute	Inpatient Revenue - SWING	Inpatient Revenue - Ancillary	Inpatient Revenue - Total	Outpatient Revenue	Total Patient Revenue	Contractual Allowances	Charity Discount	Other Allowances	Cat Cent	Total Deductions	Net Patient Revenue	% of Gross Revenue	Meaningful Use Revenue	Quality Payments Other Operation Revenue		i otal Opalating Neveriue	EXPENSES	Salaries & Wages	Employee Benefits	Professional Fees - Medical	Professional Fees - Other	Supplies	Purchased Services	Insurance	Rentals and Leases	Repairs and Maintenance	Depreciation & Amortization	Other Expenses	Total Operating Expenses	Income From Operations	Tax Revenue	IGT - Incoming Portion	Non Capital Grants and Donations	Interest income	Non-Operating Income (Expense)	Total Non-Operating Gain (Loss)	Net Income		Operating Margin % Net Margin %	, 10 miles (10 m	Payroll as % of Operating Expense	IGT Transaction Summary	
	-	2	7 ■	2	9	7	80	o	10	11	7	13	14		12	17	ę	T	П	2	17 55	3 55	24	25	26	27	88	83 65	8	32	33	34	35	36	37	8 8	40	41	42	П	44	П	ę	46	

Seneca Healthcare District Comparative Balance Sheets - Board Report (DRAFT) Dates as Indicated

	Unaudited	Unaudited	Audited	Audited	FY 202	4-2023
	FY 2023	FY 2023	FY 2022	FY 2021	\$ Change	% Change
	9/30/2023	6/30/2023	6/30/2022	6/30/2021		
ASSETS		İ				
Current Assets						
Cash	\$ 290,401	\$ 446,341		\$ 3,115,934		-34.94%
Short-term Investments	5,544,840	9,512,871	12,528,820	7,618,504	(3,968,031)	-41.71%
Total Cash and Equivalents	5,835,241	9,959,211	13,276,180	10,734,438	(4,123,970)	-41.41%
Patient Accounts Receivable	6,314,419	4,813,200	3,826,687	3,570,234	1,501,218	31.19%
Accounts Receivable Reserves	(3,049,661)		(2,695,705)	(2,453,764)	(242,571)	8.64%
	(=,= -=,= ==,	(=,===,===,	(-///-	(2):00):07	(242)5727	
Net Accounts Receivable	3,264,758	2,006,111	1,130,982	1,116,470	1,258,647	62.74%
% of Gross Accounts Receivable	<i>51.7</i> %	41.7%	29.6%	31.3%	i	
					0.000000	-
Inventory	388,123	389,345	337,226	325,481	(1,222)	-0.31%
Other Assets- Due (to)/from gov't payers	141,570	433,193	202,390	1,540,757	(291,623)	-67.32%
Board Restricted Funds - Facility Capital	351,545	351,545	449,934	1,253,165	0	
Board Restricted Funds Total Other Assets	1,044,630	1,044,630	1,776,243	2,456,135	(202.045)	0.00%
Total Other Assets	1,925,868	2,218,713	2,765,794	5,575,539	(292,845)	-13.20%
Total Current Assets	11,025,866	14,184,035	17,172,955	17,426,447	(3,158,169)	-22.27%
Fixed Assets						
Land	90,610	90,610	90,610	90,610	0	0.00%
Buildings	6,332,966	6,332,966	5,801,899	5,762,782	0	0.00%
Capital Equipment (incld. construction in progress)	10,314,166	8,819,160	6,905,562	5,861,094	1,495,007	16.95%
Total Plant & Equipment	16,737,742	15,242,735	12,798,071	11,714,485	1,495,007	9.81%
Accumulated Depreciation	(10,322,359)	' '		(9,363,323)	(107,448)	1.05%
	(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(00,00 1,000,	(5,522,555)	(5,555,525)	(207,110)	2.0370
Net Fixed Assets	6,415,383	5,027,824	2,986,411	2,351,162	1,387,559	27.60%
TOTAL ASSETS	\$ 17,441,250	\$ 19,211,859	\$ 20,159,367	\$ 19,777,608	\$ (1,770,610)	-9.22%
LIABILITIES AND RETAINED EARNINGS						
Current Liabilities						
Accounts Payable	\$ 1,542,601				\$ (223,514)	-12.66%
Accrued Payroll & Benefits	869,780	960,275	918,467	620,243	(90,495)	-9.42%
Accrued Other Liabilities	1,956,434	1,956,434	1,956,434	4,501,218	0	0.00%
Total Current Liabilities	4,368,815	4,682,825	4,473,282	5,635,295	(314,010)	-6.71%
Long-Term Liabilities						
Local	_		_			
Loans	0	0	0	1,508,168	0	#DIV/01
Capitalized Leases	28,991	33,692	60,864	110,836	(4,701)	-13.95%
Total Long-Term Liabilities	28,991	33,692	60,864	1,619,004	(4,701)	-13.95%
TOTAL LIABILITIES	4,397,806	4,716,517	4,534,146	7,254,299	(318,711)	-6.76%
FUND BALANCE	13,043,444	14,495,343	15,625,220	12,342,178	(1,451,899)	-10.02%
TOTAL LIABILITIES AND FUND BALANCE	\$ 17,441,250	\$ 19,211,859	\$ 20,159,367	\$ 19,596,476	\$ (1,770,610)	-9.22%

Description	<u>Original</u> <u>Amount</u>	Origination Date	Interest Rate	Monthly Payment	<u>Maturity</u>	Secured By	Balance on Sept 30, 2023
<u>Loans</u>							
CHFFA Help II Loan	387,890	July 2011	3.00%	0	September 2018	Patient AR	0
CHFFA Help II Loan	400,000	January 2015	3.00%	0	February 2019	Patient AR	0
Evident	114,000	October 2017	0.00%	0	September 2019	Equipment	<u>0</u>
PPP Loan	1,508,168	May 2020			May 2022		<u>o</u>
<u>Total Loans</u>	<u>2,410,058</u>			Ō			<u>0</u>
Capitalized Leases							
Siemens	172,672	September 2017	5.63%	2,492	August 2024	Equipment	28,991
Jules	500,081	February 2013	5.80%	0	February 2018	Equipment	0
Total Capitalized Leases	672,753			<u>2,492</u>			<u> 28,991</u>
Total Long Term Liabilities	3,082,811			2,492			<u>28,991</u>

Seneca Healthcare District Summary Statement of Cash Flows - Board Report Fiscal Year-to-Date

	YTD	
		9/30/2023
Net Income (Loss)	\$	(1,329,295)
Changes in:		
Depreciation		107,448
(Increase)/Decrease in Net Accounts Receivable		(1,408,647)
(Increase)/Decrease in Inventory		1,222
(Increase)/Decrease in Other Assets		291,623
Increase/(Decrease) in Accounts Payable		(196,118)
Increase/(Decrease) in Accrued Payroll & Benefits		(90,495)
Increase/(Decrease) in Other Accrued Liabilities		
Net Cash Provided (Used) by Operating Activities		(1,294,968)
(Gain)/Loss on Sale of Fixed Assets		-
Additions to Fixed Assets		(1,495,007)
Net Cash Provided (Used) in Investing Activities		(1,495,007)
Proceeds from New Loans		5.
		-
Principal Payments under Capital Leases		(4.704)
Principal Payments under Inter-Governmental Transfer Program		(4,701)
Principal Payments under Inter-Governmental Transfer Program Not Cash Provided (Used) in Financing Activities		- IA 7041
Net Cash Provided (Used) in Financing Activities		(4,701)
Net Change in Cash and Cash Equivalents		(4,123,970)
Cash and Cash Equivalents, Beginning of Period		11,355,386
Sand Sand Equitority, Degrining of Ferrod		T1,393,300
Cash and Cash Equivalents, End of Period	\$	7,231,416
*Inclusive of Board Restricted Cash		
Cash Detail by Account		
Operating Checking - Plumas Bank	\$	28,897
Suspense General Ledger for Receipts Pending R.A.'s		(6,204)
Payroll Checking - US Bank		16,425
Business Savings - Plumas Bank		308,298
Petty Cash - Receptionists		1,284
Local Agency Investment Fund		6,820,508
Series EE Bonds		62,208
Total Cash and Cash Equivalent Detail	\$	7,231,416

SENECA HEALTHCARE DISTRICT ACTIVITY SUMMARY FOR THE MONTH OF SEPTEMBER 2023

		MONTH TO DAT	Έ	YEAR TO DATE			
		CURRENT	PRIOR	PRIOR YEAR	JULY 2023	JULY 2022	
		MONTH	MONTH	MONTH		-	
		SEPT 2023	AUG 2023	SEPT 2022	SEPT 2023	SEPT 2022	
1. In Pa	atient Stays						
1.a	Admissions	4	1	10	11	2	
1.b	Discharges	4	3	8	11	18	
	Patient Observations	14	9	10	33	4:	
	Patient Surgeries	22	16	26	46	6:	
	rgency Visits	248	286	245	901	89	
	Procedures	3,024	2,661	2,701	7,519	7,83	
	lology Procedures	279	276	339	859	96	
	X-Ray Procedures	196	201	172	627	53:	
6.b	Mammography	0	0	0	0	(
6.c		12	9	4	29	1:	
6.d		8	10	15	28	2	
		57	53	148	166	39:	
	Dexascanner	6	3	0	9	(
	piratory Therapy/ABG/PFT	41	35	107	134	20	
	lioPulmonary EKG/Holter	60	67	59	213	20:	
	ss Tests	0	0	0	0		
	sical Therapy	257	367	367	946	1,05	
	Almanor Clinic Visits	721	720	670	2,131	1,75	
Dr. V		132	150	83	415	26	
	Valls/PA	173	168	69	433	24	
	sician Office	193	147	176	516	170	
	Office	0	0	0	0	13:	
	Valk-in/Hayden	146	176	242	558	67	
	cialty/Other	77	79	100	209	27	
	TE CARE						
	te Patient Days	15	2		31	51	
	te ADC	0.50	0.06	0.50	0.34	0.63	
	ccupancy	5.00	0.65	5.00	3.37	6.3	
	Length of Stay	3.75	2.00	7.50	2.82	2.9	
16. Swir	ng Bed Days	19	3	0	30	29	
	ng Bed ADC	0.63	0.10	0.00	0.33	0.3	
18. Tota	I ADC	1.13	0.16	0.50	0.66	0.9	
SKIL	LED NURSING UNIT						
	ent Days	367	372	390	1,132	1,19	
	age Daily Census	12.23	12.00	13.00	12.30	12.9	
	ccupancy	76.46	75.00	81.25	76.90	80.9	
7	and the second s	**		· · · · · · · · · · · · · · · · · · ·	(a) (b)		
TOT.		484	A==1	46.5	4465		
	ent Days	401	377	405	1,193	1,278	
	age Daily Census	13.37	12.16	13.50	12.97	13.89	
24. Tota	1 Adjusted Patient Days	1,486	2,123	1,540	5,419	4,910	

Seneca Healthcare District Professional Fees- Medical September 30, 2023

		Actual ME	Budget ME	(Over)/Under	Actual YTD	Budget YTD	(Over)/Under
G/L#	Description	9/30/2023	9/30/2023	Budget	9/30/2023	9/30/2023	Budget
							_
	Grand Total	259,899.53	265,782.79	5,883.26	851,333.83	818,822.37	(32,511.46)
							, , ,
41220040	EMERG RM PHYSICIAN FEES	116,008.00	111,600.00	(4,408.00)	365,999.22	342,240.00	(23,759.22)
							, ,
	SHD Contracted Physicians	80,680.00	81,840.00	1,160.00	234,765.00	239,242.50	4,477.50
	Locums Physicians	35,328.00	29,760.00	(5,568.00)	131,234.22	102,997.50	(28,236.72)
				,		•	(,,
41220044	SURGERY PHYSICIAN FEES	28,965.80	30,621.71	1,655.91	64,478.54	91,865.12	27,386.58
41220044	ļ.						
	Surgery -						
	Surgeries	17,992.88	15,871.71	(2,121.17)	31,019.66	47,615.12	16,595.46
	Call						
	Clinic	6,172.92	8,750.00	2,577.08	20,258.88	26,250.00	5,991.12
	CRNA	4,800.00	6,000.00	1,200.00	13,200.00	18,000.00	4,800.00
41220049	LK ALMANOR PHYSICIAN FEES	74,149.34	77,262.82	3,113.48	242,709.15	231,788.46	(10,920.69)
41229049	1						
	SHD Contracted Physicians	23,219.98	30,416.67	7,196.69	84,600.59	91,250.00	6,649.41
	FNP Supervision	2,550.00	3,000.00	450.00	7,350.00	9,000.00	1,650.00
	Locums Providers	31,360.00	30,000.00	(1,360.00)	99,818.33	90,000.00	(9,818.33)
	Walk-In Clinic	17,019.36	13,846.15	(3,173.21)	45,544.23	41,538.46	(4,005.77)
	Telemedicine (non-physician)	73	-	-	5,396.00	-	(5,396.00)
		74,149.34	77,262.82	3,113.48	242,709.15	231,788.46	(10,920.69)
Note:							
	SHD Contracted Physicians include	es Dr. Walls, D	r. Ware, ED phy	ysician hospitalist s	ervices, and Telem	edicine	
Other Prof	essional Fees- Medical	40,776.39	46,298.26	5,521.87	178,146.92	152,928.79	(25,218.13)

Seneca Healthcare District New Hospital Build Cash Flow- May 2024 Funding July 1, 2023 through June 30, 2024

	July 2023 (actual)	August 2023 (actual)	September 2023 (actual)	October 2023 (projected)	November 2023 (projected)	December 2023 (projected)	January 2024 (projected)	February 2024 (projected)	March 2024 (projected)	April 2024 (projected)	May 2024 (projected)	June 2024 (projected)
Cash and Cash Equivalents Beginning Balance	11,355,386	9,589,902	7,752,466	7,231,416	6,262,188	5,780,980	5,166,796	5,402,612	4,006,302	3,842,118	3,677,934	4,663,843
Operating Income/(Loss)	(372,900)	(515,136)	(441,259)	(400,000)	(400,000)	(400,000)	(400,000)	(400,000)	(400,000)	(400,000)	(400,000)	(400,000)
Add:												
Depreciation Decrease in Accounts Receivable	35,816	35,816	35,816	35,816	35,816	35,816	35,816 500,000	35,816 500,000	35,816 200,000	35,816 200,000	35,816 200,000	35,816
Increase in Current Liabilities Rate Range Supplemental Payment QIP Supplemental Payment	230,610		19,853		557.076						3,000,000 1,210,093	
HQAF Supplemental Payment Property Taxes					567,976		350,000					
Subtotal	266,426	35,816	55,669	35,816	603,792	35,816	885,816	535,816	235,816	235,816	4,445,909	35,816
Less:												
Capital Expenditures- New Build Capital Expenditures- SHD Operations	944,665 736	409,212 117,736	22,658	29,331	285,000	250,000	250,000					
Increase in Accounts Receivable Decrease in Current Liabilities	713,608	422,189 408,980	112,802	200,000 200,000	200,000 200,000							
Intergovernmental Transfer- RR Intergovernmental Transfer- QIP								1,132,795 399,330				
Intergovernmental Transfer- HQAF Interim Funding Equity Contribution				175,713							3,060,000	
Subtotal	1,659,009	1,358,117	135,460	605,044	685,000	250,000	250,000	1,532,125	-	-	3,060,000	-
Cash and Cash Equivalents Ending Balance	9,589,902	7,752,466	7,231,416	6,262,188	5,780,980	5,166,796	5,402,612	4,006,302	3,842,118	3,677,934	4,663,843	4,299,659



PlanView

SENECA HEALTHCARE DISTRICT **GENERIC SUMMARY SHD Generic Summary**

ID#	TOTAL QTY		GENERIC		MANUFACTUR	≣R			STATUS	TOTAL EXTENDED PRICE
1006322 EQ#: AUD01	2	2 A/V SYSTEM, INTEGRATION ACCESSORY CONNECT OR HUB WITH DICOM; PLACED ON 2U SHELF; 8"TFT DISPLAY; DIGITAL TOUCHSCREEN (WXDXH) IN: 13.00 X 17.00 X 6.00 MM: 330 X 432 X 152 LOCATION: SPACE				'MEDICAL	DIV		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$120,000.00
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SURGERY AUX \$: \$60,000.00	ROOM # - ROOM NAME 632 - ENDO PROCEDURE ROOM	<u>EQ#:</u> AUD01	RESP OF/VI	STATUS NEW	PRICE \$60,000.00	<u>EXTENDED</u> \$60,000.00	
		1	1) SURGERY AUX \$: \$60,000.00	636 - OR	AUD01	OF/VI	NEW	\$60,000.00	\$60,000.00	
1003609	1 ACCESSORY GENERAL SPONGE KIT;LIGHT GREEN;POLYURETHANE FOAM TO INCLUDE: LOCATION: SPACE SPEC COMMENTS: ASSORTED MEASUREMENTS				TECHNO-AIDE STEALTH-COTE 127595	SPONGER	КІТ		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$404.32
		QTY		ROOM # - ROOM NAME 512 - GENERAL RADIOLOGY		RESP OF/OI	<u>STATUS</u> NEW	PRICE \$404.32	<u>EXTENDED</u> \$404.32	
1014544	1	١	ALLOWANCE, ACCESSORY WALL MOUNT ACCESSORY FOR THE I (WXDXH) IN: 17.00 X 12.00 X 25.00 MM: 432 X 305 X 635 LOCATION: WALL	LUCAS 3 COMPRESSION DEVICE LBS: 15.00 KG: 7	STRYKER - PHYS LUCAS3 WALL MOUNT	IO-CONTI	ROL, INC		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$575.00
	_	<u>QTY</u> 1	FLOOR - DEPARTMENT 1) EMERGENCY NOTES: NEED TO PURCHASE FOR AUX \$: \$575.00	ROOM # - ROOM NAME 317 - TREATMENT ROOM 05, TRAUMA EXISTING LUCAS 3 DEVICE		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$575.00	<u>EXTENDED</u> \$575.00	
506580	6	ļ	ALLOWANCE, BIN		ZZZ - GENERIC I	DESCRIPTI	ONS		NEW =6 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$6,350.00







ID#	TOTAL QTY GENERIC		MANUFACTURER	R			STATUS	TOTAL EXTENDED PRICE
	QTY FLOOR - DEPARTMENT 1 ACUTE CARE AUX \$: \$1,500.00	ROOM # - ROOM NAME 216 - CLEAN SUPPLY ROOM		RESP OF/OI	<u>STATUS</u> NEW	PRICE \$1,500.00	EXTENDED \$1,500.00	
	1 1) ACUTE CARE AUX \$: \$100.00	218 - MED ROOM		OF/OI	NEW	\$100.00	\$100.00	
	1 1) EMERGENCY AUX \$: \$1,500.00	313 - DRUG ROOM		OF/OI	NEW	\$1,500.00	\$1,500.00	
	1 1) MAINTENANCE BUILDING AUX \$: \$250.00	Z401 - MAINTENANCE		OF/OI	NEW	\$250.00	\$250.00	
	1 1) SKILLED NURSING AUX \$: \$1,500.00	847 - CLEAN SUPPLY		OF/OI	NEW	\$1,500.00	\$1,500.00	
	1 1) SURGERY AUX \$: \$1,500.00	614 - CLEAN SUPPLY		OF/OI	NEW	\$1,500.00	\$1,500.00	
1015783	1 ALLOWANCE, INSTALLATION INSTALLATION FOR PATIENT MONIT TO INCLUDE:	ORING SYSTEMS;	PHILIPS MEDICAL 866389 PATIENT INFORM				NEW =1 EXISTING =0 FUTURE =0 INFO =0	\$165,437.12
	LOCATION: SPACE						LEASED =0 CAPITAL = 0	
	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$165,437.12	ROOM # - ROOM NAME 210 - PATIENT ROOM, ACCESSIBLE ISOLATI	ION	RESP OF/VI	STATUS NEW	PRICE \$165,437.12	<u>EXTENDED</u> \$165,437.12	
1007240 EQ#: BAC01	1 ANALYZER, BLOOD CULTURE BLOOD CULTURE DIAGNOSTICS SYS CONNECTIVITY; (WXDXH) IN: 26.60 X 23.00 X 15.44 MM: 676 X 584 X 391 LOCATION: COUNTERTOP		BECTON DICKINS	ON			NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	OTY FLOOR - DEPARTMENT 1 1 LAB AUX \$: \$0.00	ROOM # - ROOM NAME 503 - LABORATORY	<u>EQ#:</u> BAC01	RESP OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1006966 EQ#: SED01	ERYTHROCYTE SEDIMENTATION RAT	IENTATION RATE (ESR), AUTOMATEI TE (ESR) ANALYZER; FULLY AUTOMATED; MPLE; INCLUDES INTERNAL BARCODE LBS: 9.80 KG: 4		C, INC.			NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00







ID#	TOTAL QTY GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503 - LABORATORY	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> SED01 OF/OI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
107077 EQ#: ABX01	1 ANALYZER, LAB, HEMATOLOGY COMPACT 5-PART DIFFERENTIAL ANALYZER; SINGLE SAMPLE ANALYSIS IN OPEN MODE; FULLY INTEGRATED IPU;LCD COLOR TOUCHSCREEN; 25 ML (WXDXH) IN: 18.00 X 19.00 X 21.00 LBS: 78.00 MM: 457 X 483 X 533 KG: 35 LOCATION: COUNTERTOP	SYSMEX CORPORATION XN SERIES 350	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$40,000.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503 - LABORATORY	EQ#: RESP STATUS ABX01 OF/VI NEW	PRICE EXTENDED \$40,000.00 \$40,000.00	
1005504 EQ#: QIA01	4 ANALYZER, LAB, MOLECULAR NUCLEIC ACID LAB ANALYZER. FEATURES: INSTRUMENT CONSISTS OF BOT THE OPERATIONAL MODULE AND ANALYTICAL MODULE. LESS THAN (WXDXH) IN: 9.21 X 20.35 X 12.83 MM: 234 X 517 X 326 KG: 21 LOCATION: COUNTERTOP SPEC COMMENTS: INSTRUMENT CONSISTS OF BOTH THE OPERATIONAL N DIMENSIONS REFLECT THE OPERATIONAL MODULE ONLY. ANALYTICAL MO WEIGHT INCLUDES THE TWO MODULES. TO ENSURE PROPER VENTILATION OF 10 CM AT THE REAR OF THE QIASTAT-DX ANALYZER 1.0 AND DO NOT BE AND OPENINGS THAT ENSURE INSTRUMENT VENTILATION MUST NOT BE	QIASTAT-DX MODULE AND ANALYTICAL MODULE. DULE: 6.023 X 16.850 X 12.086 IN. N, MAINTAIN A MINIMUM CLEARANCE LOCK AIRFLOW UNDER THE UNIT. SLITS	NEW =0 EXISTING =4 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 4 1) LAB 500 - MICROBIOLOGY AUX \$: \$0.00 ***	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> QIA01 OF/VI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
096403 EQ#: ANES01	2 ANESTHESIA MACHINE FABIUS GS PREMIUM; 3 GAS;VAPORIZER TO INCLUDE: (WXDXH) IN: 41.00 X 33.00 X 52.00 LBS: 296.00 MM: 1041 X 838 X 1321 KG: 134 LOCATION: FLOOR	DRAGER MEDICAL, INC. 8607000/ACC FABIUS GS PREM	NEW = 1 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$25,100.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 632 - ENDO PROCEDURE ROOM AUX \$: \$25,100.00 632 - ENDO PROCEDURE ROOM	ANESO1 OF AU EXISTING	PRICE EXTENDED \$25,100.00 \$25,100.00	
	1 1) SURGERY 636 - OR	ANESO1 OF/VI EXISTING	\$0.00 \$0.00	







ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1004828 EQ#: GAS01	2	ANESTHESIA MACHINE ACCESSOR INTELLIVUE ANESTHESIA GAS MODU PROVIDES A NON-DISPERSIVE INFRA (WXDXH) IN: 3.00 X 6.75 X 4.25 MM: 76 X 171 X 108 LOCATION: SPACE		PHILIPS MEDIC 866173 G7 MODULE	AL SYSTE	иs		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$20,113.50
		TY FLOOR - DEPARTMENT 1 1) SURGERY AUX \$: \$10,056.75 1 1) SURGERY AUX \$: \$10,056.75	ROOM # - ROOM NAME 632 - ENDO PROCEDURE ROOM 636 - OR	EQ#: GAS01	RESP OF/VI	STATUS NEW	\$10,056.75	\$10,056.75	
1001743	10	APRON, LEAD	PRON; 0.35MM, 0.5MM LEAD EQUIV; CCTIONS	AADCO MEDICA LP-CX COMFORTLITE	AL, INC.			NEW =2 EXISTING =8 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$822.00
		TY FLOOR - DEPARTMENT 2 1) EMERGENCY AUX \$: \$411.00 4 1) IMAGING AUX \$: \$411.00	ROOM # - ROOM NAME 325 - ED ALCOVE 01 512 - GENERAL RADIOLOGY		RESP OF/OI	STATUS NEW EXISTING	\$411.00 \$0.00	EXTENDED \$822.00	
		4 1) IMAGING AUX \$: \$411.00	515 - CT CONTROL		OF/OI	EXISTING	\$0.00	\$0.00	
1006009 EQ#: BED01	8	BED, MED-SURG 14.5 MINIMUM HEIGHT;500# CAP;W FRAME;VERBAL ALERTS;IN-BED SCAL (WXDXH) IN: 40.00 X 98.70 X 32.50 MM: 1016 X 2507 X 826 LOCATION: FLOOR	E;5TH WHEEL STEERING	HILL-ROM CENTRELLA SM	ART +			NEW =0 EXISTING =8 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		TY FLOOR - DEPARTMENT 2 1) ACUTE CARE AUX \$: \$12,464.36	ROOM # - ROOM NAME 200 - PATIENT ROOM, SEMI-PRIVATE	EQ#: BED01	RESP OF/VI	STATUS EXISTING	PRICE \$0.00	\$0.00	
		2 1) ACUTE CARE AUX \$: \$12,464.36 1 1) ACUTE CARE AUX \$: \$12,464.36	202 - PATIENT ROOM, SEMI-PRIVATE 204 - PATIENT ROOM, PRIVATE	BED01	OF/VI	EXISTING	\$0.00	\$0.00	







ID#	TOTAL QTY			MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
		1 1) ACUTE CARE AUX \$: \$12,464.36	206 - PATIENT ROOM, PRIVATE	BED01	OF/VI	EXISTING	\$0.00	\$0.00	
		1 1) ACUTE CARE AUX \$: \$12,464.36	208 - PAITENT ROOM, PRIVATE	BED01	OF/VI	EXISTING	\$0.00	\$0.00	
		1 1) ACUTE CARE NOTES: DISTRICT WILL HAV AUX \$: \$12,464.36	210 - PATIENT ROOM, ACCESSIBLE ISOLA /E 10 NEW BEDS BY TIME OF OPENING; REUSE A		OF/VI	EXISTING	\$0.00	\$0.00	
1016183 EQ#: BED02	26	STANDARD FEATURES: - CONTROL LOCKOUT PANEL (WXDXH) IN: 42.00 X 91.50 X 3 MM: 1067 X 2324 X 70	10.00 LBS: 275.00	HILL-ROM LTC300 RESIDENT LTC				NEW =26 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$143,000.00
- 43		LOCATION: FLOOR						CAPITAL = 0	
		QTY FLOOR - DEPARTMENT 24 1) SKILLED NURSING AUX \$: \$5,500.00	ROOM # - ROOM NAME 816 - SEMI-PRIVATE PATIENT BEDROOM 12)	EQ#: (QTY BED02	RESP OF/VI	STATUS NEW	<u>PRICE</u> \$5,500.00	EXTENDED \$132,000.00	
		1 1) SKILLED NURSING AUX \$: \$5,500.00	840 - SPECIAL PURPOSE ROOM (PRIVATE ADA)	& BED02	OF/VI	NEW	\$5,500.00	\$5,500.00	
		1 1) SKILLED NURSING AUX \$: \$5,500.00	842 - QUIET ROOM (PRIVATE & ADA)	BED02	OF/VI	NEW	\$5,500.00	\$5,500.00	
1015154	1	•	EL H-1137-WOOD); ACTUAL ADJUSTABLE /8 - 38 1/4"; STEEL HOUSING: 69 X 25 5/8" 8.00	ULINE H-9636-WOOD				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,200.00
		QTY 1 PLOOR - DEPARTMENT 1 MAINTENANCE BUILDING NOTES: MUST INCLUDE CC AUX \$: \$1,200.00	ROOM # - ROOM NAME Z401 - MAINTENANCE MPOSITE WOOD TOP		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$1,200.00	<u>EXTENDED</u> \$1,200.00	
1015155	1	BENCH, TECH WORKSTATION INCLUDES TABLE, FULL DEPTH E		GLOBAL INDUS	TRIAL			NEW =1 EXISTING =0	\$700.00
		,	STS FROM 30-37". 500 LB. CAPACITY. 17.00 LBS: 231.00	H-6342-WOOD				FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS FLOOR - DEPARTMENT** ROOM # - ROOM NAME RESP **EXTENDED STATUS** PRICE 1) MAINTENANCE BUILDING Z401 - MAINTENANCE OF/OI NEW \$700.00 \$700.00 AUX \$: \$700.00 1004790 **AKRO-MILS** NEW =1 \$1,161.00 BIN, ACCESSORY, PANEL, LOUVERED MOBILE; DOUBLE SIDED 100LB WEIGHT CAPACITY; 30676 EXISTING =0 TO INCLUDE: FUTURE =0 LBS: 55.00 (WXDXH) IN: 36.19 X 25.00 X 71.50 INFO =0 MM: 919 X 635 X 1816 KG: 25 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** 1) MAINTENANCE BUILDING Z401 - MAINTENANCE OF/OI NEW \$1,161.00 \$1,161.00 **AUX \$:** \$1,161.00 1005565 RAPID SHRED \$0.00 2 **BIN, SHREDDING** NEW = 0EQ#: BIN01 SHREDDER COLLECTION BIN EXISTING =0 SHORT CONSOLE FUTURE =0 (WXDXH) IN: 19.00 X 16.00 X 27.00 LBS: 35.00 INFO =0 **KG**: 16 **MM:** 483 X 406 X 686 LEASED =2 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP **STATUS PRICE EXTENDED** EQ#: 1 1) ACUTE CARE 221 - NURSE STATION BIN01 OF/OI LEASED \$0.00 \$0.00 AUX \$: \$0.00 1) EMERGENCY 313 - DRUG ROOM BIN01 OF/OI LEASED \$0.00 \$0.00 AUX \$: \$0.00 1015152 \$38.95 1 **BIN, SUPPLY GLOBAL INDUSTRIAL** NEW =1 BIN DIVIDERS PROVIDE SAFE AND ORGANIZED COMPONENT STORAGE. 40150 EXISTING =0 SOLD IN PACKAGE OF 24, PRICE PER PACKAGE. WB752372 FUTURE =0 (WXDXH) IN: 8.00 X 0.00 X 3.00 LBS: 3.00 INFO =0 **KG**: 1 **MM**: 203 X 0 X 76 LEASED =0 LOCATION: SPACE CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP **STATUS** PRICE **EXTENDED** 1) MAINTENANCE BUILDING Z401 - MAINTENANCE OF/OI NEW \$38.95 1 \$38.95 NOTES: PACKAGE OF 24 AUX \$: \$38.95





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1015153	2	BIN, SUPPLY PLASTIC STACKABLE BINS - 11 X 5 1 (WXDXH) IN: 5.50 X 11.00 X 5.00 MM: 140 X 279 X 127 LOCATION: SPACE	⁄2 X 5", BLUE, CASE OF 12	ULINE S-12415BLU				NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$8.30
		1) MAINTENANCE BUILDING NOTES: CASE OF 12 EACH AUX \$: \$4.15	ROOM # - ROOM NAME Z401 - MAINTENANCE		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$4.15	<u>EXTENDED</u> \$8.30	
1003538 EQ#: PEG01	1	BOARD WITH PEGS, WALL MOUI 4'X4'; 16 GAUGE STAINLESS STEEL; KEY HOLE FOR MOUNTING (MOUN (WXDXH) IN: 48.00 X 0.88 X 48.00 MM: 1219 X 22 X 1219 LOCATION: WALL	1/4" DIAMETER HOLES ON 1' CENTER TING HARDWARE NOT INCLUDED)	LOGIQUIP SSPEG4848				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$940.24
		1 SURGERY AUX \$: \$940.24	ROOM # - ROOM NAME 634 - STORAGE / PREP & PACK / STERILIZE	<u>EQ#:</u> R PEG01	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$940.24	<u>EXTENDED</u> \$940.24	
1001718 EQ#: BRD02	2	BOARD, PATIENT TRANSFER NOTCHES ON BOTH SIDES SECURES FOR USE ON RIGHT OR LEFT SIDE; 3 (WXDXH) IN: 8.00 X 1.00 X 29.00 MM: 203 X 25 X 737 LOCATION: SPACE	THE BOARD TO WHEELCHAIR ARM; 100 LB. WEIGHT CAPACITY; WOOD <i>LBS</i> : 2.25 <i>KG</i> : 1	MEDLINE INDU MDSR005379 MDSR005379	ISTRIES, IN	IC.		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$158.72
		1 1) SURGERY FLOOR - DEPARTMENT 1) EMERGENCY AUX \$: \$79.36	ROOM # - ROOM NAME ZZZ - AMBULANCE CANOPY 636 - OR	EQ#: BRD02 BRD02	RESP OF/OI	STATUS NEW	PRICE \$79.36 \$79.36	<u>EXTENDED</u> \$79.36	
		NOTES: 6/6/23: INCLUDE MOU AUX \$: \$79.36	INT						
1003487 EQ#: BRD01	5	BOARD, PATIENT TRANSFER 500LB WEIGHT CAP; PVC TRANSFER TO INCLUDE: (WXDXH) IN: 35.50 X 70.00 X 1.25 MM: 902 X 1778 X 32 LOCATION: WALL		MEDLINE INDU	ISTRIES, IN	IC.		NEW =5 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,119.95







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** EQ#: RESP **STATUS** PRICE OF/CI 1) EMERGENCY **ZZZ - AMBULANCE CANOPY** BRD01 NEW \$223.99 \$223.99 AUX \$: \$223.99 1) IMAGING 512 - GENERAL RADIOLOGY BRD01 OF/CI NEW \$223.99 \$223.99 AUX \$: \$223.99 OF/CI \$223.99 \$223.99 1 1) IMAGING 514 - CT SCAN BRD01 NEW **AUX \$:** \$223.99 1 1) SURGERY 632 - ENDO PROCEDURE ROOM BRD01 OF/CI NEW \$223.99 \$223.99 AUX \$: \$223.99 1) SURGERY OF/CI \$223.99 \$223.99 636 - OR BRD01 NEW **NOTES: INCLUDES BRACKET AUX \$:** \$223.99 1003443 **BOOM, EQUIPMENT** STRYKER CORP/MEDICAL DIV NEW =2 \$60,000.00 UTILITY BOOM; STANDARD POWERED 2 ROW, 2A EQ#: BEQ01 SPS-2-C EXISTING =0 TO INCLUDE: FUTURE =0 INFO =0 LEASED =0 **LOCATION: CEILING** CAPITAL = 0**FLOOR - DEPARTMENT ROOM # - ROOM NAME** EQ#: **STATUS PRICE EXTENDED** QTY RESP 1 1) SURGERY 632 - ENDO PROCEDURE ROOM BEQ01 OF/VI NEW \$30,000.00 \$30,000.00 AUX \$: \$30,000.00 1) SURGERY 636 - OR 1 BEQ01 OF/VI NEW \$30,000.00 \$30,000.00 AUX \$: \$30,000.00 059047 \$410.00 **BOX, RETURN, DRUGS HEALTH CARE LOGISTICS** NEW = 2EQ#: MBOX01 LOCKABLE; COUNTER/WALL MOUNT; BEIGE METAL ANTI-THEFT BAFFLE; 3783 EXISTING =2 **BOTTOM IS LINED WITH FOAM** LOCKABLE RETURN DRUG BOX FUTURE =0 (WXDXH) IN: 12.00 X 5.20 X 6.25 LBS: 9.00 INFO =0 KG: 4 **MM:** 305 X 132 X 159 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** STATUS PRICE **EXTENDED** QTY EQ#: RESP 1 1) ACUTE CARE 218 - MED ROOM MBOX01 OF/VI **EXISTING** \$0.00 \$0.00 AUX \$: \$205.00 1) EMERGENCY 313 - DRUG ROOM MBOX01 OF/VI **EXISTING** \$0.00 \$0.00 1 AUX \$: \$205.00 1) SKILLED NURSING 814 - MED ROOM MBOX01 OF/VI NEW \$205.00 \$205.00 AUX \$: \$205.00 SURGERY OF/VI 615 - NURSE STATION / NOUR / MEDS MBOX01 NEW \$205.00 \$205.00 AUX \$: \$205.00







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC** MANUFACTURER STATUS 1015413 ALLIED HEALTHCARE PRODUCTS INC. NEW =20 \$500.00 20 **BRACKET, SUCTION CANISTER** INCLUDES 1500CC CANISTER AND CANISTER HOLDER 20-02-0150B EXISTING =0 FUTURE =0 (WXDXH) IN: 8.00 X 8.00 X 12.00 LBS: 2.00 INFO =0 **MM:** 203 X 203 X 305 **KG**: 1 LEASED =0 LOCATION: WALL $C\Delta PIT\Delta I = 0$

						APITAL = 0
<u>QTY</u> 2	1) ACUTE CARE AUX \$: \$25.00	ROOM # - ROOM NAME 200 - PATIENT ROOM, SEMI-PRIVATE	<u>RESP</u> OF/CI	<u>STATUS</u> NEW	<u>PRICE</u> \$25.00	<u>EXTENDED</u> \$50.00
2	1) ACUTE CARE AUX \$: \$25.00	202 - PATIENT ROOM, SEMI-PRIVATE	OF/CI	NEW	\$25.00	\$50.00
1	1) ACUTE CARE AUX \$: \$25.00	204 - PATIENT ROOM, PRIVATE	OF/CI	NEW	\$25.00	\$25.00
1	1) ACUTE CARE AUX \$: \$25.00	206 - PATIENT ROOM, PRIVATE	OF/CI	NEW	\$25.00	\$25.00
1	1) ACUTE CARE AUX \$: \$25.00	208 - PAITENT ROOM, PRIVATE	OF/CI	NEW	\$25.00	\$25.00
1	1) ACUTE CARE AUX \$: \$25.00	210 - PATIENT ROOM, ACCESSIBLE ISOLATION	OF/CI	NEW	\$25.00	\$25.00
1	1) EMERGENCY AUX \$: \$25.00	310 - TRIAGE	OF/CI	NEW	\$25.00	\$25.00
1	1) EMERGENCY AUX \$: \$25.00	317 - TREATMENT ROOM 05, TRAUMA	OF/CI	NEW	\$25.00	\$25.00
1	1) EMERGENCY	318 - TREATMENT ROOM 04, BEHAVIORAL HEALTH	OF/CI	NEW	\$25.00	\$25.00
	AUX \$: \$25.00					
1	1) EMERGENCY AUX \$: \$25.00	319 - TREATMENT ROOM 03, ISOLATION	OF/CI	NEW	\$25.00	\$25.00
1	1) EMERGENCY AUX \$: \$25.00	320 - TREATMENT ROOM 02	OF/CI	NEW	\$25.00	\$25.00
1	1) EMERGENCY AUX \$: \$25.00	321 - TREATMENT ROOM 01	OF/CI	NEW	\$25.00	\$25.00
1	1) IMAGING AUX \$: \$25.00	509 - ULTRASOUND	OF/CI	NEW	\$25.00	\$25.00
1	1) IMAGING AUX \$: \$25.00	512 - GENERAL RADIOLOGY	OF/CI	NEW	\$25.00	\$25.00
1	1) IMAGING AUX \$: \$25.00	514 - CT SCAN	OF/CI	NEW	\$25.00	\$25.00
1	1) SURGERY AUX \$: \$25.00	607 - PACU 3	OF/CI	NEW	\$25.00	\$25.00







ID#	TOTAL QTY	GENERIC	MANUFA	ACTUREF	₹			STATUS	TOTAL EXTENDED PRICE
		1 1) SURGERY 608 - PACU 2 AUX \$: \$25.00			OF/CI	NEW	\$25.00	\$25.00	
		1 1) SURGERY 609 - PACU 1 AUX \$: \$25.00			OF/CI	NEW	\$25.00	\$25.00	
1015520 EQ#: CAB04	1	CABINET, DRYING 29" PASS THROUGH DRYING CABINET; 9-SHELF; TOUCH-SCREEN C SCOPE HANGERS (WXDXH) IN: 29.00 X 31.00 X 78.00 LBS: 650.00 MM: 737 X 787 X 1981 KG: 295 LOCATION: FLOOR	STERIS C ONTROL; DCR1000 AMSCO		TION			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$19,314.56
		QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 633 - DECONTAMINATION AUX \$: \$19,314.56 833 - DECONTAMINATION		EQ#: CAB04	RESP OF/VI	STATUS NEW	<u>PRICE</u> \$19,314.56	<u>EXTENDED</u> \$19,314.56	
1010995 EQ#: CAB02	1	CABINET, MEDICATIONS, NARCOTICS, WALL-MOUNTED HEAVY DUTY 20 GAUGE STEEL CABINET, HIGH SECURITY PICK RES LOCK, ONE FIXED AND ONE ADJUSTABLE SHELF, FULL LENGTH STA (WXDXH) IN: 23.50 X 10.50 X 29.50 MM: 597 X 267 X 749 KG: 16 LOCATION: WALL			ANY, INC.			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$765.00
	L	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 636 - OR AUX \$: \$765.00		EQ#: CAB02	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$765.00	\$765.00	
1005344 EQ#: BIO01	1	CABINET, SAFETY, BIOLOGICAL 3' BIOLOGICAL SAFETY CABINET W/ 10" SASH OPENING, UV LIGH SERVICE FIXTURE AND VACU-PASS PORTAL; ELECTRONICALLY (WXDXH) IN: 42.30 X 31.20 X 61.70 MM: 1074 X 792 X 1567 LOCATION: FLOOR	LABCON T, 3023110 PURIFIEF	001_3		N		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$10,530.00
		QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 500 - MICROBIOLOGY AUX \$: \$10,530.00 ***		EQ#: 31001	RESP OF/VI	STATUS NEW	PRICE \$10,530.00	EXTENDED \$10,530.00	





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTURI	:R			STATUS	TOTAL EXTENDED PRICE
070892	1	CABINET, SAFETY, FLAMMABLE STO 2 DOOR;SELF CLOSE;2 SHELF;45 GAL CO OSHA/NFPA STANDARDS;WARNING LA (WXDXH) IN: 43.00 X 18.00 X 65.00 MM: 1092 X 457 X 1651 LOCATION: FLOOR SPEC COMMENTS: UNIT CAN BE CONNITHE VENDOR	APACITY;YELLOW;CONFORMS TO BEL;3 POINT LATCH SYSTEM LBS: 313.00 KG: 142	JUSTRITE MANU 894520 QUIRED, BUT NOT				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,420.00
	_		ROOM # - ROOM NAME Z401 - MAINTENANCE		RESP OF/OI	<u>STATUS</u> NEW	PRICE \$1,420.00	<u>EXTENDED</u> \$1,420.00	
1003913 EQ#: CAB05	1	CABINET, SCOPE SECURE-A-SCOPE METAL STORAGE FUI LOCKING HINGED (WXDXH) IN: 40.88 X 18.75 X 93.75 MM: 1038 X 476 X 2381 LOCATION: FLOOR	LL CABINET 40.875" WIDE WITH	MASS MEDICAL SAS-18P-DRY TRUAIR	STORAGI	Ē		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$21,106.53
			ROOM # - ROOM NAME 635 - STERILE & CLEAN SUPPLY	<u>EQ#:</u> CAB05	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$21,106.53	<u>EXTENDED</u> \$21,106.53	
094527	2	CABINET, STORAGE METAL STORAGE CABINET; BLACK; KEYL OVERALL HEIGHT; ASSEMBLED; 4 SHELV (WXDXH) IN: 36.00 X 18.00 X 72.00 MM: 914 X 457 X 1829 LOCATION: FLOOR	/ES;ANSI/BIFMA <i>LBS:</i> 149.00 <i>KG:</i> 68	GRAINGER, INC 22ND35 EA4E361872-09			20145	NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,214.00
			ROOM # - ROOM NAME Z403 - PURCHASING MAINTENANCE OFFIC	E	RESP OF/OI	STATUS NEW	<u>PRICE</u> \$607.00	\$1,214.00	
094151 EQ#: CAB06	1	CABINET, STORAGE SS STORAGE CABINET;5 ADJUSTABLE S TO HEIGHT AND 25 LB IN WEIGHT. (WXDXH) IN: 36.00 X 24.00 X 78.00 MM: 914 X 610 X 1981 LOCATION: FLOOR	HELVES;LOCKABLE; DOLLY ADDS 5" LBS: 285.00 KG: 129 ROOM # - ROOM NAME	ULINE H-5588 <u>EQ#:</u>	RESP	<u>STATUS</u>	PRICE	NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED	\$2,042.00







ID#	TOTAL QTY	GENERIC	MANUFACTURE	R			STATUS	TOTAL EXTENDED PRICE
		1 1) EMERGENCY ZZZ - AMBULANCE CANOPY NOTES: SEISMIC: CUSTOM ORDER THROUGH COMPANY AT TIME OF PURCHAS AUX \$: \$2,042.00	CAB06 SE	OF/OI	NEW	\$2,042.00	\$2,042.00	
1015640 EQ#: CAB07	2	CABINET, STORAGE, BIN DOORS HAVE 3-POINT LOCKING SYSTEM – KEYS INCLUDED. (48) 5 1/2 X 4 X 3", (48) 7 1/2 X 4 X 3", (WXDXH) IN: 36.00 X 24.00 X 78.00 MM: 914 X 610 X 1981 LOCATION: FLOOR TY FLOOR - DEPARTMENT 2 1) EMERGENCY AUX \$: \$1,700.00	ULINE H-8347BLU 138 BLUE BIN EQ#: CAB07	RESP OF/VI	STATUS NEW	F.C.	NEW = 2 PSTING = 0 JTURE = 0 INFO = 0 EASED = 0 PITAL = 0 EXTENDED \$3,400.00	\$3,400.00
072156 EQ#: CAB03	1	CABINET, STORAGE, TRANSDUCER/PROBE 120V 3 PROBE POLYPROPYLENE CABINET; ACFHEPA-188 FILTER; ACFPRE10 PREFILTER (WXDXH) IN: 26.00 X 10.00 X 88.00	CS MEDICAL AC-TE-03 AC-TE-03	RESP OF/OI	STATUS NEW	F.C.	NEW = 1 STING = 0 JTURE = 0 INFO = 0 EASED = 0 PITAL = 0 EXTENDED	\$3,450.00
1012767 EQ#: CRS01	1	CABINET, SUPPLY STORAGE MOBILE STORAGE CABINET; STEEL CONSTRUCTION WITH POWDER COAT FINISH; FOUR ADJUSTABLE SHELVES; 400LB SHELF CAP; 750LB TOTAL CAP; 3 (WXDXH) IN: 48.00 X 24.00 X 84.00 MM: 1219 X 610 X 2134 LOCATION: FLOOR TY FLOOR - DEPARTMENT 1) EMERGENCY NOTES: SEISMIC KIT CUSTOM UPON ORDER AUX \$: \$1,315.00	ULINE H-9092A CLEAR VIEW AS: <u>EQ#:</u> CRS01	RESP OF/VI	STATUS NEW	F.U.	NEW = 1 ISTING = 0 JTURE = 0 INFO = 0 EASED = 0 PITAL = 0 EXTENDED \$1,315.00	\$1,315.00







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 105040 4 **CABINET, WARMING** SAGE PRODUCTS INC. NEW =4 \$6,000.00 FOR USE WITH COMFORT PERSONAL CLEANSING BRAND 7937 EQ#: CBW02 EXISTING =0 ACCOMMODATES 12 INDIVIDUAL PACKAGES; ONE PER SLOT; FUTURE =0 (WXDXH) IN: 14.69 X 15.25 X 16.88 LBS: 30.00 INFO =0 MM: 373 X 387 X 429 KG: 14 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0**QTY** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 216 - CLEAN SUPPLY ROOM CBW02 OF/VI NEW \$1,500.00 \$1,500.00 NOTES: SITS ON TOP OF CBW01 AUX \$: \$1,500.00 1) SKILLED NURSING 834 - CENTRAL BATHING (QTY 2) CBW02 OF/VI NEW \$1,500.00 \$3,000.00 NOTES: SITS ON TOP OF CBW01 AUX \$: \$1,500.00 1 1) SURGERY 614 - CLEAN SUPPLY CBW02 OF/VI NEW \$1,500.00 \$1,500.00 NOTES: SITS ON TOP OF CBW01 **AUX \$:** \$1,500.00 1001188 **CABINET, WARMING ENTHERMICS MEDICAL SYSTEMS** NEW =5 \$18,810.00 EQ#: CBW01 2.5 CUBIC FT; 6 BLANKET CAPACITY; COUNTERTOP MODEL; TITAN SERIES EXISTING =0 STACKABLE; NO FANS OR MOVING PARTS EC250 FUTURE =0 (WXDXH) IN: 18.50 X 23.50 X 22.00 LBS: 67.00 INFO =0 MM: 470 X 597 X 559 KG: 30 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0SPEC COMMENTS: CLEARANCES: TOP/LEFT/RIGHT: 1", BACK 3" QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1) ACUTE CARE 216 - CLEAN SUPPLY ROOM CBW01 OF/OI NEW \$3,762.00 \$3,762.00 AUX \$: \$3,762.00 1) IMAGING 515 - CT CONTROL OF/OI \$3,762.00 1 CBW01 NEW \$3.762.00 AUX \$: \$3,762.00 1) SKILLED NURSING 834 - CENTRAL BATHING (QTY 2) CBW01 OF/OI NEW \$3,762.00 \$7,524.00 AUX \$: \$3,762.00 1) SURGERY 614 - CLEAN SUPPLY CBW01 OF/OI NEW \$3.762.00 \$3.762.00 NOTES: LOCATED IN THE ALCOVE NEXT TO THE CLEAN SUPPLY ROOM ENTRANCE DOOR AUX \$: \$3,762.00 1003252 PEDIGO PRODUCTS, INC. NEW = 1\$15,234.00 CABINET, WARMING, DUAL, FREESTANDING EQ#: CBW03 DUAL FREESTANDING FLUID AND BLANKET WARMING CABINET WITH EXISTING =0 WINDOW GLASS DOORS. FEATURES 18 INCH DEPTH PERFECT FOR BUILT-IN P-2148 FUTURE =0 (WXDXH) IN: 30.90 X 21.70 X 67.25 LBS: 358.00 INFO =0 MM: 785 X 551 X 1708 KG: 162 LEASED =0 LOCATION: FLOOR CAPITAL = 0





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** SPEC COMMENTS: 50" DEEP WITH DOOR OPEN FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1) EMERGENCY 312 - STAFF / MD WORKROOM CBW03 OF/OI NEW \$15,234.00 \$15,234.00 AUX \$: \$15,234.00 1003252 CABINET, WARMING, DUAL, FREESTANDING PEDIGO PRODUCTS, INC. NEW =1 \$15,234.00 EQ#: CBW03 DUAL FREESTANDING FLUID AND BLANKET WARMING CABINET WITH EXISTING =0 WINDOW GLASS DOORS. FEATURES 18 INCH DEPTH PERFECT FOR BUILT-IN P-2148 FUTURE =0 (WXDXH) IN: 30.90 X 21.70 X 67.25 LBS: 358.00 INFO =0 MM: 785 X 551 X 1708 KG: 162 LEASED =0 LOCATION: FLOOR CAPITAL = 0SPEC COMMENTS: 50" DEEP WITH DOOR OPEN QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP STATUS PRICE **EXTENDED** EQ#: 1) SURGERY CBW03 OF/OI NEW \$15,234.00 \$15,234.00 635 - STERILE & CLEAN SUPPLY AUX \$: \$15,234.00 058850 2 CART, CAST HARLOFF COMPANY, INC. NEW = 2\$7.600.00 EQ#: CRC01 STAINLESS;8 DRAWER;S.S. FOLDING SIDE SHELF; DRAWERS: (1) 3"W/BLACK DELUXE EXISTING =0 VINYL MAT, (5) 3"W/ 4 ADJ DIVIDERS PER DRAWER, (2) 6"W/ 4 ADJ 6035 FUTURE =0 (WXDXH) IN: 44.00 X 21.00 X 76.00 LBS: 182.00 INFO =0 KG: 83 MM: 1118 X 533 X 1930 LEASED =0 **LOCATION: FLOOR** CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** QTY RESP **STATUS** PRICE **EXTENDED** EQ#: 1) ACUTE CARE 1 214 - ED EQUIPMENT STORAGE CRC01 OF/OI NEW \$3,800.00 \$3,800.00 **AUX \$:** \$3,800.00 1) SURGERY 627 - ENDO EQUIP ALCOVE 01 CRC01 OF/OI NEW \$3,800.00 \$3,800.00 AUX \$: \$3,800.00 1008170 \$336.96 CART, CYLINDER, D&E, MULTI WT FARLEY NEW = 2EQ#: CRK01 6 CYLINDER CAP; CHROME PLATED STEEL; 2 LOCKING CASTERS; WTFCRDC06E EXISTING =0 CR-DC06E FUTURE =0 (WXDXH) IN: 16.00 X 11.00 X 39.00 LBS: 27.00 INFO =0 **MM**: 406 X 279 X 991 KG: 12 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** QTY EQ#: RESP STATUS PRICE CRK01 1) SURGERY 630 - SOILED UTILITY OF/OI NEW \$168.48 \$168.48 AUX \$: \$168.48 1) SURGERY 631 - ANESTHESIA WORKROOM CRK01 OF/OI NEW \$168.48 \$168.48 AUX \$: \$168.48







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC STATUS MANUFACTURER** 084882 6 **CART, CYLINDER, MEDICAL GAS** W.T. FARLEY, INC. NEW =6 \$906.00 EQ#: CRK02 4 CAPACITY TILT BACK CART; E/D SIZE; W/HEAVY DUTY 5" CASTERS EXISTING =0 CR-DC04E FUTURE =0 (WXDXH) IN: 11.00 X 11.00 X 39.00 LBS: 21.00 INFO =0 MM: 279 X 279 X 991 KG: 10 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 216 - CLEAN SUPPLY ROOM CRK02 OF/OI NEW \$151.00 \$302.00 NOTES: QTY 1 RED; QTY 1 GREEN AUX \$: \$151.00 1) SKILLED NURSING 847 - CLEAN SUPPLY CRK02 OF/OI NEW \$151.00 \$302.00 AUX \$: \$151.00 SURGERY 632 - ENDO PROCEDURE ROOM CRK02 OF/OI NEW \$151.00 \$151.00 AUX \$: \$151.00 1 1) SURGERY 636 - OR CRK02 OF/OI NEW \$151.00 \$151.00 AUX \$: \$151.00 052851 **CART, HOUSEKEEPING** ROYCE ROLLS RINGER CO. NEW =4 \$4.344.00 EQ#: HKP01 SS;2 SHELF;FOLDING PLATFORM W/LOCKING DOOR;ZIP BAG;TRASH F36 FOLDING EXISTING =0 LID; TOOL BRACKET W/4 HANDLES & 3 HOOKS; TRAY TOP F36 FOLDING FUTURE =0 LBS: 32.00 (WXDXH) IN: 23.00 X 36.00 X 42.50 INFO =0 MM: 584 X 914 X 1080 **KG**: 15 LEASED =0 LOCATION: FLOOR CAPITAL = 0**QTY** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1) ACUTE CARE 225 - HOUSEKEEPING HKP01 OF/OI NEW \$1,086.00 \$1,086.00 **AUX \$:** \$1,086.00 1) SHARED SERVICES 413 - HOUSEKEEPING HKP01 OF/OI NEW \$1.086.00 \$1.086.00 1 AUX \$: \$1,086.00 1) SKILLED NURSING 871 - HOUSEKEEPING HKP01 OF/OI NEW \$1,086.00 \$1,086.00 AUX \$: \$1,086.00 1) SURGERY 606 - HOUSEKEEPING HKP01 OF/OI NEW \$1,086.00 \$1,086.00 1 AUX \$: \$1,086.00 053947 **CART. ISOLATION** ARMSTRONG MEDICAL INDUSTRIES NEW =0 \$0.00 EQ#: CRI01 4 DRAWER; YELLOW; BASIC CART W/DRAWER; CONFIGURATION OF 1 EA.3" AKL-Y-4 EXISTING =5 HIGH & 3 EA. 9" HIGH DRAWERS; BEIGE FRAME **TWO TONE** FUTURE =0 (WXDXH) IN: 33.50 X 25.00 X 46.25 LBS: 165.00 INFO =0 MM: 851 X 635 X 1175 KG: 75 LEASED =0 LOCATION: FLOOR CAPITAL = 0ROOM # - ROOM NAME RESP **PRICE EXTENDED** QTY FLOOR - DEPARTMENT EQ#: **STATUS**







ID#	TOTAL QTY		GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
		1	1) ACUTE CARE AUX \$: \$1,542.75	219 - ALCOVE	CRI01	OF/OI	EXISTING	\$0.00	\$0.00	
		1	1) EMERGENCY AUX \$: \$1,542.75	319 - TREATMENT ROOM 03, ISOLATION	CRI01	OF/OI	EXISTING	\$0.00	\$0.00	
		2	1) MAINTENANCE BUILDING AUX \$: \$1,542.75	Z400 - STORAGE	CRI01	OF/OI	EXISTING	\$0.00	\$0.00	
	L	1	1) SKILLED NURSING	874 - EQUIPMENT ALCOVE	CRI01	OF/OI	EXISTING	\$0.00	\$0.00	
1015397 EQ#: CRL01	4	5 N	· · · · ·	ASTERS AMONG THE BEST ON THE MOLDED SHELVES WITH ½" LIP TO LBS: 50.00	DIRECT SUPPLY LC36-4-42 IPU PREMIUM	, INC			NEW =4 EXISTING =0 FUTURE =0 INFO =0	\$2,360.00
			<i>MM</i> : 1016 X 508 X 1600 LOCATION : FLOOR	KG : 23					LEASED =0 CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) EMERGENCY AUX \$: \$590.00	ROOM # - ROOM NAME 306 - ED ALCOVE 02	EQ#: CRL01	RESP OF/OI	STATUS NEW	<u>PRICE</u> \$590.00	EXTENDED \$590.00	
		2	1) SHARED SERVICES AUX \$: \$590.00	412 - CLEAN LINEN STORAGE	CRL01	OF/OI	NEW	\$590.00	\$1,180.00	
		1	1) SURGERY AUX \$: \$590.00	624 - OR EQUIP ALCOVE 02	CRL01	OF/OI	NEW	\$590.00	\$590.00	
1002258 EQ#: CMH01	1	T	CART, MALIGNANT HYPERTHERI TWO 6" DRAWERS AND 1 COMPAR REF1	WIA TMENT WITH PRE-INSTALLED FOLLETT	HARLOFF COM MH5216K MH5216K	PANY, INC	2.		NEW =0 EXISTING =1 FUTURE =0	\$0.00
3			(WXDXH) IN: 37.50 X 26.00 X 45.5 MM: 953 X 660 X 1156 LOCATION: FLOOR	CO LBS: 175.00 KG: 79					INFO =0 LEASED =0 CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SURGERY	ROOM # - ROOM NAME 624 - OR EQUIP ALCOVE 02	<u>EQ#:</u> CMH01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
105414 EQ#: CRTM01	1	P	CART, MEDICATION ACS CART;KEYLESS PUSH LOCK;NO DK CREME; CASTERS	HANDLE	CAPSA SOLUTIO AVALO ACS 10 HIGH	ONS			NEW =0 EXISTING =1 FUTURE =0	\$0.00
<u> </u>			(WXDXH) IN: 26.00 X 24.00 X 44.0 MM: 660 X 610 X 1118 LOCATION: FLOOR	10 LBS: 123.00 KG: 56					INFO =0 LEASED =0 CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SKILLED NURSING AUX \$: \$1,736.37	ROOM # - ROOM NAME 814 - MED ROOM	EQ#: CRTM01	RESP OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	





PlanView

SENECA HEALTHCARE DISTRICT **GENERIC SUMMARY SHD Generic Summary**

ID#	TOTAL QTY		ENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
069766 EQ#: CRP01	1	P A		TILT BINS; LOCKING SHARPS BRACKET 0;4 DIVIDABLE LOCKABLE DRAWERS;4 LBS: 105.00 KG: 48	WATERLOO IND MSWA-3469-W MSWA-3469-W	НТ	INC.		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) LAB AUX \$: \$1,722.07	ROOM # - ROOM NAME 502 - BLOOD DRAW	<u>EQ#:</u> CRP01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
072962 EQ#: CRC03	1	P C. (ART, RESUSCITATION, CARDIAC EDS;30";9 MULTICOLOR DRW;(8)3" ARDIAC BOARD;STEEL BREAKAWAY (WXDXH) IN: 46.09 X 25.00 X 45.50 MM: 1171 X 635 X 1156 LOCATION: FLOOR	LOCK;5"CASTERS LBS: 128.00 KG: 58	ARMSTRONG N PREMIER BROS PBL-PC-9	ELOW			NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$2,363.00
	L	<u>QTY</u> 1	1) EMERGENCY AUX \$: \$2,363.00	ROOM # - ROOM NAME 317 - TREATMENT ROOM 05, TRAUMA	EQ#: CRC03	RESP OF/VI	STATUS NEW	PRICE \$2,363.00	\$2,363.00	
056002 EQ#: CRC04	6	C. 1-	ART, RESUSCITATION, CARDIAC ART, RESUSCITATION, CARDIAC; 6 D -6",1-12",PVC BUMPER;LOCKING BF (WXDXH) IN: 43.00 X 25.00 X 47.00 MM: 1092 X 635 X 1194 LOCATION: FLOOR		ARMSTRONG M AR-6 PREMIER W/ER		NDUSTRIES		NEW =6 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$12,180.96
	_	<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$2,030.16 1) EMERGENCY	ROOM # - ROOM NAME 221 - NURSE STATION 325 - ED ALCOVE 01	EQ#: CRC04	RESP OF/VI	STATUS NEW	\$2,030.16	\$2,030.16 \$2,030.16	
	_	1	AUX \$: \$2,030.16 1) IMAGING NOTES: PLACE ON NORTH WALL; AUX \$: \$2,030.16	514 - CT SCAN SHARED BETWEEN CT AND XRAY ROOMS	CRC04	OF/VI	NEW	\$2,030.16	\$2,030.16	
		1	1) SKILLED NURSING AUX \$: \$2,030.16	833 - NURSE STATION (QTY 2)	CRC04	OF/VI	NEW	\$2,030.16	\$2,030.16	
		1	1) SURGERY AUX \$: \$2,030.16	613A - ALCOVE	CRC04	OF/VI	NEW	\$2,030.16	\$2,030.16	
		1	1) SURGERY AUX \$: \$2,030.16	622 - OR EQUIP ALCOVE 04	CRC04	OF/VI	NEW	\$2,030.16	\$2,030.16	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1006176 1 **CART, SUPPLY** INNERSPACE BY SOLAIRE NEW =1 \$1,816.88 EQ#: CRS03 3 3"-, 2 6"-, AND 1 9"-HIGH DRAWER CONFIGURATION; ACCOMMODATES A SP30W6 EXISTING =0 VARIETY OF INTERIOR AND EXTERIOR ACCESSORIES; LIGHTWEIGHT PACE 30 FUTURE =0 (WXDXH) IN: 29.25 X 21.25 X 42.50 LBS: 145.00 INFO =0 MM: 743 X 540 X 1080 KG: 66 LEASED =0 LOCATION: FLOOR CAPITAL = 0**QTY** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** CRS03 1) EMERGENCY 310 - TRIAGE OF/VI NEW \$1,816.88 \$1,816.88 AUX \$: \$1,816.88 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL NEW =19 \$25,109.07 EQ#: CRS02 NARROW ALUMINUM CART:24"DRAWER SPACE:5" SWIVEL CASTERS SPN24 EXISTING =0 W/BRAKES; ANTIMICROBIAL WORK SURFACE & DRAWER PULLS PACE 24 FUTURE =0 (WXDXH) IN: 17.50 X 21.25 X 36.12 LBS: 85.00 INFO =0 MM: 445 X 540 X 917 KG: 39 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE** CRS02 OF/VI 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA NEW \$1,321.53 \$1,321.53 AUX \$: \$1.321.53 1 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL CRS02 OF/VI NEW \$1,321.53 \$1,321.53 HEALTH AUX \$: \$1,321.53 \$1,321.53 \$1,321.53 1) EMERGENCY 320 - TREATMENT ROOM 02 CRS02 OF/VI NEW AUX \$: \$1,321.53 1) EMERGENCY 321 - TREATMENT ROOM 01 CRS02 OF/VI NEW \$1,321.53 \$1,321.53 1 AUX \$: \$1,321.53 1) SKILLED NURSING 816 - SEMI-PRIVATE PATIENT BEDROOM (QTY CRS02 OF/VI NEW \$1,321.53 \$15,858.36 12) AUX \$: \$1,321.53 1 1) SKILLED NURSING 840 - SPECIAL PURPOSE ROOM (PRIVATE & CRS02 OF/VI NEW \$1,321.53 \$1,321.53 ADA) AUX \$: \$1,321.53 1) SKILLED NURSING 842 - QUIET ROOM (PRIVATE & ADA) CRS02 OF/VI NEW \$1,321.53 \$1,321.53 AUX \$: \$1,321.53 1) SURGERY 632 - ENDO PROCEDURE ROOM CRS02 OF/VI NEW \$1.321.53 \$1.321.53 AUX \$: \$1,321.53





PlanView

SENECA HEALTHCARE DISTRICT **GENERIC SUMMARY SHD Generic Summary**

ID#	TOTAL QTY		ENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1015713	1	TH SH	ART, SUPPLY HREE WIRE ADJ HT "TUB" SHELVES (HELVES 1" DEEP); CHROME PLATED (WXDXH) IN: 30.00 X 18.00 X 30.00 MM: 762 X 457 X 762 OCATION: FLOOR		LUXOR CORPO LICWT2918 LARGE WIRE TU				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$250.00
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$250.00	ROOM # - ROOM NAME 216 - CLEAN SUPPLY ROOM		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$250.00	<u>EXTENDED</u> \$250.00	
084955 EQ#: TCRT01	2	M 24 (ART, TELEMEDICINE IOBILE TELE-COMMUNICATION SYS' 1" HD LCD DISPLAY; INTEGRATED CAI WXDXH) IN: 23.00 X 27.00 X 71.00 MM: 584 X 686 X 1803 OCATION: FLOOR	•	AVIZIA - CA750				NEW =1 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$56,000.00
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE NOTES: NEED TO CONFIRM EXIST AUX \$: \$56,000.00	ROOM # - ROOM NAME 214 - ED EQUIPMENT STORAGE ING MAKE/MODEL	<u>EQ#:</u> TCRT01	<u>RESP</u> OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
		1	1) SKILLED NURSING NOTES: NEED TO CONFIRM IF AN AUX \$: \$56,000.00	837 - DON STORAGE Y ARE EXISTING	TCRT01	OF/VI	NEW	\$56,000.00	\$56,000.00	
098933 EQ#: CRU03	3	3 T(ART, UTILITY SHELF MOBILE CART D INCLUDE: WXDXH) IN: 36.00 X 24.00 X 38.00 MM: 914 X 610 X 965 OCATION: FLOOR	LBS: 55.00 KG: 25	QUANTUM STO UTILITY CART WRC-2436-3CO		STEMS		NEW =3 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$553.41
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SURGERY AUX \$: \$184.47	ROOM # - ROOM NAME 633 - DECONTAMINATION	<u>EQ#:</u> CRU03	<u>RESP</u> OF/OI	<u>STATUS</u> NEW	PRICE \$184.47	<u>EXTENDED</u> \$184.47	
		1	1) SURGERY AUX \$: \$184.47	634 - STORAGE / PREP & PACK / STERILIZER	CRU03	OF/OI	NEW	\$184.47	\$184.47	
	L_	1	1) SURGERY AUX \$: \$184.47	635 - STERILE & CLEAN SUPPLY	CRU03	OF/OI	NEW	\$184.47	\$184.47	





PlanView

ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
067123 EQ#: CRU04	1	CART, UTILITY PLASTIC;2 SHELF;LOCKABLE DOORS;SLIDING DRAWER; BLACK;200LB CAPACITY;BACK/SIDE PANELS;4"CASTERS; 2 PUSH HANDLES (WXDXH) IN: 19.00 X 34.00 X 38.00 LBS: 45.00 MM: 483 X 864 X 965 KG: 20 LOCATION: FLOOR	RUBBERMAID COMM. PRODUCTS 3457 -	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$262.50
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) EMERGENCY 313 - DRUG ROOM AUX \$: \$262.50 313 - DRUG ROOM	<u>EQ#: RESP STATUS</u> CRU04 OF/OI NEW	PRICE EXTENDED \$262.50 \$262.50	
1005432 EQ#: CHR02		CHAIR, BLOOD DRAW ULTRA COMFORT HEAVY DUTY CHAIR DESIGNED WITH WIDER SEAT FOR I 750LBS PATIENTS OR CHILD ON A PARENT'S LAP; PADDED ARM BOARD AT (WXDXH) IN: 41.00 X 35.00 X 41.75 MM: 1041 X 889 X 1060 LOCATION: FLOOR TY FLOOR - DEPARTMENT ROOM NAME 502 - BLOOD DRAW		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE EXTENDED \$1,349.40 \$1,349.40	\$1,349.40
066897	2	AUX \$: \$1,349.40 CHAIR, COMMODE	MEDLINE INDUSTRIES, INC.	NEW =0	\$0.00
		BARIATRIC;850 LBS CAP.;DROP ARM;28"SEAT;STEEL;POWDER COATED STEEL FRAME;SEAT MOLDED PLASTIC (WXDXH) IN: 29.00 X 19.50 X 25.50 LBS: 15.00 MM: 737 X 495 X 648 KG: 7 LOCATION: FLOOR	MDS89668XW	EXISTING = 2 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	
		TY FLOOR - DEPARTMENT ROOM #- ROOM NAME 2 1) ACUTE CARE 224 - ACUTE EQUIPMENT STORAGE	<u>resp</u> <u>Status</u> OF/OI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
1009029	1	CHAIR, COMMODE 350 LBS CAPACITY; WHITE; FOLDING; STANDARD SEATING PACKAGE OF 4 G1-200X1 MODEL COMMODE CHAIRS (ID#1003895) (WXDXH) IN: 21.00 X 14.50 X 22.00 LBS: 13.00 MM: 533 X 368 X 559 KG: 6 LOCATION: FLOOR	MEDLINE INDUSTRIES INC. G1-200X4 G1-200X1	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$114.93
	_	TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS AUX \$: \$114.93	<u>RESP</u> <u>STATUS</u> OF/OI NEW	PRICE EXTENDED \$114.93 \$114.93	





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTURE	:R			STATUS	TOTAL EXTENDED PRICE
1010678	1	CHAIR, COMMODE, BARIATRIC DROP-ARM;1000 LB CAP; SEAT HEIGH ADJUSTABLE LEGS;POWDER COATED (WXDXH) IN: 22.50 X 31.50 X 19.25 MM: 572 X 800 X 489 LOCATION: FLOOR	IT ADJ 17.5"-21.5" LBS: 30.64 KG: 14	MEDLINE INDUS G1-400BDX1 G1-400BDX1		C.		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$200.00
		1 1) SKILLED NURSING NOTES: CHAIR WILL FLOAT BETW AUX \$: \$200.00	ROOM # - ROOM NAME 830 - EQUIPMENT ALCOVE EEN RESIDENT ROOMS		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$200.00	<u>EXTENDED</u> \$200.00	
081174 EQ#: CHR01	1	CHAIR, EXAM/TREATMENT PHLEBOTOMY/ENT CHAIR;375LBS CA HEIGHT 19"-36";BACKREST;RECLINE T (WXDXH) IN: 32.00 X 67.00 X 36.00 MM: 813 X 1702 X 914 LOCATION: FLOOR	· ·	UMF MEDICAL 8000 SERIES 8678				NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		1 1) LAB AUX \$: \$4,250.00	ROOM # - ROOM NAME 502 - BLOOD DRAW	<u>EQ#:</u> CHR01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
100991 EQ#: CHR07	1	(WXDXH) IN: 53.00 X 76.00 X 50.00 MM: 1346 X 1930 X 1270 LOCATION: FLOOR	UP SIDE TABLES;DIMENSIONS REFLECT LBS: 138.90 KG: 63		250		2005	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,499.00
		1 1) EMERGENCY AUX \$: \$1,499.00	ROOM # - ROOM NAME 310 - TRIAGE	EQ#: CHR07	RESP OF/OI	STATUS NEW	<u>PRICE</u> \$1,499.00	<u>EXTENDED</u> \$1,499.00	
056183 EQ#: CHR05	1	CHAIR, SALON HYDRAULIC HEIGHT ADJUST;HEAVY D LOGO FOOTREST;CALF BARS (WXDXH) IN: 30.00 X 40.00 X 35.00 MM: 762 X 1016 X 889 LOCATION: FLOOR	OUTY BASE;RECLINING	COLLINS MANU 9020 CONTINENTAL	FACTURII	NG		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,985.00
		PLOOR - DEPARTMENT 1) SKILLED NURSING AUX \$: \$1,985.00	ROOM # - ROOM NAME 815 - BEAUTY PARLOR	<u>EQ#:</u> CHR05	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$1,985.00	<u>EXTENDED</u> \$1,985.00	







ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
102251	2	CHAIR, SHOWER 500LB WT CAP;22" X 17" SEAT;WHITE ALUMINUM FRAME; (4) REAR LOCKING CASTERS;BLUE PADDED SEAT/ARMS;HT (WXDXH) IN: 26.00 X 36.00 X 42.00 LBS: 36.80 MM: 660 X 914 X 1067 KG: 17 LOCATION: FLOOR	DRIVE MEDICAL NRS185008 ALUM REHAB BARI	NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,525.30
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	RESP STATUS OF/OI NEW	PRICE EXTENDED \$762.65 \$762.65 \$762.65 \$762.65	
102250	2	CHAIR, SHOWER 275LB WT CAP; WHITE ALUMINUM FRAME; (4) 5" REAR LOCKING CASTERS; BLUE PADDED SEAT/ARMS; HT ADJ; (WXDXH) IN: 23.00 X 35.00 X 41.00 LBS: 35.00 MM: 584 X 889 X 1041 KG: 16 LOCATION: FLOOR	DRIVE MEDICAL NRS185007 ALUMINUM REHAB	NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,379.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE AUX \$: \$689.50 874 - EQUIPMENT ALCOVE	RESP STATUS OF/OI NEW	PRICE EXTENDED \$689.50 \$689.50 \$689.50 \$689.50	
1002727	_	AUX \$: \$689.50 CHAIR, TRANSPORT 800LB CAP; LIFTING ARMREST; NON-FOLDING; ANTI-TIP DESIGN TO INCLUDE: (WXDXH) IN: 31.00 X 39.00 X 41.00	STAXI CORPORATION LIMITED RA010-L-C RANGER RESP STATUS OF/OI NEW	NEW = 2 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE \$1,821.00 \$3,642.00	\$3,642.00







ID#	TOTAL QTY	GENERIC		MANUFACTURE	ER			STATUS	TOTAL EXTENDED PRICE
105868 EQ#: CHR06	1	CHAIR, ULTRASOUND ULTRASOUND CHAIR. FEATURES: BACKWAF ADJUSTABLE, SEAT HEIGHT ADJUSTABLE 23 (WXDXH) IN: 28.74 X 28.74 X 50.00 MM: 730 X 730 X 1270 LOCATION: FLOOR	,	HAG INC 8106 CAPISCO				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$952.89
			<u>M # - ROOM NAME</u> ULTRASOUND	<u>EQ#:</u> CHR06	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$952.89	<u>EXTENDED</u> \$952.89	
106541 EQ#: TBS02	1	CHAIR/TABLE, EXAM/TREATMENT 450LB. CAP; POWER HEIGHT/FOOT/BACK/T W/O ROTATION; W/ELECTRICAL RECEPTACE (WXDXH) IN: 27.00 X 83.00 X 40.00 MM: 686 X 2108 X 1016 LOCATION: FLOOR		MIDMARK COR 230-002 RITTER	PORATIO	N		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
			M # - ROOM NAME ENDO PROCEDURE ROOM	<u>EQ#:</u> TBS02	<u>RESP</u> OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
102576 EQ#: EYE01	1	CHART, EYE, WALL MOUNTED TESTING VISUAL ACUITY EYE TEST CHART-1 MATERIAL (WXDXH) IN: 11.00 X 1.00 X 24.00 MM: 279 X 25 X 610 LOCATION: WALL	0 FOOT; MATTE FINISH, BRASS LBS: 1.00 KG: 0	WESTERN OPTH OS-1935 10FT - SNELLEN		CORP		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$39.99
			M # - ROOM NAME TRIAGE	<u>EQ#:</u> EYE01	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$39.99	<u>EXTENDED</u> \$39.99	
1003893 EQ#: VAC01	1	CLEANER, CARPET / FLOOR, VACUUM, F UPRIGHT VACUUM W/ 18-INCH CLEANING BRUSH-HEIGHT ADJUSTMENT; 40 FOOT PO (WXDXH) IN: 18.00 X 11.00 X 46.00 MM: 457 X 279 X 1168 LOCATION: FLOOR	PATH;AUTOMATIC	KARCHER SENSOR XP 18 10126130				NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	_		// # - ROOM NAME HOUSEKEEPING DER FOR EXISTING VACUUM.	<u>EQ#:</u> VAC01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	EXTENDED \$0.00	







ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
1000106 EQ#: STE03	1	CLEANER, SCOPE AUTOMATED W/COMPRESSOR; DUAL BASIN; RAPICIDE PA DISINFECTANT; INDIVIDUAL CHANNEL MONITORING	MEDIVATORS REPROCESSING SYSTEMS ADV-1007 ADVANTAGE PLUS SS	NEW =1 EXISTING =0 FUTURE =0	\$99,445.00
		(WXDXH) IN: 45.00 X 37.50 X 59.00 LBS: 400.00 MM: 1143 X 953 X 1499 KG: 181 LOCATION: FLOOR		INFO =0 LEASED =0 CAPITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 634 - STORAGE / PREP & PACK / STERILIZ NOTES: POWER REQUIREMENTS: 2X NEMA 5-15 RECEPTACLES REQUIRE (X AUX \$: \$99,445.00			
104990 EQ#: SCP01	1	CLEANER, SCOPE, ACCESSORY ENDOCOPE FLUSHING AID; MANUAL CLEANING	MEDIVATORS REPROCESSING SYSTEMS SCOPE BUDDY PLUS SBP-1000	NEW =1 EXISTING =0 FUTURE =0	\$5,244.75
		(WXDXH) IN: 7.50 X 11.50 X 10.30 LBS: 10.00 MM: 191 X 292 X 262 KG: 5 LOCATION: COUNTERTOP		INFO =0 LEASED =0 CAPITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 634 - STORAGE / PREP & PACK / STERILIZ AUX \$: \$5,244.75 400 PREP & PACK / STERILIZ	EQ#: RESP STATUS PRICE ER SCP01 OF/CI NEW \$5,244.75		
1015522 EQ#: CLR01	1	CLEANER, ULTRASONIC ULTRASONIC CLEANER. FEATURES: 20 GALLON. 16 LUMEN CAPACITY. AUTO-TUNING FREQUENCIES WHICH ENSURED BY CONSTANT POWER (WXDXH) IN: 34.80 X 25.80 X 58.90 MM: 884 X 655 X 1496 KG: 209	STERIS CORPORATION IW523546NPR INNOWAVE UNITY ULTRASONIC IRRIGATOR (20 GAL)	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$45,107.60
		LOCATION: FLOOR SPEC COMMENTS: HEIGHT REFLECTS WITH LID OPEN. CLOSED: 42.5 IN. N	IAX OPERATING WEIGHT: 430LBS.	CAPITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 633 - DECONTAMINATION AUX \$: \$45,107.60	EQ#: RESP STATUS PRICE CLR01 OF/VI NEW \$45,107.60		
1003621 EQ#: CLK01	3	CLOCK, ELAPSED TIME SURFACE MOUNT;4" SLOPE BRACKET, POE;COUNT UP OR COUNT DOWN, UP TO A MAX OF 99 HOURS, 59MINUTES AND 59 SECONDS (WXDXH) IN: 23.30 X 2.40 X 8.00 MM: 592 X 61 X 203 LOCATION: WALL	PRIMEX C2005X203E	NEW =0 EXISTING =0 FUTURE =3 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	<u>Q</u>	TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	EQ#: RESP STATUS PRICE		







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA CLK01 OF/CI **FUTURE** \$0.00 \$0.00 NOTES: FUTURE ITEM; ROUGH IN ONLY AT THIS TIME 1) SURGERY 632 - ENDO PROCEDURE ROOM CLK01 OF/CI **FUTURE** \$0.00 \$0.00 NOTES: FUTURE ITEM: ROUGH IN ONLY AT THIS TIME 1) SURGERY CLK01 OF/CI **FUTURE** \$0.00 \$0.00 NOTES: FUTURE ITEM; ROUGH IN ONLY AT THIS TIME 081519 1 **COFFEE BREWER** MR. COFFEE NEW = 1\$26.99 EQ#: COF02 4-CUP PROGRAMMABLE; GRAB-A-CUP AUTO PAUSE DUAL WATER DRX5-NP EXISTING =0 WINDOW;1-HR AUTO SHUT-OFF FUTURE =0 (WXDXH) IN: 6.50 X 9.10 X 10.50 LBS: 3.20 INFO =0 MM: 165 X 231 X 267 KG: 1 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** PRICE **EXTENDED** QTY EQ#: RESP **STATUS** 1) LAB 504 - OFFICE / BREAKROOM \$26.99 1 COF02 OF/OI NEW \$26.99 AUX \$: \$26.99 083455 \$7,349.86 **COFFEE BREWER, PLUMBED** KEURIG, INC. NEW = 7 EQ#: COF01 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FLIP UP DRIP TRAY;WATER K3000SE EXISTING =0 **FILTER** COMMERCIAL FUTURE =0 (WXDXH) IN: 12.00 X 22.00 X 20.00 LBS: 35.00 INFO =0 **MM:** 305 X 559 X 508 KG: 16 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0SPEC COMMENTS: DEPTH US WITH FILTER IS 22" FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP **STATUS PRICE EXTENDED** EQ#: 1) ACUTE CARE 220 - NUTRITION ALCOVE COF01 OF/OI NEW \$1,049.98 \$1,049.98 AUX \$: \$1,049.98 1) DIETARY 715 - HOSPITAL DINING COF01 OF/OI \$1,049.98 NEW \$1,049.98 AUX \$: \$1,049.98 1) SHARED SERVICES 406 - STAFF BREAK COF01 OF/OI NEW \$1,049.98 \$1,049.98 AUX \$: \$1,049.98 1) SKILLED NURSING \$1,049.98 809 - RECREATION ROOM COF01 OF/OI NEW \$1,049.98 AUX \$: \$1,049.98 1) SKILLED NURSING 833A - ALCOVE, NOUR (QTY 2) COF01 OF/OI NEW \$1,049.98 \$2,099.96 AUX \$: \$1,049.98 1) SURGERY OF/OI NEW \$1,049.98 615 - NURSE STATION / NOUR / MEDS COF01 \$1,049.98 AUX \$: \$1,049.98







ID#	TOTAL QTY	GENERIC		MANUFACTURI	ER			STATUS	TOTAL EXTENDED PRICE
1006012 EQ#: COF04	7	COFFEE STATION COFFEE CUP & CONDIMENT ORGANI HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60 MM: 137 X 279 X 320 LOCATION: COUNTERTOP	ZER; BLACK; PLASTIC; CHROME LBS: 2.00 KG: 1	MIND READER EMS-CAD01BLK CADDY ORGANI				NEW = 7 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$315.00
		THE PROPERTY OF STREET TO STREET THE PROPERTY OF STREET THE PROPERTY	ROOM # - ROOM NAME 220 - NUTRITION ALCOVE	<u>EQ#:</u> COF04	RESP OF/OI	STATUS NEW	PRICE \$45.00	EXTENDED \$45.00	
		1 1) DIETARY AUX \$: \$45.00	715 - HOSPITAL DINING	COF04	OF/OI	NEW	\$45.00	\$45.00	
		1 1) SHARED SERVICES AUX \$: \$45.00	406 - STAFF BREAK	COF04	OF/OI	NEW	\$45.00	\$45.00	
		1 1) SKILLED NURSING AUX \$: \$45.00	809 - RECREATION ROOM	COF04	OF/OI	NEW	\$45.00	\$45.00	
		2 1) SKILLED NURSING AUX \$: \$45.00	833A - ALCOVE, NOUR (QTY 2)	COF04	OF/OI	NEW	\$45.00	\$90.00	
		1 1) SURGERY AUX \$: \$45.00	615 - NURSE STATION / NOUR / MEDS	COF04	OF/OI	NEW	\$45.00	\$45.00	
1014543 EQ#: CPR01	1	COMPRESSION DEVICE CHEST COMPRESSION SYSTEM TO INITIAL LUCAS 3.0 CHEST COMPRESSION (WXDXH) IN: 21.00 X 22.00 X 10.00 MM: 533 X 559 X 254 LOCATION: WALL TY FLOOR - DEPARTMENT		STRYKER - PHYS 99576-000043 LUCAS 3.0	RESP	ROL, INC	PRICE	NEW = 0 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED	\$0.00
		1 1) EMERGENCY	317 - TREATMENT ROOM 05, TRAUMA	EQ#: CPR01	OF/OI	EXISTING	\$0.00	\$0.00	
100859 EQ#: WST02	6	CONTAINER, BIOHAZARD RED;64 GALLON;2 WHEEL;HINGED LI 2-4"CASTERS;PLASTIC (WXDXH) IN: 24.75 X 32.00 X 44.25 MM: 629 X 813 X 1124	D;2-10"WHEELS LBS: 45.30 KG: 21	TOTER INC. RMC64-00RED				NEW =6 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$1,836.66
		LOCATION: FLOOR						CAPITAL = 0	
	_	1 1) ACUTE CARE AUX \$: \$306.11	ROOM # - ROOM NAME 213 - SOILED HOLDING ROOM	<u>EQ#:</u> WST02	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$306.11	\$306.11	
		2 1) SHARED SERVICES AUX \$: \$306.11	414 - BIOHAZARD WASTE	WST02	OF/OI	NEW	\$306.11	\$612.22	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 2 1) SURGERY 630 - SOILED UTILITY WST02 OF/OI NEW \$306.11 \$612.22 AUX \$: \$306.11 1) SURGERY 633 - DECONTAMINATION WST02 OF/OI NEW \$306.11 \$306.11 AUX \$: \$306.11 082533 \$23,980.20 **DEFIBRILLATOR ZOLL MEDICAL CORPORATION** NEW = 1EQ#: DEF01 R SERIES ALS DEFIBRILLATOR; AED W/MANUAL OVERRIDE; GUIDELINES 2010 30120005201310012 EXISTING =1 COMPATIBLE; CODE READINESS TESTING SYSTEM; RECTILINEAR BIPHASIC R SERIES ALS FUTURE =0 (WXDXH) IN: 10.50 X 12.50 X 8.20 LBS: 15.20 INFO =0 KG: 7 **MM**: 267 X 318 X 208 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0QTY **FLOOR - DEPARTMENT** ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1 1) IMAGING 514 - CT SCAN DEF01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$23,980.20 1) SKILLED NURSING 833 - NURSE STATION (QTY 2) DEF01 OF/OI NEW \$23,980.20 \$23,980.20 AUX \$: \$23,980.20 082533 \$47,960.40 **DEFIBRILLATOR ZOLL MEDICAL CORPORATION** NEW = 2EQ#: DEF01 R SERIES ALS DEFIBRILLATOR; AED W/MANUAL OVERRIDE; GUIDELINES 2010 30120005201310012 EXISTING =2 COMPATIBLE; CODE READINESS TESTING SYSTEM; RECTILINEAR BIPHASIC R SERIES ALS FUTURE =0 (WXDXH) IN: 10.50 X 12.50 X 8.20 LBS: 15.20 INFO =0 MM: 267 X 318 X 208 KG: 7 LEASED =0 LOCATION: COUNTERTOP CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS** PRICE **EXTENDED** 1 1) ACUTE CARE 221 - NURSE STATION DEF01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$23,980.20 1) EMERGENCY 325 - ED ALCOVE 01 DEF01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$23,980.20 1) SURGERY 613A - ALCOVE DEF01 OF/OI NEW \$23,980.20 \$23,980.20 1 AUX \$: \$23,980.20 1) SURGERY 622 - OR EQUIP ALCOVE 04 DEF01 OF/OI NEW \$23,980.20 \$23,980.20 AUX \$: \$23,980.20 069814 DIAGNOSTIC SET WELCH ALLYN, INC. **NEW = 6** \$8,684.22 EQ#: DIAG01 GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; SPHYG; TEMP 77791-1MPX EXISTING =0 TO INCLUDE: **GS 777 SERIES** FUTURE =0 (WXDXH) IN: 34.00 X 6.00 X 12.00 LBS: 25.00 INFO =0 **MM**: 864 X 152 X 305 **KG**: 11 LEASED =0 LOCATION: WALL CAPITAL = 0QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS PRICE EXTENDED**







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 310 - TRIAGE DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 AUX \$: \$1,447.37 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 AUX \$: \$1,447.37 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 HEALTH AUX \$: \$1,447.37 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 AUX \$: \$1,447.37 1) EMERGENCY 320 - TREATMENT ROOM 02 DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 AUX \$: \$1,447.37 1) EMERGENCY 321 - TREATMENT ROOM 01 DIAG01 OF/CI NEW \$1,447.37 \$1,447.37 AUX \$: \$1,447.37 101226 **GE MEDICAL SYSTEMS** \$9,455.70 DISINFECTOR NEW = 1ULTRASOUND TRANSDUCER DISINFECTOR;7 MIN CYCLE TIME;ELECTRONIC E8350MA EQ#: DIS01 EXISTING =0 CYCLE LOGGING; W/WALL-MOUNTED PRINTER; (PRINTER IS 5X9X7") TROPHON 2 FUTURE =0 (WXDXH) IN: 14.20 X 12.50 X 21.00 LBS: 56.90 INFO =0 **MM:** 361 X 318 X 533 KG: 26 LEASED =0 LOCATION: WALL CAPITAL = 0QTY **FLOOR - DEPARTMENT ROOM # - ROOM NAME** EQ#: RESP **STATUS PRICE EXTENDED** 1) IMAGING 509 - ULTRASOUND DIS01 OF/CI NEW \$9,455.70 \$9,455.70 **AUX \$:** \$9,455.70 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** NEW =60 \$3,420.00 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER EQ#: GLV01 EXISTING =0 MOUNT; VERTICAL/HORIZONTAL GP-061 FUTURE =0 LBS: 2.00 (WXDXH) IN: 22.45 X 3.88 X 10.00 INFO =0 MM: 570 X 99 X 254 KG: 1 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** EQ#: RESP STATUS PRICE 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE GLV01 OF/CI NEW \$57.00 \$57.00 AUX \$: \$57.00 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/CI GLV01 NEW \$57.00 \$57.00 AUX \$: \$57.00 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE GLV01 OF/CI NEW \$57.00 \$57.00 AUX \$: \$57.00 1) ACUTE CARE 1 206 - PATIENT ROOM, PRIVATE GLV01 OF/CI NEW \$57.00 \$57.00 AUX \$: \$57.00







TOTAL ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

	GENERIC	MA	NUFACTUR	ER			STATUS
1	1) ACUTE CARE AUX \$: \$57.00	208 - PAITENT ROOM, PRIVATE	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) ACUTE CARE AUX \$: \$57.00	210 - PATIENT ROOM, ACCESSIBLE ISOLATION	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) ACUTE CARE AUX \$: \$57.00	211 - ANTEROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) ACUTE CARE AUX \$: \$57.00	213 - SOILED HOLDING ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) ACUTE CARE AUX \$: \$57.00	218 - MED ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
3	1) DIETARY AUX \$: \$57.00	713 - DISHROOM	GLV01	OF/CI	NEW	\$57.00	\$171.00
1	1) EMERGENCY AUX \$: \$57.00	310 - TRIAGE	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) EMERGENCY AUX \$: \$57.00	313 - DRUG ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) EMERGENCY AUX \$: \$57.00	317 - TREATMENT ROOM 05, TRAUMA	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) EMERGENCY	318 - TREATMENT ROOM 04, BEHAVIORAL HEALTH	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	AUX \$: \$57.00 1) EMERGENCY AUX \$: \$57.00	319 - TREATMENT ROOM 03, ISOLATION	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) EMERGENCY AUX \$: \$57.00	320 - TREATMENT ROOM 02	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) EMERGENCY AUX \$: \$57.00	321 - TREATMENT ROOM 01	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) IMAGING AUX \$: \$57.00	509 - ULTRASOUND	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) IMAGING AUX \$: \$57.00	512 - GENERAL RADIOLOGY	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) IMAGING AUX \$: \$57.00	514 - CT SCAN	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) LAB AUX \$: \$57.00	500 - MICROBIOLOGY	GLV01	OF/CI	NEW	\$57.00	\$57.00
2	1) LAB AUX \$: \$57.00	502 - BLOOD DRAW	GLV01	OF/CI	NEW	\$57.00	\$114.00
1	1) LAB AUX \$: \$57.00	503 - LABORATORY	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) LAB AUX \$: \$57.00	503 - LABORATORY	GLV01	OF/CI	NEW	\$57.00	\$57.00





ID#

SENECA HEALTHCARE DISTRICT GENERIC SUMMARY SHD Generic Summary



TOTAL

QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

2	1) LAB AUX \$: \$57.00	503 - LABORATORY	GLV01	OF/CI	NEW	\$57.00	\$114.00
1	1) LAB AUX \$: \$57.00	503P - LABORATORY (PROCESSING)	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) PT/OT/RT AUX \$: \$57.00	604 - RT WORK / STORAGE	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) PT/OT/RT AUX \$: \$57.00	801 - THERAPY	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SKILLED NURSING AUX \$: \$57.00	806 - DINING ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SKILLED NURSING AUX \$: \$57.00	809 - RECREATION ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SKILLED NURSING AUX \$: \$57.00	814 - MED ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
12	1) SKILLED NURSING AUX \$: \$57.00	816 - SEMI-PRIVATE PATIENT BEDROOM (QTY 12)	GLV01	OF/CI	NEW	\$57.00	\$684.00
2	1) SKILLED NURSING AUX \$: \$57.00	834 - CENTRAL BATHING (QTY 2)	GLV01	OF/CI	NEW	\$57.00	\$114.00
1	1) SKILLED NURSING AUX \$: \$57.00	840 - SPECIAL PURPOSE ROOM (PRIVATE & ADA)	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SKILLED NURSING AUX \$: \$57.00	842 - QUIET ROOM (PRIVATE & ADA)	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	607 - PACU 3	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	608 - PACU 2	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	609 - PACU 1	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	615 - NURSE STATION / NOUR / MEDS	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	630 - SOILED UTILITY	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	632 - ENDO PROCEDURE ROOM	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	633 - DECONTAMINATION	GLV01	OF/CI	NEW	\$57.00	\$57.00
1	1) SURGERY AUX \$: \$57.00	635 - STERILE & CLEAN SUPPLY	GLV01	OF/CI	NEW	\$57.00	\$57.00







\$0.00

\$0.00

\$0.00

TOTAL TOTAL **EXTENDED PRICE** QTY **GENERIC MANUFACTURER STATUS** 1) SURGERY 636 - OR GLV01 OF/CI NEW \$57.00 \$57.00 AUX \$: \$57.00

104161 EQ#: MED03

ID#



DISPENSER, MEDICATION, AUTOMATED MAIN; 2 DRAWER; 14.75"LCD MONITOR; KEYBOARD; TOUCHPAD; BIO-ID FINGERPRINT ID SYSTEM

BD CAREFUSION PYXIS NEW = 0**MEDSTATION ES 323** EXISTING =0 2 DRAWER MAIN

FUTURE =0 INFO =0

LEASED =1

MM: 584 X 686 X 711 KG: 46 **LOCATION: COUNTERTOP**

CAPITAL = 0**EXTENDED**

FLOOR - DEPARTMENT QTY ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE 615 - NURSE STATION / NOUR / MEDS OF/VI LEASED \$0.00 1 1) SURGERY MED03 \$0.00

105662 EQ#: MED04 3

1



DISPENSER, MEDICATION, AUTOMATED **DOUBLE COLUMN AUXILIARY;8 DOORS**

(WXDXH) IN: 23.00 X 27.00 X 28.00

BD CAREFUSION PYXIS DOUBLE COLUMN AUX

NEW = 0EXISTING =0

MEDSTATION ES (WXDXH) IN: 52.00 X 28.00 X 80.00 LBS: 470.50 MM: 1321 X 711 X 2032 KG: 213

LBS: 100.70

FUTURE =0 INFO =0

LEASED =3 LOCATION: FLOOR

CAPITAL = 0

QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 218 - MED ROOM MED04 OF/VI LEASED \$0.00 \$0.00 NOTES: 1 IS AN ADD OVER CURRENT CONDITION AUX \$: \$12,500.00 1) EMERGENCY 313 - DRUG ROOM MED04 OF/VI LEASED \$0.00 \$0.00 NOTES: 1 IS AN ADD OVER CURRENT CONDITION

AUX \$: \$12,500.00

104140 EQ#: MED01



DISPENSER, MEDICATION, AUTOMATED

6 DRAWER; LCD MONITOR; KEYBOARD; BARCODE SCANNER; BIOMETRIC ACCESS SYSTEM; SECURE HALF AND FULL HEIGHT CUBIE POCKETS AND

BD CAREFUSION PYXIS MEDSTATION ES 323

MED01

OF/VI

LEASED

NEW = 0EXISTING =0

6 DRAWER MAIN (WXDXH) IN: 23.00 X 27.00 X 55.00 LBS: 166.00

FUTURE =0

MM: 584 X 686 X 1397 KG: 75

INFO =0 LEASED =2

LOCATION: FLOOR CAPITAL = 0

FLOOR - DEPARTMENT ROOM # - ROOM NAME PRICE **EXTENDED** EQ#: RESP **STATUS** 218 - MED ROOM 1) ACUTE CARE MED01 OF/VI LEASED \$0.00 \$0.00 NOTES: ADD OVER CURRENT CONDITION

AUX \$: \$36,881.00 1) EMERGENCY 313 - DRUG ROOM \$0.00 \$0.00

AUX \$: \$36,881.00







ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
089012 EQ#: MED02	3	DISPENSER, MEDICATION, AUTON 7-DRAWER AUXILIARY;18-GAUGE SH REAR PANEL		7-DRAWER AUX	BD CAREFUSION PYXIS 7-DRAWER AUXILIARY MEDSTATION ES 7-DRAWER AUXILIARY			NEW =0 EXISTING =0 FUTURE =0	\$0.00
		(WXDXH) IN: 23.00 X 27.00 X 47.00 MM: 584 X 686 X 1194 LOCATION: FLOOR	LBS: 133.00 KG: 60					INFO =0 LEASED =3 CAPITAL = 0	
		TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$7,500.00	ROOM # - ROOM NAME 218 - MED ROOM	EQ#: MED02	RESP OF/VI	<u>STATUS</u> LEASED	PRICE \$0.00	<u>EXTENDED</u> \$0.00	
		1 1) EMERGENCY AUX \$: \$7,500.00 1 1) SKILLED NURSING	313 - DRUG ROOM	MED02	OF/VI	LEASED	\$0.00	\$0.00	
		1 1) SKILLED NURSING	814 - MED ROOM	MED02	OF/VI	LEASED	\$0.00	\$0.00	
104140 EQ#: MED01	1	DISPENSER, MEDICATION, AUTOMATED 6 DRAWER; LCD MONITOR; KEYBOARD; BARCODE SCANNER; BIOMETRIC ACCESS SYSTEM; SECURE HALF AND FULL HEIGHT CUBIE POCKETS AND			BD CAREFUSION PYXIS MEDSTATION ES 323 6 DRAWER MAIN				\$0.00
3		(WXDXH) IN: 23.00 X 27.00 X 55.00 MM: 584 X 686 X 1397 LOCATION: FLOOR		O DIWWEN IN				FUTURE =0 INFO =0 LEASED =1	
		LOCATION: FLOOR						CAPITAL = 0	
		TY FLOOR - DEPARTMENT 1 1) SKILLED NURSING	ROOM # - ROOM NAME 814 - MED ROOM	EQ#: MED01	<u>RESP</u> OF/VI	STATUS LEASED	<u>PRICE</u> \$0.00	EXTENDED \$0.00	
105662 EQ#: MED04	1	DISPENSER, MEDICATION, AUTON DOUBLE COLUMN AUXILIARY;8 DOO		BD CAREFUSIO DOUBLE COLUI MEDSTATION E	MN AUX			NEW =0 EXISTING =0	\$0.00
	(WXDXH) IN: 52.00 X 28.00 X 80.00 LBS: 470.50 MM: 1321 X 711 X 2032 KG: 213 LOCATION: FLOOR			WESSIMMON E	-			FUTURE = 0 INFO = 0 LEASED = 1 CAPITAL = 0	
		Y FLOOR - DEPARTMENT 1 1) SKILLED NURSING	ROOM # - ROOM NAME 814 - MED ROOM	<u>EQ#:</u> MED04	RESP OF/VI	<u>STATUS</u> LEASED	<u>PRICE</u> \$0.00	EXTENDED \$0.00	
1015399	2	KIT INCLUDES:		BOWMAN MANUFACTURING COMPANY BD114-0012			ı	NEW =2 EXISTING =0	\$758.00
5 0	- RS004-0212 RESPIRATORY HYGIENE STATION (WXDXH) IN: 22.25 X 17.00 X 58.06 LBS: 18.10 MM: 565 X 432 X 1475 KG: 8			COMPLIANCE KIT				FUTURE =0 INFO =0	
		LOCATION: FLOOR	NO. 0					LEASED =0 CAPITAL = 0	
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME				RESP	<u>STATUS</u>	PRICE	EXTENDED	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 307 - ED VESTIBULE OF/OI NEW \$379.00 \$379.00 AUX \$: \$379.00 1) SHARED SERVICES 100 - LOBBY OF/OI NEW \$379.00 \$379.00 AUX \$: \$379.00 055619 **DISPOSAL CONTAINER, SHARPS W/BRACKET** \$1,791.24 **BECTON DICKINSON** NEW =46 RED;5.4QT;SIDE ENTRY;W/WALL BRACKET 305517/305447 EQ#: DSP01 EXISTING =0 FUTURE =0 (WXDXH) IN: 12.00 X 8.75 X 10.75 LBS: 2.54 INFO =0 **KG**: 1 **MM**: 305 X 222 X 273 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE DSP01 OF/CI NEW \$38.94 \$77.88 AUX \$: \$38.94 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE DSP01 OF/CI NEW \$38.94 \$77.88 AUX \$: \$38.94 1 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE DSP01 OF/CI NEW \$38.94 \$38.94 AUX \$: \$38.94 1 1) ACUTE CARE OF/CI 206 - PATIENT ROOM, PRIVATE DSP01 NEW \$38.94 \$38.94 AUX \$: \$38.94 1 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE DSP01 OF/CI NEW \$38.94 \$38.94 AUX \$: \$38.94 1 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION OF/CI DSP01 NEW \$38.94 \$38.94 AUX \$: \$38.94 1) ACUTE CARE 218 - MED ROOM DSP01 OF/CI NEW \$38.94 \$38.94 AUX \$: \$38.94 1 1) EMERGENCY 310 - TRIAGE DSP01 OF/CI NEW \$38.94 \$38.94 AUX \$: \$38.94 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA DSP01 OF/CI NEW \$38.94 \$77.88 NOTES: 1 SHARPS ON WALL; 1 SHARPS ON SUPPLY CART AUX \$: \$38.94 318 - TREATMENT ROOM 04, BEHAVIORAL OF/CI 2 1) EMERGENCY DSP01 NEW \$38.94 \$77.88 HEALTH NOTES: 1 SHARPS ON WALL; 1 SHARPS ON SUPPLY CART AUX \$: \$38.94 1) EMERGENCY DSP01 OF/CI \$38.94 \$77.88 319 - TREATMENT ROOM 03, ISOLATION NEW NOTES: 1 SHARPS ON WALL; 1 SHARPS ON SUPPLY CART AUX \$: \$38.94 1) EMERGENCY 320 - TREATMENT ROOM 02 DSP01 OF/CI NEW \$38.94 \$77.88 AUX \$: \$38.94





ID#

SENECA HEALTHCARE DISTRICT **GENERIC SUMMARY SHD Generic Summary**



TOTAL TOTAL

	GENERIC	M	ER		STATUS	EXTENDED PRI		
2	1) EMERGENCY NOTES: 1 SHARPS ON WA AUX \$: \$38.94	321 - TREATMENT ROOM 01 ALL; 1 SHARPS ON SUPPLY CART	DSP01	OF/CI	NEW	\$38.94	\$77.88	
1	1) IMAGING AUX \$: \$38.94	509 - ULTRASOUND	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) IMAGING AUX \$: \$38.94	512 - GENERAL RADIOLOGY	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) IMAGING AUX \$: \$38.94	514 - CT SCAN	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) PT/OT/RT AUX \$: \$38.94	604 - RT WORK / STORAGE	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SKILLED NURSING AUX \$: \$38.94	809 - RECREATION ROOM	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SKILLED NURSING AUX \$: \$38.94	814 - MED ROOM	DSP01	OF/CI	NEW	\$38.94	\$38.94	
12	1) SKILLED NURSING AUX \$: \$38.94	816 - SEMI-PRIVATE PATIENT BEDROOM (QTY 12)	DSP01	OF/CI	NEW	\$38.94	\$467.28	
1	1) SKILLED NURSING AUX \$: \$38.94	840 - SPECIAL PURPOSE ROOM (PRIVATE & ADA)	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SKILLED NURSING AUX \$: \$38.94	842 - QUIET ROOM (PRIVATE & ADA)	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	607 - PACU 3	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	608 - PACU 2	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	609 - PACU 1	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	615 - NURSE STATION / NOUR / MEDS	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	632 - ENDO PROCEDURE ROOM	DSP01	OF/CI	NEW	\$38.94	\$38.94	
1	1) SURGERY AUX \$: \$38.94	636 - OR	DSP01	OF/CI	NEW	\$38.94	\$38.94	

053801 EQ#: DSP02



DISPOSAL CONTAINER, SHARPS W/ENCLOSURE 12 QUART; WALL ENCLOSURE W/CONTAINER INSERT

KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA

NEW =7 EXISTING =0 FUTURE =0

INFO =0

LEASED =0

CAPITAL = 0

(WXDXH) IN: 15.00 X 7.00 X 18.00 MM: 381 X 178 X 457 **KG**: 3 LOCATION: WALL

LBS: 6.00







TOTAL

TOTAL **EXTENDED PRICE** ID# QTY **GENERIC** MANUFACTURER STATUS

QTY	FLOOR - DEPARTMENT	ROOM # - ROOM NAME	EQ#:	RESP	STATUS	PRICE	EXTENDED
1	1) LAB	500 - MICROBIOLOGY	DSP02	OF/CI	NEW	\$70.00	\$70.00
	NOTES: 6/6/2023: PLACE AUX \$: \$70.00	NEAR MICROSCOPES					
2	1) LAB AUX \$: \$70.00	502 - BLOOD DRAW	DSP02	OF/CI	NEW	\$70.00	\$140.00
1	1) LAB NOTES: 6/6/2023: PLACE AUX \$: \$70.00	503 - LABORATORY NEAR MICROSCOPES	DSP02	OF/CI	NEW	\$70.00	\$70.00
1	1) LAB NOTES: 6/6/2023: PLACE AUX \$: \$70.00	503 - LABORATORY NEAR MICROSCOPES	DSP02	OF/CI	NEW	\$70.00	\$70.00
1	1) LAB NOTES: 6/6/2023: PLACE AUX \$: \$70.00	503 - LABORATORY NEAR MICROSCOPES	DSP02	OF/CI	NEW	\$70.00	\$70.00
1	1) LAB NOTES: 6/6/2023: PLACE AUX \$: \$70.00	503P - LABORATORY (PROCESSING) NEAR MICROSCOPES	DSP02	OF/CI	NEW	\$70.00	\$70.00

COVIDIEN

8528C/8836SA

NEW =5

INFO =0

EXISTING =0

FUTURE =0

LEASED =0

CAPITAL = 0

1003160 EQ#: DSPP03



DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL

LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON PHARMASAFETY CONTAINER LEAK RESISTANT; TAMPER EVIDENT; SECURE HINGED

(WXDXH) IN: 13.75 X 6.00 X 16.50 LBS: 5.00 **MM**: 349 X 152 X 419 **KG**: 2

LOCATION: WALL

SPEC COMMENTS: DIMENSIONS OF BRACKET: 13.75" X 6.5" X 11.75" (W X D X H)

<u>QTY</u> 1	FLOOR - DEPARTMENT 1) EMERGENCY AUX \$: \$39.00	ROOM # - ROOM NAME 317 - TREATMENT ROOM 05, TRAUMA	EQ#: DSPP03	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$39.00	<u>EXTENDED</u> \$39.00
1	1) IMAGING AUX \$: \$39.00	514 - CT SCAN	DSPP03	OF/OI	NEW	\$39.00	\$39.00
1	1) SURGERY AUX \$: \$39.00	615 - NURSE STATION / NOUR / MEDS	DSPP03	OF/OI	NEW	\$39.00	\$39.00
1	1) SURGERY AUX \$: \$39.00	632 - ENDO PROCEDURE ROOM	DSPP03	OF/OI	NEW	\$39.00	\$39.00
1	1) SURGERY AUX \$: \$39.00	636 - OR	DSPP03	OF/OI	NEW	\$39.00	\$39.00



\$195.00





ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
099493 EQ#: DSPP04	4	DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL "GO GREEN" SYSTEM; COMPLIANCE WITH REGULATORY GUIDELINES; AUTOMATED, TAMPER-PROOF, BATTERY	CACTUS, A STRYKER COMPANY SMART SINK	NEW =4 EXISTING =0	\$4,156.00
		(WXDXH) IN: 15.50 X 9.50 X 12.50 LBS: 17.00 MM: 394 X 241 X 318 KG: 8 LOCATION: WALL		FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	
		TY	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> <u>PRI</u> DSPP04 OF/CI NEW \$1,039.		
		1 1) EMERGENCY 313 - DRUG ROOM AUX \$: \$1,039.00	DSPP04 OF/CI NEW \$1,039.	00 \$1,039.00	
		1 1) SKILLED NURSING 814 - MED ROOM AUX \$: \$1,039.00	DSPP04 OF/CI NEW \$1,039.	00 \$1,039.00	
		1 1) SURGERY 615 - NURSE STATION / NOUR / MEDS AUX \$: \$1,039.00	DSPP04 OF/CI NEW \$1,039.	00 \$1,039.00	
087350	3	DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL 8 GAL;SLIDE LID;10/CS;WHITE (WXDXH) IN: 16.00 X 11.00 X 18.00 MM: 406 X 279 X 457 LOCATION: FLOOR	KENDALL HEALTHCARE, COVIDIEN 8851 PHARMA	NEW =3 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$57.00
		RTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) ACUTE CARE 218 - MED ROOM AUX \$: \$19.00 AUX \$ - ROOM NAME	RESP STATUS PRI OF/OI NEW \$19.		
		1 1) EMERGENCY 313 - DRUG ROOM AUX \$: \$19.00	OF/OI NEW \$19.	00 \$19.00	
		1 1) SKILLED NURSING 814 - MED ROOM AUX \$: \$19.00	OF/OI NEW \$19.	00 \$19.00	
1008257 EQ#: DRY01	1	DRYER, HAIR FEATURES LARGE HOOD; INCLUDES VARIABLE TIME AND TEMPERATURE SETTINGS; (WXDXH) IN: 17.50 X 17.50 X 72.00 LBS: 45.00 MM: 445 X 445 X 1829 KG: 20 LOCATION: FLOOR	COLLINS MANUFACTURING 1433S TEMPTURA ULTRA	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$593.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SKILLED NURSING 815 - BEAUTY PARLOR AUX \$: \$593.00	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> <u>PRI</u> DRY01 OF/CI NEW \$593.		





ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1015158	3	ELECTRICAL OUTLET STRIP 15 AMP/120V. 15 FOOT CORD. DIMENSION	NS: 19.8" X 1.9" X 1.7"	GLOBAL INDUS WB500883	TRIAL			NEW =3 EXISTING =0 FUTURE =0	\$92.85
		(WXDXH) IN: 2.00 X 19.00 X 2.00 MM: 51 X 483 X 51 LOCATION: SPACE	LBS: 2.00 KG: 1					INFO =0 LEASED =0 CAPITAL = 0	
			M # - ROOM NAME - MAINTENANCE		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$30.95	<u>EXTENDED</u> \$92.85	
106032 EQ#: ECG01	1	ELECTROCARDIOGRAPH WIRELESS;15" COLOR TOUCH SCREEN;UP T REFLECT AN OPEN DISPLAY (38" HT WHEN	CLOSED)	PHILIPS MEDICA 860315/860318 PAGEWRITER TO	3	1S		NEW =1 EXISTING =0 FUTURE =0	\$15,000.00
	(WXDXH) IN: 20.10 X 25.90 X 53.00 LBS: 200.00 MM: 511 X 658 X 1346 KG: 91 LOCATION: FLOOR				INFO =0 LEASED =0 CAPITAL = 0				
			M # - ROOM NAME - ED ALCOVE 02	<u>EQ#:</u> ECG01	RESP OF/OI	STATUS NEW	PRICE \$15,000.00	EXTENDED \$15,000.00	
1014726 EQ#: ESU05	1	ELECTROSURGICAL UNIT TISSUEFECT; TISSUE SENSING TECHNOLOGY COAGULATION MONOPOLAR MODES (WXDXH) IN: 14.50 X 18.20 X 6.70 MM: 368 X 462 X 170 LOCATION: COUNTERTOP	Y;CLOSED LOOP CONTROL, CUT, LBS: 22.30 KG: 10	VALLEYLAB, A C VLFT10GEN FT10	OVIDIEN	BRAND		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$16,500.00
		TY FLOOR - DEPARTMENT ROO! 1 1) SURGERY 636 - NOTES: LOCATION ON BOOM AUX \$: \$16,500.00	M#-ROOM NAME - OR	<u>EQ#:</u> ESU05	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$16,500.00	EXTENDED \$16,500.00	
037835 EQ#: ESU03	1	ELECTROSURGICAL UNIT LOW POWER UNIT; FOR ALL GENERAL SUR PROCEDURES; MICROPROCESSOR ISOLATE (WXDXH) IN: 17.00 X 11.00 X 6.00 MM: 432 X 279 X 152		VALLEYLAB, A C - FORCE 1C	OVIDIEN	BRAND		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0	\$0.00

EQ#:

RESP



LOCATION: COUNTERTOP

ROOM # - ROOM NAME

QTY FLOOR - DEPARTMENT

CAPITAL = 0

EXTENDED

PRICE

STATUS



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
		1 1) SURGERY NOTES: LOCATED ON BOOM AUX \$: \$4,340.00	632 - ENDO PROCEDURE ROOM	ESU03	OF/OI	EXISTING	\$0.00	\$0.00	
094356	1	EXERCISE UNIT, DUMBBELLS SET OF 10 NEOPRENE COATED CAST 1 EA, 1-10 LBS; WEIGHT IS THE TOTA LOCATION: SPACE	•	PERFORMANCE 081513878 INDIVIDUAL NE				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$100.00
		1 1) PT/OT/RT AUX \$: \$100.00	ROOM # - ROOM NAME 801 - THERAPY		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$100.00	<u>EXTENDED</u> \$100.00	
065262 EQ#: EXR02	1	EXERCISE UNIT, ERGOMETER, AR UPPER/LOWER BODY EXERCISER; M, DIGITAL DISPLAY; ADJUSTABLE BASE (WXDXH) IN: 17.00 X 9.00 X 17.00 MM: 432 X 229 X 432 LOCATION: COUNTERTOP	AGNETIC RESISTANCE	PERFORMANCE 554035 MAGNETIC RES		CARE		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		PRITY FLOOR - DEPARTMENT 1 1) PT/OT/RT	ROOM # - ROOM NAME 801 - THERAPY	<u>EQ#:</u> EXR02	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
102949 EQ#: PUL01	1	EXERCISE UNIT, PULLEY, WALL 2-42" ALUMINUM WALL TRACKS W, INSTRUCTION POSTER;7 PROGRESSI (WXDXH) IN: 6.00 X 2.00 X 84.00 MM: 152 X 51 X 2134 LOCATION: WALL	•	PERFORMANCE THERA-BAND C 087106779		CARE		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$450.00
		PTOT FLOOR - DEPARTMENT 1) PT/OT/RT AUX \$: \$450.00	ROOM # - ROOM NAME 801 - THERAPY	<u>EQ#:</u> PUL01	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$450.00	<u>EXTENDED</u> \$450.00	
103132 EQ#: STP01	1	EXERCISE UNIT, STAIRCASE TRAINING STAIRS WITH BUS STEP;(3 RISERS ON THE OTHER. WHEN BUS. (WXDXH) IN: 31.00 X 55.00 X 48.00 MM: 787 X 1397 X 1219 LOCATION: FLOOR	STEP IS INSTALLED, A 12" RISER IS	PERFORMANCE 081535582 EQ#:	RESP	STATUS		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED	\$1,060.06







ID#	TOTAL QTY	GENERIC		MANUFACT	URER			STATUS	TOTAL EXTENDED PRICE
		1 1) PT/OT/RT AUX \$: \$1,060.06	801 - THERAPY	STPC	01 OF/OI	NEW	\$1,060.06	\$1,060.06	
092574	1	EXERCISE UNIT, WEIGHT BAR SET OF 5;1,2,3,4,5LB WEIGHTS;GRAY	' BAR W/CLR LABEL	PERFORMA 540014 081035013	NCE HEALTH	ICARE		NEW =1 EXISTING =0 FUTURE =0	\$221.19
		(WXDXH) IN: 30.00 X 1.50 X 1.50 MM: 762 X 38 X 38 LOCATION: SPACE	LBS: 15.00 KG: 7					INFO =0 LEASED =0 CAPITAL = 0	
		QTY FLOOR - DEPARTMENT 1 1) PT/OT/RT AUX \$: \$221.19	ROOM # - ROOM NAME 801 - THERAPY		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$221.19	<u>EXTENDED</u> \$221.19	
1005075	1	EXERCISE UNIT, WEIGHT, WRIST A 18 PIECES;ANKLE/WRIST;2 EA. 1LB,	AND ANKLE 1.5LB, 2LB., 2.5LB, 3LB, 4LB, 5LB, 7.5LB	PERFORMA 5170Y	NCE HEALTH	l		NEW =1 EXISTING =0	\$344.29
		AND LOCATION: SPACE	LBS: 73.00 KG: 33	SET Y				FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	
	9	QTY FLOOR - DEPARTMENT 1 1) PT/OT/RT AUX \$: \$344.29	ROOM # - ROOM NAME 801 - THERAPY		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$344.29	<u>EXTENDED</u> \$344.29	
078097 EQ#: RCK07	3	EXERCISE UNIT, WEIGHTS ACCESS STRIP; WALL MOUNTED HOLDS 11 DU PRE-DRILLED MOUNTING HOLES; POI (WXDXH) IN: 3.00 X 2.00 X 55.00 MM: 76 X 51 X 1397 LOCATION: WALL	UMBBELLS;GRAY	CLINTON IN 5113K -	DUSTRIES			NEW =3 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$284.46
		QTY FLOOR - DEPARTMENT 1) PT/OT/RT AUX \$: \$94.82	ROOM # - ROOM NAME 801 - THERAPY	EQ# RCK(STATUS NEW	<u>PRICE</u> \$94.82	<u>EXTENDED</u> \$284.46	
072847 EQ#: EXR03	1	EXERCISE, STEPPER RECUMBENT FULL BODY; RECUMBENT STEPPER; 4C ACCOMMODATES USERS FROM 4'6"- (WXDXH) IN: 27.00 X 60.00 X 45.00 MM: 686 X 1524 X 1143	-6'4";USER CONTROLLED	NUSTEP, IN T4R	C.			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$4,795.00
	<u> </u>	LOCATION: FLOOR OTY FLOOR - DEPARTMENT	ROOM # - ROOM NAME	EQ#	: RESP	<u>STATUS</u>	PRICE	CAPITAL = 0 EXTENDED	ı







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) PT/OT/RT 801 - THERAPY EXR03 OF/VI NEW \$4,795.00 \$4,795.00 **AUX \$:** \$4,795.00 100388 FLOOR MACHINE, SCRUBBER, POLISHER NILFISK ADVANCE NEW = 1\$4,280.00 EQ#: SCB02 WALK BEHIND; SCRUBBING PATH OF 14.5"; BATTERY OPERATED 183603 EXISTING =0 SC351 FUTURE =0 (WXDXH) IN: 18.70 X 48.00 X 42.70 LBS: 176.00 INFO =0 MM: 475 X 1219 X 1085 KG: 80 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE 413 - HOUSEKEEPING SCB02 OF/OI NEW \$4,280.00 1) SHARED SERVICES \$4,280.00 AUX \$: \$4,280.00 100390 FLOOR MACHINE, SCRUBBER, POLISHER **NILFISK ADVANCE** NEW =1 \$1,077.00 EQ#: SCB01 20";1.5HP;W/PAD DRIVER;50' POWER CORD;(2) 5" GRAY NON-MARKING TP2015HD EXISTING =0 WHEELS FUTURE =0 (WXDXH) IN: 20.00 X 27.00 X 48.00 LBS: 109.00 INFO =0 MM: 508 X 686 X 1219 **KG**: 49 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME **STATUS** PRICE **EXTENDED** EQ#: RESP 1) SURGERY 625 - HOUSEKEEPING SCB01 OF/OI NEW \$1,077.00 \$1,077.00 AUX \$: \$1,077.00 1004558 **OHIO MEDICAL CORPORATION** \$587.40 21 NEW =15 FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB FM-15UA-OHPT EXISTING =6 CONNECTION FUTURE =0 LBS: 0.40 (WXDXH) IN: 1.25 X 3.50 X 5.50 INFO =0 MM: 32 X 89 X 140 **KG**: 0 LEASED =0 LOCATION: WALL CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP STATUS PRICE **EXTENDED** 2 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$39.16 \$78.32 AUX \$: \$39.16 2 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$39.16 \$78.32 AUX \$: \$39.16 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE OF/OI NEW \$39.16 \$39.16 AUX \$: \$39.16 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE OF/OI NEW \$39.16 \$39.16 AUX \$: \$39.16 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE OF/OI NEW \$39.16 \$39.16 AUX \$: \$39.16







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION OF/OI NEW \$39.16 \$39.16 AUX \$: \$39.16 1 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$39.16 1 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL OF/OI **EXISTING** \$0.00 \$0.00 HEALTH AUX \$: \$39.16 1 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION OF/OI EXISTING \$0.00 \$0.00 AUX \$: \$39.16 1) EMERGENCY 320 - TREATMENT ROOM 02 OF/OI **EXISTING** \$0.00 \$0.00 **AUX \$:** \$39.16 1 1) EMERGENCY 321 - TREATMENT ROOM 01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$39.16 1 1) IMAGING 512 - GENERAL RADIOLOGY OF/OI **EXISTING** \$0.00 \$0.00 **AUX \$:** \$39.16 1 1) IMAGING 514 - CT SCAN OF/OI NEW \$39.16 \$39.16 AUX \$: \$39.16 1) SURGERY 3 632 - ENDO PROCEDURE ROOM OF/OI NEW \$39.16 \$117.48 AUX \$: \$39.16 1) SURGERY 636 - OR OF/OI NEW \$39.16 \$117.48 **AUX \$:** \$39.16 1004559 **OHIO MEDICAL CORPORATION** \$1,654.40 67 FLOWMETER, OXYGEN NEW =47 FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF FM-15UO-OHPT EXISTING =20 FUTURE =0 LBS: 0.35 (WXDXH) IN: 1.10 X 3.40 X 5.50 INFO =0 **MM**: 28 X 86 X 140 **KG**: 0 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS PRICE EXTENDED** 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE OF/OI **EXISTING** \$0.00 \$0.00 NOTES: 2X PER BED AUX \$: \$35.20 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI **EXISTING** \$0.00 \$0.00 NOTES: 2X PER BED AUX \$: \$35.20 2 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$35.20 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$35.20 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE OF/OI **EXISTING** \$0.00 \$0.00 2 AUX \$: \$35.20







TOTAL ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

· (GENERIC	MANUFA	ACTURER			STATUS
2	1) ACUTE CARE NOTES: 2X PER BED AUX \$: \$35.20	210 - PATIENT ROOM, ACCESSIBLE ISOLATION	OF/OI	EXISTING	\$0.00	\$0.00
1	1) EMERGENCY AUX \$: \$35.20	310 - TRIAGE	OF/OI	NEW	\$35.20	\$35.20
2	1) EMERGENCY AUX \$: \$35.20	317 - TREATMENT ROOM 05, TRAUMA	OF/OI	EXISTING	\$0.00	\$0.00
2	1) EMERGENCY AUX \$: \$35.20	318 - TREATMENT ROOM 04, BEHAVIORAL HEALTH	OF/OI	EXISTING	\$0.00	\$0.00
2	1) EMERGENCY AUX \$: \$35.20	319 - TREATMENT ROOM 03, ISOLATION	OF/OI	NEW	\$35.20	\$70.40
2	1) EMERGENCY AUX \$: \$35.20	320 - TREATMENT ROOM 02	OF/OI	NEW	\$35.20	\$70.40
2	1) EMERGENCY AUX \$: \$35.20	321 - TREATMENT ROOM 01	OF/OI	NEW	\$35.20	\$70.40
1	1) IMAGING AUX \$: \$35.20	509 - ULTRASOUND	OF/OI	NEW	\$35.20	\$35.20
2	1) IMAGING AUX \$: \$35.20	512 - GENERAL RADIOLOGY	OF/OI	NEW	\$35.20	\$70.40
1	1) IMAGING AUX \$: \$35.20	514 - CT SCAN	OF/OI	NEW	\$35.20	\$35.20
1	1) IMAGING AUX \$: \$35.20	514 - CT SCAN	OF/OI	NEW	\$35.20	\$35.20
24	1) SKILLED NURSING AUX \$: \$35.20	816 - SEMI-PRIVATE PATIENT BEDROOM (QTY 12)	OF/OI	NEW	\$35.20	\$844.80
1	1) SKILLED NURSING AUX \$: \$35.20	840 - SPECIAL PURPOSE ROOM (PRIVATE & ADA)	OF/OI	NEW	\$35.20	\$35.20
1	1) SKILLED NURSING AUX \$: \$35.20	842 - QUIET ROOM (PRIVATE & ADA)	OF/OI	NEW	\$35.20	\$35.20
1	1) SURGERY AUX \$: \$35.20	607 - PACU 3	OF/OI	NEW	\$35.20	\$35.20
1	1) SURGERY AUX \$: \$35.20	608 - PACU 2	OF/OI	NEW	\$35.20	\$35.20
1	1) SURGERY AUX \$: \$35.20	609 - PACU 1	OF/OI	NEW	\$35.20	\$35.20
3	1) SURGERY AUX \$: \$35.20	632 - ENDO PROCEDURE ROOM	OF/OI	NEW	\$35.20	\$105.60







ID#	TOTAL QTY GENERIC	MANUFACTURER	TOTAL STATUS EXTENDED PRICE
	3 1) SURGERY 636 - OR AUX \$: \$35.20	OF/OI NEW \$35.2	0 \$105.60
092980 EQ#: FRM01	1 FRAME, STANDING ELECTRIC SIT-TO-STAND STANDING FRAME; FOUR POINT SYSTEM STABILIZATION AT FEET, KNEES, BUTTOCKS AND (WXDXH) IN: 42.00 X 38.00 X 53.00 LBS: 295.00 MM: 1067 X 965 X 1346 KG: 134 LOCATION: FLOOR QTY 1 FLOOR - DEPARTMENT 1 1) PT/OT/RT AUX \$: \$3,431.70	PERFORMANCE HEALTHCARE 961522B METRON ELITE EQ#: RESP STATUS PRIC FRM01 OF/OI NEW \$3,431.7	
066203 EQ#: FZP01	1 FREEZER, PLASMA UNDERCOUNTER;120V;5.4 CU.FT.;-30 DEG C;FROST FREE; TEMPERATURE PROBE PORT;S.S. INTERIOR/EXTERIOR (WXDXH) IN: 24.00 X 24.10 X 36.00 LBS: 250.00 MM: 610 X 612 X 914 KG: 113 LOCATION: FLOOR	THERMO FISHER SCIENTIFIC/JEWETT CTF306-1B UNDERCOUNTER	NEW = 0 \$0.00 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503 - LABORATORY	EQ#:RESPSTATUSPRICFZP01OF/OIEXISTING\$0.0	
1003921 EQ#: LHM01	31 HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING CASTERS; MEDIUM 29X38 BAG (WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR	MEDLINE INDUSTRIES, INC. TRICX302	NEW =31 \$4,458.11 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE AUX \$: \$143.81	EQ#: RESP STATUS PRIC LHM01 OF/OI NEW \$143.8	
	1 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE AUX \$: \$143.81 1 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE AUX \$: \$143.81	LHM01 OF/OI NEW \$143.8 LHM01 OF/OI NEW \$143.8	
	1 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE AUX \$: \$143.81	LHM01 OF/OI NEW \$143.8	\$143.81
	1 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE AUX \$: \$143.81	LHM01 OF/OI NEW \$143.8	\$143.81







TOTAL ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

QTY	(GENERIC	M	ANUFACTURI	ER		9	STATUS
	1	1) ACUTE CARE AUX \$: \$143.81	211 - ANTEROOM	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) DIETARY AUX \$: \$143.81	710 - TRASH	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) EMERGENCY AUX \$: \$143.81	317 - TREATMENT ROOM 05, TRAUMA	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) EMERGENCY AUX \$: \$143.81	318 - TREATMENT ROOM 04, BEHAVIORAL HEALTH	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) EMERGENCY AUX \$: \$143.81	319 - TREATMENT ROOM 03, ISOLATION	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) EMERGENCY AUX \$: \$143.81	320 - TREATMENT ROOM 02	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) EMERGENCY AUX \$: \$143.81	321 - TREATMENT ROOM 01	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) IMAGING AUX \$: \$143.81	509 - ULTRASOUND	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) IMAGING AUX \$: \$143.81	511 - IMG DRESS	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) IMAGING AUX \$: \$143.81	512 - GENERAL RADIOLOGY	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) IMAGING AUX \$: \$143.81	514 - CT SCAN	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) PT/OT/RT AUX \$: \$143.81	801 - THERAPY	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SKILLED NURSING AUX \$: \$143.81	815 - BEAUTY PARLOR	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SKILLED NURSING AUX \$: \$143.81	818 - SOILED HOLDING 01	LHM01	OF/OI	NEW	\$143.81	\$143.81
	2	1) SKILLED NURSING AUX \$: \$143.81	834 - CENTRAL BATHING (QTY 2)	LHM01	OF/OI	NEW	\$143.81	\$287.62
	1	1) SKILLED NURSING AUX \$: \$143.81	863 - SOILED HOLDING 02	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SURGERY AUX \$: \$143.81	607 - PACU 3	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SURGERY AUX \$: \$143.81	608 - PACU 2	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SURGERY AUX \$: \$143.81	609 - PACU 1	LHM01	OF/OI	NEW	\$143.81	\$143.81
	1	1) SURGERY AUX \$: \$143.81	611 - PATIENT CHANGE	LHM01	OF/OI	NEW	\$143.81	\$143.81







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) SURGERY 616 - LOCKER, MALE/FEMALE (QTY 2) LHM01 OF/OI NEW \$143.81 \$287.62 AUX \$: \$143.81 1) SURGERY 632 - ENDO PROCEDURE ROOM LHM01 OF/OI NEW \$143.81 \$143.81 AUX \$: \$143.81 1) SURGERY 633 - DECONTAMINATION LHM01 OF/OI NEW \$143.81 \$143.81 AUX \$: \$143.81 1) SURGERY 636 - OR LHM01 OF/OI NEW \$143.81 \$143.81 1 AUX \$: \$143.81 094333 **VAPOTHERM** NEW =0 \$0.00 1 HUMIDIFIER EQ#: HUM01 HEATS/HUMIDIFIES PATIENT RESP GASES; USER CAN SET OXYGEN PF-PLUS-US EXISTING =1 PERCENTAGE, TEMP, & FLOW RATE OF DELIVERED PRECISION FLOW+ FUTURE =0 (WXDXH) IN: 25.00 X 25.00 X 84.00 LBS: 50.00 INFO =0 KG: 23 MM: 635 X 635 X 2134 LEASED =0 LOCATION: FLOOR CAPITAL = 0PRICE QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS EXTENDED** 1 1) PT/OT/RT 604 - RT WORK / STORAGE HUM01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$5,200.00 1006395 1 **HUMIDIFIER VAPOTHERM** NEW =0 \$0.00 EQ#: HUM02 HEAT/HUMIDIFICATION; HIGH FLOW; WITH STAND; DELIVERY OF INSPIRED PF-UNIT-US EXISTING =1 GAS 1-40LPM;BUILT-IN BLENDER 02 SENSOR; BATTERY BACKUP;USES PRECISION FLOW FUTURE =0 LBS: 40.00 (WXDXH) IN: 25.00 X 25.00 X 72.00 INFO =0 MM: 635 X 635 X 1829 KG: 18 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME \$0.00 **EXTENDED** QTY EQ#: RESP **STATUS** PT/OT/RT 604 - RT WORK / STORAGE HUM02 OF/OI **EXISTING** \$0.00 AUX \$: \$0.00 055768 HYPERTHERMIA UNIT ARIZANT HEALTHCARE, A 3M COMPANY NEW =2 \$4,000.00 EQ#: HYP01 CONTAINS BLOWER: HEATING ELEMENT: HAND CONTROLLER ATTACHES TO 87500/90080 EXISTING =0 PATIENT GOWN VIA HOSE; WALL MOUNT; ADJUSTABLE AIR TEMP & BAIR PAWS 875 FUTURE =0 (WXDXH) IN: 7.70 X 4.00 X 13.00 LBS: 7.00 INFO =0 **MM**: 196 X 102 X 330 **KG**: 3 LEASED =0 LOCATION: WALL CAPITAL = 0**FLOOR - DEPARTMENT** ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1) SURGERY 614 - CLEAN SUPPLY HYP01 OF/CI NEW \$2,000.00 \$4,000.00 2 **AUX \$:** \$2,000.00







ID#	TOTAL QTY	G	ENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
082570	13	I.	V. INFUSION PUMP		BAXTER HEALT	HCARE/I.\	/. DIVISION		NEW =0	\$0.00
EQ#: IVP01		SI	MART PUMP TECHNOLOGY;SINGL	E STEP TITRATION LIMIT;MULTIPLE	35700BAX2			EX	(ISTING =0	
		N	1EDS ERROR PREVENTION		SIGMA SPECTR	UM		F	UTURE =0	
20 		((WXDXH) IN: 4.20 X 2.50 X 5.80	LBS: 2.00					INFO =0	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			MM : 107 X 64 X 147	KG : 1					LEASED =13	
2127		L	LOCATION: COUNTERTOP					C	APITAL = 0	
	9	QTY	FLOOR - DEPARTMENT	ROOM # - ROOM NAME	EQ#:	RESP	<u>STATUS</u>	PRICE	EXTENDED	
	_	2	1) ACUTE CARE AUX \$: \$6,358.00	200 - PATIENT ROOM, SEMI-PRIVATE	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		2	1) ACUTE CARE AUX \$: \$6,358.00	202 - PATIENT ROOM, SEMI-PRIVATE	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) ACUTE CARE AUX \$: \$6,358.00	204 - PATIENT ROOM, PRIVATE	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) ACUTE CARE AUX \$: \$6,358.00	206 - PATIENT ROOM, PRIVATE	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) ACUTE CARE AUX \$: \$6,358.00	208 - PAITENT ROOM, PRIVATE	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) ACUTE CARE AUX \$: \$6,358.00	210 - PATIENT ROOM, ACCESSIBLE ISOLATI	ION IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) SURGERY AUX \$: \$6,358.00	607 - PACU 3	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) SURGERY AUX \$: \$6,358.00	608 - PACU 2	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) SURGERY AUX \$: \$6,358.00	609 - PACU 1	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) SURGERY AUX \$: \$6,358.00	632 - ENDO PROCEDURE ROOM	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
		1	1) SURGERY AUX \$: \$6,358.00	636 - OR	IVP01	OF/OI	LEASED	\$0.00	\$0.00	
051488	13	I.	V. POLE		PEDIGO PRODI	JCTS. INC.			NEW =5	\$4,425.00
EQ#: IVP02			TAINLESS;4 HOOK;5 CASTER BASE;	HAND OPERATED LOCK HEIGHT	P-1572-4	,		EX	(ISTING =8	¥ 1,120.00
444		Α	DJUSTMENT		FOUR HOOK				UTURE =0	
1		('WXDXH) IN: 21.25 X 21.25 X 118.	00 LBS : 20.00				•	INFO =0	
			MM: 540 X 540 X 2997	KG : 9					LEASED =0	
-343		L	LOCATION: FLOOR						APITAL = 0	
• •		QTY 2	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$885.00	ROOM # - ROOM NAME 200 - PATIENT ROOM, SEMI-PRIVATE	<u>EQ#:</u> IVP02	RESP OF/OI	<u>STATUS</u> EXISTING	PRICE \$0.00	EXTENDED \$0.00	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE IVP02 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$885.00 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE IVP02 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$885.00 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE IVP02 OF/OI **EXISTING** \$0.00 \$0.00 **AUX \$:** \$885.00 1 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE IVP02 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$885.00 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION IVP02 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$885.00 1 1) SURGERY 607 - PACU 3 IVP02 OF/OI NEW \$885.00 \$885.00 **AUX \$:** \$885.00 1) SURGERY 608 - PACU 2 IVP02 OF/OI NEW \$885.00 \$885.00 AUX \$: \$885.00 1 1) SURGERY 609 - PACU 1 IVP02 OF/OI NEW \$885.00 \$885.00 **AUX \$:** \$885.00 SURGERY 632 - ENDO PROCEDURE ROOM IVP02 OF/OI NEW \$885.00 \$885.00 AUX \$: \$885.00 SURGERY 636 - OR IVP02 OF/OI NEW \$885.00 \$885.00 AUX \$: \$885.00 075907 \$21,570.00 **ICE MAKER W/WATER DISPENSER** MANITOWOC ICE, INC. NEW =6 EQ#: ICE01 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER DISPENSER SN-20AT EXISTING =0 TOUCH FREE; AIR COOLED AIR COOLED FUTURE =0 (WXDXH) IN: 16.25 X 24.00 X 42.00 LBS: 184.00 INFO =0 MM: 413 X 610 X 1067 KG: 83 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0**QTY** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** OF/CI 1 1) ACUTE CARE 220 - NUTRITION ALCOVE ICE01 NEW \$3,595.00 \$3,595.00 AUX \$: \$3,595.00 1) EMERGENCY 312 - STAFF / MD WORKROOM OF/CI ICE01 NEW \$3,595.00 \$3,595.00 **AUX \$:** \$3,595.00 1) SHARED SERVICES 406 - STAFF BREAK ICE01 OF/CI NEW \$3,595.00 \$3,595.00 AUX \$: \$3,595.00 2 1) SKILLED NURSING 833A - ALCOVE, NOUR (QTY 2) ICE01 OF/CI NEW \$3,595.00 \$7,190.00 AUX \$: \$3,595.00 1) SURGERY 615 - NURSE STATION / NOUR / MEDS ICE01 OF/CI NEW \$3,595.00 \$3,595.00 AUX \$: \$3,595.00





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1005310 EQ#: ILL01	1	ILLUMINATOR, VEIN LED DISPLAY;TIME OUT SET, REMEN NORMAL/INVERSE;SET AUTO TIME	OUT;W/CHARGING	ACCUVEIN AV500/HF580 AV500/HF580				NEW =0 EXISTING =1 FUTURE =0	\$0.00
***		(WXDXH) IN: 25.00 X 25.00 X 36.00 MM: 635 X 635 X 914 LOCATION: FLOOR) LBS: 20.00 KG: 9					INFO =0 LEASED =0 CAPITAL = 0	
		1 1) ACUTE CARE AUX \$: \$6,000.00	ROOM # - ROOM NAME 214 - ED EQUIPMENT STORAGE	EQ#: ILL01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1015460 EQ#: ICT01	1	IMAGING, CT SYSTEM TO INCLUDE: 1 PRIME SP 80 DESCRIPTION V10	CANON MEDIC AQUILION PRIM PRIME SP10.00	ΛE	MS USA, INC.		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$473,180.00	
		LOCATION: FLOOR FLOOR - DEPARTMENT 1 I) IMAGING AUX \$: \$500,000.00	ROOM # - ROOM NAME 514 - CT SCAN	<u>EQ#:</u> ICT01	<u>RESP</u> OF/VI	<u>STATUS</u> NEW	PRICE \$473,180.00	CAPITAL = 0 EXTENDED \$473,180.00	
1015784 EQ#: IRD01	1	IMAGING, RADIOGRAPHIC SYSTE INCLUDES: 1 OMNERA 400T AUTO TRACKING S LOCATION: FLOOR		CANON, USA, II OMNERA 400T RADPRO	NC.			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$193,527.00
		1 1) IMAGING AUX \$: \$193,527.00	ROOM # - ROOM NAME 512 - GENERAL RADIOLOGY	<u>EQ#:</u> IRD01	RESP OF/VI	<u>STATUS</u> NEW	PRICE \$193,527.00	EXTENDED \$193,527.00	
069542 EQ#: ICR01	1	1 IMAGING, READER, CR TABLE TOP;IP CASSETTES;UP TO 57 CASSETTES PER HOUR			CAL SYSTI	EMS USA, INC.		NEW =0 EXISTING =1 FUTURE =0	\$0.00
	(WXDXH) IN: 22.00 X 21.00 X 15.00 LBS: 86.00 MM: 559 X 533 X 381 KG: 39 LOCATION: COUNTERTOP							INFO =0 LEASED =0 CAPITAL = 0	
		PLOOR - DEPARTMENT 1 1) IMAGING	ROOM # - ROOM NAME 515 - CT CONTROL	EQ#: ICR01	<u>RESP</u> OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	EXTENDED \$0.00	





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1002328 EQ#: CRM02	1	38"), TRENDELENBURG TILT, LATER (WXDXH) IN: 22.00 X 82.00 X 38.0 MM: 559 X 2083 X 965 LOCATION: FLOOR OTY FLOOR - DEPARTMENT	KG: 231 ROOM # - ROOM NAME	MEDSTONE TAI 0047-TM5(H)St EQ#:	CU <u>resp</u>	<u>STATUS</u>	PRICE	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED	\$0.00
	L	1 1) SURGERY AUX \$: \$26,713.00	626 - OR EQUIP ALCOVE 01	CRM02	OF/OI	EXISTING	\$0.00	\$0.00	
106100 EQ#: IUS01	1	IMAGING, ULTRASOUND SCANN 0-99ML BLADDER VOLUME RANGE DISPLAY;HAND-HELD PROBE;2 LITH (WXDXH) IN: 21.00 X 21.00 X 52.0 MM: 533 X 533 X 1321 LOCATION: FLOOR	;3D ULTRASOUND;LCD COLOR IIUM ION BATTERIES;BATTERY	VERATHON ME 0270-0870 BLADDERSCAN		LUS		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
11	9	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE	ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE	EQ#: IUS01	<u>RESP</u> OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1015461 EQ#: IUS02	2	IMAGING, ULTRASOUND SYSTEM TO INCLUDE: 1 APLIO 1700 PRISM ULTRASOUND (WXDXH) IN: 24.80 X 42.10 X 69.2 MM: 630 X 1069 X 1758 LOCATION: FLOOR SPEC COMMENTS: SEE QUOTE FOR	SYSTEM 20 LBS: 253.50 KG: 115	CANON MEDIC APLIO-1700-V6. 1700 PRISM		MS USA, INC.		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$191,100.00
	9	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE PHASE: EARLY - PO/LEASED NOTES: SENECA WANTS TO PR AUX \$: \$95,550.00	ROOM # - ROOM NAME 214 - ED EQUIPMENT STORAGE OCURE ASAP VIA LEASED AGREEMENT	<u>EQ#:</u> IUS02	RESP OF/VI	<u>STATUS</u> NEW	<u>PRICE</u> \$95,550.00	<u>EXTENDED</u> \$95,550.00	
		1 1) IMAGING PHASE: EARLY - PO/LEASED	509 - ULTRASOUND OCURE ASAP VIA LEASED AGREEMENT	IUS02	OF/VI	NEW	\$95,550.00	\$95,550.00	





PlanView

ID#	TOTAL QTY	GENERIC	MANU	IFACTURE	R			STATUS	TOTAL EXTENDED PRICE
1001970 EQ#: IMX01	1	IMAGING, X-RAY UNIT, MOBILE, BATTERY MOBILE DIGITAL X-RAY; 360 DEGREE ROTATION O AXIS; EXPOURE TIME RAND 0.001-10 SECONDS; E (WXDXH) IN: 21.30 X 99.00 X 87.80 MM: 541 X 2515 X 2230 LOCATION: FLOOR	F THE PORTABLE X AND Y SOLTU IUAL FOCAL FIXED LBS: 1,146.00 KG: 520					NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$113,673.00
	1 		OOM NAME E, MOBILE XRAY	EQ#: IMX01	RESP OF/VI	NEW	\$113,673.00	\$113,673.00	
106731 EQ#: CRM01	1	IMAGING, X-RAY, C-ARM COMPACT;ALL-IN-ONE;ONE TOUCH CONTROL PAI CONTROL;EXTENDED REACH;STAND-BY POWER (WXDXH) IN: 30.70 X 89.80 X 88.60 MM: 780 X 2281 X 2250 LOCATION: FLOOR	NEL;DOSE ONE C	C MEDICA FD NE CFD	L SYSTEM	S		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$150,000.00
	<u>QT</u> 1		JIP ALCOVE 01	EQ#: CRM01 ACLE NEED!	<u>RESP</u> OF/VI ED	STATUS NEW	<u>PRICE</u> \$150,000.00	EXTENDED \$150,000.00	
094482 EQ#: ISR01	2	INFUSION SYSTEM, RAPID RAPID INFUSER;750ML/M;IV POLE;RESERVOIR HO DISPLAY;SUPPORT HOUSING;OPERATORS MANUA (WXDXH) IN: 7.50 X 13.50 X 12.00 MM: 191 X 343 X 305 LOCATION: FLOOR SPEC COMMENTS: IV POLE MOUNTABLE OR FREE	DLDER;LCD 903-0(IL RI-2 LBS: 28.00 KG: 13 STANDING. IV POLE DIAMETER RA	0039		ORPORATION NT: 1" -		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$54,400.00
	<u>QT</u> 1	1) EMERGENCY 317 - TREATM AUX \$: \$27,200.00		EQ#: ISR01	RESP OF/OI	STATUS NEW	PRICE \$27,200.00 \$27,200.00	\$27,200.00 \$27,200.00	







ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
106403 EQ#: INJ01	1		D DISPLAY LBS: 30.40 KG: 14 DOR'S TECHNICAL DATA FOR ARM LEN N INCHES, 13.6LBS. WORKSTATION: 15		(LATION IN	IFORMATION		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$37,000.00
	<u>QT</u> 1	Y FLOOR - DEPARTMENT	ROOM # - ROOM NAME 514 - CT SCAN	<u>EQ#:</u> INJ01	<u>RESP</u> OF/VI	<u>STATUS</u> NEW	PRICE \$37,000.00	EXTENDED \$37,000.00	
021273 EQ#: KCB01	in the second se		METER BUMPER;2" CONDUCTIVE LBS: 8.00	PEDIGO PRODI P-1020-SS P-1020-SS	UCTS, INC.			NEW =5 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,210.00
	<u>QT</u> 1		ROOM # - ROOM NAME 317 - TREATMENT ROOM 05, TRAUMA	EQ#: KCB01	RESP OF/OI	STATUS NEW	<u>PRICE</u> \$242.00	<u>EXTENDED</u> \$242.00	
	22	2 1) SURGERY AUX \$: \$242.00 2 1) SURGERY AUX \$: \$242.00	632 - ENDO PROCEDURE ROOM 636 - OR	KCB01	OF/OI OF/OI	NEW	\$242.00 \$242.00	\$484.00	
1013950 EQ#: INCO2	1 QT	LAB ANALYZER ORTHO OPTIX WORKS WITH THE OR COMPACT 2-IN-1 BLOOD TESTING SO (WXDXH) IN: 8.46 X 17.13 X 9.45 MM: 215 X 435 X 240 LOCATION: COUNTERTOP Y FLOOR - DEPARTMENT 1) LAB NOTES: WORKS WITH THE ORTH	REENING SYSTEM; 120VAC LBS: 11.90 KG: 5 ROOM # - ROOM NAME 503 - LABORATORY	ORTHO CLINICA OPTIX EQ#: INCO2	AL DIAGNO RESP OF/VI	OSTICS, INC. STATUS EXISTING	PRICE \$0.00	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED \$0.00	\$0.00





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
009775 EQ#: LAB01	1	LAB ANALYZER, BACTERIA STANDARDIZED, AUTOMATED PANEL INTER DATA MANAGEMENT SYSTEM; PROVIDES N (WXDXH) IN: 14.00 X 16.00 X 10.00 MM: 356 X 406 X 254 LOCATION: COUNTERTOP	•	SIEMENS MEDICAL SYSTEMS/CORPORATE B1012-2 DADE MICROSCAN AUTOSCAN-4			NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00	
			M # - ROOM NAME MICROBIOLOGY N DUE TO SERVICE CONTRACT INCLUI	EQ#: LAB01 DES PRO PC WORKS	RESP OF/VI STATION	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1007249 EQ#: LAB02	1	LAB ANALYZER, BACTERIA MICROSCAN TURBIDITY METER (WXDXH) IN: 6.00 X 4.00 X 4.00 MM: 152 X 102 X 102 LOCATION: COUNTERTOP		SIEMENS 5400-3126D AUTOSCAN TUR	RBIDITY M	1ETER		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
			M # - ROOM NAME MICROBIOLOGY	<u>EQ#:</u> LAB02	RESP OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
076164 EQ#: ABG01	1	LAB ANALYZER, BLOOD GAS 60 SEC RESULTS; W/CART; TOUCH SCREEN/B CLOT DETECTION & MANAGEMENT; CAN US (WXDXH) IN: 11.50 X 16.00 X 21.50 MM: 292 X 406 X 546 LOCATION: FLOOR		SIEMENS MEDI 10492730/1069 RP500		TIONS USA, INC.		NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
			<u>И # - ROOM NAME</u> RT WORK / STORAGE	EQ#: ABG01	RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	EXTENDED \$0.00	
055214 EQ#: DCA01			ROALBUMIN; CALIBRATED W/BAR S/16 CONTROL RESULTS LBS: 9.00 KG: 4	23-312-998 DCA VANTAGE	RESP	EMS/CORPORATE STATUS	PRICE	NEW = 0 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED	\$0.00
		1 1) LAB 503 - AUX \$: \$4,470.00	LABORATORY	DCA01	OF/VI	EXISTING	\$0.00	\$0.00	





SENECA HEALTHCARE DISTRICT

GENERIC SUMMARY

SHD Generic Summary

TOTAL EXTENDED PRICE	STATUS			MANUFACTURER			GENERIC	TOTAL QTY	ID#	
\$0.00	NEW = 0 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED	PRICE	MS/CORPORATE STATUS	CAL SYSTE	SIEMENS MEDI DIMENSION EXL 200	/IUNOASSAY; 47 METHOD RIC TESTS;187 ISE;	LAB ANALYZER, CHEMISTRY, AUTO CHEMISTRY/HETEROGENEOUS IMMU CAPACIY W/ 3 ISE; 437 PHOTOMETRI (WXDXH) IN: 56.00 X 41.00 X 49.00 MM: 1422 X 1041 X 1245 LOCATION: FLOOR	1 QT	087773 EQ#: EXL01	
	\$0.00	\$0.00	EXISTING	OF/VI TURE 220V	EXL01 DRAIN NEEDED. FU	503 - LABORATORY ATION, RECERT. DEDICATED CIRCUIT NEEDEI	1 1) LAB NOTES: 6/6/2023: OEM RELOCAT AUX \$: \$250,000.00	1		
\$0.00	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0				QUIDEL 20310 SOFIA 2	MUNO LYZER FOR USE WITH CASSETTE-BASED DIAGNSOTIC ASSAYS MANUFACTURED E LBS: 2.00 KG: 1		1	1006076 EQ#: QUI01	
	<u>EXTENDED</u> \$0.00	<u>PRICE</u> \$0.00	<u>STATUS</u> EXISTING	RESP OF/VI	<u>EQ#:</u> QUI01	ROOM # - ROOM NAME 500 - MICROBIOLOGY	1 1) LAB AUX \$: \$252.50			
\$13,000.00	NEW =1 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0				ABBOTT LABOR 06F16-10/06F2 I-STAT 1	CHARGER NETWORK; UTILIZES TEST	LAB ANALYZER, CHEMISTRY, MAN HANDHELD; W/DOWNLOADER/RECH CARTRIDGE OR GLUCOSE STRIP;MEA: (WXDXH) IN: 3.04 X 2.85 X 9.24 MM: 77 X 72 X 235 LOCATION: COUNTERTOP	2	054875 EQ#: IST01	
	\$13,000.00 \$0.00	\$13,000.00 \$0.00	NEW EXISTING	RESP OF/OI OF/OI	EQ#: IST01	ROOM # - ROOM NAME 312 - STAFF / MD WORKROOM 503 - LABORATORY	PROTECT STATE 1	1		
\$0.00	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0		MS/CORPORATE		SIEMENS MEDI 10712039 SYSMEX CA-660	ITING, CHROMOGENIC, IETHODS. FEATURES	AUX \$: \$13,000.00 LAB ANALYZER, COAGULATION, AU COAGULATION ANALYZER FOR CLOTT AND IMMUNOLOGIC DETECTION ME (WXDXH) IN: 22.50 X 19.50 X 19.50 MM: 572 X 495 X 495 LOCATION: COUNTERTOP	1	098908 EQ#: SYS01	



PlanView





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC STATUS MANUFACTURER** SPEC COMMENTS: PROVIDE SPACE FOR 5L EXTERNAL WASTE AND WATER CONTAINERS. **FLOOR - DEPARTMENT** ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 1 1) LAB 503 - LABORATORY SYS01 OF/VI **EXISTING** \$0.00 \$0.00 AUX \$: \$50,000.00 101177 LAB ANALYZER, ELECTROLYTE **NOVA BIOMEDICAL** NEW =0 \$0.00 EQ#: ESR01 HAND-HELD TESTING DEVICE UTILIZING HOVA LACTATE EXISTING =1 TEST STRIPS LACTATE PLUS FUTURE =0 INFO =0 LEASED =0 LOCATION: SPACE CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP STATUS PRICE **EXTENDED** 503P - LABORATORY (PROCESSING) ESR01 1 1) LAB OF/OI **EXISTING** \$0.00 \$0.00 **AUX \$:** \$346.25 \$1,650.00 105759 LAB ANALYZER. GLUCOSE **NOVA BIOMEDICAL NEW = 3** EQ#: GLU01 TOUCH SCREEN; QR BARCODE SCANNER; 1,000 TEST STORAGE; 4,000 USER 44993 EXISTING =2 STORAGE; 500 TEST STORAGE; NUMERIC OR PASS/FAIL STATSTRIP GLU 2 FUTURE =0 (WXDXH) IN: 3.10 X 5.80 X 1.18 LBS: 0.49 INFO =0 MM: 79 X 147 X 30 **KG**: 0 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** QTY GLU01 OF/OI **EXISTING** \$0.00 1) ACUTE CARE 221 - NURSE STATION \$0.00 AUX \$: \$1,890.00 1 1) EMERGENCY 312 - STAFF / MD WORKROOM GLU01 OF/OI NEW \$550.00 \$550.00 **AUX \$:** \$550.00 1) SKILLED NURSING 833 - NURSE STATION (QTY 2) GLU01 OF/OI **EXISTING** \$0.00 \$0.00 1 1) SKILLED NURSING 833 - NURSE STATION (QTY 2) OF/OI NEW \$550.00 \$550.00 GLU01 AUX \$: \$550.00 1) SURGERY 615 - NURSE STATION / NOUR / MEDS GLU01 OF/OI NEW \$550.00 \$550.00 **AUX \$:** \$550.00 1007255 LAB ANALYZER, HEMATOLOGY, AUTOMATED CELLAVISION, INC. \$37,000.00 NEW = 1EQ#: CELL01 BLOOD CELL DIFFERENTIAL ANALYZER; CAPTURES DIGITAL IMAGES OF EXISTING =0 **CELLS FROM** DC-1 FUTURE =0 (WXDXH) IN: 11.00 X 15.40 X 14.60 LBS: 24.00 INFO =0 MM: 279 X 391 X 371 **KG**: 11 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0**ROOM # - ROOM NAME QTY** FLOOR - DEPARTMENT EQ#: **RESP STATUS PRICE EXTENDED**







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC STATUS MANUFACTURER** 1) LAB 503 - LABORATORY CELL01 OF/VI NEW \$37,000.00 \$37,000.00 1 PHASE: EARLY - PO/LEASED AUX \$: \$37,000.00 1003596 SIEMENS NEW =0 1 LAB ANALYZER, URINE \$0.00 EQ#: CLN01 ANALYZER; AUTOMATIC CHECKS; STRIP TEST; CONNECTIVITY READY; **CLINITEK STATUS PLUS** EXISTING =1 TOUCHSCREEN;950 PATIENT TEST MEMORY;URINE, KIDNEY DISEASE AND 1780 / STARTUA FUTURE =0 (WXDXH) IN: 6.70 X 10.70 X 6.20 LBS: 3.65 INFO =0 **KG**: 2 MM: 170 X 272 X 157 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0SPEC COMMENTS: W/ OPTIONS: CLINITEK STATUS+ ANALYZER STARTER PACK FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1 1) LAB 503 - LABORATORY CLN01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$865.00 LAB CENTRIFUGE, COUNTER TOP 068742 IRIS DIAGNOSTICS NEW = 0\$0.00 EQ#: CEN04 8 SPEED SETTINGS; 20-1060 XG FORCES; 6 CYCLE TIMES STATSPIN CYTOFUGE 2 EXISTING =1 CF02 FUTURE =0 (WXDXH) IN: 6.60 X 8.60 X 5.30 LBS: 5.50 INFO =0 **MM**: 168 X 218 X 135 KG: 2 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0FLOOR - DEPARTMENT **EXTENDED** QTY ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE CEN04 **EXISTING** 1 1) LAB 500 - MICROBIOLOGY OF/OI \$0.00 \$0.00 AUX \$: \$5,000.00 105022 2 DRUCKER COMPANY NEW = 1\$3,452.00 LAB CENTRIFUGE, COUNTER TOP EQ#: CEN03 PROGRAM UP TO 10 CUSTOM TIME; RPM AND G-FORCE SETTINGS; SET AND DASH FLEX 12 EXISTING =1 LOCK 3-PREFERRED CYCLES; LIGHTED LID INDICATE CYCLE STATUS; DIGITAL FUTURE =0 (WXDXH) IN: 13.00 X 15.00 X 9.00 LBS: 30.00 INFO =0 MM: 330 X 381 X 229 KG: 14

RESP

OF/OI

OF/OI

STATUS

NEW

EXISTING

EQ#:

CEN03

CEN03



LOCATION: COUNTERTOP

FLOOR - DEPARTMENT

AUX \$: \$3,452.00

AUX \$: \$3,452.00

ROOM # - ROOM NAME

503P - LABORATORY (PROCESSING)

503 - LABORATORY

QTY

1

1) LAB

1) LAB

LEASED =0

CAPITAL = 0

EXTENDED

\$3,452.00

\$0.00

PRICE

\$0.00

\$3,452.00



IA GS1

PlanView

GENERIC SUMMARY SHD Generic Summary

SENECA HEALTHCARE DISTRICT

	TOTAL						TOTAL EXTENDED PRICE
ID#	QTY	GENERIC	MANUFACTURER		;	STATUS	EXTENDED FRICE
100155	1	LAB CENTRIFUGE, COUNTER TOP	DRUCKER COMPANY			NEW =0	\$0.00
EQ#: CEN05		DIGITAL SPEED AND TIME CONTROL;MULTI-PURPOSE;6 TUBE	00-024-009-002		EXIS	TING =1	
		CAPACITY;1000 TO 3800 RPM	HORIZON 642VES		FU	TURE =0	
		(WXDXH) IN: 11.75 X 14.00 X 8.75 LBS: 12.00				INFO =0	
0.0		MM: 298 X 356 X 222 KG: 5 LOCATION: COUNTERTOP			LE.	ASED =0	
		ECCATION. COONTENTO			CAF	PITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	EQ#: RESP	<u>STATUS</u>	<u>PRICE</u>	<u>EXTENDED</u>	
		1 1) LAB 503 - LABORATORY AUX \$: \$1,236.00	CEN05 OF/OI	EXISTING	\$0.00	\$0.00	
		AUN \$. \$1,230.00					
041208	1	LAB CENTRIFUGE, COUNTER TOP	INTERNATIONAL EQUIP	MENT CO. (IEC)		NEW =0	\$0.00
EQ#: CEN01		MAXIMUM SPEED: 13,200 RPM; 48 X 0.5ML CAPACITY;	2498		EXIS	TING =1	
1		MAXIMUM RCF: 16,250XG; MAXIMUM SAMPLE VOLUME: 36ML	MICROMAX		FU	TURE =0	
		(WXDXH) IN: 12.00 X 13.30 X 19.80 LBS: 36.00				INFO =0	
and the same of		MM: 305 X 338 X 503 KG: 16 LOCATION: COUNTERTOP			LE.	ASED =0	
		LOCATION. COUNTERTOP			CAP	PITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	EQ#: RESP	<u>STATUS</u>	PRICE	<u>EXTENDED</u>	
		1 1) LAB 503 - LABORATORY NOTES: LOCATED WITH THE OTHER CENTRIFUGE UNITS, ACROSS	CENO1 OF/OI	EXISTING	\$0.00	\$0.00	
		AUX \$: \$195.00	FROM THE AUTO CHEW ANALIZER				
1007220	2	LAB CENTRIFUGE, COUNTER TOP	DRUCKER COMPANY			NEW =1	\$2,792.00
EQ#: CEN02		6 TUBES CAPACITY; 5500 RPM; 20 SECOND ACCELL/DECEL; 1-30 N			EXIS	TING =1	
		FACTORY SET	DASH APEX 6		FU	TURE =0	
		(WXDXH) IN: 11.00 X 13.50 X 8.00 LBS: 12.00				INFO =0	
		<i>MM</i> : 279 X 343 X 203 KG : 5 LOCATION: COUNTERTOP			LE.	ASED =0	
		ECCATION. COONTENTO			CAF	PITAL = 0	
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	EQ#: RESP	<u>STATUS</u>	PRICE	<u>EXTENDED</u>	
		1 1) LAB 503 - LABORATORY AUX \$: \$2,792.00	CEN02 OF/OI	NEW	\$2,792.00	\$2,792.00	
	_	1 1) LAB 503 - LABORATORY	CENO2 OF/OI	EXISTING	\$0.00	\$0.00	
		AUX \$: \$2,792.00	CENO2 01/01	EXISTING	\$0.00	\$0.00	
098717	1	LAB CENTRIFUGE, SERO-FUGE	CLAY ADAMS	_		NEW =0	\$0.00
EQ#: CEN06		2400RPM/500XG OR 3400RPM/1049XG;TIME DISPLAY;W/LID;ON TACHOMETER;SUPPLIED ROTOR HAS NUMBERED SLOTS FOR SAM		8	EXIS	TING =1	
AL CONTRACTOR OF THE PARTY OF T		•	IPLE SEROFUGE 2002		FU	TURE =0	
		(WXDXH) IN: 17.00 X 13.00 X 12.00 LBS: 28.00 MM: 432 X 330 X 305 KG: 13				INFO =0	
		LOCATION: COUNTERTOP				ASED =0	
					CAF	PITAL = 0	
	<u>Q</u>	TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	EQ#: RESP	<u>STATUS</u>	<u>PRICE</u>	<u>EXTENDED</u>	





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY GENERIC	MANUFACTURER		STATUS	TOTAL EXTENDED PRICE
	1 1) LAB 503 - LABORATORY	CEN06 OF/OI	I EXISTING \$0.0	00 \$0.00	
071820 EQ#: DIF01	1 LAB COUNTER, BLOOD CELL 12 CELL COUNT; HEMATOLOGY; LCD DISPLAY; PERCENT OR WBC VALUES; ALARMS EVERY 100 COUNTS; SOFT-TOUCH KE (WXDXH) IN: 6.00 X 9.00 X 2.00 LBS: 3. MM: 152 X 229 X 51 KG: 1 LOCATION: COUNTERTOP OTY FLOOR - DEPARTMENT ROOM NAM 503 - LABORATORY	00	STATUS PRIM		\$0.00
	AUX \$: \$625.00	DIFUI OF/OI	I EXISTING ŞU.	50.00	
056955 EQ#: ALE01	1 LAB FLUOROMETER W/CARDIAC PANEL;LCD DISPLAY;PRINTER;RS232 COMPUTE (WXDXH) IN: 6.25 X 8.50 X 2.75 LBS: 1. MM: 159 X 216 X 70 KG: 1	TRIAGE METERPRO	A, INC.	NEW =0 EXISTING =1 FUTURE =0 INFO =0	\$0.00
	LOCATION: COUNTERTOP			LEASED =0 CAPITAL = 0	
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAM 1 1) LAB 503 - LABORATORY NOTES: TYPICAL, NOT ACTUAL AUX \$: \$6,995.00	E <u>EQ#:</u> <u>RESP</u> ALE01 OF/OI		CE EXTENDED	
088030 EQ#: BLK01	1 LAB HEATING BLOCK 1 BLOCK CAPACITY;130 DEG C TO 60 DEG C;HI/LOW THERMOSTATS;SEPARATE ON/OFF POWER SWITCH;PILOT L (WXDXH) IN: 7.00 X 8.00 X 4.00 LBS: 5. MM: 178 X 203 X 102 KG: 2 LOCATION: COUNTERTOP		NTIFIC	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAM 1 1) LAB 503 - LABORATORY AUX \$: \$904.73 \$904.73	E <u>EQ#: RESP</u> BLK01 OF/OI			
014328 EQ#: BLK02	1 LAB HEATING BLOCK 2 BLOCK CAPACITY; BIMETALLIC CONTROLLED HEATER TEMPERATURE UNIFORMITY +/5 DEGREE C (WXDXH) IN: 8.00 X 9.00 X 4.00 LBS: 5. MM: 203 X 229 X 102 KG: 2 LOCATION: COUNTERTOP			NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAM	E EQ#: RESP	STATUS PRIO	<u>EXTENDED</u>	l







ID#	TOTAL QTY GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
	1 1) LAB 503 - LABORATORY NOTES: TYPICAL, NOT ACTUAL AUX \$: \$904.73	BLK02 OF/OI EXISTING	\$0.00 \$0.00	
105904 EQ#: INC01	1 LAB INCUBATOR, COUNTER TOP CENTRIFUGE & INCUBATOR; INTEGRATED ID-MTS GEL CARDS; ALARM SYSTEM; TEMP. MONITOR; 10 CARD CAPACITY CENTRIFUGE; 20 CARD (WXDXH) IN: 22.64 X 12.80 X 8.66 LBS: 24.00 MM: 575 X 325 X 220 KG: 11 LOCATION: COUNTERTOP QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503 - LABORATORY NOTES: NEED WORKSPACE FOR PC	ORTHO CLINICAL DIAGNOSTICS, INC. 6904630 ORTHO WORKSTATION EQ#: RESP STATUS INC01 OF/OI EXISTING	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 PRICE	\$0.00
1007244 EQ#: INC03	1	THERMO FISHER SCIENTIFIC PR205165G PRECISION EQ#: RESP STATUS INC03 OF/OI EXISTING	NEW = 0 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE	\$0.00
098427 EQ#: LBM02	1 LAB MICROSCOPE ERGO CERAMIC STG PKG;NIKON ECLIPSE CI-L MICROSCOPE FRAME;VARIABLE LED ILLUMINATION SYSTEM & CORD;ERGONOMIC (WXDXH) IN: 8.78 X 20.00 X 16.00 LBS: 30.00 MM: 223 X 508 X 406 KG: 14 LOCATION: COUNTERTOP QTY FLOOR - DEPARTMENT ROOM NAME 1 1) LAB S03 - LABORATORY AUX \$: \$6,100.00	NIKON INSTRUMENTS INC. ECLIPSE CI-LED MBA950LP EQ#: RESP STATUS LBM02 OF/OI NEW	NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE	\$6,100.00
1000226 EQ#: LBM03	1 LAB MICROSCOPE LABORATORY MICROSCOPE; QUINTUPLE NOSE PIECE; 5 LENSES (WXDXH) IN: 12.00 X 15.00 X 18.00 MM: 305 X 381 X 457 LOCATION: COUNTERTOP	OLYMPUS AMERICA INC. BH2	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



		GI	ENERIC		MANUFACTU	RER				STATUS	TOTAL EXTENDED PRICE
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) LAB AUX \$: \$0.00	ROOM # - ROOM NAME 500 - MICROBIOLOGY	EQ#: LBM03	RESI OF/C		STATUS EXISTING	PRICE \$0.00	<u>EXTENDED</u> \$0.00	
086779 EQ#: LBM01		UI SE	AB MICROSCOPE PRIGHT;W/CAMERA,COMPUTER,M EXTUPLE NOSEPIECE;10-1500X MAC WXDXH) IN: 32.00 X 16.00 X 20.00 MM: 813 X 406 X 508 OCATION: COUNTERTOP FLOOR - DEPARTMENT 1) LAB	•	NIKON INSTRU ECLIPSE 501 EQ#: LBM01	JMENTS RESI OF/O	<u>.</u>	STATUS EXISTING	<u>PRICE</u> \$0.00	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED \$0.00	\$0.00
063128 EQ#: MIX01	1	LA VA FC	AUX \$: \$55,000.00 AB MIXER ARIABLE SPEED ANALOG MIXER; 10 DR FLASKS, BEAKERS, TUBES AND M WXDXH) IN: 5.00 X 6.00 X 6.00 MM: 127 X 152 X 152 OCATION: COUNTERTOP	0-3200 RPM;	THERMO FISH VORTEX MIXE 02-215-365	IER SCIE			V	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		1	FLOOR - DEPARTMENT 1) LAB AUX \$: \$438.00	ROOM # - ROOM NAME 500 - MICROBIOLOGY	<u>EQ#:</u> MIX01	RESI OF/C		STATUS EXISTING	PRICE \$0.00	<u>EXTENDED</u> \$0.00	
093825 EQ#: LPS01	1	TH TH	· · · · · · · · · · · · · · · · · · ·	P TO 4 BAGS;600 ML BAG SIZE;14 MIN PRESET POINT;DRAIN PORT ON SIDE	CYTOTHERM PLASMA THAN CT-4S	WER				NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		<u>2TY</u> 1	FLOOR - DEPARTMENT 1) LAB	ROOM # - ROOM NAME 503 - LABORATORY	EQ#: LPS01	RESI OF/C		STATUS EXISTING	<u>PRICE</u> \$0.00	EXTENDED \$0.00	
100924 EQ#: IMM01	1	17 CC	AB PROCESSOR, BLOOD " TOUCH SCREEN MONITOR; ACCO- DLOR IMAGING ADD SYSTEM FLUID WXDXH) IN: 45.00 X 23.00 X 26.00 MM: 1143 X 584 X 660 OCATION: COUNTERTOP FLOOR - DEPARTMENT		IMMUCOR, IN - LUMENA ECH		·	STATUS	PRICE	NEW =0 EXISTING =0 FUTURE =1 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED	\$0.00



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
	1 1) LAB 503 - LABORATORY NOTES: THIS WILL BE A FUTURE PIECE OF EQUIPMENT PER DAVE MONDA EQUIPMENT TO MAKE SPACE FOR IT WHEN ADDED IN THE FUTURE	IMM01 OF/VI FUTURE NY, AND WILL REPLACE SOME OF THE OTHER	\$0.00 \$0.00	
040292 EQ#: RCKR01	1 LAB ROCKER, TUBE 16 TUBE CAPACITY; PRESET 18 RPM MOTOR SPEED PRESET MIXING ZONE OF 48 DEGREE ANGLE; REVERSIBLE (WXDXH) IN: 13.80 X 5.50 X 4.30 LBS: 5.30 MM: 351 X 140 X 109 KG: 2 LOCATION: COUNTERTOP QTY FLOOR - DEPARTMENT 1 LAB AUX \$: \$460.95	THERMO FISHER SCIENTIFIC M26125 SPECI-MIX EQ#: RESP STATUS RCKR01 OF/OI EXISTING	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 PRICE EXTENDED \$0.00	\$0.00
062537 EQ#: VWR01	1 LAB VIEWER, TEST TUBE 5 WATT HALOGEN BULB;ON/OFF SWITCH;FLEXIBLE NECK; INCLUDES BULB;MIRROR AND POWER PACK (WXDXH) IN: 5.00 X 8.00 X 12.00 MM: 127 X 203 X 305 LOCATION: COUNTERTOP QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME	THERMO FISHER SCIENTIFIC 22-363-560 AGGLUTINATION EQ#: RESP STATUS	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 PRICE EXTENDED	\$0.00
1005648 EQ#: LMS01	1 LAMP, SLIT LED; DIGITAL CAMERA; ELECTRIC AUTO TABLE TOP; IMAGENET 6 TO INCLUDE: (WXDXH) IN: 21.00 X 19.00 X 60.86 MM: 533 X 483 X 1546 LOCATION: FLOOR	VWR01 OF/OI EXISTING TOPCON INSTRUMENT CORP. OF AMERICA SL-D701	SO.00 \$0.00 NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) ACUTE CARE 214 - ED EQUIPMENT STORAGE NOTES: MUST INCLUDE MOBILE TABLE AUX \$: \$9,742.00	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> LMS01 OF/VI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
053119 EQ#: HVR01	1 LIFTER TRANSFER SYSTEM, PATIENT AIR; W/AIR SUPPLY, MAT, FLAME RETARDANT & TREATED WITH BACTERIOSTAT (WXDXH) IN: 12.00 X 9.00 X 14.00 MM: 305 X 229 X 356 LOCATION: SPACE	HOVERTECH INTERNATIONAL HMAIR400G HOVERMATT	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$8,100.00







\$0.00

\$3,000.00

\$0.00

TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS EXTENDED FLOOR - DEPARTMENT ROOM # - ROOM NAME** RESP EQ#: **STATUS** PRICE OF/OI 1 1) ACUTE CARE 224 - ACUTE EQUIPMENT STORAGE HVR01 NEW \$8,100.00 \$8,100.00

071283 EQ#: LFT04



LIFTER, PATIENT EZ WAY, INC 1 500LB CAP;SIT-TO-STAND;MEDIUM HARNESS;3"CASTERS S500PN BACKLIT LCD SCREEN; USAGE TIME CAPTURED; OVERLOAD W/O SCALE

(WXDXH) IN: 26.00 X 41.00 X 49.00 LBS: 132.00 MM: 660 X 1041 X 1245 KG: 60

LOCATION: FLOOR

AUX \$: \$8,100.00

INFO =0 LEASED =0 CAPITAL = 0

FLOOR - DEPARTMENT **EXTENDED QTY** ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE 1 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE LFT04 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$5,020.00

074071 EQ#: LFT02



ARJOHUNTLEIGH LIFTER, PATIENT NTB2000 MOBILE;400LB CAP;ACTIVE STANDING/TRANSFER AID; FLIP DOWN SWIVEL SEAT MECHANISM; NARROW PROFILE; LOW-FRICTION CASTORS, SARA STEDY

(WXDXH) IN: 34.65 X 36.22 X 41.50 MM: 880 X 920 X 1054 KG: 29

LOCATION: FLOOR

FUTURE =0 LBS: 65.00 INFO =0 LEASED =0 CAPITAL = 0

SPEC COMMENTS: SPACE REQUIREMENT: 87" X 79"

<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE	ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE	EQ#: LFT02	<u>RESP</u> OF/OI	STATUS EXISTING	PRICE \$0.00	EXTENDED \$0.00
1	1) SKILLED NURSING AUX \$: \$3,000.00	830 - EQUIPMENT ALCOVE	LFT02	OF/OI	NEW	\$3,000.00	\$3,000.00

092271 EQ#: LFT03



1

LIFTER, PATIENT 600LB CAP; ILLUMINATED LCD SCREEN; 3" CASTERS W/SCALE, CHARGER, 2 BATTERY PACKS & SLING

(WXDXH) IN: 26.00 X 47.00 X 53.00

LBS: 123.00

KG: 56 MM: 660 X 1194 X 1346 LOCATION: FLOOR

FLOOR - DEPARTMENT QTY 1 1) ACUTE CARE

ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE EQ#: LFT03

EZ WAY, INC

SMART LIFT

LLB600PS

RESP **STATUS** OF/OI **EXISTING** PRICE \$0.00

EXTENDED \$0.00

NEW = 0

EXISTING =1

FUTURE =0

LEASED =0

CAPITAL = 0

INFO =0

NEW =0

NEW = 1

EXISTING =1

EXISTING =1

FUTURE =0





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 092271 1 LIFTER, PATIENT EZ WAY, INC NEW =1 \$6,278.26 EQ#: LFT03 600LB CAP; ILLUMINATED LCD SCREEN; 3" CASTERS LLB600PS EXISTING =0 W/SCALE, CHARGER, 2 BATTERY PACKS & SLING **SMART LIFT** FUTURE =0 (WXDXH) IN: 26.00 X 47.00 X 53.00 LBS: 123.00 INFO =0 **MM**: 660 X 1194 X 1346 KG: 56 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** LFT03 1) SKILLED NURSING 874 - EQUIPMENT ALCOVE OF/OI NEW \$6,278.26 \$6,278.26 **AUX \$:** \$6,278.26 1014542 \$0.00 LIGHT, EXAM, MOBILE SUNNER TECHNOLOGIES NEW = 0EQ#: LHT04 **EXAMINATION LIGHT** TS20 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: **STATUS** PRICE LHT04 OF/OI \$0.00 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL **EXISTING** \$0.00 HEALTH AUX \$: \$0.00 106103 LIGHT, EXAM/TREATMENT STRYKER COMMUNICATIONS NEW =4 \$32,000.00 EQ#: LHT01 DOUBLE ARM; LED DIMMABLE; CEILING MOUNTED; ARM DROP; TUBE CE 2863075 EXISTING =0 LENGTH = 150MM; ARM LENGTH=800MM F300 FUTURE =0 LBS: 17.60 INFO =0 KG: 8 LEASED =0 LOCATION: CEILING CAPITAL = 0QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP **STATUS** PRICE **EXTENDED** EQ#: OF/CI NEW 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA LHT01 \$8,000.00 \$8,000.00 AUX \$: \$8,000.00 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION LHT01 OF/CI NEW \$8,000.00 \$8,000.00 AUX \$: \$8,000.00 1) EMERGENCY 320 - TREATMENT ROOM 02 LHT01 OF/CI NEW \$8,000.00 \$8,000.00 1 AUX \$: \$8,000.00 1) EMERGENCY OF/CI 321 - TREATMENT ROOM 01 LHT01 NEW \$8,000.00 \$8,000.00 **AUX \$:** \$8,000.00





ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
075704 EQ#: LHT03	1	LIGHT, EXAM/TREATMENT PROCEDURE LIGHT WITH MOBILE ST ON/OFF DIMMING OPTION (WXDXH) IN: 21.00 X 21.00 X 47.00 MM: 533 X 533 X 1194 LOCATION: FLOOR		WELCH ALLYN, 44600 GS 600	INC.			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$905.25
	9	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$905.25	ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE	EQ#: LHT03	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$905.25	<u>EXTENDED</u> \$905.25	
1007247 EQ#: LMG01	3	LIGHT, MAGNIFIER 7" WIDE MAGNIFYING ACRYLIC LENS VAC (WXDXH) IN: 12.40 X 4.13 X 26.00 MM: 315 X 105 X 660 LOCATION: COUNTERTOP	6; 1600 LUMEN; INCLUDES CLAMP; 120 LBS: 6.50 KG: 3	NEATFI 9006LED				NEW =2 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$300.00
		OTY FLOOR - DEPARTMENT 1 1) LAB AUX \$: \$150.00	ROOM # - ROOM NAME 500 - MICROBIOLOGY	EQ#: LMG01	RESP OF/OI	STATUS EXISTING	PRICE \$0.00	\$0.00	
	_	1 1) LAB AUX \$: \$150.00 1 1) LAB AUX \$: \$150.00	503 - LABORATORY 503 - LABORATORY	LMG01	OF/OI	NEW	\$150.00 \$150.00	\$150.00	
1014539	1	LIGHT, MAGNIFIER ROUND MAGNIFIER LIGHT;5-DIOPTE BALANCED ARM; HEAVY DUTY MOU LOCATION: SPACE	* **	AVEN TOOLS 26501-LED				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$131.07
		QTY FLOOR - DEPARTMENT 1 MAINTENANCE BUILDING AUX \$: \$131.07	ROOM # - ROOM NAME Z401 - MAINTENANCE		RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$131.07	<u>EXTENDED</u> \$131.07	
106509 EQ#: LHT02	4	LIGHT, SURGICAL, SINGLE W/FLAT SINGLE CHROMOPHARE F628 LIGHT UNIVERSAL DISPLAY MOUNT (FLAT P	WITH SINGLE	STRYKER COMM FD 2003 F628/FP	JUNICATI	ONS		NEW =4 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$200,000.00





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **MANUFACTURER STATUS** GENERIC **SPEC COMMENTS: REFERENCE VENDOR'S TECHNICAL DATA** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS PRICE EXTENDED** 2 1) SURGERY 632 - ENDO PROCEDURE ROOM LHT02 OF/VI NEW \$50,000.00 \$100,000.00 AUX \$: \$50,000.00 1) SURGERY LHT02 OF/VI 636 - OR NEW \$50,000.00 \$100,000.00 AUX \$: \$50,000.00 056756 NEW =2 2 LOUVER PANEL, WALL MOUNTED AKRO-MILS \$354.00 30161 480LB CAPACITY; GRAY; 16 GAUGE STEEL; POWDER COAT EXISTING =0 FINISH; ATTACHES DIRECTLY TO WALL; MOUNTING SCREWS FUTURE =0 (WXDXH) IN: 36.00 X 1.00 X 61.00 LBS: 40.00 INFO =0 KG: 18 MM: 914 X 25 X 1549 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT **EXTENDED** ROOM # - ROOM NAME RESP STATUS PRICE 2 1) MAINTENANCE BUILDING Z400 - STORAGE OF/CI NEW \$177.00 \$354.00 AUX \$: \$177.00 089770 LOUVER PANEL, WALL MOUNTED **QUANTUM STORAGE SYSTEMS NEW =6** \$395.28 QLP-3619HC EQ#: PAN02 175LB LOAD CAPACITY; ADJ BIN STORAGE; 16 GAUGE STEEL EXISTING =0 W/OYSTER WHITE / BEIGE BAKED-ENAMEL FINISH; FUTURE =0 (WXDXH) IN: 36.00 X 1.00 X 19.00 LBS: 13.00 INFO =0 MM: 914 X 25 X 483 **KG**: 6 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP STATUS PRICE **EXTENDED** 6 1) SKILLED NURSING 847 - CLEAN SUPPLY PAN02 OF/CI NEW \$65.88 \$395.28 AUX \$: \$65.88 066552 LOUVER PANEL, WALL MOUNTED **QUANTUM STORAGE SYSTEMS** NEW =10 \$1,123.60 EQ#: PAN01 STORAGE PANEL;16 GAUGE STEEL W/ GRAY ENAMEL FINISH QLP-4819 EXISTING =0 LOUVERED FOR BINS; 250LB LOAD CAPACITY **ULTRA HANGING SYSTEMS** FUTURE =0 (WXDXH) IN: 48.00 X 1.00 X 19.00 LBS: 18.00 INFO =0 **MM**: 1219 X 25 X 483 KG: 8 LEASED =0 LOCATION: WALL CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 216 - CLEAN SUPPLY ROOM PAN01 OF/CI NEW \$112.36 1) ACUTE CARE \$449.44 AUX \$: \$112.36 1) EMERGENCY 3 313 - DRUG ROOM PAN01 OF/CI NEW \$112.36 \$337.08 **AUX \$:** \$112.36 1) SURGERY OF/CI \$112.36 614 - CLEAN SUPPLY PAN01 NEW \$337.08 **AUX \$:** \$112.36





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTURE	≣R			STATUS	TOTAL EXTENDED PRICE
000156	2	LOUVER PANEL, WALL MOUNTED		AKRO-MILS				NEW =2	\$186.86
		STORAGE;MODULAR TYPE;LOUVERE	D FOR BINS;WALL MOUNT FOR	30636				EXISTING =0	
***		VERTICAL		30636				FUTURE =0	
		(WXDXH) IN: 35.75 X 0.31 X 19.00	LBS: 11.25					INFO =0	
		<i>MM</i> : 908 X 8 X 483 LOCATION : WALL	KG: 5					LEASED =0	
		LOCATION: WALL						CAPITAL = 0	
		QTY FLOOR - DEPARTMENT 1) MAINTENANCE BUILDING NOTES: PACK OF 4 EACH AUX \$: \$93.43	ROOM # - ROOM NAME Z400 - STORAGE		RESP CF/CI	<u>STATUS</u> NEW	<u>PRICE</u> \$93.43	<u>EXTENDED</u> \$186.86	
1000219	2	MEDICAL GAS ARTICULATING BOO	OM. ANESTHESIA	STRYKER COMM	/UNICATION	ONS		NEW =2	\$80,000.00
EQ#: MGAA01		S-SERIES 2 ROW ANESTHESIA BOOM	· · · · · · · · · · · · · · · · · · ·	SPS-2				EXISTING =0	, ,
		BRAKE						FUTURE =0	
<u></u>		(WXDXH) IN: 168.00 X 168.00 X 0.0	0					INFO =0	
1		<i>MM</i> : 4267 X 4267 X 0 LOCATION : CEILING						LEASED =0	
		LOCATION. CEIEING						CAPITAL = 0	
		OTY 1 SURGERY AUX \$: \$40,000.00	ROOM # - ROOM NAME 632 - ENDO PROCEDURE ROOM	EQ#: MGAA01	RESP OF/VI	STATUS NEW	<u>PRICE</u> \$40,000.00	EXTENDED \$40,000.00	
		1 1) SURGERY AUX \$: \$40,000.00	636 - OR	MGAA01	OF/VI	NEW	\$40,000.00	\$40,000.00	
1015752	1	MONITOR ACCESSORY, MODULE		PHILIPS MEDICA	AL SYSTEN	ЛS		NEW =1	\$6,120.30
		MULTI-MEASUREMENT MODULE		867036				EXISTING =0	
		TO INCLUDE:		INTELLIVUE MM	1X			FUTURE =0	
		(WXDXH) IN: 2.40 X 7.40 X 3.80	LBS: 1.60					INFO =0	
.0		<i>MM</i> : 61 X 188 X 97 LOCATION: SPACE	KG: 1					LEASED =0	
450		ECCATION. STACE						CAPITAL = 0	
	-	OTY FLOOR - DEPARTMENT 1 1 EMERGENCY AUX \$: \$6,120.30	ROOM # - ROOM NAME 312 - STAFF / MD WORKROOM		RESP OF/OI	STATUS NEW	\$6,120.30	\$6,120.30	
1015781	3	MONITOR, CENTRAL STATION		PHILIPS MEDICA	AL SYSTEN	лs		NEW =3	\$13,553.58
EQ#: MTC02		PIIC IX SURVEILLANCE CENTRAL MOI	NITORING; 23" TOUCH; CPU	INTELLIVUE				EXISTING =0	¥,
F-100 h		TO INCLUDE:		INFO CENTER IX	(FUTURE =0	
100		(WXDXH) IN: 16.00 X 8.20 X 16.00	LBS: 30.00					INFO =0	
		MM: 406 X 208 X 406	KG : 14					LEASED =0	
		LOCATION: COUNTERTOP						CAPITAL = 0	
		QTY FLOOR - DEPARTMENT	ROOM # - ROOM NAME	<u>EQ#:</u>	RESP	<u>STATUS</u>	<u>PRICE</u>	<u>EXTENDED</u>	l





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 221 - NURSE STATION MTC02 OF/VI NEW \$4,517.86 \$4,517.86 AUX \$: \$4,517.86 1) EMERGENCY 312 - STAFF / MD WORKROOM MTC02 OF/VI NEW \$4,517.86 \$4,517.86 **AUX \$:** \$4,517.86 1) SURGERY 615 - NURSE STATION / NOUR / MEDS MTC02 OF/VI NEW \$4,517.86 \$4,517.86 AUX \$: \$4,517.86 1015782 2 MONITOR, CENTRAL STATION, REMOTE PHILIPS MEDICAL SYSTEMS NEW = 2\$6,720.00 EQ#: MTCR02 MIRROR STATION: 23" DISPLAY: 120V AC MXU0295 EXISTING =0 DISPLAY: 23 FUTURE =0 LBS: 30.00 (WXDXH) IN: 17.00 X 8.20 X 16.00 INFO =0 MM: 432 X 208 X 406 KG: 14 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0SPEC COMMENTS: OVERALL DIMENSIONS INCLUDE CPU, UPS, AND RECORDER/ALARM SPEAKER MODULE SEE **CUT SHEET FOR SPECIFIC DIMENSIONS** FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS PRICE EXTENDED** QTY EQ#: 1) ACUTE CARE OF/VI MTCR02 \$3,360.00 217 - SUPERVISOR OFFICE NEW \$3,360.00 AUX \$: \$3,360.00 1 1) SURGERY 631 - ANESTHESIA WORKROOM MTCR02 OF/VI NEW \$3,360.00 \$3,360.00 **AUX \$:** \$3,360.00 1015755 \$25,118.58 MONITOR, PHYSIOLOGIC, TRANSPORT PHILIPS HEALTHCARE - MONITORING SYSTEMS NEW = 3 EQ#: PHY08 INTELLIVUE MULTI-MEASUREMENT TRANSPORT ACQUISITION MODULE: 5 867030 EXISTING =0 HOUR BATTERY; CHARGES VIA DOCKING STATION, 120VAC **INTELLIVUE X3** FUTURE =0 (WXDXH) IN: 9.80 X 3.80 X 4.40 LBS: 3.10 INFO =0 MM: 249 X 97 X 112 KG: 1 LEASED =0 LOCATION: SPACE CAPITAL = 0**FLOOR - DEPARTMENT** ROOM # - ROOM NAME **STATUS EXTENDED** QTY EQ#: RESP PRICE OF/VI 1) ACUTE CARE 221 - NURSE STATION PHY08 NEW \$8,372.86 \$8,372.86 AUX \$: \$8.372.86 1) EMERGENCY 312 - STAFF / MD WORKROOM PHY08 OF/VI NEW \$8,372.86 \$8,372.86 1 **AUX \$:** \$8,372.86 1) SURGERY OF/VI NEW \$8,372.86 \$8,372.86 615 - NURSE STATION / NOUR / MEDS PHY08 AUX \$: \$8,372.86 1015743 \$278,960.76 13 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS NEW =13 EQ#: PHY04 12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; 866062 NAM EXISTING =0 INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC **INTELLIVUE MX450** FUTURE =0 (WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 INFO =0 **KG**: 6 MM: 325 X 183 X 287 LEASED =0 LOCATION: WALL CAPITAL = 0





TOTAL

TOTAL

ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

<u>QTY</u> 2	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$21,458.52	ROOM # - ROOM NAME 200 - PATIENT ROOM, SEMI-PRIVATE	<u>EQ#:</u> PHY04	RESP OF/VI	STATUS NEW	PRICE \$21,458.52	EXTENDED \$42,917.04
2	1) ACUTE CARE AUX \$: \$21,458.52	202 - PATIENT ROOM, SEMI-PRIVATE	PHY04	OF/VI	NEW	\$21,458.52	\$42,917.04
1	1) ACUTE CARE AUX \$: \$21,458.52	204 - PATIENT ROOM, PRIVATE	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) ACUTE CARE AUX \$: \$21,458.52	206 - PATIENT ROOM, PRIVATE	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) ACUTE CARE AUX \$: \$21,458.52	208 - PAITENT ROOM, PRIVATE	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) ACUTE CARE AUX \$: \$21,458.52	210 - PATIENT ROOM, ACCESSIBLE ISOLATION	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) EMERGENCY AUX \$: \$21,458.52	317 - TREATMENT ROOM 05, TRAUMA	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) EMERGENCY AUX \$: \$21,458.52	318 - TREATMENT ROOM 04, BEHAVIORAL HEALTH	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) EMERGENCY AUX \$: \$21,458.52	319 - TREATMENT ROOM 03, ISOLATION	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) EMERGENCY AUX \$: \$21,458.52	320 - TREATMENT ROOM 02	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52
1	1) EMERGENCY AUX \$: \$21,458.52	321 - TREATMENT ROOM 01	PHY04	OF/VI	NEW	\$21,458.52	\$21,458.52

1015744 EQ#: PHY05 3



MONITOR, PHYSIOLOGICAL
9" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES;
INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

(WXDXH) IN: 10.70 X 7.00 X 11.30 LBS: 12.30 MM: 272 X 178 X 287 KG: 6

LOCATION: WALL

PHILIPS MEDICAL SYSTEMS

866060_NAM

INTELLIVUE MX400

PUTURE =0

INFO =0 LEASED =0

CAPITAL = 0

QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** EQ#: 1) SURGERY 607 - PACU 3 PHY05 OF/VI NEW \$19,070.81 \$19,070.81 AUX \$: \$19,070.81 1) SURGERY 608 - PACU 2 PHY05 OF/VI NEW \$19,070.81 \$19,070.81 AUX \$: \$19,070.81 1) SURGERY 609 - PACU 1 PHY05 OF/VI NEW \$19,070.81 \$19,070.81 1 AUX \$: \$19,070.81



\$57,212.43



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



ID#	TOTAL QTY	GENERIC		MANUFACTURI	ER			STATUS	TOTAL EXTENDED PRICE
1015745 EQ#: PHY06	1	MONITOR, PHYSIOLOGICAL 9" TOUCH SCREEN; SUPPORTS 4WAN INCLUDES 12-LEAD ECG, SPO2, NIBP (WXDXH) IN: 21.00 X 21.00 X 54.30 MM: 533 X 533 X 1379 LOCATION: FLOOR	, DUAL PRESS AND TEMP; INCLUDES	PHILIPS MEDICA 866060_NAM INTELLIVUE MX		ΛS		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$12,986.42
		TY FLOOR - DEPARTMENT 1 1) EMERGENCY AUX \$: \$12,986.42	ROOM # - ROOM NAME 306 - ED ALCOVE 02	<u>EQ#:</u> PHY06	RESP OF/VI	STATUS NEW	PRICE \$12,986.42	<u>EXTENDED</u> \$12,986.42	
1015753 EQ#: PHY07	2	MONITOR, PHYSIOLOGICAL PATIENT MONITOR, 15" LCD TFT TOU TO ANESTHESIA MACHINE; 120 VAC (WXDXH) IN: 16.00 X 8.00 X 13.00 MM: 406 X 203 X 330 LOCATION: SPACE	JCH DISPLAY; 6-WAVES; SIDE MOUNTS LBS: 22.30 KG: 10	PHILIPS MEDICA 866066_NAM MX550	AL SYSTEN	ИS		NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$39,692.16
		TY FLOOR - DEPARTMENT 1 SURGERY NOTES: ATTACHED TO ANESTHE AUX \$: \$19,846.08 1 SURGERY NOTES: LOCATED ON ANESTHES	636 - OR	<u>EQ#:</u> PHY07 PHY07	RESP OF/VI	STATUS NEW	\$19,846.08 \$19,846.08	\$19,846.08 \$19,846.08	
1015757 EQ#: TELE02	4	MONITOR, TELEMETRY 1.4 GHZ;SMART HOPPING; CO1 ENH SPO2 ENABLED (WXDXH) IN: 3.00 X 2.00 X 5.00 MM: 76 X 51 X 127 LOCATION: SPACE	LBS: 1.00 KG: 0	PHILIPS MEDICA 865350 MX40	AL SYSTEN	ИS		NEW =4 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$19,187.52
		TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$4,796.88 1 1) ACUTE CARE	ROOM # - ROOM NAME 204 - PATIENT ROOM, PRIVATE 206 - PATIENT ROOM, PRIVATE	EQ#: TELE02	RESP OF/OI OF/OI	STATUS NEW	\$4,796.88	\$4,796.88 \$4,796.88	
	:	AUX \$: \$4,796.88 1 1) ACUTE CARE AUX \$: \$4,796.88	208 - PAITENT ROOM, PRIVATE	TELE02	OF/OI	NEW	\$4,796.88	\$4,796.88	
		1 1) ACUTE CARE AUX \$: \$4,796.88	210 - PATIENT ROOM, ACCESSIBLE ISOLATIO	DN TELEO2	OF/OI	NEW	\$4,796.88	\$4,796.88	







ID#	TOTAL QTY GENERIC		MANUFACTURE	ER .			STATUS	TO EXTENDED PR	OTAL RICE
1013822 EQ#: MON01	2 MONITOR, VIDEO 55" LCD 4K DISPLAY		STRYKER COMN P45952 P45952	MUNICATIO	ONS		NEW =2 EXISTING =0 FUTURE =0	\$18,925	5.76
	(WXDXH) IN: 48.80 X 2.40 X 28.10 MM: 1240 X 61 X 714 LOCATION: WALL	LBS : 60.80 KG : 28					INFO =0 LEASED =0 CAPITAL = 0		
	OTY FLOOR - DEPARTMENT 1 1) SURGERY AUX \$: \$9,462.88	ROOM # - ROOM NAME 632 - ENDO PROCEDURE ROOM	EQ#: MON01	RESP OF/VI	<u>STATUS</u> NEW	PRICE \$9,462.88	<u>EXTENDED</u> \$9,462.88		
	1 1) SURGERY AUX \$: \$9,462.88	636 - OR	MON01	OF/VI	NEW	\$9,462.88	\$9,462.88		
097148	4 MONITOR, VIDEO 32";4K SURGICAL DISPLAY;MOUNTED TO INCLUDE: (WXDXH) IN: 29.70 X 3.00 X 17.80 MM: 754 X 76 X 452 LOCATION: SPACE	D FLAT PANEL ARM LBS: 23.10 KG: 10	STRYKER ENDO: 0240-031-050	SCOPY			NEW =4 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$90,985	5.84
	OTY FLOOR - DEPARTMENT 2 1) SURGERY AUX \$: \$22,746.46 2 1) SURGERY AUX \$: \$22,746.46	ROOM # - ROOM NAME 632 - ENDO PROCEDURE ROOM 636 - OR		RESP OF/VI OF/VI	STATUS NEW	\$22,746.46 \$22,746.46	\$45,492.92 \$45,492.92		
1001245 EQ#: MVS02	1 MONITOR, VITAL SIGNS MOBILE STAND;10.1" LCD TOUCHSCR SYSTEM); MASIMO RAINBOW SET OP (WXDXH) IN: 21.00 X 21.00 X 49.85 MM: 533 X 533 X 1266 LOCATION: FLOOR	•	PHILIPS MEDICA 863380/989803 EARLYVUE VS30	3176601			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$7,499	9.68
	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$7,499.68	ROOM # - ROOM NAME 219 - ALCOVE	<u>EQ#:</u> MVS02	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$7,499.68	<u>EXTENDED</u> \$7,499.68		
1015754 EQ#: MVS02	2 MONITOR, VITAL SIGNS MOBILE STAND; 10.1" LCD TOUCHSCE SYSTEM) (WXDXH) IN: 21.00 X 21.00 X 49.85 MM: 533 X 533 X 1266 LOCATION: FLOOR	REEN DISPLAY; EWS (EARLY WARNING LBS: 39.00 KG: 18	PHILIPS MEDICA 863380 EARLYVUE VS30				NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$8,324	4.46





ID#	TOTAL QTY GENERIC	MANUFACTURER	TOTAL STATUS EXTENDED PRICE
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE AUX \$: \$4,162.23 830 - EQUIPMENT ALCOVE	EQ#: RESP STATUS PRICE MVS02 OF/OI NEW \$4,162.23	EXTENDED \$4,162.23
	1 1) SKILLED NURSING 874 - EQUIPMENT ALCOVE AUX \$: \$4,162.23	MVS02 OF/OI NEW \$4,162.23	\$4,162.23
065637	2 ORGANIZER, PPE HOLDS 3 SINGLE GLOVE BOXES;1 LG & 2 SM POCKETS 2 LG POCKETS ON BACK OF CADDY W/SIDE ACCESS (WXDXH) IN: 33.00 X 5.00 X 19.00 MM: 838 X 127 X 483 LOCATION: WALL QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME	ROYAL ARMS MEDICAL INC. DOOR HANGING Q9 RESP STATUS PRICE	NEW = 2 \$154.00 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED
	1 1) SHARED SERVICES 400 - DECON AUX \$: \$77.00 1 1) SKILLED NURSING 874 - EQUIPMENT ALCOVE AUX \$: \$77.00	OF/VI NEW \$77.00 OF/VI NEW \$77.00	\$77.00
1015636 EQ#: OVM02	1 OVEN, DOMESTIC, MICROWAVE, BUILT-IN 30 INCH OVER THE RANGE MICROWAVE OVEN WITH 1.8 CU. FT. CAPACITY, 1000 COOKING WATTS, DUCTED VENTING, 300 CFM, 10 POWER LEVELS, UL (WXDXH) IN: 29.88 X 15.75 X 16.38 LBS: 50.00 MM: 759 X 400 X 416 KG: 23 LOCATION: SPACE		NEW = 1 \$320.00 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0
	QTY FLOOR - DEPARTMENT 1 1) SKILLED NURSING 809 - RECREATION ROOM NOTES: BUILT-IN ABOVE STOVE AUX \$: \$320.00	EQ#: RESP STATUS PRICE OVM02 OF/OI NEW \$320.00	<u>EXTENDED</u> \$320.00
055770 EQ#: OVM01	7 OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL; COMMERCIAL; MEDIUM DUTY (WXDXH) IN: 20.50 X 16.00 X 12.13 LBS: 37.00 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP	SHARP ELECTRONICS CORP. R-21LVF R21LVF	NEW = 7 \$2,625.00 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) ACUTE CARE 217 - SUPERVISOR OFFICE AUX \$: \$375.00	EQ#: RESP STATUS PRICE OVM01 OF/OI NEW \$375.00	<u>EXTENDED</u> \$375.00





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 220 - NUTRITION ALCOVE OVM01 OF/OI NEW \$375.00 \$375.00 NOTES: 2023-0606: COUNTERTOP AUX \$: \$375.00 504 - OFFICE / BREAKROOM 1 1) LAB OVM01 OF/OI NEW \$375.00 \$375.00 AUX \$: \$375.00 1) SHARED SERVICES 406 - STAFF BREAK OVM01 OF/OI NEW \$375.00 \$375.00 **NOTES: BUILT IN BELOW CABINET** AUX \$: \$375.00 1) SKILLED NURSING 833A - ALCOVE, NOUR (QTY 2) OVM01 OF/OI NEW \$375.00 \$750.00 AUX \$: \$375.00 1 1) SURGERY \$375.00 615 - NURSE STATION / NOUR / MEDS OVM01 OF/OI NEW \$375.00 AUX \$: \$375.00 100148 1 **PARALLEL BARS** TRI W-G INC. NEW = 1\$8.062.50 EQ#: PBR01 MOTORIZED;6 FT. PLATFORM;HEIGHT/WIDTH ADJUSTABLE BARS;1000# TWG1000.BA EXISTING =0 CAP; BARIATRIC; FINGERTIP CONTROLS; STEEL FRAME; NON-SKID BLACK **BARIATRIC** FUTURE =0 (WXDXH) IN: 54.00 X 72.00 X 39.75 INFO = 0MM: 1372 X 1829 X 1010 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME STATUS EXTENDED** QTY EQ#: RESP PRICE 1 1) PT/OT/RT 801 - THERAPY PBR01 OF/VI NEW \$8,062.50 \$8,062.50 AUX \$: \$8,062.50 1015151 3 PEGBOARD, WALL MOUNTED **GLOBAL INDUSTRIAL** NEW = 3\$690.00 CONTENTS INCLUDE (2) 18 IN. X 36 IN. LOCBOARDS; 28 HOOKS: (1) LB18-BKIT EXISTING =0 MULTI-PRONG TOOL HOLDER; (1) MULTI-RING TOOL HOLDER; (2) 4 IN. WGB2143599 FUTURE =0 (WXDXH) IN: 36.00 X 1.00 X 72.00 LBS: 22.00 INFO =0 MM: 914 X 25 X 1829 KG: 10 LEASED =0 LOCATION: WALL CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** PRICE **EXTENDED** RESP STATUS 1) MAINTENANCE BUILDING Z401 - MAINTENANCE OF/CI NEW \$230.00 \$690.00 AUX \$: \$230.00 086548 \$9,000.00 **PUMP, COMPRESSION** ARJOHUNTLEIGH NEW = 3UNIVERSAL ALL IN ONE INTERMITTENT PNEUMATIC COMPRESSION EXISTING =0 (IPC) THERAPY SYSTEM WITH AUTO-RECOGNITION OF **FLOWTRON** FUTURE =0 (WXDXH) IN: 9.00 X 6.00 X 10.50 LBS: 8.50 INFO =0 KG: 4 MM: 229 X 152 X 267 LEASED =0 LOCATION: SPACE CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME STATUS EXTENDED** QTY RESP PRICE







ID#	TOTAL QTY GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
	1 1) SURGERY 607 - PACU 3 AUX \$: \$0.00	OF/OI NEW	\$3,000.00 \$3,000.00	
	1 1) SURGERY 608 - PACU 2 AUX \$: \$0.00	OF/OI NEW	\$3,000.00 \$3,000.00	
	1 1) SURGERY 609 - PACU 1	OF/OI NEW	\$3,000.00 \$3,000.00	
094808 EQ#: ASP01	4 PUMP, SUCTION/ASPIRATOR, GENERAL, PORTABLE PORTABLE; RECHARGEABLE BATTERY; LED DISPLAY; HEPA FILTER; BEMIS DISPOSABLE CANISTER SYSTEM; HIGH FLOW; HIGH VACUUM; 80-500 MMH (WXDXH) IN: 13.00 X 6.30 X 15.40 LBS: 8.20	LAERDAL MEDICAL CORP. LSU 4000 78002001	NEW =4 EXISTING =0 FUTURE =0 INFO =0	\$3,980.00
	MM: 330 X 160 X 315 KG: 4 LOCATION: COUNTERTOP		LEASED =0 CAPITAL = 0	
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) ACUTE CARE 221 - NURSE STATION AUX \$: \$995.00 30 - 30 - 30 - 30 - 30 - 30 - 30 - 30 -	EQ#: RESP STATUS ASP01 OF/OI NEW	PRICE EXTENDED \$995.00 \$995.00	
	1 1) EMERGENCY 325 - ED ALCOVE 01 AUX \$: \$995.00	ASP01 OF/OI NEW	\$995.00 \$995.00	
	1 1) IMAGING 514 - CT SCAN AUX \$: \$995.00	ASP01 OF/OI NEW	\$995.00 \$995.00	
	1 1) SKILLED NURSING 833 - NURSE STATION (QTY 2) AUX \$: \$995.00	ASP01 OF/OI NEW	\$995.00 \$995.00	
094808 EQ#: ASP01	2 PUMP, SUCTION/ASPIRATOR, GENERAL, PORTABLE PORTABLE;RECHARGEABLE BATTERY;LED DISPLAY;HEPA FILTER;BEMIS	LAERDAL MEDICAL CORP. LSU 4000	NEW =2 EXISTING =0	\$1,990.00
	DISPOSABLE CANISTER SYSTEM;HIGH FLOW;HIGH VACUUM;80-500 MMH((WXDXH) IN: 13.00 X 6.30 X 12.40 LBS: 8.20	78002001	FUTURE =0	
S A A	MM: 330 X 160 X 315 KG: 4 LOCATION: COUNTERTOP		INFO =0 LEASED =0 CAPITAL = 0	
	QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SURGERY 613A - ALCOVE AUX \$: \$995.00 4	EQ#: RESP STATUS ASP01 OF/OI NEW	PRICE EXTENDED \$995.00 \$995.00	
	1 1) SURGERY 622 - OR EQUIP ALCOVE 04 AUX \$: \$995.00	ASP01 OF/OI NEW	\$995.00 \$995.00	
100745 EQ#: RCK02	1 RACK STERILE WRAP RACK;CHROME;5" CASTERS;ADJUSTABLE POST HEIGHT;4 BARS;WIRE BOTTOM SHELF	INTERMETRO INDUSTRIES CORP. SWR60S/2460FG/ACC STERILE WRAP	NEW =1 EXISTING =0 FUTURE =0	\$570.40
	(WXDXH) IN: 60.00 X 24.00 X 68.00 LBS: 94.00 MM: 1524 X 610 X 1727 KG: 43 LOCATION: FLOOR		INFO =0 LEASED =0 CAPITAL = 0	





TOTAL TOTAL QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

ID#	QTY				MANUFACTURER STATUS					S EXTENDED PRICE	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SURGERY AUX \$: \$570.40	ROOM # - ROOM NAME 634 - STORAGE / PREP & PACK / STERILIZER	EQ#: RCK02	RESP OF/OI	STATUS NEW	PRICE \$570.40	<u>EXTENDED</u> \$570.40		
098605 EQ#: RCK01	4	8 S	RACK, APRON, WALL MOUNTED B PEGS;4 APRONS;ELECTRO-MAGNET STEEL (WXDXH) IN: 19.00 X 5.00 X 3.00 MM: 483 X 127 X 76 LOCATION: WALL	LBS: 7.20 KG: 3	PHILLIPS SAFE				NEW =4 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$285.72	
		<u>QTY</u> 1	1) EMERGENCY AUX \$: \$71.43	ROOM # - ROOM NAME 325 - ED ALCOVE 01	EQ#: RCK01	OF/CI	NEW	\$71.43	\$71.43		
	_	1	1) IMAGING AUX \$: \$71.43 1) IMAGING AUX \$: \$71.43	512 - GENERAL RADIOLOGY 515 - CT CONTROL	RCK01	OF/CI	NEW	\$71.43 \$71.43	\$71.43		
		1	1) SURGERY AUX \$: \$71.43	626 - OR EQUIP ALCOVE 01	RCK01	OF/CI	NEW	\$71.43	\$71.43		
1006551 EQ#: RCK06	2	S	RACK, CLOTHES, MOBILE SINGLE ROLLING CLOTHES RACK (WXDXH) IN: 50.00 X 22.50 X 65.00 MM: 1270 X 572 X 1651 LOCATION: FLOOR	LBS: 28.00 KG: 13	ULINE H-1546				NEW =1 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$155.00	
		QTY 1	FLOOR - DEPARTMENT 1) SKILLED NURSING AUX \$: \$92.00 1) SKILLED NURSING	ROOM # - ROOM NAME 844 - GENERAL STORAGE 02 844 - GENERAL STORAGE 02	EQ#: RCK06	RESP OF/OI	STATUS EXISTING NEW	PRICE \$0.00	\$0.00 \$155.00		
	<u></u>	_	AUX \$: \$155.00							4005.00	
037382	1	N	RACK, CRUTCH CRUTCH/CANE RACK;30 PAIR OF CRU MOUNTING HARDWARE NOT SUPPLI (WXDXH) IN: 60.00 X 16.00 X 17.00 MM: 1524 X 406 X 432 LOCATION: WALL		BAILEY MFG. (790 790	LOMPANY			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$235.00	
		<u>QTY</u>	FLOOR - DEPARTMENT	ROOM # - ROOM NAME		RESP	<u>STATUS</u>	<u>PRICE</u>	CAPITAL = 0 EXTENDED	h	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) MAINTENANCE BUILDING Z400 - STORAGE OF/CI NEW \$235.00 \$235.00 AUX \$: \$235.00 071749 RACK, CRUTCH **IDEAL** NEW = 2\$243.94 EQ#: RCK03 FOR CRUTCHES, CANES, WALKERS & ROLLS; ALL STEEL GREY POWDER COAT EXISTING =0 FINISH;3 FIXED HOOKS RR31 FUTURE =0 (WXDXH) IN: 33.00 X 12.00 X 4.00 LBS: 13.00 INFO =0 **MM:** 838 X 305 X 102 **KG**: 6 LEASED =0 LOCATION: WALL CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT **ROOM # - ROOM NAME STATUS** EQ#: RESP PRICE OF/CI \$121.97 214 - ED EQUIPMENT STORAGE RCK03 NEW \$121.97 1) ACUTE CARE AUX \$: \$121.97 1) PT/OT/RT 802 - THERAPY STORAGE RCK03 OF/CI NEW \$121.97 \$121.97 1 AUX \$: \$121.97 1014559 **RACK, DRYING** CACTUS MAT MFR. CO. NEW =1 \$325.00 EQ#: RCK05 SOILED MAT TRANSFER CAR; 500 LB CAPACITY 6477 EXISTING =0 PORT-A-MAT FUTURE =0 LBS: 50.00 (WXDXH) IN: 28.00 X 42.00 X 40.00 INFO =0 **MM**: 711 X 1067 X 1016 KG: 23 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **STATUS EXTENDED** QTY EQ#: RESP PRICE 1) DIETARY 708 - HOUSEKEEPING RCK05 OF/CI NEW \$325.00 \$325.00 **AUX \$:** \$325.00 078704 RACK, MOP/BROOM \$2,082.72 BOBRICK WASHROOM EQUIPMENT, INC. NEW =6 SS;SHELF W/3 MOP OR BROOM HOLDERS;4 HOOKS; TYPE-304 EQ#: RCK04 EXISTING =0



RACK, MOP/BROOM

SS;SHELF W/3 MOP OR BROOM HOLDERS;4 HOOKS; TYPE-304

STAINLESS;ALL WELDED CONSTRUCTION;SATIN FINISH

(WXDXH) IN: 34.00 X 8.00 X 13.00

MM: 864 X 203 X 330

KG: 5

LOCATION: WALL

BOBRICK WASHROOM EQUIPMENT, INC.

PXISTING:

B-239

B-239

FUTURE = 0

INFO = 0

LEASED = 0

CAPITAL = 0

<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$347.12	ROOM # - ROOM NAME 225 - HOUSEKEEPING	<u>EQ#:</u> RCK04	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$347.12	\$347.12
1	1) DIETARY AUX \$: \$347.12	708 - HOUSEKEEPING	RCK04	OF/CI	NEW	\$347.12	\$347.12
1	1) SHARED SERVICES AUX \$: \$347.12	413 - HOUSEKEEPING	RCK04	OF/CI	NEW	\$347.12	\$347.12
1	1) SKILLED NURSING AUX \$: \$347.12	871 - HOUSEKEEPING	RCK04	OF/CI	NEW	\$347.12	\$347.12







ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
		1 1) SURGERY AUX \$: \$347.12	606 - HOUSEKEEPING	RCK04	OF/CI	NEW	\$347.12	\$347.12	
		1 1) SURGERY AUX \$: \$347.12	625 - HOUSEKEEPING	RCK04	OF/CI	NEW	\$347.12	\$347.12	
105431	1	RACK, SUTURE DISPENSER RACK;INCLUDES 20 MOD W/4 FASTENERS/20 MODULE CLIPS/	· · · · · · · · · · · · · · · · · · ·	ETHICON ENDO MR20)-SURGER	Y, INC.		NEW =1 EXISTING =0	\$707.35
		(WXDXH) IN: 25.75 X 5.75 X 27.00 MM: 654 X 146 X 686 LOCATION: WALL	LBS: 17.40 KG: 8					FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	
		QTY FLOOR - DEPARTMENT 1) SURGERY AUX \$: \$707.35	ROOM # - ROOM NAME 636 - OR		RESP OF/CI	<u>STATUS</u> NEW	<u>PRICE</u> \$707.35	EXTENDED \$707.35	
1015778 EQ#: RAL01	1	RAIL SYSTEM RAIL BIN SYSTEM; PRE-DRILLED IN 1' HARDWARE INCLUDED	" INCREMENTS; WALL-MOUNTING	VOLLRATH CON 91954 TRAEX 31"	1PANY			NEW =1 EXISTING =0 FUTURE =0	\$40.00
		(WXDXH) IN: 31.00 X 1.00 X 3.00 MM: 787 X 25 X 76 LOCATION: WALL	LBS: 1.50 KG: 1					INFO =0 LEASED =0 CAPITAL = 0	
	-	QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$40.00	ROOM # - ROOM NAME 218 - MED ROOM	<u>EQ#:</u> RAL01	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$40.00	<u>EXTENDED</u> \$40.00	
1013974 EQ#: RNG01	1	RANGE, ELECTRIC 30" INDUCTION RANGE WITH AIR FF	RYING OPTION; 240 VAC, 40A	FRIGIDAIRE GCRI3058AF GALLERY 30				NEW =1 EXISTING =0 FUTURE =0	\$1,650.00
		(WXDXH) IN: 29.88 X 25.75 X 48.00 MM: 759 X 654 X 1219 LOCATION: FLOOR	LBS: 250.00 KG: 113					INFO =0 LEASED =0 CAPITAL = 0	
		OTY FLOOR - DEPARTMENT 1 1) SKILLED NURSING AUX \$: \$1,650.00	ROOM # - ROOM NAME 809 - RECREATION ROOM	<u>EQ#:</u> RNG01	RESP OF/CI	STATUS NEW	<u>PRICE</u> \$1,650.00	EXTENDED \$1,650.00	







			3110 (ochene oanni	iui y				
ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
013535	2	REFRIGERATOR ACCESSORY, R DIGITAL REMOTE MONITORING U TEMP./POWER MONITORS ONLY (WXDXH) IN: 8.00 X 3.00 X 5.00 MM: 203 X 76 X 127 LOCATION: WALL TY FLOOR - DEPARTMENT	JNIT;USE W/TPM SERIES TRANSMITS SAME WARING	THERMO FISHE DTPMR 7397	R SCIENTI	FIC/JEWETT STATUS		NEW =0 EXISTING =2 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED	\$0.00
		2 1) LAB	503 - LABORATORY		OF/VI	EXISTING	\$0.00	\$0.00	
066907 EQ#: REF05	1	, , ,		REVCO, A THEF RGL7504A REVCO	RMO FISHE	ER COMPANY		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$11,404.00
		TY FLOOR - DEPARTMENT 1 1) LAB AUX \$: \$11,404.00	ROOM # - ROOM NAME 503 - LABORATORY	EQ#: REF05	RESP OF/OI	<u>STATUS</u> NEW	PRICE \$11,404.00	<u>EXTENDED</u> \$11,404.00	
008082 EQ#: REF02	9	REFRIGERATOR, UNDERCOUNT 115V;3.3 CF;AUTO DEFROST;ADA ACCEPTS PANEL;ADJ. TEMP CON (WXDXH) IN: 21.00 X 23.00 X 29 MM: 533 X 584 X 737 LOCATION: FLOOR	;2.5 GLASS SHELVES FROL;FIELD REVERSIBLE	U-LINE CORPO 29R U-29R	RATION			NEW =9 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$10,116.90
	_	TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$1,124.10	ROOM # - ROOM NAME 217 - SUPERVISOR OFFICE	EQ#: REF02	<u>RESP</u> OF/OI	STATUS NEW	PRICE \$1,124.10	EXTENDED \$1,124.10	
		1 1) ACUTE CARE AUX \$: \$1,124.10	220 - NUTRITION ALCOVE	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	
		1 1) EMERGENCY AUX \$: \$1,124.10	312 - STAFF / MD WORKROOM	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	
		1 1) LAB AUX \$: \$1,124.10	503P - LABORATORY (PROCESSING)	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	
		1 1) LAB AUX \$: \$1,124.10	504 - OFFICE / BREAKROOM	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	
		1 1) PT/OT/RT AUX \$: \$1,124.10	604 - RT WORK / STORAGE	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	
		1 1) SHARED SERVICES	401 - LACTATION	REF02	OF/OI	NEW	\$1,124.10	\$1,124.10	



AUX \$: \$1,124.10





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) SKILLED NURSING 814 - MED ROOM REF02 OF/OI NEW \$1,124.10 \$1,124.10 AUX \$: \$1,124.10 1) SURGERY 624 - OR EQUIP ALCOVE 02 REF02 OF/OI NEW \$1,124.10 \$1,124.10 **NOTES: SITS ON HYPERTHERMIA CART AUX \$:** \$1,124.10 028950 REFRIGERATOR, UNDERCOUNTER, CLINICAL THERMO FISHER SCIENTIFIC/JEWETT NEW = 0\$0.00 WITHOUT STAINLESS STEEL TOP;1 DOOR, 2 DRAWER 5.4 CU FT (.16 CU M); CT-1 EQ#: REF03 EXISTING =1 **STORES** FUTURE =0 (WXDXH) IN: 24.00 X 24.10 X 36.00 LBS: 225.00 INFO = 0**MM:** 610 X 612 X 914 KG: 102 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS** PRICE **EXTENDED** \$0.00 1 1) LAB 503 - LABORATORY REF03 OF/OI **EXISTING** \$0.00 105843 REFRIGERATOR, UNDERCOUNTER, MEDICAL GRADE HELMER LABS, INC. NEW = 0\$0.00 5.3 CF;SOLID FIELD REVERSIBLE DOOR;TEMP RANGE 2-10 DEG C;7" I.C3 ILR105-GX EQ#: REF04 EXISTING =0 COLOR TOUCHSCREEN INTERFACE; AUTO DEFROST; R600A ISOBUTANE I SERIES ADA FUTURE =0 (WXDXH) IN: 25.00 X 29.00 X 34.00 LBS: 174.00 INFO =0 MM: 635 X 737 X 864 KG: 79 LEASED =3 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** EQ#: RESP STATUS PRICE 1) ACUTE CARE 218 - MED ROOM REF04 OF/OI LEASED \$0.00 \$0.00 **AUX \$:** \$4,138.77 1 1) SKILLED NURSING 814 - MED ROOM REF04 OF/OI LEASED \$0.00 \$0.00 1) SURGERY 615 - NURSE STATION / NOUR / MEDS REF04 OF/OI LEASED \$0.00 \$0.00 105664 NEW =0 \$0.00 1 REFRIGERATOR, UPRIGHT, PHARMACY HELMER LABS, INC. EQ#: REF07 13.3CUFT; 115V; SS; VCC COMPRESSOR-BASED; FORCED-AIR **HORIZON SERIES** EXISTING =0 HYDROCARBON 1300-4000RPM SPEED RANGE: AUTO DEFROST: LED HPR113-GX FUTURE =0 (WXDXH) IN: 24.60 X 30.80 X 70.50 LBS: 338.00 INFO =0 MM: 625 X 782 X 1791 KG: 153 LEASED =1 LOCATION: FLOOR CAPITAL = 0SPEC COMMENTS: MINIMUM OF 8" ABOVE AND 3" BEHIND UNIT FOR CLEARANCE AND FEATURE ACCESS FLOOR - DEPARTMENT **ROOM # - ROOM NAME** RESP **EXTENDED** QTY EQ#: **STATUS** PRICE 1) EMERGENCY 313 - DRUG ROOM REF07 OF/OI LEASED \$0.00 \$0.00 1





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



SHD Generic Summary

ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
098003 EQ#: RFZ01	1	REFRIGERATOR/FREEZER, UNDERCOUNTER 2.9 CUFT;ADA;WHITE CABINET AND DOOR;ENERGY STAR QUALIFIED;CYCLE DEFROST;ZERO DEGREE FREEZER;TWO REVERSIBLE DOORS;DOOR (WXDXH) IN: 18.50 X 20.25 X 32.50	SUMMIT APPLIANCE DIV. 761101048406 CP351WADA	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$825.00
		RTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503D - LABORATORY (PHLEBOTOMY DESK) AUX \$: \$825.00	<u>EQ#: RESP STATUS</u> RFZ01 OF/OI NEW	PRICE EXTENDED \$825.00 \$825.00	
103350 EQ#: RFZ03	1	REFRIGERATOR/FREEZER, UPRIGHT 115V;BIOMEDICAL;VACCINE STORAGE;14.7CF REF; 6.2CF FREEZER;MICROPROCESSOR TEMP CONTROL;LED DISPLAY;ALARMS;4 (WXDXH) IN: 35.40 X 28.10 X 75.20 MM: 899 X 714 X 1910 LOCATION: FLOOR SPEC COMMENTS: DEPTH WITH DOORS OPEN: 28.10" + 17.7" = 45.8"	PANASONIC HEALTHCARE COMPANY MPR-715F-PA/PNAMPR715FPA	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		RTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503 - LABORATORY AUX \$: \$6,200.00 503 - LABORATORY	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> RFZ03 OF/OI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
1002050 EQ#: RFZ02	5	REFRIGERATOR/FREEZER, UPRIGHT 18.3CF;TOP MOUNT FREEZER; WHITE; NO ICE (WXDXH) IN: 30.00 X 30.38 X 66.38	FRIGIDAIRE FFHT1835VW	NEW =5 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$5,245.00
		RTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 2 1) SHARED SERVICES 406 - STAFF BREAK AUX \$: \$1,049.00 406 - STAFF BREAK	EQ#: RESP STATUS RFZ02 OF/OI NEW	PRICE EXTENDED \$1,049.00 \$2,098.00	
	_	1 1) SKILLED NURSING 809 - RECREATION ROOM AUX \$: \$1,049.00 2 1) SKILLED NURSING 833A - ALCOVE, NOUR (QTY 2) AUX \$: \$1,049.00	RFZ02 OF/OI NEW	\$1,049.00 \$1,049.00 \$1,049.00 \$2,098.00	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 093116 13 **REGULATOR, SUCTION, CONTINUOUS OHIO MEDICAL CORPORATION** NEW =13 \$5,070.00 TWO-MODE W/DIAMOND & LOCKING GLAND OVERFLOW SAFETY 8701-1225-905 EXISTING =0 TRAP FUTURE =0 (WXDXH) IN: 3.00 X 5.00 X 7.00 LBS: 1.10 INFO =0 MM: 76 X 127 X 178 **KG**: 0 LEASED =0 LOCATION: SPACE CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** 1) SURGERY 607 - PACU 3 OF/OI NEW \$390.00 \$390.00 AUX \$: \$390.00 1) SURGERY 608 - PACU 2 OF/OI \$390.00 \$390.00 NEW 1 AUX \$: \$390.00 1 SURGERY 609 - PACU 1 OF/OI NEW \$390.00 \$390.00 AUX \$: \$390.00 1) SURGERY 632 - ENDO PROCEDURE ROOM OF/OI NEW \$390.00 \$1,950.00 AUX \$: \$390.00 5 SURGERY 636 - OR OF/OI NEW \$390.00 \$1,950.00 AUX \$: \$390.00 1014992 **REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT** OHIO MEDICAL CORPORATION NEW =9 \$4,667.13 ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH 8701-1251-901 EXISTING =9 OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET FUTURE =0 (WXDXH) IN: 2.80 X 4.80 X 6.50 INFO =0 MM: 71 X 122 X 165 LEASED =0 **LOCATION: SPACE** CAPITAL = 0**FLOOR - DEPARTMENT** ROOM # - ROOM NAME RESP **STATUS PRICE EXTENDED** 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$518.57 \$1,037.14 AUX \$: \$518.57 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$518.57 \$1,037.14 AUX \$: \$518.57 1 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE OF/OI NEW \$518.57 \$518.57 AUX \$: \$518.57 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE OF/OI NEW \$518.57 \$518.57 AUX \$: \$518.57 1 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE OF/OI NEW \$518.57 \$518.57 AUX \$: \$518.57 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION OF/OI NEW \$518.57 \$518.57 AUX \$: \$518.57 1) EMERGENCY \$518.57 310 - TRIAGE OF/OI NEW \$518.57 AUX \$: \$518.57







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL OF/OI **EXISTING** \$0.00 \$0.00 HEALTH AUX \$: \$518.57 1 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1 EMERGENCY 320 - TREATMENT ROOM 02 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1) EMERGENCY 321 - TREATMENT ROOM 01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1) IMAGING 509 - ULTRASOUND OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1 1) IMAGING 512 - GENERAL RADIOLOGY OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1) IMAGING 514 - CT SCAN OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$518.57 1013193 RESPIRATOR, POWERED AIR PURIFYING (PAPR) 3M HEALTH CARE NEW =0 \$0.00 EQ#: PPR01 POWERED AIR PURIFYING RESPIRATOR (PAPR). FEATURES: COMPLETE PAPR EXISTING =8 SYSTEM FOR USE IN RUGGED ENVIRONMENTS SUCH AS INDUSTRIAL, TR-600-HIK FUTURE =0 (WXDXH) IN: 8.00 X 3.50 X 8.25 LBS: 3.00 INFO =0 MM: 203 X 89 X 210 KG: 1 LEASED =0 LOCATION: SPACE CAPITAL = 0SPEC COMMENTS: DIMENSIONS AND WEIGHT (WITH BATTERY) REFLECTS VERSAFLO UNIT ONLY. SEE DATASHEET FOR OTHER COMPONENTS WEIGHT. QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP STATUS PRICE **EXTENDED** 1) ACUTE CARE 211 - ANTEROOM PPR01 OF/OI **EXISTING** \$0.00 \$0.00 **NOTES: STORED WITHIN CABINET** AUX \$: \$1,699.00 006717 1 RESTRAINT, IMMOBILIZER, CHILD MXR/SOURCEONE NEW =1 \$3,616.48 EQ#: RES01 SMALL; FOR X-RAY USE; INFANT TO 3 1/2 YEARS; ADJUSTABLE SEAT 292205/MODERN WAY EXISTING =0 PLATFORM TO FACILITATE OBLIQUE AND LATERAL VIEWS; SPRING PIGG-O-STAT FUTURE =0 (WXDXH) IN: 20.00 X 22.00 X 35.00 LBS: 48.00 INFO =0 MM: 508 X 559 X 889 KG: 22 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** PRICE **EXTENDED** QTY EQ#: RESP **STATUS** 1) IMAGING 512 - GENERAL RADIOLOGY RES01 OF/OI NEW \$3,616.48 \$3,616.48 AUX \$: \$3,616.48







ID#	TOTA QTY			MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
065859 EQ#: SAFE01	1	SAFE, NARCOTICS SINGLE COLUMN INTEGRATED MAIN	W/PRINTER SHELF	BD CAREFUSION CIISAFE SINGLE/ACC	N PYXIS			NEW =0 EXISTING =0 FUTURE =0	\$0.00
		(WXDXH) IN: 49.00 X 28.00 X 79.50 MM: 1245 X 711 X 2019 LOCATION: FLOOR	LBS: 369.00 KG: 167					INFO =0 LEASED =1 CAPITAL = 0	
	_	1 1 EMERGENCY NOTES: ADDITION OVER CURREN AUX \$: \$36,000.00	ROOM # - ROOM NAME 313 - DRUG ROOM T CONDITION	EQ#: SAFE01	RESP OF/VI	<u>STATUS</u> LEASED	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
087746 EQ#: SCL03	1	SCALE, INFANT DIGITAL; HEAD/FOOT; WIRELESS EMR; MEASURING ROD (WXDXH) IN: 24.40 X 14.10 X 7.50 MM: 620 X 358 X 191 LOCATION: COUNTERTOP	LARGE TRAY;	SECA CORPORA 374 374/233	TION			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$634.00
		QTY 1 FLOOR - DEPARTMENT 1) EMERGENCY NOTES: WILL RESIDE ON SUPPLY OF AUX \$: \$634.00	ROOM # - ROOM NAME 310 - TRIAGE CART	<u>EQ#:</u> SCL03	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$634.00	<u>EXTENDED</u> \$634.00	
097638 EQ#: SCL02	2	SCALE, STAND-ON DIGITAL 1000LBS CAP;TOUCH LESS SCHEIGHT, WEIGHT,BMI;HL7 COMPLIAN (WXDXH) IN: 17.00 X 18.50 X 89.50 MM: 432 X 470 X 2273 LOCATION: FLOOR		DETECTO SCALI	E COMPAN	NY		NEW = 2 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$2,594.00
		QTY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$1,297.00	ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE	EQ#: SCL02	RESP OF/OI	<u>STATUS</u> NEW	PRICE \$1,297.00	EXTENDED \$1,297.00	
	L	1 1) EMERGENCY AUX \$: \$1,297.00	310 - TRIAGE	SCL02	OF/OI	NEW	\$1,297.00	\$1,297.00	
107260 EQ#: SCP03	2	SCOPE, LARYNGOSCOPE FOR DIFFICULT INTUBATION.		KARL STORZ EN C-MAC/OPTION 8403ZXK		'-AMERICA, INC.		NEW =2 EXISTING =0 FUTURE =0	\$72,355.84
*		(WXDXH) IN: 23.00 X 23.00 X 55.00 MM: 584 X 584 X 1397 LOCATION: FLOOR	LBS: 24.00 KG: 11					INFO =0 LEASED =0 CAPITAL = 0	





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS FLOOR - DEPARTMENT ROOM # - ROOM NAME EXTENDED** EQ#: RESP **STATUS** PRICE 1) ACUTE CARE 214 - ED EQUIPMENT STORAGE SCP03 OF/OI NEW \$36,177.92 \$36,177.92 AUX \$: \$36,177.92 1) SURGERY 622 - OR EQUIP ALCOVE 04 SCP03 OF/OI NEW \$36,177.92 \$36,177.92 AUX \$: \$36,177.92 1016186 NEW =1 \$163,935.62 SCOPE, VIDEO SYSTEM STRYKER ENDOSCOPY EQ#: ORC01 TO INCLUDE: 1688010000 EXISTING =0 1 EA 0240099155: CONNECTED OR VIDEO CART, 120V 1688 AIM 4K FUTURE =0 (WXDXH) IN: 30.00 X 30.00 X 90.00 LBS: 570.00 INFO =0 MM: 762 X 762 X 2286 KG: 259 LEASED =0 LOCATION: FLOOR CAPITAL = 0**ROOM # - ROOM NAME EXTENDED** FLOOR - DEPARTMENT EQ#: RESP STATUS PRICE ORC01 OF/VI 1) SURGERY 636 - OR NEW \$163,935.62 \$163,935.62 PHASE: EARLY - PO/LEASED AUX \$: \$163,935.62 021169 **SEALING UNIT** RENNCO, INCORPORATED NEW = 0\$0.00 EQ#: SLU01 THERMAL IMPULSE, 18 IN. (45.7 CM) SEAL, COUNTERTOP; MECHANICAL LS18D EXISTING =1 DRIVE CAM ASSURES PROPER TIMING/PRESSURE CYCLE IN MAKING LS18D FUTURE =0 (WXDXH) IN: 19.25 X 10.25 X 7.25 LBS: 46.00 INFO =0 KG: 21 **MM**: 489 X 260 X 184 LEASED =0 **LOCATION: COUNTERTOP** CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME PRICE **EXTENDED** QTY EQ#: RESP STATUS 1) SURGERY 634 - STORAGE / PREP & PACK / STERILIZER SLU01 OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$1,730.00 1013976 **SEAT, TOILET, RAISED ETAC** NEW = 4\$640.00 FREESTANDING TOILET SEAT RAISER, WITH BACK SUPPORT 81702020 EXISTING =2 SWIFT FREESTANDING FUTURE =0 (WXDXH) IN: 22.00 X 22.00 X 22.00 LBS: 8.60 INFO =0 MM: 559 X 559 X 559 KG: 4 LEASED =0 LOCATION: SPACE CAPITAL = 0**ROOM # - ROOM NAME EXTENDED** QTY FLOOR - DEPARTMENT RESP STATUS PRICE 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE OF/OI NEW \$160.00 \$640.00 **NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS** AUX \$: \$160.00 1) SKILLED NURSING 830 - EQUIPMENT ALCOVE OF/OI **EXISTING** \$0.00 \$0.00 **NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS** AUX \$: \$160.00





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTURE	R			STATUS	TOTAL EXTENDED PRICE
1015402	3	SHARPS, DISPOSAL, FLOOR BIN 8 GAL SHARPS WITH SLIDING LID		COVIDIEN 8980S 8 GAL				NEW =3 EXISTING =0	\$135.00
		(WXDXH) IN: 10.50 X 15.50 X 17.25 MM: 267 X 394 X 438 LOCATION: FLOOR		O GAL				FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	
		TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$45.00	ROOM # - ROOM NAME 218 - MED ROOM		<u>RESP</u> OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$45.00	<u>EXTENDED</u> \$45.00	
		1 1) EMERGENCY AUX \$: \$45.00	313 - DRUG ROOM		OF/OI	NEW	\$45.00	\$45.00	
		1 1) SURGERY AUX \$: \$45.00	633 - DECONTAMINATION		OF/OI	NEW	\$45.00	\$45.00	
1014831		SHELVING, STEEL 5 SHELF; STEEL DECK; 3000 LBS CAPA (WXDXH) IN: 72.00 X 24.00 X 72.00 MM: 1829 X 610 X 1829 LOCATION: FLOOR TY FLOOR - DEPARTMENT 2 1) MAINTENANCE BUILDING		GLOBAL INDUST 236618 EXTRA HEAVY DI		STATUS NEW		NEW = 2 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED \$1,692.00	\$1,692.00
		AUX \$: \$846.00			, 				
094824 EQ#: SHW01	1	SHELVING, STEEL, PALLET 2 SHELF PALLET RACK STARTER UNIT 2EA H-5724 WIRE DECKING (WXDXH) IN: 96.00 X 42.00 X 96.00 MM: 2438 X 1067 X 2438 LOCATION: FLOOR		ULINE H-5715				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$339.00
	_	TY FLOOR - DEPARTMENT 1 SHARED SERVICES NOTES: CUSTOM SEISMIC KIT W AUX \$: \$339.00	ROOM # - ROOM NAME 409 - EMERGENCY DRY FOOD STORAGE HEN ORDERED	<u>EQ#:</u> SHW01	RESP OF/VI	<u>STATUS</u> NEW	<u>PRICE</u> \$339.00	<u>EXTENDED</u> \$339.00	





PlanView

ID#	TOTAL QTY	GENERIC		MANUFACTURE	:R			STATUS	TOTAL EXTENDED PRICE
097455	1	SHELVING, WIRE		INTERMETRO IN	IDUSTRIE	S CORP.		NEW =1	\$379.00
EQ#: SHW05		4 SHELVES;SOLID BOTTOM;CASTERS		63UP/A1830NC				EXISTING =0	,
		TO INCLUDE:		SUPER ADJUST				FUTURE =0	
		(WXDXH) IN: 30.00 X 18.00 X 68.00	LBS: 65.50					INFO =0	
		MM: 762 X 457 X 1727	KG: 30					LEASED =0	
5 5 5		LOCATION: FLOOR						CAPITAL = 0	
		1 SURGERY NOTES: NO CASTERS AUX \$: \$379.00	ROOM # - ROOM NAME 634 - STORAGE / PREP & PACK / STERILIZER	<u>EQ#:</u> SHW05	RESP OF/VI	STATUS NEW	<u>PRICE</u> \$379.00	<u>EXTENDED</u> \$379.00	
065434	20	SHELVING, WIRE		INTERMETRO IN	IDUSTRIE	S CORP.		NEW =20	\$13,212.00
EQ#: SHW03		5 SHELF W/SOLID GALV BOTTOM SHE	ELF;STATIONARY	A2460NC/2460				EXISTING =0	+,
		TO INCLUDE:		SASE				FUTURE =0	
		(WXDXH) IN: 60.00 X 24.00 X 74.50	LBS: 131.00					INFO =0	
		MM: 1524 X 610 X 1892	KG: 59					LEASED =0	
		LOCATION: FLOOR						CAPITAL = 0	
		YY FLOOR - DEPARTMENT 2 1) ACUTE CARE AUX \$: \$660.60	ROOM # - ROOM NAME 216 - CLEAN SUPPLY ROOM	EQ#: SHW03	RESP OF/VI	<u>STATUS</u> NEW	PRICE \$660.60	EXTENDED \$1,321.20	
		3 1) PT/OT/RT AUX \$: \$660.60	604 - RT WORK / STORAGE	SHW03	OF/VI	NEW	\$660.60	\$1,981.80	
		3 1) SHARED SERVICES AUX \$: \$660.60	409 - EMERGENCY DRY FOOD STORAGE	SHW03	OF/VI	NEW	\$660.60	\$1,981.80	
		6 1) SHARED SERVICES AUX \$: \$660.60	410 - GENERAL STORAGE	SHW03	OF/VI	NEW	\$660.60	\$3,963.60	
		3 1) SHARED SERVICES AUX \$: \$660.60	412 - CLEAN LINEN STORAGE	SHW03	OF/VI	NEW	\$660.60	\$1,981.80	
		3 1) SKILLED NURSING AUX \$: \$660.60	847 - CLEAN SUPPLY	SHW03	OF/VI	NEW	\$660.60	\$1,981.80	
078823	35	SHELVING, WIRE		INTERMETRO IN	IDUSTRIE	S CORP.		NEW =35	\$19,628.00
EQ#: SHW02		5 SHELF;MOBILE;CHROME;CLEAR INL	AY BOTTOM SHELF	1848NC/74P				EXISTING =0	
		TO CONSIST OF:		SUPER ERECTA				FUTURE =0	
		(WXDXH) IN: 48.00 X 18.00 X 80.00	LBS: 86.00					INFO =0	
		MM: 1219 X 457 X 2032	KG: 39					LEASED =0	
		LOCATION: FLOOR						CAPITAL = 0	
	_	TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$560.80	ROOM # - ROOM NAME 224 - ACUTE EQUIPMENT STORAGE	<u>EQ#:</u> SHW02	RESP OF/VI	STATUS NEW	<u>PRICE</u> \$560.80	EXTENDED \$560.80	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 3 1) LAB 505 - SUPPLY STORAGE SHW02 OF/VI NEW \$560.80 \$1,682.40 **AUX \$:** \$560.80 1) MAINTENANCE BUILDING Z400 - STORAGE SHW02 OF/VI NEW \$560.80 \$2,243.20 **AUX \$:** \$560.80 PT/OT/RT 802 - THERAPY STORAGE SHW02 OF/VI NEW \$560.80 \$560.80 AUX \$: \$560.80 1) SKILLED NURSING 823 - GENERAL STORAGE 01 SHW02 OF/VI NEW \$560.80 \$2,243.20 AUX \$: \$560.80 1) SKILLED NURSING 844 - GENERAL STORAGE 02 SHW02 OF/VI NEW \$560.80 \$2,804.00 AUX \$: \$560.80 4 1) SKILLED NURSING 858 - GENERAL STORAGE 03 SHW02 OF/VI NEW \$560.80 \$2,243.20 **AUX \$:** \$560.80 1) SURGERY 605 - EQUIPMENT ALCOVE SHW02 OF/VI NEW \$560.80 \$560.80 **AUX \$:** \$560.80 2 1) SURGERY 614 - CLEAN SUPPLY SHW02 OF/VI NEW \$560.80 \$1,121.60 **AUX \$:** \$560.80 1 1) SURGERY 623 - OR EQUIP ALCOVE 03 SHW02 OF/VI NEW \$560.80 \$560.80 **AUX \$:** \$560.80 1 1) SURGERY 626 - OR EQUIP ALCOVE 01 SHW02 OF/VI NEW \$560.80 \$560.80 AUX \$: \$560.80 OF/VI 1 1) SURGERY 628 - ENDO EQUIP ALCOVE 02 SHW02 NEW \$560.80 \$560.80 **AUX \$:** \$560.80 2 1) SURGERY 631 - ANESTHESIA WORKROOM SHW02 OF/VI NEW \$560.80 \$1,121.60 AUX \$: \$560.80 1) SURGERY OF/VI \$560.80 \$560.80 633 - DECONTAMINATION SHW02 NEW AUX \$: \$560.80 1) SURGERY 635 - STERILE & CLEAN SUPPLY SHW02 OF/VI NEW \$560.80 \$2,243.20 AUX \$: \$560.80 079188 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. NEW =1 \$355.00 EQ#: SHW06 5 SHELVES; STATIONARY; CHROME; SHELF INLAY A2424NC/74P EXISTING =0 TO INCLUDE: A2424NC FUTURE =0 (WXDXH) IN: 24.00 X 24.00 X 74.00 LBS: 61.00 INFO =0 MM: 610 X 610 X 1880 KG: 28 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS** PRICE OF/VI NEW \$355.00 1) ACUTE CARE 218 - MED ROOM SHW06 \$355.00 AUX \$: \$355.00







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1015581 6 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. NEW =6 \$2,063.64 4 SHELF, STATIONARY, CHROME; SEISMIC EQ#: SHW04 1836NC/63P EXISTING =0 TO CONSIST OF THE FOLLOWING: SUPER ERECTA SEISMIC FUTURE =0 (WXDXH) IN: 36.00 X 18.00 X 63.00 LBS: 53.00 INFO =0 MM: 914 X 457 X 1600 KG: 24 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT QTY ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 225 - HOUSEKEEPING SHW04 OF/VI NEW \$343.94 \$343.94 AUX \$: \$343.94 1) DIETARY OF/VI \$343.94 708 - HOUSEKEEPING SHW04 NEW \$343.94 1 AUX \$: \$343.94 1) SHARED SERVICES 413 - HOUSEKEEPING SHW04 OF/VI NEW \$343.94 \$343.94 AUX \$: \$343.94 1) SURGERY 606 - HOUSEKEEPING SHW04 OF/VI NEW \$343.94 \$343.94 AUX \$: \$343.94 SURGERY 625 - HOUSEKEEPING SHW04 OF/VI NEW \$343.94 \$343.94 AUX \$: \$343.94 1 1) SURGERY 635 - STERILE & CLEAN SUPPLY SHW04 OF/VI NEW \$343.94 \$343.94 **AUX \$:** \$343.94 1015592 \$120.00 1 SHREDDER, PAPER FELLOWES, INC. NEW = 1SHREDS 10 SHEETS PER PASS INTO 5/23" X 1 9/16" CROSS-CUT PARTICLES; 4400301 EXISTING =0 SAFELY SHREDS STAPLES, PAPER CLIPS, AND PLASTIC CREDIT CARDS; 6 GAL POWERSHRED LX65 FUTURE =0 LBS: 15.00 (WXDXH) IN: 9.19 X 14.50 X 15.88 INFO =0 KG: 7 **MM:** 233 X 368 X 403 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP STATUS PRICE **EXTENDED** 1) ACUTE CARE 217 - SUPERVISOR OFFICE OF/OI NEW \$120.00 \$120.00 1 AUX \$: \$120.00 1015523 SINK, REPROCESSING STERIS CORPORATION NEW = 1\$23.721.17 EQ#: SNK01 REPROCESSING SINK 120" TRIPLE BAY;3 SINK;STAINLESS;30" BAYS;AIR & SINK50120 EXISTING =0 WATER PISTOLS;HEIGHT ADJUSTABLE 33-41" WORK SURFACE; 2 PRE-RINSE AMSCO 53 FUTURE =0 (WXDXH) IN: 120.00 X 28.00 X 53.00 LBS: 490.00 INFO =0 MM: 3048 X 711 X 1346 KG: 222 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME EXTENDED** RESP STATUS PRICE EQ#: OF/VI 1) SURGERY 633 - DECONTAMINATION SNK01 NEW \$23,721.17 \$23,721.17 AUX \$: \$23,721.17





944A GS1

PlanView

ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
1015524 EQ#: SNK02	1	SINK, SCRUB TWO STATIONS WITH TIMER; STAINLESS STEEL; MANUAL KNEE OPERATED WATER ON/OFF (WXDXH) IN: 64.00 X 27.29 X 51.50 MM: 1626 X 693 X 1308 LOCATION: WALL	STERIS CORPORATION CE122301 FLEXMATIC	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$9,736.93
		PROPERTY PROPERTY	<u>EQ#:</u> <u>RESP</u> <u>STATUS</u> SNK02 OF/VI NEW	PRICE EXTENDED \$9,736.93 \$9,736.93	
1012366 EQ#: ESU04	1	SMOKE EVACUATION SYSTEM SMOKE EVACAUATOR, 4 STAGE SYSTEM, SIMPLE INTUITIVE INTERFACE 25 HOUR ACTIVATION TIME (WXDXH) IN: 14.00 X 18.75 X 8.00 LBS: 20.00 MM: 356 X 476 X 203 KG: 9 LOCATION: COUNTERTOP	COVIDIEN RAPIDVAC SEC3690	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$2,467.16
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 SURGERY 632 - ENDO PROCEDURE ROOM NOTES: LOCATED ON BOOM AUX \$: \$2,467.16	<u>EQ#: RESP STATUS</u> ESU04 OF/OI NEW	PRICE EXTENDED \$2,467.16 \$2,467.16	
1007239	1	STAMP, TIME AND DATE REGISTERS TIME, DATE, NUMBERS, AND CUSTOMIZED MESSAGES ON DOCUMENTS; (WXDXH) IN: 6.20 X 7.10 X 7.10 LBS: 4.00 MM: 157 X 180 X 180 KG: 2 LOCATION: COUNTERTOP	LATHEM TIME RECORDER COMPANY LT5000	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) LAB 503P - LABORATORY (PROCESSING) AUX \$: \$360.88	RESP STATUS OF/OI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
088476 EQ#: MAY02		STAND, MAYO SS;5-LEG CAST ALUMINUM BASE;29.5"-49" HEIGHT ADJ; 2" TWIN-WHEEL CASTERS;13"X20" TRAY (WXDXH) IN: 19.13 X 12.65 X 49.00 LBS: 14.00 MM: 486 X 321 X 1245 KG: 6 LOCATION: FLOOR RTY FLOOR - DEPARTMENT ROOM NAME 1) LAB SO2 - BLOOD DRAW AUX \$: \$146.33	BLICKMAN, INC. 0661501000 1501 EQ#: RESP STATUS MAY02 OF/OI EXISTING	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 PRICE	\$0.00





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 006656 14 PEDIGO PRODUCTS, INC. NEW =14 \$7,699.86 STAND, MAYO EQ#: MAY01 FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2"CASTERS; 16 1/4 X 21 1/4 P-1066-SS EXISTING =0 P-1066-SS FUTURE =0 (WXDXH) IN: 16.25 X 21.25 X 36.00 LBS: 33.00 INFO =0 **MM:** 413 X 540 X 914 **KG**: 15 LEASED =0 **LOCATION: FLOOR** CAPITAL = 0**SPEC COMMENTS: FULLY EXTENDED 62"** ROOM # - ROOM NAME **EXTENDED** QTY FLOOR - DEPARTMENT EQ#: RESP STATUS PRICE MAY01 OF/OI NEW \$549.99 1) EMERGENCY 310 - TRIAGE \$549.99 AUX \$: \$549.99 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA MAY01 OF/OI NEW \$549.99 \$1,099.98 AUX \$: \$549.99 1 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL OF/OI MAY01 NEW \$549.99 \$549.99 HEALTH AUX \$: \$549.99 1 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION OF/OI \$549.99 \$549.99 MAY01 NEW AUX \$: \$549.99 1 1) EMERGENCY 320 - TREATMENT ROOM 02 MAY01 OF/OI NEW \$549.99 \$549.99 AUX \$: \$549.99 1 1) EMERGENCY 321 - TREATMENT ROOM 01 MAY01 OF/OI NEW \$549.99 \$549.99 AUX \$: \$549.99 1) SURGERY OF/OI 607 - PACU 3 MAY01 NEW \$549.99 \$549.99 AUX \$: \$549.99 1 1) SURGERY 608 - PACU 2 MAY01 OF/OI NEW \$549.99 \$549.99 **AUX \$:** \$549.99 SURGERY 609 - PACU 1 MAY01 OF/OI NEW \$549.99 \$549.99 **AUX \$:** \$549.99 632 - ENDO PROCEDURE ROOM 2 1) SURGERY MAY01 OF/OI NEW \$549.99 \$1,099.98 AUX \$: \$549.99 2 1) SURGERY 636 - OR MAY01 OF/OI NEW \$549.99 \$1,099.98 **AUX \$:** \$549.99 080356 STAND, SUCTION CANISTER, MOBILE ALLIED HEALTHCARE PRODUCTS, INC. NEW =2 \$50.00 COLLECTION CANISTER CARRIER; 4-CANISTER: 36" HIGH; ROLLING STAND EQ#: SCT01 20-02-0023 EXISTING =0 FUTURE =0 (WXDXH) IN: 24.00 X 24.00 X 36.00 LBS: 10.00 INFO =0 **MM**: 610 X 610 X 914 **KG**: 5 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED**







ID#	TOTAL QTY	GENERIC	MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
		1 1) SURGERY 632 - ENDO PROCEDURE ROOM AUX \$: \$25.00	SCT01	OF/OI	NEW	\$25.00	\$25.00	
		1 1) SURGERY 636 - OR AUX \$: \$25.00	SCT01	OF/OI	NEW	\$25.00	\$25.00	
1015528 EQ#: STE01	2	STERILIZER HOUSE STEAM;16X16X26 CHAMBER;FREESTANDING;CABINET SINGLE DOOR W/VERT SLIDE;PREVAC W/LIQUID CYCLE;TOUCHSCREEN (WXDXH) IN: 30.00 X 36.00 X 75.00 LBS: 750.00 MM: 762 X 914 X 1905 KG: 340 LOCATION: FLOOR SPEC COMMENTS: SERVICE CLEARANCE REQUIRED. REFERENCE VENDOR'S RY FLOOR - DEPARTMENT ROOM NAME 1) SURGERY 634 - STORAGE / PREP & PACK / STERILIZE NOTES: DOES NOT REQUIRE RO/DI WATER AUX \$: \$58,757.36	<u>EQ#:</u>		<u>STATUS</u> NEW	<u>PRICE</u> \$58,757.36	NEW = 2 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 EXTENDED \$117,514.72	\$117,514.72
074525 EQ#: IND01	1	STERILIZER, INDICATOR INDICATOR READER/INCUBATOR; USE W/STEAM STERILIZERS; READS THE FLUORESCENCE PRODUCED BY BIOLOGICAL INDICATORS TO INDICATE A (WXDXH) IN: 8.75 X 9.00 X 3.25 MM: 222 X 229 X 83 LOCATION: COUNTERTOP RY FLOOR - DEPARTMENT 1 SURGERY AUX \$: \$1,495.00	3M ATTEST AUTO-I 390 EQ#: R IND01	READER RESP OF/OI	<u>STATUS</u> EXISTING	PRICE \$0.00	NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED \$0.00	\$0.00
1015530 EQ#: STE02	1	STERILIZER, LOW TEMP LOW TEMP; SINGLE DOOR; VAPROX HC STERILANT; 19 MINUTE FAST CYCLE; PRE-PROGRAMMED LUMEN CYCLE; NON LUMEN CYCLE; FAST (WXDXH) IN: 22.50 X 33.00 X 61.50 LBS: 540.00 MM: 572 X 838 X 1562 KG: 245 LOCATION: FLOOR RYY FLOOR - DEPARTMENT 1 1) SURGERY G34 - STORAGE / PREP & PACK / STERILIZE AUX \$: \$59,805.60	STERIS CORPO VP60002401 V-PRO S2 EQ#: R STE02	RATION RESP OF/VI	STATUS NEW	PRICE \$59,805.60	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED \$59,805.60	\$59,805.60





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



SHD Generic Summary

ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1000341	1	STOOL STOOL GAS CYLINDER; 5-CASTER; (WXDXH) IN: 12.00 X 12.00 X 24.00 MM: 305 X 305 X 610 LOCATION: FLOOR)	STORAGE SYSTEMS UNLIMITED - P-526-GS				NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		1 PT/OT/RT AUX \$: \$188.74	ROOM # - ROOM NAME 604 - RT WORK / STORAGE		RESP OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	\$0.00	
099447 EQ#: STL03	3	STOOL, FOOT, WITH HANDRAIL TWO STEP;STEPS ARE 8" AND 16"HI CORRUGATED RUBBER SURFACE;GR (WXDXH) IN: 16.00 X 12.00 X 47.00 MM: 406 X 305 X 1194 LOCATION: FLOOR	EY FLOOR TIPS	PEDIGO PRODU P-18-A-K P-18-A-K	JCTS, INC.			NEW =3 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$508.89
		THE PROOF - DEPARTMENT 1 SMERGENCY AUX \$: \$169.63	ROOM # - ROOM NAME 313 - DRUG ROOM	<u>EQ#:</u> STL03	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$169.63	<u>EXTENDED</u> \$169.63	
		1 1) SURGERY AUX \$: \$169.63 1 1) SURGERY AUX \$: \$169.63	632 - ENDO PROCEDURE ROOM 636 - OR	STL03	OF/OI	NEW	\$169.63 \$169.63	\$169.63	
106653 EQ#: STL02	11	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT A SELECTED; HEIGHT ADJ. 18-24.5" (WXDXH) IN: 23.00 X 23.00 X 24.50 MM: 584 X 584 X 622 LOCATION: FLOOR	•	MIDMARK COR 272-001-312 272-001-312	PORATIO	N		NEW =11 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,650.00
	_	PLOOR - DEPARTMENT 1 1) EMERGENCY AUX \$: \$150.00 1 1) EMERGENCY	ROOM # - ROOM NAME 317 - TREATMENT ROOM 05, TRAUMA 318 - TREATMENT ROOM 04, BEHAVIORAL	EQ#: STL02	RESP OF/OI	STATUS NEW	\$150.00 \$150.00	\$150.00 \$150.00	
	_	AUX \$: \$150.00 1 1) EMERGENCY	HEALTH 319 - TREATMENT ROOM 03, ISOLATION	STL02	OF/OI	NEW	\$150.00	\$150.00	
		AUX \$: \$150.00 1 1) EMERGENCY AUX \$: \$150.00	320 - TREATMENT ROOM 02	STL02	OF/OI	NEW	\$150.00	\$150.00	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 321 - TREATMENT ROOM 01 STL02 OF/OI NEW \$150.00 \$150.00 AUX \$: \$150.00 1) PT/OT/RT 801 - THERAPY STL02 OF/OI NEW \$150.00 \$300.00 **AUX \$:** \$150.00 1) SURGERY 607 - PACU 3 STL02 OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1) SURGERY 608 - PACU 2 \$150.00 STL02 OF/OI NEW \$150.00 1 AUX \$: \$150.00 1) SURGERY 609 - PACU 1 STL02 OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1 1) SURGERY 634 - STORAGE / PREP & PACK / STERILIZER STL02 OF/OI NEW \$150.00 \$150.00 AUX \$: \$150.00 089895 STOOL, REVOLVING PEDIGO PRODUCTS, INC. NEW = 3 \$2,319.45 3 EQ#: STL01 ERGO; W/BACK; PNEUMATIC HGT ADJ; 2" CASTERS T-584 EXISTING =0 18X18 1/2" CONTOURED SEAT CUSHION W/ADJUSTMENT; **ANESTHESIA** FUTURE =0 (WXDXH) IN: 25.00 X 25.00 X 50.00 LBS: 38.00 INFO =0 MM: 635 X 635 X 1270 KG: 17 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) SURGERY 636 - OR STL01 OF/OI NEW \$773.15 \$2,319.45 NOTES: X1 WITH BACK; X2 WITHOUT BACK **AUX \$:** \$773.15 096706 STRETCHER HILL-ROM NEW =1 \$5,200.00 EQ#: STR05 700LB WT CAP;3" MATTRESS;26" DECK WIDTH;FULL PERIMETER P8040 EXISTING =0 BUMPER;3/4" STANDARD IV POLE SOCKETS;6 TRANSPORT STRAP TRAUMA FUTURE =0 (WXDXH) IN: 32.00 X 83.00 X 37.80 LBS: 289.90 INFO =0 MM: 813 X 2108 X 960 **KG**: 132 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED FLOOR - DEPARTMENT** ROOM # - ROOM NAME **STATUS** PRICE QTY EQ#: RESP STR05 OF/VI \$5,200.00 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA NEW \$5,200.00 **AUX \$:** \$5,200.00 105585 \$5,482.98 STRETCHER HILL-ROM NEW = 1700LB CAP;30" WIDE PATIENT SURFACE DECK **PROCEDURAL** EQ#: STR03 EXISTING =0 3/4" IV POLE SOCKETS; FULL PERIMETER BUMPERING P8000 FUTURE =0 (WXDXH) IN: 35.50 X 83.00 X 34.25 LBS: 265.00 INFO =0 **MM:** 902 X 2108 X 870 KG: 120 LEASED =0 LOCATION: FLOOR CAPITAL = 0







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** EQ#: 1) EMERGENCY **ZZZ - AMBULANCE CANOPY** STR03 OF/VI NEW \$5,482.98 \$5,482.98 AUX \$: \$5,482.98 1001212 **STRETCHER** HILL-ROM NEW =9 \$33,566.04 EQ#: STR03 TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: P8005 EXISTING =0 TN TRANSPORT P8005 **TRANSPORT** FUTURE =0 (WXDXH) IN: 36.00 X 83.00 X 34.25 LBS: 260.00 INFO =0 MM: 914 X 2108 X 870 KG: 118 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE 303 - ED ALCOVE 03 STR01 OF/VI 1) EMERGENCY NEW \$3,729.56 \$3,729.56 AUX \$: \$3,729.56 318 - TREATMENT ROOM 04, BEHAVIORAL STR03 OF/VI \$3,729.56 \$3,729.56 1) EMERGENCY NEW 1 HEALTH PHASE: EARLY - PO/LEASED AUX \$: \$3,729.56 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION STR03 OF/VI NEW \$3,729.56 \$3,729.56 PHASE: EARLY - PO/LEASED AUX \$: \$3,729.56 1) EMERGENCY 320 - TREATMENT ROOM 02 STR03 OF/VI NEW \$3,729.56 \$3,729.56 AUX \$: \$3,729.56 1 1) EMERGENCY 321 - TREATMENT ROOM 01 OF/VI \$3,729.56 \$3,729.56 STR03 NEW AUX \$: \$3,729.56 607 - PACU 3 1 1) SURGERY STR03 OF/VI NEW \$3,729.56 \$3,729.56 **AUX \$:** \$3,729.56 SURGERY 608 - PACU 2 STR03 OF/VI \$3,729.56 \$3,729.56 NEW AUX \$: \$3,729.56 1) SURGERY 609 - PACU 1 STR03 OF/VI NEW \$3,729.56 \$3,729.56 1 AUX \$: \$3,729.56 1) SURGERY STR03 \$3,729.56 623 - OR EQUIP ALCOVE 03 OF/VI NEW \$3,729.56 AUX \$: \$3,729.56 088075 STRETCHER, SHOWER LUMEX, INC. NEW =1 \$1,375.00 EQ#: STR04 PVC;WATER PROOF FOAM PAD;DROP SIDE RAILS;4"CASTERS; BEVELED GRF-8005 EXISTING =1 PILLOW;450LB CAPACITY FUTURE =0 (WXDXH) IN: 28.00 X 79.00 X 34.00 LBS: 130.00 INFO =0 MM: 711 X 2007 X 864 **KG**: 59 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS** PRICE **EXTENDED**







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) SHARED SERVICES 400 - DECON STR04 OF/OI NEW \$1,375.00 \$1,375.00 AUX \$: \$1,375.00 1) SKILLED NURSING 834 - CENTRAL BATHING (QTY 2) STR04 OF/OI **EXISTING** \$0.00 \$0.00 **NOTES: ONLY IN ROOM 819 AUX \$:** \$1,375.00 1009558 NEW =1 \$8,520.00 1 TABLE, IMAGING, ULTRASOUND **OAKWORKS MEDICAL** 84797 EQ#: STR02 550LB CAPACITY; POWERED HEIGHT ADJUSTABLE 19" TO 33"; 3-SECTION EXISTING =0 TOP **MULTI-SPECIALTY EA** FUTURE =0 (WXDXH) IN: 30.00 X 72.00 X 33.00 LBS: 359.00 INFO = 0MM: 762 X 1829 X 838 **KG**: 163 LEASED =0 LOCATION: FLOOR CAPITAL = 0SPEC COMMENTS: ELECTRIC HEIGHT RANGE: 19"-33" QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) IMAGING 509 - ULTRASOUND STR02 OF/VI NEW \$8,520.00 \$8,520.00 **AUX \$:** \$8,520.00 092792 PERFORMANCE HEALTHCARE \$3,285.00 TABLE, MAT, MOTORIZED NEW = 1WT CAP 900LBS;20-30" HT RANGE;HAND CONTROL SWITCH;2" FOAM A370562 EQ#: MAT01 EXISTING =0 PADDING; PERMABLOK COATING PERFORMA POWER FUTURE =0 (WXDXH) IN: 48.00 X 84.00 X 30.00 LBS: 270.00 INFO =0 MM: 1219 X 2134 X 762 KG: 123 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT **ROOM # - ROOM NAME** EQ#: RESP **STATUS PRICE EXTENDED** 801 - THERAPY MAT01 OF/OI \$3,285.00 \$3,285.00 1 1) PT/OT/RT NEW AUX \$: \$3,285.00 093154 HILL-ROM \$12,954.76 TABLE, OVERBED NEW =28 **EQ#: TBO01** HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE OBT-635 EXISTING =7 DESIGN;SGL THERMOFOIL TOP ART OF CARE FUTURE =0 (WXDXH) IN: 19.50 X 37.70 X 46.70 LBS: 48.00 INFO =0 MM: 495 X 958 X 1186 KG: 22 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP STATUS PRICE **EXTENDED** 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE **TBO01** OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$462.67 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE **TBO01** OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$462.67 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE TBO01 OF/OI **EXISTING** \$0.00 \$0.00



AUX \$: \$462.67





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE **TBO01** OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$462.67 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE **TBO01** OF/OI **EXISTING** \$0.00 \$0.00 AUX \$: \$462.67 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION **TBO01** OF/OI NEW \$462.67 \$462.67 AUX \$: \$462.67 1) SKILLED NURSING 816 - SEMI-PRIVATE PATIENT BEDROOM (QTY 24 **TBO01** OF/OI NEW \$462.67 \$11,104.08 12) AUX \$: \$462.67 1) SKILLED NURSING 840 - SPECIAL PURPOSE ROOM (PRIVATE & TBO01 OF/OI NEW \$462.67 \$462.67 ADA) AUX \$: \$462.67 1) SKILLED NURSING 842 - QUIET ROOM (PRIVATE & ADA) **TBO01** OF/OI NEW \$462.67 \$462.67 AUX \$: \$462.67 1) SURGERY 605 - EQUIPMENT ALCOVE TBO01 OF/OI NEW \$462.67 \$462.67 AUX \$: \$462.67 101296 **TABLE, SURGICAL** STRYKER COMMUNICATIONS NEW =1 \$105,000.00 EQ#: TBS01 1000LB CAP;21" WIDE PATIENT SURFACE;HEIGHT ADJUST OT 8302065 EXISTING =0 TO INCLUDE: OPERON D FUTURE =0 (WXDXH) IN: 23.00 X 82.60 X 25.00 LBS: 725.00 INFO =0 MM: 584 X 2098 X 635 KG: 329 LEASED =0 LOCATION: FLOOR CAPITAL = 0**FLOOR - DEPARTMENT** ROOM # - ROOM NAME **EXTENDED** QTY EQ#: RESP STATUS PRICE OF/VI 1) SURGERY 636 - OR TBS01 NEW \$105,000.00 \$105,000.00 AUX \$: \$105,000.00 051630 TABLE, WORK PEDIGO PRODUCTS, INC. NEW = 1\$579.18 S.S.; WITH UNDER-SHELF; MOBILE SG-98-SS/ACC EO#: TBW02 EXISTING =1 TO INCLUDE: FUTURE =0 (WXDXH) IN: 36.00 X 24.00 X 34.00 LBS: 58.00 INFO =0 **MM**: 914 X 610 X 864 **KG**: 26 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** QTY RESP **STATUS** PRICE EQ#: 632 - ENDO PROCEDURE ROOM OF/OI NEW \$579.18 \$579.18 1) SURGERY TBW02 AUX \$: \$579.18 1 1) SURGERY 636 - OR TBW02 OF/OI **EXISTING** \$0.00 \$0.00



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY

PlanView

SHD Generic Summary

ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
028909 EQ#: TBW01	1	TABLE, WORK STAINLESS;W/UNDERSHELF;3 IN CON	DUCTIVE CASTERS	PEDIGO PRODU STERIL-GARD SG-94-SS	ICTS, INC.			NEW =0 EXISTING =1 FUTURE =0	\$0.00
		(WXDXH) IN: 60.00 X 24.00 X 34.00 MM: 1524 X 610 X 864 LOCATION: FLOOR	LBS: 88.00 KG: 40					INFO =0 LEASED =0 CAPITAL = 0	
		TY FLOOR - DEPARTMENT 1 1) SURGERY	ROOM # - ROOM NAME 636 - OR	<u>EQ#:</u> TBW01	<u>RESP</u> OF/OI	STATUS EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
107241 EQ#: TWA01	1	TABLE, WORK, ADJUSTABLE AMSCO PREP & PACK DELUXE ELEC H' SURFACE; 500LB WT CAP (WHEN EVE (WXDXH) IN: 60.00 X 33.75 X 78.50 MM: 1524 X 857 X 1994 LOCATION: FLOOR	, ,	STERIS CORPOF PREP63 DELUXE ACCESS				NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$7,100.00
		SPEC COMMENTS: SPACE REQUIREM TY 1 SURGERY AUX \$: \$7,100.00	ENT: 61L X 36W X 86H IN INCHES MAX ROOM # - ROOM NAME 634 - STORAGE / PREP & PACK / STERILIZER	<u>EQ#:</u>	RESP OF/OI	STATUS NEW	PRICE \$7,100.00	\$7,100.00	
087084 EQ#: TBR01	1	TABLE, WORK, ADJUSTABLE HAND CRANK PATIENT TABLE WITH TI RANGE 27"-39";1-1/8" ALL LAMINATE (WXDXH) IN: 36.00 X 32.00 X 39.00 MM: 914 X 813 X 991 LOCATION: FLOOR	•	CLINTON INDUS	STRIES			NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$1,186.99
		TY FLOOR - DEPARTMENT 1 1) PT/OT/RT AUX \$: \$1,186.99	ROOM # - ROOM NAME 801 - THERAPY	<u>EQ#:</u> TBR01	RESP OF/OI	STATUS NEW	PRICE \$1,186.99	<u>EXTENDED</u> \$1,186.99	
1012845	1	TELEMETRY, ANTENNA INTELLIVUE SMART-HOPPING INSTALI TO INCLUDE: LOCATION: CEILING	L MTL	PHILIPS MEDICA	AL SYSTEM	AS		NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0	\$50,000.00
		TY FLOOR - DEPARTMENT 1 1) ACUTE CARE AUX \$: \$50,000.00	ROOM # - ROOM NAME 210 - PATIENT ROOM, ACCESSIBLE ISOLATIO	N	RESP OF/VI	STATUS NEW	PRICE \$50,000.00	EXTENDED \$50,000.00	





PlanView

ID#	TOTAL QTY		GENERIC		MANUFACTURI	ER.			STATUS	TOTAL EXTENDED PRICE
081027	1	Т	ESTER		OLYMPUS AME	RICA INC.			NEW =0	\$0.00
EQ#: TST01		L	EAKAGE TESTER EVIS		MU-1/MB-155				EXISTING =1	
		T	O INCLUDE:						FUTURE =0	
The Da			(WXDXH) IN: 4.00 X 7.00 X 7.00	LBS: 5.00					INFO =0	
STA WAS			<i>MM</i> : 102 X 178 X 178 LOCATION: COUNTERTOP	KG : 2					LEASED =0	
			LOCATION. COUNTERTOP						CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) SURGERY	ROOM # - ROOM NAME 633 - DECONTAMINATION	<u>EQ#:</u> TST01	<u>RESP</u> OF/OI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	EXTENDED \$0.00	
070441	5	Т	HERMOMETER, ELECTRONIC, W	ALL MOUNTED	EXERGEN CORP				NEW =5	\$2,125.00
EQ#: TMP02			The state of the s	EASE;TAT5000 CORE; CALIBRATION	124277				EXISTING =0	
916		C	OILED LATEX FREE CABLE AND WA	LL MOUNT INSTRUMENT	TAT-5000				FUTURE =0	
•			(WXDXH) IN: 2.00 X 1.25 X 8.00	LBS: 2.00					INFO =0	
=			MM: 51 X 32 X 203	KG : 1					LEASED =0	
0			LOCATION: WALL						CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) ACUTE CARE AUX \$: \$425.00	ROOM # - ROOM NAME 221 - NURSE STATION	<u>EQ#:</u> TMP02	<u>RESP</u> OF/OI	STATUS NEW	<u>PRICE</u> \$425.00	<u>EXTENDED</u> \$425.00	
		2	1) SKILLED NURSING AUX \$: \$425.00	833 - NURSE STATION (QTY 2)	TMP02	OF/OI	NEW	\$425.00	\$850.00	
		2	1) SURGERY AUX \$: \$425.00	615 - NURSE STATION / NOUR / MEDS	TMP02	OF/OI	NEW	\$425.00	\$850.00	
1015148	1	т	RUCK, FORKLIFT		GLOBAL INDUS	ΓRIAL			NEW =1	\$6,770.00
EQ#: FRK01			ULLY POWERED STRADDLE STACKE	R LIFT TRUCK; 65" LIFT' 2650 LB					EXISTING =0	
		C	APACITY; 120V AC		WB988955				FUTURE =0	
			(WXDXH) IN: 59.50 X 62.00 X 65.00						INFO =0	
7			MM: 1511 X 1575 X 1651	KG : 635					LEASED =0	
			LOCATION: FLOOR						CAPITAL = 0	
		<u>QTY</u> 1	FLOOR - DEPARTMENT 1) MAINTENANCE BUILDING AUX \$: \$6,770.00	ROOM # - ROOM NAME Z400 - STORAGE	<u>EQ#:</u> FRK01	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$6,770.00	<u>EXTENDED</u> \$6,770.00	
1015414	5	т	RUCK, TILT, WASTE/LINEN		TOTER INC.				NEW =5	\$3,250.00
EQ#: TRK02	3		6 CUFT MANUAL CUBE TRUCK; INC	CLUDES LID	MMC16-10836				EXISTING =0	\$3,230.00
					BLACK				FUTURE =0	
			(WXDXH) IN: 30.40 X 44.00 X 35.50	LBS: 60.00					INFO =0	
and the same of th			MM : 772 X 1118 X 902	KG: 27					LEASED =0	
			LOCATION: FLOOR						CAPITAL = 0	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** FLOOR - DEPARTMENT ROOM # - ROOM NAME EQ#: RESP **STATUS** PRICE **EXTENDED** 1) ACUTE CARE 213 - SOILED HOLDING ROOM TRK02 OF/OI NEW \$650.00 \$650.00 NOTES: BLACK IN COLOR; INCLUDES LID **AUX \$:** \$650.00 1 1) DIETARY 710 - TRASH TRK02 OF/OI NEW \$650.00 \$650.00 NOTES: BLACK IN COLOR; INCLUDES LID **AUX \$:** \$650.00 1 1) SKILLED NURSING 818 - SOILED HOLDING 01 TRK02 OF/OI NEW \$650.00 \$650.00 NOTES: BLACK IN COLOR; INCLUDES LID AUX \$: \$650.00 1 1) SKILLED NURSING 863 - SOILED HOLDING 02 TRK02 OF/OI NEW \$650.00 \$650.00 NOTES: BLACK IN COLOR; INCLUDES LID **AUX \$:** \$650.00 1 1) SURGERY 630 - SOILED UTILITY TRK02 OF/OI NEW \$650.00 \$650.00 NOTES: BLACK IN COLOR; INCLUDES LID AUX \$: \$650.00 100858 10 TRUCK/BIN, LINEN TOTER INC. NEW =10 \$4.975.10 500LB/16 CUFT CAPACITY; MANUAL UNLOADING; BLUE MMC16-90701 EQ#: TRK01 EXISTING =0 **CUBE HEAVY DUTY** FUTURE =0 (WXDXH) IN: 30.38 X 44.00 X 35.50 LBS: 60.50 INFO =0 MM: 772 X 1118 X 902 KG: 27 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME **EXTENDED** QTY EQ#: RESP **STATUS** PRICE TRK01 1) ACUTE CARE 213 - SOILED HOLDING ROOM OF/OI NEW \$497.51 \$497.51 **NOTES: INCLUDES LID** AUX \$: \$497.51 1) SHARED SERVICES 411 - SOILED LINEN TRK01 OF/OI NEW \$497.51 \$2,985.06 NOTES: INCLUDES LID; COLOR BLUE FOR ALL AUX \$: \$497.51 1) SKILLED NURSING 818 - SOILED HOLDING 01 TRK01 OF/OI NEW \$497.51 \$497.51 **NOTES: INCLUDES LID** AUX \$: \$497.51 1 1) SKILLED NURSING 863 - SOILED HOLDING 02 TRK01 OF/OI NEW \$497.51 \$497.51 **NOTES: INCLUDES LID** AUX \$: \$497.51 1 1) SURGERY 630 - SOILED UTILITY TRK01 OF/OI \$497.51 \$497.51 NEW **NOTES: INCLUDES LID**

AUX \$: \$497.51



SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



SHD Generic Summary

ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
099002 EQ#: VAC03	1	VACUUM STATIONARY VACUUM;AUTO/MANUAL FUNCTIONS 4.8 LITER CAPACITY;HIGH EFFICIENCY FILTRATION (WXDXH) IN: 13.00 X 7.50 X 20.50 LBS: 15.60 MM: 330 X 191 X 521 KG: 7 LOCATION: FLOOR	EYE VAC EYEVAC PRO	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$129.00
		XTY FLOOR - DEPARTMENT ROOM # - ROOM NAME 1 1) SKILLED NURSING 815 - BEAUTY PARLOR AUX \$: \$129.00 815 - BEAUTY PARLOR	EQ#: RESP STATUS VAC03 OF/OI NEW	PRICE EXTENDED \$129.00 \$129.00	
093627 EQ#: VAC04		VACUUM, WET/DRY 19GAL TANK;FRONT MOUNT SQUEEGEE;ERGO TIP-&-POUR DESIGN;9GAL DUST BAG (DRY);101CFM;8' HOSE (WXDXH) IN: 24.00 X 26.00 X 41.00	NILFISK ADVANCE 56383408 VL500-75 EQ#: RESP STATUS VAC04 OF/OI NEW	NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE	\$553.00
1003148 EQ#: VNT02		VENTILATOR ICU;TRANSPORT;ADULT/PEDS;8.4"COLOR TOUCHSCREEN 41 MONITORING PARAMETERS;5.5 HOURS BACKUP BATTERY, TROLLEY (WXDXH) IN: 24.80 X 24.80 X 64.30 LBS: 40.80 MM: 630 X 630 X 1633 KG: 19 LOCATION: FLOOR ROOM # - ROOM NAME 1) PT/OT/RT 604 - RT WORK / STORAGE AUX \$: \$16,300.00	HAMILTON MEDICAL, INC. T1 T1 T1 EQ#: RESP STATUS VNT02 OF/VI EXISTING	NEW = 0 EXISTING = 1 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE \$0.00 \$0.00	\$0.00
1000454 EQ#: VNT01	2	VENTILATOR V60 TRSPT DOM, CART, ARM, O2 MAN, NIC UNAS;PEDIATRIC-ADULT;BIPAP/NON-INVASIVE;CPAP;S/T;PCV;TOUCH-SCRI (WXDXH) IN: 16.00 X 17.00 X 46.00 LBS: 80.00 MM: 406 X 432 X 1168 KG: 36 LOCATION: FLOOR DTY FLOOR - DEPARTMENT 2 1) PT/OT/RT AUX \$: \$13,773.37	PHILIPS MEDICAL SYSTEMS V60 E RESPIRONICS V60 EQ#: RESP STATUS VNT01 OF/VI EXISTING	NEW = 0 EXISTING = 2 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE EXTENDED \$0.00 \$0.00	\$0.00





SENECA HEALTHCARE DISTRICT GENERIC SUMMARY



SHD Generic Summary

ID#	TOTAL QTY	GENERIC	MANUFACTURER	STATUS	TOTAL EXTENDED PRICE
1002317	2	WALKER ALUMINUM FOLDING WALKER WITH WHEELS; PUSH-BUTTON, DUAL-RELEASE MECHANISMS FOR EASY-FOLDING; 350 LB WEIGHT (WXDXH) IN: 24.00 X 17.50 X 39.00 LBS: 12.00 MM: 610 X 445 X 991 KG: 5 LOCATION: FLOOR	MCKESSON 1073638 146-10210-4	NEW =0 EXISTING =2 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 2 1) ACUTE CARE 224 - ACUTE EQUIPMENT STORAGE	RESP STATUS OF/OI EXISTING	PRICE EXTENDED \$0.00 \$0.00	
1002317	2	WALKER ALUMINUM FOLDING WALKER WITH WHEELS; PUSH-BUTTON, DUAL-RELEASE MECHANISMS FOR EASY-FOLDING; 350 LB WEIGHT (WXDXH) IN: 24.00 X 17.50 X 39.00 LBS: 12.00 MM: 610 X 445 X 991 KG: 5 LOCATION: FLOOR	MCKESSON 1073638 146-10210-4	NEW =2 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$52.94
		TY FLOOR - DEPARTMENT ROOM # - ROOM NAME 2 1) ACUTE CARE 214 - ED EQUIPMENT STORAGE AUX \$: \$26.47	<u>resp</u> <u>status</u> of/oi new	PRICE EXTENDED \$26.47 \$52.94	
066923 EQ#: WRM01	1	WARMER, CONTRAST MEDIA .65 CF;BI-METALLIC THERMOSTAT;2 FIXED SHELVES; EXTERIOR STEEL CONSTRUCTION; POWDER COAT FINISH (WXDXH) IN: 10.20 X 18.50 X 16.30 LBS: 16.00 MM: 259 X 470 X 414 KG: 7 LOCATION: COUNTERTOP TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	CONE INSTRUMENTS 216105 - EQ#: RESP STATUS	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 PRICE EXTENDED	\$596.00
		1 1) IMAGING 514 - CT SCAN AUX \$: \$596.00	WRM01 OF/OI NEW	\$596.00 \$596.00	
1003479 EQ#: WRM03	1	WARMER, FLUID CAP. (16) 1L BAGS;OR 12L BOTTLES;RADIANT HEAT TECHNOLOGY;TEMP RANGE IRRIGATION: 90-150DEG F;TEMP RANGE INJECTION: 90-104DEG (WXDXH) IN: 18.50 X 23.50 X 22.00 MM: 470 X 597 X 559 LOCATION: COUNTERTOP TY FLOOR - DEPARTMENT ROOM # - ROOM NAME	PEDIGO PRODUCTS P-2112 P-2112 EQ#: RESP STATUS	NEW = 1 EXISTING = 0 FUTURE = 0 INFO = 0 LEASED = 0 CAPITAL = 0 PRICE EXTENDED	\$3,512.00
		1 1) SURGERY 631 - ANESTHESIA WORKROOM AUX \$: \$3,512.00	WRM03 OF/OI NEW	\$3,512.00 \$3,512.00	







ID#	TOTAL QTY	GENERIC	MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
089695 EQ#: WRM02	1	WARMER, GEL ULTRASOUND GEL WARMER; 3 BOTTLE; ADJUSTABLE TE DISPLAY; (WXDXH) IN: 8.00 X 5.00 X 12.00 LBS: MM: 203 X 127 X 305 KG: LOCATION: COUNTERTOP	THERMASONIC	⁄IР)	INC.		NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$223.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM N/ 1 1) IMAGING 509 - ULTRASOUND AUX \$: \$223.00 - AUX \$ - AUX		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$223.00	<u>EXTENDED</u> \$223.00	
1004200 EQ#: WRMI01	1	, , , , , , , , , , , , , , , , , , , ,	GE HEALTHCAR M1112198 PANDA IRES : 220.00 : 100	Ε			NEW =0 EXISTING =1 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$0.00
		TY FLOOR - DEPARTMENT ROOM # - ROOM N/2 1 1) ACUTE CARE 214 - ED EQUIPMEN AUX \$: \$25,000.00		RESP OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1015533 EQ#: WSHD01		MM: 1067 X 787 X 2032 KG: LOCATION: FLOOR TY FLOOR - DEPARTMENT ROOM # - ROOM NA	/NLOAD;DRAIN AMSCO 5052 :: 457.00 :: 207	RESP	STATUS NEW	PRICE 590.066.42	NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0 EXTENDED	\$80,066.43
081549 EQ#: WSH02	1	MM: 686 X 800 X 1956 KG:	FRIGIDAIRE	OF/VI	NEW	\$80,066.43	\$80,066.43 NEW =1 EXISTING =0 FUTURE =0 INFO =0 LEASED =0	\$2,500.00
	_	LOCATION: FLOOR TY FLOOR - DEPARTMENT ROOM # - ROOM N/ 1 1) SKILLED NURSING 815 - BEAUTY PARLO AUX \$: \$2,500.00 815 - BEAUTY PARLO		RESP OF/CI	<u>STATUS</u> NEW	<u>PRICE</u> \$2,500.00	<i>CAPITAL = 0</i> <u>EXTENDED</u> \$2,500.00	







ID#	TOTAL QTY	GENERIC		MANUFACTUR	ER			STATUS	TOTAL EXTENDED PRICE
1014551	6	WASTE CONTAINER, BIOHAZARDO LIGHTWEIGHT ABS BENCHTOP WAST		MARKETLAB, IN ML16505 1.4 Q BENCHTO				NEW =6 EXISTING =0 FUTURE =0	\$498.00
N. C.		(WXDXH) IN: 5.00 X 3.88 X 7.63 MM: 127 X 99 X 194 LOCATION: COUNTERTOP	LBS: 2.00 KG: 1					INFO =0 LEASED =0 CAPITAL = 0	
	<u>QT</u> 1		ROOM # - ROOM NAME 500 - MICROBIOLOGY		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$83.00	<u>EXTENDED</u> \$83.00	
	1	. 1) LAB AUX \$: \$83.00	503 - LABORATORY		OF/OI	NEW	\$83.00	\$83.00	
	1	. 1) LAB AUX \$: \$83.00	503 - LABORATORY		OF/OI	NEW	\$83.00	\$83.00	
	1	. 1) LAB AUX \$: \$83.00	503 - LABORATORY		OF/OI	NEW	\$83.00	\$83.00	
	1	. 1) LAB AUX \$: \$83.00	503 - LABORATORY		OF/OI	NEW	\$83.00	\$83.00	
	1	1) LAB AUX \$: \$83.00	503P - LABORATORY (PROCESSING)		OF/OI	NEW	\$83.00	\$83.00	
100860 EQ#: WST01	1	WASTE RECEPTACLE GRAY;64 GALLON;224LB CAPACITY;H LID;PLASTIC;2-10"WHEELS;2-4"CASTI		TOTER INC. ACC64-54647				NEW =1 EXISTING =0 FUTURE =0	\$172.46
		(WXDXH) IN: 25.00 X 32.00 X 45.00 MM: 635 X 813 X 1143 LOCATION: FLOOR	LBS: 30.50 KG: 14					INFO =0 LEASED =0 CAPITAL = 0	
	<u>QT</u> 1		ROOM # - ROOM NAME 633 - DECONTAMINATION	<u>EQ#:</u> WST01	RESP OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$172.46	<u>EXTENDED</u> \$172.46	
1004090	16	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID (2026695 SLIM JIM	COMMERC	CIAL PRODUCTS		NEW =16 EXISTING =0 FUTURE =0	\$762.72
		(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR	LBS: 6.73 KG : 3					INFO =0 LEASED =0 CAPITAL = 0	
	<u>QT</u> 1		ROOM # - ROOM NAME 211 - ANTEROOM		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$47.67	<u>EXTENDED</u> \$47.67	







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 218 - MED ROOM OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1) ACUTE CARE 220 - NUTRITION ALCOVE OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 DIETARY 715 - HOSPITAL DINING OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1 1) EMERGENCY 312 - STAFF / MD WORKROOM OF/OI \$47.67 NEW \$47.67 AUX \$: \$47.67 1) EMERGENCY 313 - DRUG ROOM OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1 1) LAB 503 - LABORATORY OF/OI NEW \$47.67 \$47.67 **AUX \$:** \$47.67 1) LAB 503 - LABORATORY OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1 1) LAB 503 - LABORATORY OF/OI NEW \$47.67 \$47.67 **AUX \$:** \$47.67 1 1) LAB 503 - LABORATORY OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1 1) LAB 503P - LABORATORY (PROCESSING) OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1) SHARED SERVICES 406 - STAFF BREAK OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1 1) SKILLED NURSING 814 - MED ROOM OF/OI NEW \$47.67 \$47.67 AUX \$: \$47.67 1) SKILLED NURSING 833A - ALCOVE, NOUR (QTY 2) OF/OI \$47.67 \$95.34 NEW AUX \$: \$47.67 1) SURGERY 615 - NURSE STATION / NOUR / MEDS OF/OI NEW \$47.67 \$47.67 1 AUX \$: \$47.67 004363 119 **WASTE RECEPTACLE** RUBBERMAID COMM. PRODUCTS NEW =109 \$5,940.50 CAP 28 QT; RECTANGULAR; FIRE RETARDANT; FIBERGLASS; CA FIRE MARSHAL FG254300 [XXX] EXISTING =10 APPROVED; UL LISTED; 6/CARTON; CLIENT TO CHOOSE COLOR [XXX] IN 2543 FUTURE =0 (WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 INFO =0 MM: 368 X 267 X 389 KG: 2 LEASED =0 LOCATION: FLOOR CAPITAL = 0**EXTENDED** FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE 201 - TOILET, SEMI-PRIVATE PAT ROOM NEW 1) ACUTE CARE OF/OI \$54.50 \$54.50 AUX \$: \$54.50 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$54.50 \$54.50 1 AUX \$: \$54.50







TOTAL ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

	GENERIC	IVIANO	JFACTURER			SIAIUS
1	1) ACUTE CARE AUX \$: \$54.50	203 - TOILET, SEMI-PRIVATE PAT ROOM	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	205 - TOILET, PRIVATE	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	207 - TOILET, PRIVATE	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	209 - TOILET, PRIVATE	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	212 - TOILET, PRIVATE ISOLATION	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	213 - SOILED HOLDING ROOM	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	215 - MULTI-PURPOSE ROOM	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	217 - SUPERVISOR OFFICE	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	222 - PATIENT, TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	223 - STAFF TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) ACUTE CARE AUX \$: \$54.50	225 - HOUSEKEEPING	OF/OI	NEW	\$54.50	\$54.50
2	1) DIETARY AUX \$: \$54.50	706 - OFFICE	OF/OI	NEW	\$54.50	\$109.00
1	1) DIETARY AUX \$: \$54.50	712 - STAFF TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) EMERGENCY AUX \$: \$54.50	301 - PUBLIC TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) EMERGENCY AUX \$: \$54.50	302 - PUBLIC TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) EMERGENCY AUX \$: \$54.50	304 - STAFF TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) EMERGENCY AUX \$: \$54.50	305 - PATIENT TOILET	OF/OI	NEW	\$54.50	\$54.50
2	1) EMERGENCY AUX \$: \$54.50	309 - GREETER / REGISTRATION	OF/OI	NEW	\$54.50	\$109.00
1	1) EMERGENCY AUX \$: \$54.50	310 - TRIAGE	OF/OI	NEW	\$54.50	\$54.50
1	1) EMERGENCY AUX \$: \$54.50	311 - ON-CALL	OF/OI	NEW	\$54.50	\$54.50







TOTAL ID # QTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

	JENERIC	WANUF	ACTURER			SIAIUS
1	1) EMERGENCY AUX \$: \$54.50	312 - STAFF / MD WORKROOM	OF/OI	NEW	\$54.50	\$54.50
2	1) EMERGENCY AUX \$: \$54.50	313 - DRUG ROOM	OF/OI	NEW	\$54.50	\$109.00
1	1) IMAGING AUX \$: \$54.50	506 - MANAGER OFFICE	OF/OI	NEW	\$54.50	\$54.50
1	1) IMAGING AUX \$: \$54.50	507 - VIEWING / TECH WORK	OF/OI	NEW	\$54.50	\$54.50
1	1) IMAGING AUX \$: \$54.50	508 - PATIENT TOILET	OF/OI	NEW	\$54.50	\$54.50
1	1) IMAGING AUX \$: \$54.50	513 - GENERAL RADIOLOGY CONTROL	OF/OI	NEW	\$54.50	\$54.50
1	1) IMAGING AUX \$: \$54.50	515 - CT CONTROL	OF/OI	NEW	\$54.50	\$54.50
1	1) LAB AUX \$: \$54.50	500 - MICROBIOLOGY	OF/OI	NEW	\$54.50	\$54.50
1	1) LAB AUX \$: \$54.50	501 - PATIENT TOILET (BLOOD DRAW)	OF/OI	NEW	\$54.50	\$54.50
1	1) LAB AUX \$: \$54.50	502 - BLOOD DRAW	OF/OI	NEW	\$54.50	\$54.50
1	1) LAB AUX \$: \$54.50	504 - OFFICE / BREAKROOM	OF/OI	NEW	\$54.50	\$54.50
1	1) MAINTENANCE BUILDING AUX \$: \$54.50	Z402 - STAFF TOILET	OF/OI	EXISTING	\$0.00	\$0.00
1	1) MAINTENANCE BUILDING AUX \$: \$54.50	Z403 - PURCHASING MAINTENANCE OFFICE	OF/OI	EXISTING	\$0.00	\$0.00
1	1) MAINTENANCE BUILDING AUX \$: \$54.50	Z404 - HOUSEKEEPING OFFICE	OF/OI	EXISTING	\$0.00	\$0.00
1	1) MAINTENANCE BUILDING AUX \$: \$54.50	Z405 - MAINTENANCE OFFICE	OF/OI	EXISTING	\$0.00	\$0.00
1	1) PT/OT/RT AUX \$: \$54.50	801 - THERAPY	OF/OI	NEW	\$54.50	\$54.50
1	1) SHARED SERVICES AUX \$: \$54.50	102 - CHAPEL	OF/OI	EXISTING	\$0.00	\$0.00
2	1) SHARED SERVICES AUX \$: \$54.50	104 - PUBLIC TOILET (QTY 2)	OF/OI	EXISTING	\$0.00	\$0.00
1	1) SHARED SERVICES AUX \$: \$54.50	401 - LACTATION	OF/OI	EXISTING	\$0.00	\$0.00
2	1) SHARED SERVICES AUX \$: \$54.50	403 - LOCKERS, TOILET (QTY 2)	OF/OI	EXISTING	\$0.00	\$0.00





ID#

SENECA HEALTHCARE DISTRICT GENERIC SUMMARY SHD Generic Summary



TOTAL
OTY GENERIC MANUFACTURER STATUS EXTENDED PRICE

QTY	GENERIC	MANU	FACTURER			STATUS
1	1) SHARED SERVICES AUX \$: \$54.50	601 - STAFF TOILET	OF/OI	NEW	\$54.50	\$54.50
2	1) SKILLED NURSING AUX \$: \$54.50	803 - PUBLIC TOILET (QTY 2)	OF/OI	NEW	\$54.50	\$109.00
1	1) SKILLED NURSING AUX \$: \$54.50	811 - FAMILY ROOM	OF/OI	NEW	\$54.50	\$54.50
2	2 1) SKILLED NURSING AUX \$: \$54.50	813 - LOCKERS, TOILET (QTY 2)	OF/OI	NEW	\$54.50	\$109.00
1	1) SKILLED NURSING AUX \$: \$54.50	815 - BEAUTY PARLOR	OF/OI	NEW	\$54.50	\$54.50
36	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	816 - SEMI-PRIVATE PATIENT BEDROOM (QTY 12)	OF/OI	NEW	\$54.50	\$1,962.00
	NOTES: 1 PER BE AUX \$: \$54.50	D AND 1 AT SINK				
12	2 1) SKILLED NURSING AUX \$: \$54.50	817 - RESIDENT TOILET (QTY 12)	OF/OI	NEW	\$54.50	\$654.00
2	2 1) SKILLED NURSING AUX \$: \$54.50	835 - TOILET, CENTRAL BATHING (QTY 2)	OF/OI	NEW	\$54.50	\$109.00
1	1) SKILLED NURSING AUX \$: \$54.50	836 - DON OFFICE	OF/OI	NEW	\$54.50	\$54.50
1	1) SKILLED NURSING AUX \$: \$54.50	840 - SPECIAL PURPOSE ROOM (PRIVATE & ADA)	OF/OI	NEW	\$54.50	\$54.50
2	1) SKILLED NURSING AUX \$: \$54.50	841 - TOILET, PRIVATE RESIDENT (QTY 2)	OF/OI	NEW	\$54.50	\$109.00
1	1) SKILLED NURSING AUX \$: \$54.50	842 - QUIET ROOM (PRIVATE & ADA)	OF/OI	NEW	\$54.50	\$54.50
1	1) SKILLED NURSING AUX \$: \$54.50	872 - OFFICE	OF/OI	NEW	\$54.50	\$54.50
1	1) SURGERY AUX \$: \$54.50	107 - REGISTRATION	OF/OI	NEW	\$54.50	\$54.50
1	1) SURGERY AUX \$: \$54.50	108 - PRIVATE REGISTRATION	OF/OI	NEW	\$54.50	\$54.50
1	1) SURGERY AUX \$: \$54.50	610 - SUPERVISOR'S OFFICE	OF/OI	NEW	\$54.50	\$54.50
1	1) SURGERY AUX \$: \$54.50	612 - PATIENT TOILET	OF/OI	NEW	\$54.50	\$54.50
2	2 1) SURGERY AUX \$: \$54.50	617 - LOCKER, TOILET (QTY 2)	OF/OI	NEW	\$54.50	\$109.00
1	1) SURGERY AUX \$: \$54.50	630 - SOILED UTILITY	OF/OI	NEW	\$54.50	\$54.50







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) SURGERY 631 - ANESTHESIA WORKROOM OF/OI NEW \$54.50 \$54.50 AUX \$: \$54.50 1) SURGERY 635 - STERILE & CLEAN SUPPLY OF/OI NEW \$54.50 \$54.50 AUX \$: \$54.50 089875 RUBBERMAID COMM. PRODUCTS \$1,681.50 19 WASTE RECEPTACLE NEW =19 GRAY; SLIM JIM; VENTING CHANNELS; 16GAL 1971258 EXISTING =0 FUTURE =0 (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 INFO =0 **KG**: 3 **MM**: 559 X 279 X 635 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** 1 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL OF/OI NEW \$88.50 \$88.50 HEALTH AUX \$: \$88.50 1 1) EMERGENCY 319 - TREATMENT ROOM 03. ISOLATION OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1 1) EMERGENCY 320 - TREATMENT ROOM 02 OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1) EMERGENCY 321 - TREATMENT ROOM 01 OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1) SHARED SERVICES 400 - DECON OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 2 1) SHARED SERVICES 402 - LOCKERS, MALE / FEMALE (QTY 2) OF/OI NEW \$88.50 \$177.00 **AUX \$:** \$88.50 1) SKILLED NURSING OF/OI \$88.50 \$88.50 806 - DINING ROOM NEW AUX \$: \$88.50 1) SKILLED NURSING 809 - RECREATION ROOM OF/OI NEW \$88.50 \$88.50 1 AUX \$: \$88.50 1) SKILLED NURSING 812 - LOCKERS, FEMALE OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1) SKILLED NURSING 848 - LOCKERS, MALE OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 616 - LOCKER, MALE/FEMALE (QTY 2) 2 1) SURGERY OF/OI NEW \$88.50 \$177.00 AUX \$: \$88.50 SURGERY 621 - SCRUB OF/OI NEW \$88.50 \$88.50 AUX \$: \$88.50 1) SURGERY 632 - ENDO PROCEDURE ROOM OF/OI 1 NEW \$88.50 \$88.50 AUX \$: \$88.50







ID#	TOTAL QTY GENERIC		MANUFACTURER			STATUS	TOTAL EXTENDED PRICE
	1 1) SURGERY 633 - AUX \$: \$88.50	DECONTAMINATION	OF/OI	NEW	\$88.50	\$88.50	
	1 1) SURGERY 634 - AUX \$: \$88.50	- STORAGE / PREP & PACK / STERILIZER	OF/OI	NEW	\$88.50	\$88.50	
	1 1) SURGERY 636 - AUX \$: \$88.50	- OR	OF/OI	NEW	\$88.50	\$88.50	
1014420	6 WASTE RECEPTACLE 13GAL;OPEN TOP;BLUE		RUBBERMAID COMM. PR 2026699	ODUCTS		NEW =6 EXISTING =0	\$286.02
	(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR	LBS: 6.73 KG: 3	SLIM JIM			FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	
		M # - ROOM NAME - NUTRITION ALCOVE	<u>RESP</u> OF/OI	STATUS NEW	<u>PRICE</u> \$47.67	<u>EXTENDED</u> \$47.67	
	1 1) DIETARY 715 - AUX \$: \$47.67	- HOSPITAL DINING	OF/OI	NEW	\$47.67	\$47.67	
	1 1) EMERGENCY 312 - AUX \$: \$47.67	- STAFF / MD WORKROOM	OF/OI	NEW	\$47.67	\$47.67	
	2 1) SKILLED NURSING 833A AUX \$: \$47.67	A - ALCOVE, NOUR (QTY 2)	OF/OI	NEW	\$47.67	\$95.34	
	1 1) SURGERY 615 - AUX \$: \$47.67	NURSE STATION / NOUR / MEDS	OF/OI	NEW	\$47.67	\$47.67	
1015398	3 WASTE RECEPTACLE THE BLACK TIE KALEIDOSCOPE THREE-STRE STATION INCLUDES ONE 24 GALLON SQUAF (WXDXH) IN: 15.75 X 31.50 X 30.00 MM: 400 X 800 X 762 LOCATION: FLOOR		TRASHCAN WAREHOUSE RC-KDSQ-3C-BT THREE-STREAM COMBO			NEW =3 EXISTING =0 FUTURE =0 INFO =0 LEASED =0 CAPITAL = 0	\$2,880.00
		M # - ROOM NAME - ED LOUNGE	<u>RESP</u> OF/OI	<u>STATUS</u> NEW	<u>PRICE</u> \$960.00	EXTENDED \$1,920.00	
	1 1) SHARED SERVICES 100 - AUX \$: \$960.00	- LOBBY	OF/OI	NEW	\$960.00	\$960.00	





TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1005146 1 WASTE RECEPTACLE, RECYCLE RUBBERMAID COMM. PRODUCTS NEW =1 \$14.33 7GAL RECTANGULAR RECYCLING CONTAINER 5M785 EXISTING =0 FG295673 FUTURE =0 (WXDXH) IN: 10.50 X 14.50 X 15.00 LBS: 1.88 INFO =0 MM: 267 X 368 X 381 KG: 1 LEASED =0 LOCATION: FLOOR CAPITAL = 0QTY FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP **STATUS** PRICE **EXTENDED** 504 - OFFICE / BREAKROOM 1) LAB OF/OI NEW \$14.33 \$14.33 AUX \$: \$14.33 092852 WASTE RECEPTACLE, RECYCLING RUBBERMAID COMM. PRODUCTS **NEW =6** \$210.00 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION; VENTED CHANNELS; 1971257 EXISTING =0 HANDLES AT RIM SLIM JIM FUTURE =0 (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 INFO =0 MM: 559 X 279 X 635 **KG**: 3 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **EXTENDED** ROOM # - ROOM NAME RESP **STATUS** PRICE 507 - VIEWING / TECH WORK OF/OI \$35.00 1 1) IMAGING NEW \$35.00 AUX \$: \$35.00 1) MAINTENANCE BUILDING Z400 - STORAGE OF/OI NEW \$35.00 \$35.00 AUX \$: \$35.00 1) SHARED SERVICES OF/OI \$35.00 406 - STAFF BREAK NEW \$35.00 AUX \$: \$35.00 1 1) SKILLED NURSING 806 - DINING ROOM OF/OI NEW \$35.00 \$35.00 AUX \$: \$35.00 1) SKILLED NURSING 809 - RECREATION ROOM OF/OI \$35.00 NEW \$35.00 AUX \$: \$35.00 1 1) SURGERY 631 - ANESTHESIA WORKROOM OF/OI NEW \$35.00 \$35.00 AUX \$: \$35.00 094275 15 WASTE RECEPTACLE, STEP-ON RUBBERMAID COMM. PRODUCTS NEW =15 \$2,211.60 8 GALLON; PLASTIC; BEIGE EXISTING =0 FG614300BEIG FUTURE =0 (WXDXH) IN: 16.25 X 15.75 X 17.00 LBS: 7.30 INFO =0 MM: 413 X 400 X 432 **KG**: 3 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **ROOM # - ROOM NAME EXTENDED** RESP STATUS PRICE 200 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW 1) ACUTE CARE \$147.44 \$147.44 AUX \$: \$147.44







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 1) ACUTE CARE 204 - PATIENT ROOM, PRIVATE OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE OF/OI NEW \$147.44 \$147.44 **AUX \$:** \$147.44 1 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 1 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION OF/OI NEW \$147.44 \$147.44 **AUX \$:** \$147.44 3 1) DIETARY 713 - DISHROOM OF/OI NEW \$147.44 \$442.32 **AUX \$:** \$147.44 1) IMAGING 509 - ULTRASOUND OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 1 1) IMAGING 512 - GENERAL RADIOLOGY OF/OI NEW \$147.44 \$147.44 **AUX \$:** \$147.44 1 1) IMAGING 514 - CT SCAN OF/OI NEW \$147.44 \$147.44 **AUX \$:** \$147.44 1 1) SURGERY 607 - PACU 3 OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 1 1) SURGERY 608 - PACU 2 OF/OI NEW \$147.44 \$147.44 **AUX \$:** \$147.44 1 1) SURGERY 609 - PACU 1 OF/OI NEW \$147.44 \$147.44 AUX \$: \$147.44 084252 RUBBERMAID COMM. PRODUCTS NEW =13 \$1,950.00 13 WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT FITTING LID;CALIF FIRE 6146RED EXISTING =0 MARSHALL APP'D FUTURE =0 (WXDXH) IN: 20.00 X 17.00 X 33.00 LBS: 18.00 INFO =0 **MM:** 508 X 432 X 838 **KG**: 8 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT ROOM # - ROOM NAME RESP STATUS PRICE **EXTENDED** 1) ACUTE CARE 211 - ANTEROOM OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1 1) EMERGENCY 317 - TREATMENT ROOM 05, TRAUMA OF/OI NEW \$150.00 \$150.00 AUX \$: \$150.00 1) EMERGENCY 318 - TREATMENT ROOM 04, BEHAVIORAL OF/OI NEW \$150.00 \$150.00 HEALTH AUX \$: \$150.00 1) EMERGENCY 319 - TREATMENT ROOM 03, ISOLATION OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00







TOTAL TOTAL **EXTENDED PRICE** ID# QTY **GENERIC MANUFACTURER STATUS** 1) EMERGENCY 320 - TREATMENT ROOM 02 OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1) EMERGENCY 321 - TREATMENT ROOM 01 OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1 1) LAB 502 - BLOOD DRAW OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1 1) LAB 503 - LABORATORY OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 1) LAB 503 - LABORATORY OF/OI NEW \$150.00 \$150.00 **AUX \$:** \$150.00 2 1) SURGERY 632 - ENDO PROCEDURE ROOM OF/OI NEW \$150.00 \$300.00 **AUX \$:** \$150.00 1) SURGERY 636 - OR OF/OI NEW \$150.00 \$300.00 **AUX \$:** \$150.00 094274 \$1,950.00 WASTE RECEPTACLE, STEP-ON RUBBERMAID COMM. PRODUCTS NEW =15 BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID FG614300RED EXISTING =0 FG614300RED FUTURE =0 (WXDXH) IN: 15.75 X 16.25 X 17.13 LBS: 7.90 INFO =0 MM: 400 X 413 X 435 KG: 4 LEASED =0 LOCATION: FLOOR CAPITAL = 0FLOOR - DEPARTMENT **EXTENDED** ROOM # - ROOM NAME RESP **STATUS** PRICE 1) ACUTE CARE 200 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$130.00 \$130.00 1 **AUX \$:** \$130.00 1) ACUTE CARE 202 - PATIENT ROOM, SEMI-PRIVATE OF/OI NEW \$130.00 \$130.00 AUX \$: \$130.00 1 1) ACUTE CARE OF/OI NEW \$130.00 \$130.00 204 - PATIENT ROOM, PRIVATE AUX \$: \$130.00 1 1) ACUTE CARE 206 - PATIENT ROOM, PRIVATE OF/OI NEW \$130.00 \$130.00 AUX \$: \$130.00 1) ACUTE CARE 208 - PAITENT ROOM, PRIVATE OF/OI NEW \$130.00 \$130.00 **AUX \$:** \$130.00 1 1) ACUTE CARE 210 - PATIENT ROOM, ACCESSIBLE ISOLATION OF/OI NEW \$130.00 \$130.00 AUX \$: \$130.00 1 1) EMERGENCY 310 - TRIAGE OF/OI NEW \$130.00 \$130.00 **AUX \$:** \$130.00 1) IMAGING 512 - GENERAL RADIOLOGY OF/OI NEW \$130.00 \$130.00 AUX \$: \$130.00 514 - CT SCAN OF/OI \$130.00 1) IMAGING NEW \$130.00 1 AUX \$: \$130.00





SENECA HEALTHCARE DISTRICT **GENERIC SUMMARY** ry



ID#	TOTAL QTY GENERIC		MANUFACTURI	:R			STATUS	TOTAL EXTENDED PRICE
	1 1) LAB AUX \$: \$130.00	500 - MICROBIOLOGY		OF/OI	NEW	\$130.00	\$130.00	
	1 1) LAB AUX \$: \$130.00	503 - LABORATORY		OF/OI	NEW	\$130.00	\$130.00	
	1 1) LAB AUX \$: \$130.00	503 - LABORATORY		OF/OI	NEW	\$130.00	\$130.00	
	1 1) SURGERY AUX \$: \$130.00	507 - PACU 3		OF/OI	NEW	\$130.00	\$130.00	
	1 1) SURGERY AUX \$: \$130.00	508 - PACU 2		OF/OI	NEW	\$130.00	\$130.00	
	1 1) SURGERY AUX \$: \$130.00	509 - PACU 1		OF/OI	NEW	\$130.00	\$130.00	
1007238 EQ#: WTS01	1 WATER SYSTEM PRODUCES UP TO 15 LPH; CLSI/CAP TY	PE 1 WATER: 120V AC	MED WATER			<i>E</i>)	NEW =0 (ISTING =1	\$0.00
	,,	,	MW-15				SUTURE =0	
5	(WXDXH) IN: 22.00 X 17.00 X 22.00					,	INFO =0	
HE MED MATER	MM: 559 X 432 X 559						LEASED =0	
	LOCATION: SPACE					C	APITAL = 0	
		ROOM # - ROOM NAME 503 - LABORATORY DN NEEDED	<u>EQ#:</u> WTS01	RESP OF/VI	<u>STATUS</u> EXISTING	<u>PRICE</u> \$0.00	<u>EXTENDED</u> \$0.00	
1006581	1 WHEELCHAIR, ADULT, BARIATRIC		ALCO SALES & S	ERVICE C	OMPANY		NEW =1	\$300.00
	BARIATRIC WHEELCHAIR; WEIGHT CAP	•	AL-79000			EX	(ISTING =0	
'mmi-	LOCK BRAKES; ADJUSTABLE FOOTPLATI		CLASSIC 700			F	FUTURE =0	
A CONTRACTOR	(WXDXH) IN: 34.00 X 48.00 X 32.00 MM: 864 X 1219 X 813	LBS : 68.00 KG : 31					INFO =0	
O BO	LOCATION: FLOOR	NG. 31					LEASED =0	
							APITAL = 0	
		ROOM # - ROOM NAME 807 - ED VESTIBULE R		RESP OF/OI	STATUS NEW	<u>PRICE</u> \$300.00	\$300.00	
1015157	1 WORK PLATFORM, MOBILE		GLOBAL INDUS	RIAL			NEW =1	\$850.00
	72"W X 36"D MOBILE PRODUCTION W					EX	(ISTING =0	
1	TOP SQUARE EDGE BLUE; PRE-WIRED F	POWER APRON INCLUDES ONE USB	WB254000WBE	L		F	FUTURE =0	
	(WXDXH) IN: 72.00 X 36.00 X 36.00 MM: 1829 X 914 X 914						INFO =0	
1	LOCATION: FLOOR						LEASED =0	
•						C	APITAL = 0	





TOTAL

TOTAL **EXTENDED PRICE** ID# QTY **GENERIC** MANUFACTURER STATUS

RESP OF/OI PRICE \$850.00 ROOM # - ROOM NAME FLOOR - DEPARTMENT **STATUS EXTENDED** NEW 1) MAINTENANCE BUILDING Z401 - MAINTENANCE \$850.00 AUX \$: \$850.00

> **REPORT TOTAL** \$4,312,315.94

SUPPLEMENTAL COSTS

Installation 1.50% \$64,684.74 \$107,807.90 Receiving 2.50% \$107,807.90 Freight 2.50% \$280,300.54 Contingency 6.50% \$323,423.70 Tax 7.50% \$884,024.77

SUBTOTAL:

EQUIPMENT TOTAL: \$4,312,315.94

PROJECT TOTAL WITH SUPPLEMENTALS: \$5,196,340.71







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

ROOM NUMBER: 318

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56 \$3,729.56
EQ#: STR03			TRANSPORT STRETCHER 26" WIDE DECK, T	O INCLUDE:	P8005			GROUP: 3 MINOR MOVABLE
			TN TRANSPORT P8005		TRANSPORT			PHASE: EARLY - PO/LEASED
	111111		(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00				
4			MM : 914 X 2108 X 870	KG: 118				
			LOCATION: FLOOR					
			AUX \$: \$3,729.56					

ROOM TOTAL: \$3,729.56







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

ROOM NUMBER: 319

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56 \$3,729.56
EQ#: STR03			TRANSPORT STRETCHER 26" WIDE DECK, T TN TRANSPORT P8005	O INCLUDE:	P8005 TRANSPORT			GROUP: 3 MINOR MOVABLE PHASE: EARLY - PO/LEASED
			(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00				
	10000		MM: 914 X 2108 X 870	KG : 118				
			LOCATION: FLOOR					
			AUX \$: \$3,729.56					

ROOM TOTAL: \$3,729.56

DEPARTMENT TOTAL: \$7,459.12







FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

ROOM NUMBER: 509

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1015461 1 **IMAGING, ULTRASOUND SYSTEM** CANON MEDICAL SYSTEMS USA, INC. OF/VI NEW \$95,550.00 \$95,550.00 EQ#: IUS02 TO INCLUDE: APLIO-I700-V6.5.100 GROUP: 2 | MAJOR MOVABLE 1 APLIO 1700 PRISM ULTRASOUND SYSTEM 1700 PRISM PHASE: EARLY - PO/LEASED (WXDXH) IN: 24.80 X 42.10 X 69.20 LBS: 253.50 MM: 630 X 1069 X 1758 **KG**: 115 LOCATION: FLOOR SPEC COMMENTS: SEE QUOTE FOR ADDITIONAL INFORMATION **NOTES: SENECA WANTS TO PROCURE ASAP VIA LEASED AGREEMENT** AUX \$: \$95,550.00 **DATA:** HARD WIRED AND WIRELESS DATA NOTE: ETHERNET 10BASE-T/ 100BASE-TX/ GIGABIT; INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT); DUAL BAND 2.4GHZ/5 GHZ **VOLTS:** 115 **HERTZ:** 60 **BTU:** 1945 BTU/h

MECH NOTE: POWER CONSUMPTION 1440 VA

ROOM TOTAL: \$95,550.00

DEPARTMENT TOTAL: \$95,550.00







FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1007255 LAB ANALYZER, HEMATOLOGY, AUTOMATED CELLAVISION, INC. OF/VI NEW \$37,000.00 \$37,000.00 EQ#: CELL01 BLOOD CELL DIFFERENTIAL ANALYZER; CAPTURES DIGITAL IMAGES OF GROUP: 2 | MAJOR MOVABLE **CELLS FROM** DC-1 PHASE: EARLY - PO/LEASED (WXDXH) IN: 11.00 X 15.40 X 14.60 LBS: 24.00 **MM:** 279 X 391 X 371 KG: 11 **LOCATION: COUNTERTOP AUX \$:** \$37,000.00 **DATA:** HARD WIRED DATA NOTE: LIS SUPORT; ETHERNET 10/100 MBPS **VOLTS: 240** HERTZ: 60 **AMPS:** 1.2

ROOM TOTAL: \$37,000.00

DEPARTMENT TOTAL: \$37,000.00







FLOOR: 1

DEPARTMENT: SURGERY ROOM NAME: OR

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 1016186 EQ#: ORC01	1	SCOPE, VIDEO SYSTEM TO INCLUDE: 1 EA 0240099155: CONNECTED OR VIDEO CAR	T 120V	STRYKER ENDOSCOPY 1688010000 1688 AIM 4K	OF/VI	NEW	\$163,935.62 \$163,935.62 GROUP: 2 MAJOR MOVABLE PHASE: EARLY - PO/LEASED	
			(WXDXH) IN: 30.00 X 30.00 X 90.00 MM: 762 X 762 X 2286	LBS: 570.00 KG: 259	1000 AIIVI 4K			PHASE: EARLY - PU/LEASED
			LOCATION: FLOOR AUX \$: \$163,935.62					
			DATA: HARD WIRED AND WIRELESS DATA NOTE: EHTERNET RJ45; USB; HDMI;DVI VOLTS: 120 HERTZ: 60 AMPS: 3.4	WATTS: 1700				
			PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: ELECTRICAL SHOWN FOR CART S 100-240VAC;50/60HZ MONITOR: 100-240VAC	PD1000 PRINTER:				

ROOM TOTAL: \$163,935.62

DEPARTMENT TOTAL: \$163,935.62

REPORT TOTAL \$303,944.74

SUPPLEMENTAL COSTS

Freight 2.50%	\$7,598.62
Tax 7.50%	\$22,795.86

Subtotal:

\$30,394.48

Project Total with Supplemental Costs:

\$334,339.22





RESP

OF/VI

STATUS

EXISTING



EXTENSION

\$0.00

PRICE

\$0.00

GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER
1	1006009	2	BED, MED-SURG	HILL-ROM
EQ#:	BED01		14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE	CENTRELLA SMART +
			FRAME; VERBAL ALERTS; IN-BED SCALE; 5TH WHEEL STEERING	
	disca		TO INCLUDE:	
			1 EA. GCI TOUCHSCREEN-LEFT SIDE	
	Call		1 EA. BED EXIT SILENCE	
			1 EA. BRAKE NOT SET ALARM	
			1 EA. ONE BUTTON CHAIR	
			1 EA. BATTERY BACKUP	
			1 EA. DIGITAL ANGLE INDICATOR	
			1 EA. BUILT IN LINE AND CORD MANAGEMENT	
			1 EA 4 IV POLE SOCKETS	
			1 EA. INTEGRATED RESTRAINT HOLDERS	
			1 EA. LOCKOUT CONTROLS	
			1 EA. DRAINAGE BAG HOLDER	
			1 EA. SMART BED READY (SIDECOM REQUIRED)	
			1 EA. WI-FI	
			1 EA. ENHANCED 3-MODE BED EXIT	
			1 EA. MOTION ACTIVATED NIGHTLIGHT 1 EA. STAND ASSIST	
			1 EA. ADVANCED SLIDEGUARD FEATURE	
			1 EA. FOLEY POSITION LIMIT	
			1 EA. PATIENT HOB ANGLE DISPLAY	
			1 EA. TREND/REV TRENDELENBURG	
			1 EA. DAMPENED EMERGENCY CPR	
			1 EA. PATIENT STORAGE IN SIDEREAIL	
			1 EA. INTEGRATED URINAL HOLDERS	
			1 EA. FLEXAFOOT POWERED BED EXTEND	
			1 EA. ENGLISH LANGUAGE LABELS	
			1 EA. 36" FRAME WIDTH	
			1 EA. 100-240 VOLTAGE	
			1 EA. USB CHARGER	
			1 EA. IN-BED SCALE (KB/LBS)	
			1 EA. HR/RR MONITORING READY	
			1 EA. REMOVABLE IV POLE	
			1 EA. VERBAL ALERTS	
			1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION	
			1 EA. FRAME PART NUMBER: FRAME	
			1 EA. CNT-BASE: BASE BED	
			1 EA. CNT-PK2551: PAK2551	
			1 EA. CNT-NUL: NURSE CALL, UTV, LIGHTING	
			1 EA. CNT-5W: 5TH WHEEL STEERING	
			1 EA. CNT-AR: ACCESSORY OUTLET	
			1 EA. CNT-PP3X: PRO+36" W/X-RAY	







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ELECT NOTE: 10A

ROOM NUMBER: 200

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** 1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET (WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00 **MM:** 1016 X 2507 X 826 **KG**: 255 **LOCATION:** FLOOR **AUX \$:** \$12,464.36 **DATA:** WIRELESS **VOLTS:** 120 **HERTZ**: 60 **AMPS:** 10 **WATTS:** 1200







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 200

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015743 2 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$42,917.04

EQ#: PHY04

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

866062_NAM INTELLIVUE MX450

WALL CHANNEL; 120 VAC



OPTION	OPTIONS AND ACCESSORIES								
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>						
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00						
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00						
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00						
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00						
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00						
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00						
1	989803206931	RD RAINBOW SET R25 12	\$165.00						
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00						
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00						
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00						
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00						
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00						
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00						
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00						

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 200

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ#	051488 F: IVP02	2	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT ADJUSTMENT (WXDXH) IN: 21.25 X 21.25 X 118.00	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
4 EQ#	082570 F: IVP01	2	AUX \$: \$885.00 I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE

OPTIONS AND ACCESSORIES									
QTY	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>						
1	SSL5YR	SPECTRUM SOFTWAR LICENSE	\$0.00						
1	35724	SPECTRUM STAND BATTERY	\$0.00						
1	35700BAX2	SPECTRUM PUMP (VERSION 8.X)	\$0.00						

LBS: 2.00

(WXDXH) IN: 4.20 X 2.50 X 5.80

MM: 107 X 64 X 147 **KG**: 1

LOCATION: COUNTERTOP
AUX \$: \$6,358.00

VOLTS: 115 HERTZ: 60

ELECT NOTE: 7.4VDC LITHIUM ION BATTERY







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	093154 : TBO01	2	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TU DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE	JNING FORK BASE	HILL-ROM OBT-635 ART OF CARE	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			(WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 LOCATION: FLOOR	LBS: 48.00 KG: 22					
			AUX \$: \$462.67						
6	1004559	4	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM: 28 X 86 X 140 LOCATION: WALL NOTES: 2X PER BED AUX \$: \$35.20	KG : 0					
7	1004558	2	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 CONNECTION) PSI PORT USA; PB	OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	NEW	\$39.16 GROUP: 3 M	\$78.32 INOR MOVABLE
			(WXDXH) IN: 1.25 X 3.50 X 5.50	LBS: 0.40					
			MM: 32 X 89 X 140	KG: 0					
			LOCATION: WALL						
			AUX \$: \$39.16						





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57 9 1015413 2 BRACKET, SUCTION CANISTER		OHIO MEDICAL CORPORATION 8701-1251-901 PUSH-TO-SET	OF/OI	NEW	\$518.57 GROUP: 3 M	\$1,037.14 UNOR MOVABLE		
9	1015413	2	•	ER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 M	\$50.00 VINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
			MM: 203 X 203 X 305	KG: 1					
			LOCATION: WALL						
	057206		AUX \$: \$25.00		DOWNAAN AAAN IFACTURING COMPANY	05/61	NEW	Ć57.00	¢57.00
10 EQ#	057206 E: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHO MOUNT;VERTICAL/HORIZONTAL	DLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 <i>GROUP: 3 M</i>	\$57.00 UNOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
11 EQ# :	055619 : DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$77.88 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1				
12 EQ #:	1003921 : LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOS CASTERS; MEDIUM 29X38 BAG	SS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 \$143.81 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR AUX \$: \$143.81	LBS: 25.00 KG: 11				
13	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 \$147.44 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 200

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** WASTE RECEPTACLE, STEP-ON RUBBERMAID COMM. PRODUCTS OF/OI 14 094274 NEW \$130.00 \$130.00 BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID FG614300RED GROUP: 3 | MINOR MOVABLE FG614300RED

(WXDXH) IN: 15.75 X 16.25 X 17.13

MM: 400 X 413 X 435

LOCATION: FLOOR
AUX \$: \$130.00

LBS: 7.90 KG: 4

KG: 4

ROOM TOTAL: \$44,638.63





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: TOILET, SEMI-PRIVATE PAT ROOM

ROOM NUMBER: 201

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
1			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
1	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 GRAY
 GRAY
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

E ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
E ID# 1006009 EQ#: BED01	QTY 2	BED, MED-SURG 14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE FRAME;VERBAL ALERTS;IN-BED SCALE;5TH WHEEL STEERING TO INCLUDE: 1 EA. GCI TOUCHSCREEN-LEFT SIDE 1 EA. BED EXIT SILENCE 1 EA. BRAKE NOT SET ALARM 1 EA. DIGITAL ANGLE INDICATOR 1 EA. BUILT IN LINE AND CORD MANAGEMENT 1 EA 4 IV POLE SOCKETS 1 EA. INTEGRATED RESTRAINT HOLDERS 1 EA. DRAINAGE BAG HOLDER 1 EA. SMART BED READY (SIDECOM REQUIRED) 1 EA. WI-FI 1 EA. SMART BED READY (SIDECOM REQUIRED) 1 EA. STAND ASSIST 1 EA. ADVANCED 3-MODE BED EXIT 1 EA. FOLEY POSITION LIMIT 1 EA. FATIENT HOB ANGLE DISPLAY 1 EA. PATIENT HOB ANGLE DISPLAY 1 EA. PATIENT STORAGE IN SIDEREAIL 1 EA. INTEGRATED URINAL HOLDERS 1 EA. INTEGRATED URINAL HOLDERS 1 EA. PATIENT STORAGE IN SIDEREAIL 1 EA. INTEGRATED URINAL HOLDERS 1 EA. INTEGRATED URINAL HOLDERS 1 EA. ENGLISH LANGUAGE LABELS 1 EA. 100-240 VOLTAGE 1 EA. USB CHARGER 1 EA. USB CHARGER 1 EA. USB CHARGER 1 EA. USB CHARGER 1 EA. HR/RR MONITORING READY 1 EA. FREMOVABLE IV POLE 1 EA. VERBAL ALERTS 1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION 1 EA. FRAME PART NUMBER: FRAME 1 EA. CONT-PK2551; PAK2551	MANUFACTURER HILL-ROM CENTRELLA SMART +	RESP OF/VI	EXISTING	\$0.00	\$0.C





PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 202

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD

1 EA. CNT-EXPODE: STANDARD EXPERIENCE POL 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET

(WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00 MM: 1016 X 2507 X 826 KG: 255

LOCATION: FLOOR

AUX \$: \$12,464.36

DATA: WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 10 **WATTS:** 1200

ELECT NOTE: 10A







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 202

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015743 2 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$42,917.04

EQ#: PHY04

INCLUDES 12-LEAD ECG, S WALL CHANNEL; 120 VAC

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

866062_NAM INTELLIVUE MX450 GROUP: 2 | MAJOR MOVABLE

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 202

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	051488 IVP02	2	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGH ADJUSTMENT (WXDXH) IN: 21.25 X 21.25 X 118.00 MM: 540 X 540 X 2997 LOCATION: FLOOR	PEDIGO PRODUCTS, INC. TP-1572-4 FOUR HOOK	OF/OI	EXISTING	\$0.00 GROUP: 3 I	\$0.00 MINOR MOVABLE
EQ#:	082570 IVP01	2	AUX \$: \$885.00 I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULT MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION PLE 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 GROUP: 2 I	\$0.00 MAJOR MOVABLE

OPTIONS A	ND ACCESSORIES		
QTY PA	ART NUMBER	<u>DESCRIPTION</u>	PRICE
1 SS	SL5YR	SPECTRUM SOFTWAR LICENSE	\$0.00
1 35	5724	SPECTRUM STAND BATTERY	\$0.00
1 35	5700BAX2	SPECTRUM PUMP (VERSION 8.X)	\$0.00

LBS: 2.00

(WXDXH) IN: 4.20 X 2.50 X 5.80

MM: 107 X 64 X 147 **KG**: 1

LOCATION: COUNTERTOP
AUX \$: \$6,358.00

VOLTS: 115 HERTZ: 60

ELECT NOTE: 7.4VDC LITHIUM ION BATTERY







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#:	093154 TBO01	2	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFIL DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE	E;TUNING FORK BASE	HILL-ROM OBT-635 ART OF CARE	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			(WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 LOCATION: FLOOR AUX \$: \$462.67	LBS: 48.00 KG: 22					
6	1004559	4	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE	OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
	M		(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM: 28 X 86 X 140 LOCATION: WALL NOTES: 2X PER BED AUX \$: \$35.20	KG : 0					
7	1004558	2	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA V CONNECTION	v/50 PSI PORT USA; PB	OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	NEW	\$39.16 GROUP: 3 M	\$78.32 INOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50	LBS: 0.40					
			<i>MM</i> : 32 X 89 X 140 LOCATION: WALL	KG : 0					
			AUX \$: \$39.16						





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
8	1014992	2	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57		OF/OI	NEW	\$518.57 \$1,037.14 GROUP: 3 MINOR MOVABLE
9	1015413	2	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLDER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 \$50.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 LBS: 2.00 MM: 203 X 203 X 305 KG: 1 LOCATION: WALL AUX \$: \$25.00				
10 EQ #	057206 #: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 KG: 1 LOCATION: WALL AUX \$: \$57.00				





FLOOR:

1

DEPARTMENT: **ACUTE CARE**

ROOM NAME:

PATIENT ROOM, SEMI-PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
11 EQ #	055619 : DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$77.88 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 LBS: 2	2.54				
			MM: 305 X 222 X 273 KG: 1	1				
			LOCATION: WALL AUX \$: \$38.94					
12 EQ#	1003921 : LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINIS CASTERS; MEDIUM 29X38 BAG	SH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 \$143.81 GROUP: 3 MINOR MOVABLE
	u .		(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 2	25.00				
			MM: 470 X 495 X 832 KG: 13	11				
			LOCATION: FLOOR AUX \$: \$143.81					
13	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;(APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOPTIONS AT PROCUREMENT	•	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES		2012			
			OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE		<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50					





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, SEMI-PRIVATE

ROOM NUMBER: 202

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 GROUP: 3 N	\$147.44 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3					
15	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 N</i>	\$130.00 MINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13 MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	LBS: 7.90 KG: 4					

ROOM TOTAL: \$44,693.13





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: TOILET, SEMI-PRIVATE PAT ROOM

ROOM NUMBER: 203

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EX	TENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR N	ЛOVABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

PART NUMBER DESCRIPTION **PRICE** 1 GRAY GRAY \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

LBS: 5.00 **KG**: 2 MM: 368 X 267 X 389

LOCATION: FLOOR - GRAY AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: **ACUTE CARE**

ROOM NAME: PATIENT ROOM, PRIVATE

NE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSIO
1	1006009	1	BED, MED-SURG	HILL-ROM	OF/VI	EXISTING	\$0.00	\$0.0
EQ#:	: BED01		14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE	CENTRELLA SMART +			GROUP: 2 I	ЛАЈОR MOVAB
			FRAME; VERBAL ALERTS; IN-BED SCALE; 5TH WHEEL STEERING					
			TO INCLUDE:					
	FE		1 EA. GCI TOUCHSCREEN-LEFT SIDE 1 EA. BED EXIT SILENCE					
			1 EA. BRAKE NOT SET ALARM					
			1 EA. ONE BUTTON CHAIR					
			1 EA. BATTERY BACKUP					
			1 EA. DIGITAL ANGLE INDICATOR					
			1 EA. BUILT IN LINE AND CORD MANAGEMENT					
			1 EA 4 IV POLE SOCKETS					
			1 EA. INTEGRATED RESTRAINT HOLDERS					
			1 EA. LOCKOUT CONTROLS					
			1 EA. DRAINAGE BAG HOLDER					
			1 EA. SMART BED READY (SIDECOM REQUIRED)					
			1 EA. WI-FI					
			1 EA. ENHANCED 3-MODE BED EXIT					
			1 EA. MOTION ACTIVATED NIGHTLIGHT					
			1 EA. STAND ASSIST					
			1 EA. ADVANCED SLIDEGUARD FEATURE					
			1 EA. FOLEY POSITION LIMIT					
			1 EA. PATIENT HOB ANGLE DISPLAY					
			1 EA. TREND/REV TRENDELENBURG					
			1 EA. DAMPENED EMERGENCY CPR					
			1 EA. PATIENT STORAGE IN SIDEREAIL					
			1 EA. INTEGRATED URINAL HOLDERS					
			1 EA. FLEXAFOOT POWERED BED EXTEND					
			1 EA. ENGLISH LANGUAGE LABELS					
			1 EA. 36" FRAME WIDTH					
			1 EA. 100-240 VOLTAGE					
			1 EA. USB CHARGER					
			1 EA. IN-BED SCALE (KB/LBS)					
			1 EA. HR/RR MONITORING READY					
			1 EA. REMOVABLE IV POLE 1 EA. VERBAL ALERTS					
			1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION					
			1 EA. FRAME PART NUMBER: FRAME					
			1 EA. CNT-BASE: BASE BED					
			1 EA. CNT-BASE. BASE BED 1 EA. CNT-PK2551: PAK2551					
			1 EA. CNT-NUL: NURSE CALL, UTV, LIGHTING					
			1 EA. CNT-5W: 5TH WHEEL STEERING					
			1 EA. CNT-AR: ACCESSORY OUTLET					
			1 EA. CNT-PP3X: PRO+36" W/X-RAY					





PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 204

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET

(WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00

MM: 1016 X 2507 X 826 **KG**: 255

LOCATION: FLOOR

AUX \$: \$12,464.36

DATA: WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 10 **WATTS:** 1200

ELECT NOTE: 10A







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 204

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015743 1 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

866062_NAM INTELLIVUE MX450

WALL CHANNEL; 120 VAC

OPTIONS AND ACCESSORIES							
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>				
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00				
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00				
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00				
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00				
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00				
1	989803206931	RD RAINBOW SET R25 12	\$165.00				
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00				
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00				
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00				
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00				
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00				
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00				
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00				
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00				

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP STATUS	PRICE EXTENSION
3 EQ#	1015757 : TELE02	1	MONITOR, TELEMETRY 1.4 GHZ;SMART HOPPING; CO1 ENHANCED ARRHYTHMIA; S02 ECG + FAS SPO2 ENABLED	PHILIPS MEDICAL SYSTEMS T 865350 MX40	OF/OI NEW	\$4,796.88 \$4,796.88 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 989803206901 RD SET MP05 1 989803202411 ECG 5L GRABBER, AAMI, MASIMO SPO2, TELE	<u>PRICE</u> \$165.00 \$185.00		
			(WXDXH) IN: 3.00 X 2.00 X 5.00 LBS: 1.00 MM: 76 X 51 X 127 KG: 0 LOCATION: SPACE AUX \$: \$4,796.88 DATA: WIRELESS DATA NOTE: WLAN ELECT NOTE: 3 AA BATTERIES			
4 EQ#	051488 : IVP02	1	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT ADJUSTMENT	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 21.25 X 21.25 X 118.00 LBS: 20.00 MM: 540 X 540 X 2997 KG: 9 LOCATION: FLOOR AUX \$: \$885.00			







FLOOR: 1

DEPARTMENT: **ACUTE CARE**

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM N	IUMBER:	204					
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
5 EQ #	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION E 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES				
			<u>OTY PART NUMBER DESCRIPTION</u>	<u>PRICE</u>			
			1 35724 SPECTRUM STAND BATTERY	\$0.00			
			1 SSL5YR SPECTRUM SOFTWAR LICENSE	\$0.00			
			1 35700BAX2 SPECTRUM PUMP (VERSION 8.X)	\$0.00			
			(WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00 MM: 107 X 64 X 147 KG: 1 LOCATION: COUNTERTOP AUX \$: \$6,358.00 VOLTS: 115 HERTZ: 60 ELECT NOTE: 7.4VDC LITHIUM ION BATTERY				
6 EQ#	093154 : TB001	1	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE (WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 KG: 22 LOCATION: FLOOR AUX \$: \$462.67	HILL-ROM OBT-635 ART OF CARE	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
'	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20				
8	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT CONNECTION	OHIO MEDICAL CORPORATION USA; PB FM-15UA-OHPT	OF/OI	NEW	\$39.16 \$39.16 GROUP: 3 MINOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16				
9	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATO OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES AVWITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. OAND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTEL/MIN, CONTINUOUS 0-80 L/MIN.	CONNECTION. PUSH-TO-SET /ACUUM LIMIT AND 200 MMHG	OF/OI	NEW	\$518.57 \$518.57 GROUP: 3 MINOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 MII	\$25.00 IOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
			MM: 203 X 203 X 305	KG : 1					
			LOCATION: WALL AUX \$: \$25.00						
11 EQ#	057206 #: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	IOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MII	\$57.00 IOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG: 1					
12 EQ #	055619 #: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MII	\$38.94 IOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273	KG : 1					
			LOCATION: WALL AUX \$: \$38.94						





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 204

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
13 EQ#	1003921 E: LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GI CASTERS; MEDIUM 29X38 BAG	LOSS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 N	\$143.81 MINOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR AUX \$: \$143.81	LBS: 25.00 KG: 11					
14	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 GROUP: 3 N	\$147.44 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3					
15	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 N</i>	\$130.00 MINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13 MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	LBS: 7.90 KG: 4					• \$27 355 32

ROOM TOTAL: \$27,355.32





FLOOR: 1

DEPARTMENT: **ACUTE CARE** ROOM NAME: TOILET, PRIVATE

ROOM NUMBER:

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
	8			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

QTY PART NUMBER DESCRIPTION **PRICE** 1 BEIG BEIGE \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

LBS: 5.00 **KG**: 2 MM: 368 X 267 X 389

LOCATION: FLOOR - GRAY AUX \$: \$54.50

ROOM TOTAL: \$54.50





PlanView

EXTENSION

GROUP: 2 | MAJOR MOVABLE

\$0.00

PRICE \$0.00

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 206	PATIENT ROOM, PRIVATE 206						
LINE ID# QTY GENERIC	MANUFACTURER	RESP	STATUS				
1 BED, MED-SURG 14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE FRAME;VERBAL ALERTS;IN-BED SCALE;STH WHEEL STEERING TO INCLUDE: 1 EA. GCI TOUCHSCREEN-LEFT SIDE 1 EA. BED EXIT SILENCE 1 EA. BRAKE NOT SET ALARM 1 EA. ONE BUTTON CHAIR 1 EA. DIGITAL ANGLE INDICATOR 1 EA. BUILT IN LINE AND CORD MANAGEMENT 1 EA 4 IV POLE SOCKETS 1 EA. INTEGRATED RESTRAINT HOLDERS 1 EA. LOCKOUT CONTROLS 1 EA. SMART BED READY (SIDECOM REQUIRED) 1 EA. WI-FI 1 EA. SHAND ASSIST 1 EA. ADVANCED SLIDEGUARD FEATURE 1 EA. FOLEY POSITION LIMIT 1 EA. PATIENT HOB ANGLE DISPLAY 1 EA. PATIENT HOB ANGLE DISPLAY 1 EA. PATIENT STORAGE IN SIDEREAIL 1 EA. PATIENT STORAGE IN SIDEREAIL 1 EA. INTEGRATED URINAL HOLDERS 1 EA. PATIENT STORAGE IN SIDEREAIL 1 EA. INTEGRATED URINAL HOLDERS 1 EA. FLEXAFOOT POWERED BED EXTEND 1 EA. SIGH LANGUAGE LABELS 1 EA. 36" FRAME WIDTH 1 EA. 100-240 VOLTAGE 1 EA. USB CHARGER 1 EA. IN-BED SCALE (KB/LBS) 1 EA. HR/RR MONITORING READY 1 EA. REMOVABLE IV POLE 1 EA. VERBAL ALERTS 1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION 1 EA. FRAME PART NUMBER: FRAME	HILL-ROM CENTRELLA SMART +	OF/VI	EXISTING				



1 EA. CNT-PK2551: PAK2551

1 EA. CNT-NUL: NURSE CALL, UTV, LIGHTING 1 EA. CNT-5W: 5TH WHEEL STEERING 1 EA. CNT-AR: ACCESSORY OUTLET 1 EA. CNT-PP3X: PRO+36" W/X-RAY



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 206

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET

(WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00

MM: 1016 X 2507 X 826

KG: 255

LOCATION: FLOOR

AUX \$: \$12,464.36

DATA: WIRELESS

VOLTS: 120 HERTZ

HERTZ: 60 **AMPS:** 10 **WATTS:** 1200

ELECT NOTE: 10A







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: **ACUTE CARE**

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER:


LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; 866062_NAM **INTELLIVUE MX450**

WALL CHANNEL; 120 VAC



(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 **KG**: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 WATTS: 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ# :	1015757 TELE02	1	MONITOR, TELEMETRY 1.4 GHZ;SMART HOPPING; CO1 ENHANCED ARRHYTHMIA; SC SPO2 ENABLED	PHILIPS MEDICAL SYSTEMS 2 ECG + FAST 865350 MX40	OF/OI	NEW	\$4,796.88 GROUP: 3 N	\$4,796.88 MINOR MOVABLE
			OPTIONS AND ACCESSORIES					
			OTY PART NUMBER DESCRIPTION	<u>PRICE</u>				
			1 989803206901 RD SET MP05	\$165.00				
			1 989803202411 ECG 5L GRABBER, AAMI, MASIM	O SPO2 , TELE \$185.00				
		(WXDXH) IN: 3.00 X 2.00 X 5.00 LBS: 1.00 MM: 76 X 51 X 127 KG: 0						
			LOCATION: SPACE AUX \$: \$4,796.88 DATA: WIRELESS DATA NOTE: WLAN ELECT NOTE: 3 AA BATTERIES					
4	051488	1	I.V. POLE	PEDIGO PRODUCTS, INC.	OF/OI	EXISTING	\$0.00	\$0.00
EQ#:	IVP02		STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HI ADJUSTMENT	EIGHT P-1572-4 FOUR HOOK			GROUP: 3 N	MINOR MOVABLE
	•		(WXDXH) IN: 21.25 X 21.25 X 118.00 LBS: 20.0	0				
			MM : 540 X 540 X 2997 KG : 9					
			LOCATION: FLOOR					
			AUX \$: \$885.00					







FLOOR: 1

DEPARTMENT: **ACUTE CARE**

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM N	IUMBER:	206					
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
_	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPL MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION E 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES				
			<u>OTY PART NUMBER DESCRIPTION</u>	<u>PRICE</u>			
			1 35724 SPECTRUM STAND BATTERY	\$0.00			
			1 SSL5YR SPECTRUM SOFTWAR LICENSE	\$0.00			
			1 35700BAX2 SPECTRUM PUMP (VERSION 8.X)	\$0.00			
			(WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00 MM: 107 X 64 X 147 KG: 1 LOCATION: COUNTERTOP AUX \$: \$6,358.00 VOLTS: 115 HERTZ: 60 ELECT NOTE: 7.4VDC LITHIUM ION BATTERY				
6 EQ#	093154 : TB001	1	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE (WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 KG: 22 LOCATION: FLOOR AUX \$: \$462.67	HILL-ROM OBT-635 ART OF CARE	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
'	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20				
8	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT CONNECTION	OHIO MEDICAL CORPORATION USA; PB FM-15UA-OHPT	OF/OI	NEW	\$39.16 \$39.16 GROUP: 3 MINOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16				
9	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATO OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES AVWITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. OAND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTEL/MIN, CONTINUOUS 0-80 L/MIN.	CONNECTION. PUSH-TO-SET VACUUM LIMIT AND 200 MMHG	OF/OI	NEW	\$518.57 \$518.57 GROUP: 3 MINOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
10	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 \$25 GROUP: 3 MINOR MOVAE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00				
			MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	KG : 1				
11 EQ#	057206 :: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57. GROUP: 3 MINOR MOVAE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00				
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1				
12 EQ #	055619 E: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$38. GROUP: 3 MINOR MOVAE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, PRIVATE

ROOM NUMBER: 206

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
13 EQ# :	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GL CASTERS; MEDIUM 29X38 BAG	OSS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 MI	\$143.81 NOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG : 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						
14	094275	1	WASTE RECEPTACLE, STEP-ON		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44	\$147.44
			8 GALLON;PLASTIC;BEIGE		FG614300BEIG			GROUP: 3 IVII	NOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG : 3					
			LOCATION: FLOOR						
			- GRAY						
			AUX \$: \$147.44						
15	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 MI	\$130.00 NOR MOVABLE
	NG.								
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM: 400 X 413 X 435	KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$130.00						

ROOM TOTAL: \$27,355.32





FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: TOILET, PRIVATE

ROOM NUMBER: 207

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
	75			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

ROOM NUMBER: 208

LINE	ID#	QTY	GENERIC	MA
1	1006009	1	BED, MED-SURG	HILI
EQ#:	BED01		14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE	CEN
			FRAME; VERBAL ALERTS; IN-BED SCALE; 5TH WHEEL STEERING	
	41-0		TO INCLUDE:	
			1 EA. GCI TOUCHSCREEN-LEFT SIDE	
	130		1 EA. BED EXIT SILENCE	
			1 EA. BRAKE NOT SET ALARM	
			1 EA. ONE BUTTON CHAIR	
			1 EA. BATTERY BACKUP	
			1 EA. DIGITAL ANGLE INDICATOR	
			1 EA. BUILT IN LINE AND CORD MANAGEMENT	
			1 EA 4 IV POLE SOCKETS	
			1 EA. INTEGRATED RESTRAINT HOLDERS	
			1 EA. LOCKOUT CONTROLS	
			1 EA. DRAINAGE BAG HOLDER	
			1 EA. SMART BED READY (SIDECOM REQUIRED)	
			1 EA. WI-FI	
			1 EA. ENHANCED 3-MODE BED EXIT	
			1 EA. MOTION ACTIVATED NIGHTLIGHT	
			1 EA. STAND ASSIST	
			1 EA. ADVANCED SLIDEGUARD FEATURE	
			1 EA. FOLEY POSITION LIMIT	
			1 EA. PATIENT HOB ANGLE DISPLAY	
			1 EA. TREND/REV TRENDELENBURG	
			1 EA. DAMPENED EMERGENCY CPR	
			1 EA. PATIENT STORAGE IN SIDEREAIL	
			1 EA. INTEGRATED URINAL HOLDERS	
			1 EA. FLEXAFOOT POWERED BED EXTEND	
			1 EA. ENGLISH LANGUAGE LABELS	
			1 EA. 36" FRAME WIDTH	
			1 EA. 100-240 VOLTAGE	
			1 EA. USB CHARGER	
			1 EA. IN-BED SCALE (KB/LBS)	
			1 EA. HR/RR MONITORING READY	
			1 EA. REMOVABLE IV POLE	
			1 EA. VERBAL ALERTS	
			1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION	
			1 EA. FRAME PART NUMBER: FRAME	
			1 EA. CNT-BASE: BASE BED	
			1 EA. CNT-PK2551: PAK2551	
			1 EA. CNT-NUL: NURSE CALL, UTV, LIGHTING	
			1 EA. CNT-5W: 5TH WHEEL STEERING	
			1 EA. CNT-AR: ACCESSORY OUTLET	

1 EA. CNT-PP3X: PRO+36" W/X-RAY

MANUFACTURERRESPSTATUSPRICEEXTENSIONHILL-ROM
CENTRELLA SMART +OF/VIEXISTING\$0.00\$0.00GROUP: 2 | MAJOR MOVABLE



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

ROOM NUMBER: 208

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET

(WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00 MM: 1016 X 2507 X 826 KG: 255

LOCATION: FLOOR

AUX \$: \$12,464.36

DATA: WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 10 **WATTS:** 1200

ELECT NOTE: 10A







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

ROOM NUMBER: 208

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015743 1 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC WALL CHANNEL; 120 VAC

866062_NAM INTELLIVUE MX450 GROUP: 2 | MAJOR MOVABLE



OPTION	IS AND ACCESSORIES		
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ #:	1015757 : TELE02	1	MONITOR, TELEMETRY 1.4 GHZ;SMART HOPPING; CO1 ENHANCED ARRHYTHMIA; S02 ECG + FAST SPO2 ENABLED	PHILIPS MEDICAL SYSTEMS 865350 MX40	STEMS OF/OI NEW		\$4,796.88 \$4,796.88 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 989803206901 RD SET MP05 1 989803202411 ECG 5L GRABBER, AAMI, MASIMO SPO2, TELE	PRICE \$165.00 \$185.00			
			(WXDXH) IN: 3.00 X 2.00 X 5.00 LBS: 1.00 MM: 76 X 51 X 127 KG: 0 LOCATION: SPACE AUX \$: \$4,796.88 DATA: WIRELESS DATA NOTE: WLAN ELECT NOTE: 3 AA BATTERIES				
4 EQ#:	051488 : IVP02	1	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT ADJUSTMENT	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 21.25 X 21.25 X 118.00 LBS: 20.00 MM: 540 X 540 X 2997 KG: 9 LOCATION: FLOOR AUX \$: \$885.00				







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

ROOM NUMBER:

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION	
5	082570	1	I.V. INFUSION PUMP	BAXTER HEALTHCARE/I.V. DIVISION	OF/OI	LEASED	\$0.00 \$0.00	•
EQ#	: IVP01		SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	35700BAX2 SIGMA SPECTRUM			GROUP: 2 MAJOR MOVABLE	

OPTION	OPTIONS AND ACCESSORIES							
<u>QTY</u>	PART NUMBER	DESCRIPTION	PRICE					
1	35724	SPECTRUM STAND BATTERY	\$0.00					
1	SSL5YR	SPECTRUM SOFTWAR LICENSE	\$0.00					
1	35700BAX2	SPECTRUM PUMP (VERSION 8.X)	\$0.00					

(WXDXH) IN: 4.20 X 2.50 X 5.80

LBS: 2.00

MM: 107 X 64 X 147 **LOCATION: COUNTERTOP**

KG: 1

AUX \$: \$6,358.00

VOLTS: 115 **HERTZ**: 60

ELECT NOTE: 7.4VDC LITHIUM ION BATTERY

6 093154 HILL-ROM OF/OI **EXISTING** \$0.00 TABLE, OVERBED EQ#: TBO01 HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE OBT-635 GROUP: 3 | MINOR MOVABLE

ART OF CARE

DESIGN;SGL THERMOFOIL TOP

TO INCLUDE:

1 EA. OBT-3: STYLE 3 TOP

1 EA. SGL THERMOFOIL TOP

1 EA. CUTOUT FOR MIRROR

1 EA. CUP HOLDERS

1 EA. FOOD TRAY INDENTATION

1 EA. STORAGE INDENTATION

1 EA. TUNING FORK BASE

(WXDXH) IN: 19.50 X 37.70 X 46.70 LBS: 48.00 MM: 495 X 958 X 1186 KG: 22

LOCATION: FLOOR

AUX \$: \$462.67



\$0.00





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
'	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20				
8	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT CONNECTION	OHIO MEDICAL CORPORATION USA; PB FM-15UA-OHPT	OF/OI	NEW	\$39.16 \$39.16 GROUP: 3 MINOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16				
9	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATO OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES AVWITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. OAND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTEL/MIN, CONTINUOUS 0-80 L/MIN.	CONNECTION. PUSH-TO-SET VACUUM LIMIT AND 200 MMHG	OF/OI	NEW	\$518.57 \$518.57 GROUP: 3 MINOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 MII	\$25.00 NOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	LBS: 2.00 KG: 1					
11 057206 EQ#: GLV01		1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MII	\$57.00 NOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG: 1					
12 EQ#	055619 e: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MII	\$38.94 NOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG : 1					





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PAITENT ROOM, PRIVATE

ROOM NUMBER: 208

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
13 EQ#	13 1003921 EQ#: LHM01		HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GL CASTERS; MEDIUM 29X38 BAG	OSS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 M	\$143.81 IINOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR	LBS: 25.00 KG: 11					
			AUX \$: \$143.81						
14	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON; PLASTIC; BEIGE		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44 GROUP: 3 M	\$147.44 IINOR MOVABLE
					FG614300BEIG				
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG: 3					
			LOCATION: FLOOR						
			- GRAY						
15	094274	1	AUX \$: \$147.44 WASTE RECEPTACLE, STEP-ON BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 M	\$130.00 IINOR MOVABLE
	K								
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM: 400 X 413 X 435	KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$130.00					POOM TOTAL	

ROOM TOTAL: \$27,355.32





FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: TOILET, PRIVATE

ROOM NUMBER: 209

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	-			APPROVED:ULLISTED:6/CARTON:CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LBS: 5.00 KG: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	1D# 1006009 : BED01	QTY 1	BED, MED-SURG 14.5 MINIMUM HEIGHT;500# CAP;WI-FI;SMART BED READY;36" WIDE FRAME;VERBAL ALERTS;IN-BED SCALE;STH WHEEL STEERING TO INCLUDE: 1 EA. GCI TOUCHSCREEN-LEFT SIDE 1 EA. BED EXIT SILENCE 1 EA. BRAKE NOT SET ALARM 1 EA. ONE BUTTON CHAIR 1 EA. BATTERY BACKUP 1 EA. DIGITAL ANGLE INDICATOR 1 EA. BUILT IN LINE AND CORD MANAGEMENT 1 EA 4 IV POLE SOCKETS 1 EA. INTEGRATED RESTRAINT HOLDERS 1 EA. LOCKOUT CONTROLS 1 EA. DRAINAGE BAG HOLDER 1 EA. SMART BED READY (SIDECOM REQUIRED) 1 EA. WI-FI 1 EA. ENHANCED 3-MODE BED EXIT 1 EA. MOTION ACTIVATED NIGHTLIGHT 1 EA. FOLEY POSITION LIMIT 1 EA. PATIENT HOB ANGLE DISPLAY 1 EA. TREND/REV TRENDELENBURG 1 EA. DAMPENED EMERGENCY CPR 1 EA. PATIENT SORAGE IN SIDEREAIL 1 EA. INTEGRATED URINAL HOLDERS 1 EA. LEXAFOOT POWERED BED EXTEND 1 EA. ENGLISH LANGUAGE LABELS 1 EA. 100-240 VOLTAGE 1 EA. USB CHARGER 1 EA. IN-BED SCALE (KB/LBS) 1 EA. HR/RR MONITORING READY 1 EA. REMOVABLE IV POLE 1 EA. VERBAL ALERTS 1 EA. CONTACT FREE CONTINUOUS MONITOR 1 YEAR ACTIVATION 1 EA. FRAME PART NUMBER: FRAME	HILL-ROM CENTRELLA SMART +	RESP OF/VI	EXISTING	\$0.00	\$0.00
			1 EA. FRAME PART NUMBER: FRAME					







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

ELECT NOTE: 10A

ROOM NUMBER: 210

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** 1 EA. CNT-EXPOD2: STANDARD EXPERIENCE POD 1 EA. CNT-SV: SAFEVIEW+ W/ILLUMIGUIDE 1 EA. CNT-2LCD: SECOND LCD TOUCHSCREEN 1 EA. CNT-PHB: PATIENT HELPER BRACKET (WXDXH) IN: 40.00 X 98.70 X 32.50 LBS: 563.00 **MM:** 1016 X 2507 X 826 **KG**: 255 LOCATION: FLOOR NOTES: DISTRICT WILL HAVE 10 NEW BEDS BY TIME OF OPENING; REUSE AS **EXISTING AUX \$:** \$12,464.36 **DATA: WIRELESS VOLTS:** 120 **HERTZ**: 60 **AMPS**: 10 **WATTS: 1200**







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

866062_NAM

INTELLIVUE MX450

EQ#: PHY04

INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

WALL CHANNEL; 120 VAC

OPTION	NS AND ACCESSORIES	S
<u>QTY</u>	PART NUMBER	DESCRIPTION
		= 1 0 / 0 / 0 = 0 / 0 = 0 / 0 / 0 / 0 / 0 /

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES;

OPTION	OPTIONS AND ACCESSORIES									
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>							
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00							
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00							
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00							
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00							
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00							
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00							
1	989803206931	RD RAINBOW SET R25 12	\$165.00							
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00							
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00							
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00							
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00							
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00							
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00							
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00							

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 **KG**: 6 MM: 325 X 183 X 287

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ #	1015757 : TELE02	1	MONITOR, TELEMETRY 1.4 GHZ;SMART HOPPING; CO1 ENHANCED ARRHYTHMIA; S02 ECG + FAST SPO2 ENABLED	PHILIPS MEDICAL SYSTEMS 865350 MX40	OF/OI	NEW	\$4,796.88 \$4,796.88 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 989803206901 RD SET MP05 1 989803202411 ECG 5L GRABBER, AAMI, MASIMO SPO2 , TELE	<u>PRICE</u> \$165.00 \$185.00			
			(WXDXH) IN: 3.00 X 2.00 X 5.00 MM: 76 X 51 X 127 KG: 0 LOCATION: SPACE AUX \$: \$4,796.88 DATA: WIRELESS DATA NOTE: WLAN ELECT NOTE: 3 AA BATTERIES				
4	1012845	1	TELEMETRY, ANTENNA INTELLIVUE SMART-HOPPING INSTALL MTL TO INCLUDE: 16 EA. IM1 REMOTE ANTENNA CABLE, 74FT 303570 PCE 989805710046: SMART HOP OBERON ENCLOSURE SF 1 PCE 989803208681: PROJECT MANAGEMENT FOUNDATION LOCATION: CEILING AUX \$: \$50,000.00	PHILIPS MEDICAL SYSTEMS	OF/VI	NEW	\$50,000.00 \$50,000.00 GROUP: 1 FIXED





PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5	1015783	1	ALLOWANCE, INSTALLATION INSTALLATION FOR PATIENT MONITORING SYST TO INCLUDE: 0VR OVERVIEW 23 PCE 12L 12-LEAD ECG 18 PCE 1X4 PIC IX ENTERPRISE 18 PCE NEW NEW INSTALL 1 PC NTP NETWORK 18 PCE PRO PRO 18 PCE RV4 PIC IX SOFTWARE RELEASE 4 1 PCE H41 SERVER HARDWARE 1 PCE HPS LITHIUM ION UPS 1 PCE NEW HARDWARE OR OS 1 PCE RV4 PIC IX 4 1 PCE A01 ICU FOUNDATION PACKAGE 1 PCE 2560: RACK CONSOLE, 8 PORT 1 PCE RACK: 23" DOUBLE SIDED SHELF 2 PCE CSN: NEW IMPLEMENTATION <32 BEDS 1 I PROJECT MANAGEMENT: ADVANCED 12 PCE LABOR: STANDARD TIME 48 PCE CABLE: PATCH CABLE, COPPER, UP TO 10' 27 PC LOCATION: SPACE AUX \$: \$165,437.12	PCE	PHILIPS MEDICAL SYSTEMS 866389 PATIENT INFORMATION CENTER IX	OF/VI	NEW	\$165,437.12 GROUP: 3 I	\$165,437.12 MINOR MOVABLE
6 EQ #	051488 #: IVP02	1	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPER ADJUSTMENT	ATED LOCK HEIGHT	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI	EXISTING	\$0.00 GROUP: 3 N	\$0.00 MINOR MOVABLE
			(WXDXH) IN: 21.25 X 21.25 X 118.00 MM: 540 X 540 X 2997 LOCATION: FLOOR AUX \$: \$885.00	LBS: 20.00 KG: 9					







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

KOOW N	IUMBER:	210					
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES				
			<u>OTY PART NUMBER</u> <u>DESCRIPTION</u>	<u>PRICE</u>			
			1 SSL5YR SPECTRUM SOFTWAR LICENSE	\$0.00			
			1 35724 SPECTRUM STAND BATTERY	\$0.00			
			1 35700BAX2 SPECTRUM PUMP (VERSION 8.X)	\$0.00			
			(WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00 MM: 107 X 64 X 147 KG: 1 LOCATION: COUNTERTOP AUX \$: \$6,358.00 VOLTS: 115 HERTZ: 60 ELECT NOTE: 7.4VDC LITHIUM ION BATTERY				
8 EQ#:	093154 : TBO01	1	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE (WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 KG: 22 LOCATION: FLOOR AUX \$: \$462.67	HILL-ROM OBT-635 ART OF CARE	OF/OI	NEW	\$462.67 \$462.67 GROUP: 3 MINOR MOVABLE







FLOOR:

1

DEPARTMENT: **ACUTE CARE**

ROOM NUMBER:

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 MI	\$0.00 NOR MOVABLE
•	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0. MM: 28 X 86 X 140 KG: 0 LOCATION: WALL NOTES: 2X PER BED AUX \$: \$35.20						
10	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI POI CONNECTION	DRT USA; PB	OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	NEW	\$39.16 GROUP: 3 MI	\$39.16 NOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0. MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16						
11	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTEN ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULAT OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIEN PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOU INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMIT L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50	ATOR WITH ENT CONNECTION. G A VACUUM LIMIT DUS AND . 0-200 MMHG	OHIO MEDICAL CORPORATION 8701-1251-901 PUSH-TO-SET	OF/OI	NEW	\$518.57 GROUP: 3 MI	\$518.57 NOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57						





FLOOR: 1

ROOM NAME:

DEPARTMENT: A

ACUTE CARE

PATIENT ROOM, ACCESSIBLE ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
12	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 \$25.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00				
			MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	KG : 1				
13 EQ #	055619 #: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$38.94 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1				
14	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 \$130.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13 MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	LBS: 7.90 KG: 4				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: PATIENT ROOM, ACCESSIBLE ISOLATION

AUX \$: \$57.00

ROOM NUMBER: 210

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
15	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 \$147.44 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3				
16 EQ#	057206 F: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEY MOUNT;VERTICAL/HORIZONTAL	/HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL	LBS : 2.00 KG : 1				

ROOM TOTAL: \$243,111.30



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: ANTEROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	1013193 PPR01	8	RESPIRATOR, POWERED AIR PURIFYING (PAPR) POWERED AIR PURIFYING RESPIRATOR (PAPR). FEATURES: COMPLETE	3M HEALTH CARE	OF/OI	EXISTING	\$0.00 GROUP: 2 MA.	\$0.00
LQ#	. FFNUI		SYSTEM FOR USE IN RUGGED ENVIRONMENTS SUCH AS INDUSTRIAL,	TR-600-HIK			UNOUL 2 WA.	ON WOVABLE
	-00		DEMOLITION, GRINDING, METAL FINISHING AND CASTING OPERATIO					
G			BELT MOUNTED. MOTORIZED SYSTEM POWERED BY A BATTERY PACK					
	6		WHICH DRAWS AIR THROUGH A FILTER OR CARTRIDGE TO PROVIDE					
			RESPIRATORY PROTECTION TO THE WEARER. KIT INCLUDES: M-307					
			RESPIRATORY HARD HAT ASSEMBLY WITH PREMIUM VISOR AND FACI					
			TR-602N PAPR UNIT, TR-632 HIGH CAPACITY BATTERY, BT-30 LENGTH ADJUSTING BREATHING TUBE, TR-626 HIGH DURABILITY BELT, TR-653					
			OV/AG/HE CARTRIDGE, TR 6500 FILTER COVER, TR-641N SINGLE STAT					
			BATTERY CHARGER KIT, TR-971 AIRFLOW INDICATOR, BT-926 HIGH					
			TEMPERATURE BREATHING TUBE COVER, TR-6600 PREFILTER (X2) AN	D				
			TR-662 SPARK ARRESTOR (X2).					
			(WXDXH) IN: 8.00 X 3.50 X 8.25 LBS: 3.00					
			MM : 203 X 89 X 210 KG : 1					
			LOCATION: SPACE					
			SPEC COMMENTS: DIMENSIONS AND WEIGHT (WITH BATTERY) REFL	ECTS				
			VERSAFLO UNIT ONLY. SEE DATASHEET FOR OTHER COMPONENTS WI	EIGHT.				
			NOTES: STORED WITHIN CABINET					
			AUX \$: \$1,699.00					
			VOLTS: 120 HERTZ: 60 AMPS: 1.5 WATTS: 180					
			PLUG TYPE: Type B (NEMA 5-15)					
			ELECT NOTE: ELECTRICAL REFLECTS SINGLE STATION BATTERY CHARG					
2	084252	1	WASTE RECEPTACLE, STEP-ON	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$150.00	\$150.00
			23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT FITTING LID;CALIF FIR	E 6146RED			GROUP: 3 MIN	IOR MOVABLE
			MARSHALL APP'D					
			(WXDXH) IN: 20.00 X 17.00 X 33.00 LBS: 18.00					
			MM: 508 X 432 X 838 KG: 8					
			LOCATION: FLOOR					
			AUX \$: \$150.00					







FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: ANTEROOM

ROOM NUMBER: 211

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 INOR MOVABLE
			• •	LBS: 6.73					
			MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	KG: 3					
4 EQ#:	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOL MOUNT;VERTICAL/HORIZONTAL	LE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 INOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1					
5 EQ# :	1003921 : LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS CASTERS; MEDIUM 29X38 BAG	5 FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 M	\$143.81 INOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM : 470 X 495 X 832	KG : 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						

ROOM TOTAL: \$398.48





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: TOILET, PRIVATE ISOLATION

ROOM NUMBER: 212

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50 \$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR MOVABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543			

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: SOILED HOLDING ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	100858 TRK01	1	TRUCK/BIN, LINEN 500LB/16 CUFT CAPACITY;MANUAL UNLOADING	;BLUE	TOTER INC. MMC16-90701 CUBE HEAVY DUTY	OF/OI	NEW	\$497.51 GROUP: 3 Mi	\$497.51 INOR MOVABLE
			(WXDXH) IN: 30.38 X 44.00 X 35.50 MM: 772 X 1118 X 902 LOCATION: FLOOR NOTES: INCLUDES LID AUX \$: \$497.51	LBS: 60.50 KG: 27					
2 EQ# :	100859 WST02	1	CONTAINER, BIOHAZARD RED;64 GALLON;2 WHEEL;HINGED LID;2-10"WHI 2-4"CASTERS;PLASTIC	EELS	TOTER INC. RMC64-00RED	OF/OI	NEW	\$306.11 GROUP: 3 M	\$306.11 NOR MOVABLE
			(WXDXH) IN: 24.75 X 32.00 X 44.25	LBS: 45.30					
			MM: 629 X 813 X 1124 LOCATION: FLOOR AUX \$: \$306.11	KG : 21					
3 EQ#:	1015414 TRK02	1	TRUCK, TILT, WASTE/LINEN 16 CUFT MANUAL CUBE TRUCK; INCLUDES LID		TOTER INC. MMC16-10836 BLACK	OF/OI	NEW	\$650.00 GROUP: 3 Mi	\$650.00 NOR MOVABLE
			(WXDXH) IN: 30.40 X 44.00 X 35.50	LBS: 60.00					
			MM: 772 X 1118 X 902 LOCATION: FLOOR NOTES: BLACK IN COLOR; INCLUDES LID AUX \$: \$650.00	KG: 27					





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: SOILED HOLDING ROOM

ROOM NUMBER: 213

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAI APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS L FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50				
5 EQ #	057206 #: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 KG: 1 LOCATION: WALL AUX \$: \$57.00				

ROOM TOTAL: \$1,565.12





GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

ROOM NUMBER: 214

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 107260 SCOPE, LARYNGOSCOPE KARL STORZ ENDOSCOPY-AMERICA, INC. OF/OI NEW \$36,177.92 \$36,177.92

C-MAC/OPTIONS

FOR DIFFICULT INTUBATION.

8403ZXK

EQ#: SCP03

OPTIONS AND ACCESSORIES								
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	PRICE					
1	8403AXC	C-MAC VIDEO LARYNGOSCOPE MAC #3 W/ MACINTOSH LARYNGOSCOPE BLADE SIZE 3	\$0.00					
1	8403HXK	C-MAC VIDEO LARYNGOSCOPE D-BLADE SET FOR DIFFICULT INTUBATION	\$0.00					
1	8403BXC	C-MAC VIDEO LARYNGOSCOPE MAC #4 W/ MACINTOSH LARYNGOSCOPE BLADE SIZE 4	\$0.00					
1	9700CM-MAT	SILICONE MAT FOR 9700GCX BASKET	\$0.00					
1	9700VIP	C-MAC VIDEO INTUBATION PLATFORM CART W/2 STORAGE BINS AND FLEXIBLE SCOPE HOLDER	\$0.00					
1	11302BDXK	FLEX INTUBATION VIDEO ENDOSCOPE F/CMAC 4.0MMX65CM W/1.5MM CHANNEL W/SUCTION	\$0.00					
1	8403ZXK	7"FLAT PANEL MONITOR SET FOR C-MAC VIDEO LARYNGOSCOPES WITH OUTPUT: HDMI	\$0.00					
1	8401DS	REUSABLE ET TUBE STYLET F/C MAC D- BLADE FOR USE W/8401HX PKG. 10	\$0.00					
1	8403YZ	C-MAC CLEANING CAP	\$0.00					
1	8403X	C-MAC CONNECTION CABLE, LENGTH 200CM	\$0.00					
1	9700TUBE/10	PRO SHIELD PROTECTION TUBES FOR FLEX INTUB SCOPES, SGL USE, NON-STERILE	\$0.00					
1	11301CFX	LIPP TUBE ADAPTOR FOR FLEXIBLE INTUBATION VIDEO ENDOSCOPES	\$0.00					

(WXDXH) IN: 23.00 X 23.00 X 55.00 LBS: 24.00 MM: 584 X 584 X 1397 KG: 11

LOCATION: FLOOR **AUX \$:** \$36,177.92

DATA NOTE: HDMI;USB 2.0;VIDEO OUTPUT TO EXTERNAL

MONITOR

VOLTS: 110-240 **HERTZ:** 50-60 **AMPS:** .5

ELECT NOTE: POWER CORD ADAPTER; RECHARGEABLE LI-ION BATTERIES







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
2 EQ#	1005310 : ILL01	1	ILLUMINATOR, VEIN LED DISPLAY;TIME OUT SET, REMEMBERS LAST SETTING; NORMAL/INVERSE;SET AUTO TIMEOUT;W/CHARGING CRADLE;MULTINATIONAL ADAPTERS;BATTERY TO INCLUDE: 1 EA HF580 POWERED GOOSE NECK WHEELED STAND WITH BUILT IN CHARGER	ACCUVEIN AV500/HF580 AV500/HF580	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 25.00 X 25.00 X 36.00 LBS: 20.00 MM: 635 X 635 X 914 KG: 9 LOCATION: FLOOR				
			AUX \$: \$6,000.00 VOLTS: 100-240 HERTZ: 50/60 AMPS: 0.4 ELECT NOTE: RECHARGEABLE INTEGRATED 3.6V, 3100MAH LI-ION BATTERY				
3 EQ#	058850 : CRC01	1	CART, CAST STAINLESS;8 DRAWER;S.S. FOLDING SIDE SHELF; DRAWERS: (1) 3"W/BLACK VINYL MAT, (5) 3"W/ 4 ADJ DIVIDERS PER DRAWER, (2) 6"W/ 4 ADJ DIVIDERS PER DRAWER;S.S. SIDE STORAGE CABINET;SCISSORS CABLE; S.S. BUCKET HOLDER W/BLACK VINYL MAT;SWIVEL TOURNIQUET/PUMP POLE;24" S.S. STEEL RULER;ALUMINUM TOWEL BAR;INTERNAL DRAWER DIVIDERS;FULL WRAP-AROUND BUMPER;5" BALL-BEARING CASTERS,1 TRACKING; 1 W/ BRAKE;LATEX FREE.	HARLOFF COMPANY, INC. DELUXE 6035	OF/OI	NEW	\$3,800.00 \$3,800.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 44.00 X 21.00 X 76.00 LBS: 182.00 MM: 1118 X 533 X 1930 KG: 83 LOCATION: FLOOR AUX \$: \$3,800.00				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 EQ#	1005648 #: LMS01	1	LAMP, SLIT LED; DIGITAL CAMERA; ELECTRIC AUTO TABLE TO TO INCLUDE: 1 EA. AIT-16 AUTO INSTRUMENT TABLE 1 EA. TA1T025312: TABLETOP	P; IMAGENET 6	TOPCON INSTRUMENT CORP. OF AMERICA SL-D701	OF/VI	EXISTING	\$0.00 GROUP: 2 MA	\$0.00 JOR MOVABLE
			(WXDXH) IN: 21.00 X 19.00 X 60.86	LBS: 78.83					
			MM: 533 X 483 X 1546 LOCATION: FLOOR NOTES: MUST INCLUDE MOBILE TABLE AUX \$: \$9,742.00	KG : 36					
			VOLTS: 120 HERTZ: 60 ELECT NOTE: ELECTRICAL SHOWN FOR SLIT LAMI 120V;60HZ;220VA	WATTS: 110 P ELECTRICAL FOR TABLE:					
5 EQ ‡	071749 #: RCK03	1	RACK, CRUTCH FOR CRUTCHES, CANES, WALKERS & ROLLS; ALL ST FINISH; 3 FIXED HOOKS	EEL GREY POWDER COAT	IDEAL RR31	OF/CI	NEW	\$121.97 GROUP: 3 MII	\$121.97 NOR MOVABLE
			(WXDXH) IN: 33.00 X 12.00 X 4.00 MM: 838 X 305 X 102 LOCATION: WALL AUX \$: \$121.97	LBS: 13.00 KG: 6					
6	1002317	2	WALKER ALUMINUM FOLDING WALKER WITH WHEELS; PI DUAL-RELEASE MECHANISMS FOR EASY-FOLDING CAPACITY	•	MCKESSON 1073638 146-10210-4	OF/OI	NEW	\$26.47 GROUP: 3 MII	\$52.94 NOR MOVABLE
	·		(WXDXH) IN: 24.00 X 17.50 X 39.00 MM: 610 X 445 X 991 LOCATION: FLOOR AUX \$: \$26.47	LBS: 12.00 KG: 5					





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

ROOM NUMBER: 214

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7	1004200	1	WARMER, INFANT		GE HEALTHCARE	OF/VI	EXISTING	\$0.00	\$0.00
EQ#:	WRMI01		115V ELEVATING BASE;PATIENT PROBE;IN-BED S	CALE	M1112198			GROUP: 2 N	MAJOR MOVABL
	3		SINGLE DRAWER;INSTRUMENT SHELF 12"X12"		PANDA IRES				
	3		TO INCLUDE:						
	1000		1 EA M1112198 PANDA IRES BEDDED WARMER						
	-		1 EA 2071262-207 UNITED STATES 1 EA 2107513-001 115V ELEVATING BASE WITH	DDOCEDURE LICUT TALL					
			WALLS	PROCEDURE LIGHT, IALL					
			1 EA 2064253-002 PATIENT PROBE, SCALE READ	V ΔΝΙΟ ΜΔSΙΜΟ MX-3					
			SPO2	I, AND MASHMO MAS					
			1 EA M1111537 T-PIECE WITH BLENDER						
			1 EA M1111539 DISS INLET FITTINGS						
			1 EA M1111637 DUAL DRAWER - STANDARD						
			1 EA M1111782 NORTH AMERICAN						
			1 EA 2093562-009 T-PIECE RESUS ENGLISH US						
			1 EA 2075969-001 ENGLISH SOFTWARE						
			1 EA 2093561-009 PANDA OM-LABELS ENGLISH						
			1 EA 2064253-601 UNIQUE DEVICE IDENTIFIER L						
			1 EA 6600-0865-700 INSTRUMENT SHELF 12IN X	12IN, 90 DEGREE					
			ROTATION						
			1 EA 0217-5378-800 IV POLE DUAL HOOK - 12" 1 EA 6700-0458-804 8' OXYGENHOSE ASSEMBLY DISS H-I-T	DICC II I T					
			1 EA 6700-0458-803 8' AIR HOSE ASSEMBLY DIS						
			1 EA 6700-0302-800 DIAMOND ADAPTER W/DIS						
			1 EA 0204-7638-535 AIR DISS ADAPTER 1/8 NPT	•					
			1 EA 6700-0302-803 DIAMOND ADAPTER W/DIS						
			1 EA 2109059-001 T-PIECE NEONATAL PATIENT C	CIRCUIT KIT, DISPOSABLE,					
			NF-150GE, 20/BX						
			1 EA 2109061-001 T-PIECE NEONATAL PATIENT C	CIRCUIT KIT, DISPOSABLE					
			WITH SIZE 1 MASK, NF-157-1GE, 10/BX						
			1 EA M1125055 SCALE, PANDA IN-BED						
			1 EA 6600-1334-500 GIRAFFE AND PANDA X-RAY						
			1 EA 2059005-001 MASIMO RED INTERCONNEC						
			1 EA CF-2074816-001 GIRAFFE DISP SKIN TEMP						
			(WXDXH) IN: 37.00 X 47.00 X 86.00	LBS: 220.00					
			MM : 940 X 1194 X 2184	KG : 100					
			LOCATION: FLOOR						
			AUX \$: \$25,000.00						
			DATA: HARD WIRED						
			DATA NOTE: RS-232 PORT						

VOLTS: 115

HERTZ: 60

AMPS: 6.6

WATTS: 520





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	084955	1	CART, TELEMEDICINE		AVIZIA	OF/VI	EXISTING	\$0.00	\$0.00
EQ#:	TCRT01		MOBILE TELE-COMMUNICATION SYSTEM;F	ULLY INTEGRATED	-			GROUP: 2	MAJOR MOVABLE
	*		24" HD LCD DISPLAY; INTEGRATED CAMERA	& MICROPHONE	CA750				
	41900		LOCKABLE DRAWER; KEYBOARD TRAY; FRON	T CONTROL PANEL					
	CARRIE CONTROL		HEIGHT ADJUST HANDLE;HOSPITAL GRADE	CASTERS					
	2 2		OPTIONAL: INTEGRATED WI-FI;LOCKABLE P	C CABINET					
			DUAL DISPLAY W/ARTICULATING ARM;CABI	LE WRAP					
			ADDITIONAL BATTERY FOR LONGER CHARG	E					
			(WXDXH) IN: 23.00 X 27.00 X 71.00	LBS: 230.00					
			MM: 584 X 686 X 1803	KG : 104					
			LOCATION: FLOOR						
			NOTES: NEED TO CONFIRM EXISTING	MAKE/MODEL					
			AUX \$: \$56,000.00						
			DATA: HARD WIRED						
			VOLTS: 125 HERTZ: 60						
			ELECT NOTE: 45 AH LITHIUM IRON BATTER)	RECHARGED BY HOSPITAL					
			GRADE PLUG ONLY						







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ED EQUIPMENT STORAGE

ROOM NUMBER: 214

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015461 IMAGING, ULTRASOUND SYSTEM CANON MEDICAL SYSTEMS USA, INC. OF/VI NEW \$95,550.00 \$95,550.00 EQ#: IUS02 TO INCLUDE: APLIO-I700-V6.5.100 GROUP: 2 | MAJOR MOVABLE 1700 PRISM PHASE: EARLY - PO/LEASED 1 APLIO 1700 PRISM ULTRASOUND SYSTEM 1 APLIO 1700 ULTRASOUND IMAGING SYSTEM 1 PROTOCOL ASSISTANT 1 GEL WARMER 1 INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT) 1 STANDARD APPLICATIONS TRAINING 1 LINEAR ARRAY TRANSDUCER (I18LX5) 1 MULTI FREQUENCY LINEAR ARRAY TRANSDUCER (I11LX3) 1 CONVEX ARRAY TRANSDUCER (I8CX1) ENDO-AI700/4.100 1 EV/ER TRANSDUCER HOLDER KIT 1 EV/ER TRANSDUCER HOLDER 1 MULTI-FREQUENCY ENDOCAVITARY TRANSDUCER (11C3) 1 PANORAMIC VIEW 1 CV KIT 1 CV KIT FOR V5.1 OR LATER 1 REFERENCE SIGNAL KIT 1 REFERENCE SIGNAL CABLE 1 CONTINUOUS WAVE KIT 1 PENCIL CONNECTOR UNIT (WXDXH) IN: 24.80 X 42.10 X 69.20 LBS: 253.50 **MM**: 630 X 1069 X 1758 KG: 115 LOCATION: FLOOR **SPEC COMMENTS: SEE QUOTE FOR ADDITIONAL INFORMATION** NOTES: SENECA WANTS TO PROCURE ASAP VIA LEASED AGREEMENT **AUX \$:** \$95,550.00 **DATA: HARD WIRED AND WIRELESS DATA NOTE:** ETHERNET 10BASE-T/ 100BASE-TX/ GIGABIT;

BTU: 1945 BTU/h

MECH NOTE: POWER CONSUMPTION 1440 VA

ROOM TOTAL: \$135,702.83



INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT); DUAL BAND

HERTZ: 60

2.4GHZ/5 GHZ **VOLTS:** 115





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: MULTI-PURPOSE ROOM

ROOM NUMBER: 215

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	1			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: CLEAN SUPPLY ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	1001188 : CBW01	1	CABINET, WARMING 2.5 CUBIC FT; 6 BLANKET CAPACITY; COUNTERTOP MODEL; STACKABLE; NO FANS OR MOVING PARTS	ENTHERMICS MEDICAL SYSTEMS TITAN SERIES EC250	OF/OI	NEW	\$3,762.00 \$3,762.00 GROUP: 2 MAJOR MOVABLE
	J		(WXDXH) IN: 18.50 X 23.50 X 22.00 LBS: 67.00 MM: 470 X 597 X 559 KG: 30 LOCATION: COUNTERTOP SPEC COMMENTS: CLEARANCES: TOP/LEFT/RIGHT: 1", BACK 3" AUX \$: \$3,762.00				
			VOLTS: 120 HERTZ: 60 AMPS: 5 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 0.6KW;15A;125V PLUG;HOSPITAL GRADE PLUG	BTU: 2050			
2 EQ# :	105040 : CBW02	1	CABINET, WARMING FOR USE WITH COMFORT PERSONAL CLEANSING BRAND ACCOMMODATES 12 INDIVIDUAL PACKAGES; ONE PER SLOT; 125 DEGREES F TARGET PRODUCT TEMPERATURE; POWDER COATED STEEL EXTERIOR; ALUMINUM INTERIOR	SAGE PRODUCTS INC. 7937	OF/VI	NEW	\$1,500.00 \$1,500.00 GROUP: 2 MAJOR MOVABLE
	_		(WXDXH) IN: 14.69 X 15.25 X 16.88 LBS: 30.00 MM: 373 X 387 X 429 KG: 14 LOCATION: COUNTERTOP NOTES: SITS ON TOP OF CBW01 AUX \$: \$1,500.00 VOLTS: 120 HERTZ: 60 AMPS: 7 ELECT NOTE: 1PH;8A;DEDICATED CIRCUIT RECOMMENDED FULLY LOADED UNIT WEIGHT: 37LBS.				
3 EQ#:	066552 : PAN01	4	LOUVER PANEL, WALL MOUNTED STORAGE PANEL;16 GAUGE STEEL W/ GRAY ENAMEL FINISH LOUVERED FOR BINS;250LB LOAD CAPACITY ONCE FASTENED SECURELY TO WALL,BENCH,CABINET,CART OR INSIDE SERVICE TRUCK	QUANTUM STORAGE SYSTEMS QLP-4819 ULTRA HANGING SYSTEMS	OF/CI	NEW	\$112.36 \$449.44 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 48.00 X 1.00 X 19.00 LBS: 18.00 MM: 1219 X 25 X 483 KG: 8 LOCATION: WALL AUX \$: \$112.36				





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: CLEAN SUPPLY ROOM

GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$1,500.00 GROUP: 3 MI	\$1,500.00 NOR MOVABLE
AUX \$: \$1,500.00						
SHELVING, WIRE 5 SHELF W/SOLID GALV BOTTOM SHELF;STATIONAR' 10 INCLUDE: 1 EA 74P 74" CHROME POST 1 EA A2460NC SUPER ADJ SHELF-CHROME L EA 2460FG 24X60 SOLID GALV SHELF	Y	INTERMETRO INDUSTRIES CORP. A2460NC/2460FG/74P SASE	OF/VI	NEW	\$660.60 GROUP: 3 MI	\$1,321.20 NOR MOVABLE
•	LBS: 131.00 KG: 59					
CART, CYLINDER, MEDICAL GAS 4 CAPACITY TILT BACK CART; E/D SIZE; W/HEAVY DU	TTY 5" CASTERS	W.T. FARLEY, INC. - CR-DC04E	OF/OI	NEW	\$151.00 GROUP: 3 MI	\$302.00 NOR MOVABLE
•	LBS: 21.00 KG: 10					
CART, SUPPLY ITHREE WIRE ADJ HT "TUB" SHELVES (TOP SHELF 5" [" DEEP); CHROME PLATED STEEL;3" CASTERS;PUSH		LUXOR CORPORATION LICWT2918 LARGE WIRE TUB	OF/OI	NEW	\$250.00 GROUP: 3 MI	\$250.00 NOR MOVABLE
<i>MM:</i> 762 X 457 X 762 .OCATION: FLOOR						
' WXDXH) IN: 30 MM: 76	0.00 X 18.00 X 30.00 62 X 457 X 762 OR	0.00 X 18.00 X 30.00	0.00 X 18.00 X 30.00	0.00 X 18.00 X 30.00	0.00 X 18.00 X 30.00	0.00 X 18.00 X 30.00



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: CLEAN SUPPLY ROOM

ROOM NUMBER: 216

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

ROOM TOTAL: \$9,084.64





FLOOR: 1

DEPARTMENT: **ACUTE CARE**

ROOM NAME: SUPERVISOR OFFICE

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015782 MONITOR, CENTRAL STATION, REMOTE PHILIPS MEDICAL SYSTEMS OF/VI NEW \$3,360.00 \$3,360.00 EQ#: MTCR02 MIRROR STATION; 23" DISPLAY; 120V AC MXU0295 GROUP: 2 | MAJOR MOVABLE DISPLAY: 23



OPTIOI	VS AND ACCESSORIE	S	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	989803207001	2560: MULTI-VIDEO MIRROR SENDER 1	\$1,251.00
1	989803207031	2560: MULTI-VIDEO MIRROR RECEIVER	\$1,251.00
1	989803208081	2560: MIRROR RECEIVER ADAPTER KIT, FLUSH	\$306.00

LBS: 80.00

(WXDXH) IN: 17.00 X 8.20 X 16.00 LBS: 30.00 KG: 14

MM: 432 X 208 X 406

LOCATION: COUNTERTOP

SPEC COMMENTS: OVERALL DIMENSIONS INCLUDE CPU, UPS, AND RECORDER/ALARM SPEAKER MODULE SEE CUT SHEET FOR SPECIFIC

DIMENSIONS.

AUX \$: \$3,360.00 **DATA:** HARD WIRED

DATA NOTE: MINIMUM ETHERNET 10/100 T, CAT 5E OR

HIGHER

VOLTS: 115 **HERTZ:** 60 AMPS: 10.8

DEDICATED CIRCUIT: YES

ELECT NOTE: REQUIRES A 15AMP QUAD OUTLET WITHIN 3' OF UPS/CPU.

2 008082 EQ#: REF02

REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL; ADJ. TEMP CONTROL; FIELD REVERSIBLE DOOR; NO LOCK

U-LINE CORPORATION 29R

BTU: 1595 BTU/HR

U-29R

(WXDXH) IN: 21.00 X 23.00 X 29.00

MM: 533 X 584 X 737 **KG**: 36

LOCATION: FLOOR

AUX \$: \$1,124.10

VOLTS: 115 HERTZ: 60 **AMPS: 15**

MECH NOTE: REFRIGERANT: R134A;3.25 OZ

OF/OI

NEW

\$1,124.10

GROUP: 2 | MAJOR MOVABLE

\$1,124.10





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: SUPERVISOR OFFICE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ #:	055770 : OVM01	1	OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL; COMMERCIAL; MEDIUM DUTY	SHARP ELECTRONICS CORP. R-21LVF R21LVF	OF/OI	NEW	\$375.00 \$375.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 20.50 X 16.00 X 12.13 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP AUX \$: \$375.00 VOLTS: 120 HERTZ: 60 AMPS: 14 WATTS: 1550 PLUG TYPE: Type B (NEMA 5-15)				
4	1015592	1	SHREDDER, PAPER SHREDS 10 SHEETS PER PASS INTO 5/23" X 1 9/16" CROSS-CUT PARTICLES; SAFELY SHREDS STAPLES, PAPER CLIPS, AND PLASTIC CREDIT CARDS; 6 GAL WASTE BIN	FELLOWES, INC. 4400301 POWERSHRED LX65	OF/OI	NEW	\$120.00 \$120.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 9.19 X 14.50 X 15.88 LBS: 15.00				
			MM: 233 X 368 X 403 KG: 7				
			LOCATION: FLOOR AUX \$: \$120.00				
			VOLTS: 120 HERTZ: 60				
5	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - NULL AUX \$: \$54.50				



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: SUPERVISOR OFFICE

ROOM NUMBER: 217

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

ROOM TOTAL: \$5,033.60





FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	104140 MED01	1	DISPENSER, MEDICATION, AUTOMATED 6 DRAWER; LCD MONITOR; KEYBOARD; BARCODE ACCESS SYSTEM; SECURE HALF AND FULL HEIGHT MINIDRAWERS; ALL-IN-ONE POWER AND COMMUNICATION SYSTEM; CONTRO DRAWERS	CUBIE POCKETS AND	BD CAREFUSION PYXIS MEDSTATION ES 323 6 DRAWER MAIN	OF/VI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 55.00	LBS: 166.00					
			MM: 584 X 686 X 1397	KG: 75					
			LOCATION: FLOOR NOTES: ADD OVER CURRENT CONDITION AUX \$: \$36,881.00 DATA: HARD WIRED AND WIRELESS						
				WATTS: 80	BTU: 409				
			PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 1A NOM,3 AMPS MAX LOAD CURRED REQUIRED	NT EMERGENCY POWER	MECH NOTE: 409 BTU/HR				
2 EQ# :	089012 MED02	1	DISPENSER, MEDICATION, AUTOMATED 7-DRAWER AUXILIARY;18-GAUGE SHEET METAL;RI REAR PANEL	EMOVABLE, LOCKING	BD CAREFUSION PYXIS 7-DRAWER AUXILIARY MEDSTATION ES 7-DRAWER AUXILIARY	OF/VI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 47.00	LBS: 133.00					
			MM: 584 X 686 X 1194	KG : 60					
			LOCATION: FLOOR						
			AUX \$: \$7,500.00						
			DATA: HARD WIRED						
			DATA NOTE: CONNECTS TO MAIN MED DISPENSER ELECT NOTE: POWERED BY MAIN VIA CABLE CONI						



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ#:	105662 MED04	1	DISPENSER, MEDICATION, AUTOMATED DOUBLE COLUMN AUXILIARY;8 DOORS	BD CAREFUSION PYXIS DOUBLE COLUMN AUX MEDSTATION ES	OF/VI	LEASED	\$0.00 GROUP: 2 M/	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 52.00 X 28.00 X 80.00 LBS: 470.50					
			MM : 1321 X 711 X 2032 KG : 213					
			LOCATION: FLOOR					
			NOTES: 1 IS AN ADD OVER CURRENT CONDITION					
			AUX \$: \$12,500.00					
			DATA: HARD WIRED VOLTS: 120 HERTZ: 60 WATTS: 65	BTU: 222				
			VOLTS: 120 HERTZ: 60 WATTS: 65 ELECT NOTE: 120V;60HZ;65W;EMERGENCY POWER;DATA REQUIR CONNECTS TO MAIN UNIT VIA CABLE					
4	105843	1	REFRIGERATOR, UNDERCOUNTER, MEDICAL GRADE	HELMER LABS, INC.	OF/OI	LEASED	\$0.00	\$0.00
EQ#:	REF04		5.3 CF;SOLID FIELD REVERSIBLE DOOR;TEMP RANGE 2-10 DEG C;7				GROUP: 2 MA	AJOR MOVABLE
1			COLOR TOUCHSCREEN INTERFACE;AUTO DEFROST;R600A ISOBUT, REFRIGERANT;LEVELING FEET;2 SHELVES	NE I SERIES ADA				
			(WXDXH) IN: 25.00 X 29.00 X 34.00 LBS: 174.00					
			MM: 635 X 737 X 864 KG : 79					
			LOCATION: FLOOR					
			AUX \$: \$4,138.77					
			DATA: HARD WIRED					
			DATA NOTE: RJ45 ETHERNET	BTU: 460				
			VOLTS: 115 HERTZ: 60 AMPS: 1.4 DEDICATED CIRCUIT: YES	BIO: 460				
			PLUG TYPE: Type B (NEMA 5-15)					
			ELECT NOTE: 8-10' POWER CORD;12V RECHARGEABLE LEAD ACID FOR DISPLAY & ALARM BACKUP	BATTERY MECH NOTE: REAR ACCESS PORT FOR I PROBES	EXT MONITORING			







FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#:	079188 SHW06	1	SHELVING, WIRE 5 SHELVES;STATIONARY;CHROME;SHELF INLAY TO INCLUDE: 5 EA A2424NC 4 EA 74P 1"O.D.X16GA.X73 3/4"L.CHR 1 EA 2424BWI BLK/WHI SHELF INLAY		INTERMETRO INDUSTRIES CORP. A2424NC/74P A2424NC	OF/VI	NEW	\$355.00 GROUP: 3	\$355.00 MINOR MOVABLE
			'	. BS: 61.00 (G: 28					
6 EQ# :	059047 MBOX01	1	BOX, RETURN, DRUGS LOCKABLE; COUNTER/WALL MOUNT; BEIGE METAL A BOTTOM IS LINED WITH FOAM	ANTI-THEFT BAFFLE;	HEALTH CARE LOGISTICS 3783 LOCKABLE RETURN DRUG BOX	OF/VI	EXISTING	\$0.00 GROUP: 3	\$0.00 MINOR MOVABLE
				.BS: 9.00 KG: 4					
7	506580	1	ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$100.00 <i>GROUP: 3 </i>	\$100.00 MINOR MOVABLE
			AUX \$: \$100.00						
8 EQ#:	1015778 RAL01	1	RAIL SYSTEM RAIL BIN SYSTEM; PRE-DRILLED IN 1" INCREMENTS; V HARDWARE INCLUDED	WALL-MOUNTING	VOLLRATH COMPANY 91954 TRAEX 31"	OF/CI	NEW	\$40.00	\$40.00 GROUP: 1 FIXED
			•	. BS : 1.50 (G : 1					



PlanView

FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9 EQ# :	099493 : DSPP04	1	DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL "GO GREEN" SYSTEM; COMPLIANCE WITH REGULATORY GUIDELINES; AUTOMATED, TAMPER-PROOF, BATTERY OPERATED ALERT SYSTEM EQUIPPED W/WARNING LIGHTS AND AUDIBLE ALERTS. TO INCLUDE: 1 EA 10100, SMART SINK 4 EA 10201, LIQUIDS CARTRIDGE 4 EA 10301, SOLIDS CARTRIDGE	CACTUS, A STRYKER COMPANY SMART SINK	OF/CI	NEW	\$1,039.00 GROUP: 3 MII	\$1,039.00 NOR MOVABLE
			1 EA 10400,TRIPLE AA BATTERY PACK (WXDXH) IN: 15.50 X 9.50 X 12.50 LBS: 17.00 MM: 394 X 241 X 318 KG: 8 LOCATION: WALL AUX \$: \$1,039.00 ELECT NOTE: TRIPLE AA BATTERY PACK; RECHARGEABLE BATTERIES W A/C ADAPTER UPON REQUEST					
10	087350	1	DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL 8 GAL;SLIDE LID;10/CS;WHITE	KENDALL HEALTHCARE, COVIDIEN 8851 PHARMA	OF/OI	NEW	\$19.00 GROUP: 3 MII	\$19.00 NOR MOVABLE
			(WXDXH) IN: 16.00 X 11.00 X 18.00 MM: 406 X 279 X 457 LOCATION: FLOOR AUX \$: \$19.00					
11	1015402	1	SHARPS, DISPOSAL, FLOOR BIN 8 GAL SHARPS WITH SLIDING LID	COVIDIEN 8980S 8 GAL	OF/OI	NEW	\$45.00 GROUP: 3 MII	\$45.00 NOR MOVABLE
			(WXDXH) IN: 10.50 X 15.50 X 17.25 MM: 267 X 394 X 438 LOCATION: FLOOR AUX \$: \$45.00					





FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: MED ROOM

ROOM NUMBER: 218

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
12 EQ# :	055619 : DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACK RED;5.4QT;SIDE ENTRY;W/WALL BRACKET	ET	BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$38.94 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1				
13	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 \$47.67 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS: 6.73 KG: 3				
14 EQ#	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;K MOUNT;VERTICAL/HORIZONTAL	EYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	LBS: 2.00 KG: 1				

ROOM TOTAL: \$1,741.61





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: ALCOVE
ROOM NUMBER: 219

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** 1 053947 **CART, ISOLATION** ARMSTRONG MEDICAL INDUSTRIES OF/OI **EXISTING** \$0.00 \$0.00 EQ#: CRI01 4 DRAWER; YELLOW; BASIC CART W/DRAWER; CONFIGURATION OF 1 EA.3" AKL-Y-4 GROUP: 3 | MINOR MOVABLE HIGH & 3 EA. 9" HIGH DRAWERS; BEIGE FRAME **TWO TONE**

(WXDXH) IN: 33.50 X 25.00 X 46.25

MM: 851 X 635 X 1175

KG: 75

LBS: 165.00

LOCATION: FLOOR

AUX \$: \$1,542.75





PlanView

GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

EQ#: MVS02

DEPARTMENT: ACUTE CARE
ROOM NAME: ALCOVE
ROOM NUMBER: 219

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1001245 1 MONITOR, VITAL SIGNS PHILIPS MEDICAL SYSTEMS OF/OI NEW \$7,499.68 \$7,499.68

863380/989803176601

EARLYVUE VS30 W/ROLLSTAND

SYSTEM); MASIMO RAINBOW SET OPTIONS (SPO2, RRA, SPHB);THERMAL RECORDER W/58MM PAPER

TO INCLUDE:

1 EA 989803176601 SURESIGNS PREMIUM ROLLSTAND

MOBILE STAND;10.1" LCD TOUCHSCREEN DISPLAY;EWS (EARLY WARNING

1 EA W01 WIRELESS

OPTION	IS AND ACCESSORIES	5	
QTY	PART_NUMBER	<u>DESCRIPTION</u>	PRICE
1	T01	PREDICTIVE TEMPERATURE	\$386.00
1	SP1	PHILIPS FAST SPO2	\$58.00
1	SP5	MASIMO RAINBOW SET SPO2	\$0.00
1	S01	3 YEAR WARRANTY PARTS ONLY	\$0.00
1	E05	INTEGRATED RECORDER	\$0.00
1	M1668A	CBL 5 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$0.00
1	M1599B 989803104341	ADULT NIBP AIR HOSE 3.0M	\$43.00
1	864288	EASY CARE ADULT KIT - 4 SIZES	\$68.00
1	863315	SURESIGNS VITAL SIGN DASHBOARD	\$3,228.00
1	M1943NL 989803136591	SPO2 8-PIN D-SUB ADAPTER CABLE OXI	\$130.00

(WXDXH) IN: 21.00 X 21.00 X 49.85 LBS: 39.00 MM: 533 X 533 X 1266 KG: 18

LOCATION: FLOOR

AUX \$: \$7,499.68

DATA: WIRELESS

DATA NOTE: CONNECT DIRECTLY INTO EMR OR HIS VIA HL-7 **VOLTS:** 120 **HERTZ:** 60 **WATTS:** 60 **ELECT NOTE:** RECHARGEABLE LITHIUM ION BATTERY 11.1V 7800MAH

ROOM TOTAL: \$7,499.68





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: NUTRITION ALCOVE

LINE	ID#	QTY	GENERIC		MANUFACTURER		RESP	STATUS	PRICE	EXTENSION
1 EQ#:	075907 : ICE01	1	ICE MAKER W/WATER DISPENSER 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER TOUCH FREE;AIR COOLED	DISPENSER	MANITOWOC ICE, INC. SN-20AT AIR COOLED		OF/CI	NEW	\$3,595.00	\$3,595.00 GROUP: 1 FIXED
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 K00462 SEISMIC KIT		<u>PRICE</u> \$0.00					
			(WXDXH) IN: 16.25 X 24.00 X 42.00 MM: 413 X 610 X 1067 LOCATION: COUNTERTOP AUX \$: \$3,595.00	LBS: 184.00 KG: 83						
			VOLTS: 115 HERTZ: 60 AMPS: 10.3 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 15A;SINGLE PHASE 6' CORD		BTU: 2300				OPSI/MAX 80 PSI WATE NNECTION REQUIRED S	
2 EQ# :	008082 : REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHEL ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVE DOOR; NO LOCK		U-LINE CORPORATION 29R U-29R		OF/OI	NEW	\$1,124.10 GROUP: 2	\$1,124.10 MAJOR MOVABLE
			(WXDXH) IN: 21.00 X 23.00 X 29.00 MM: 533 X 584 X 737 LOCATION: FLOOR AUX \$: \$1,124.10	LBS: 80.00 KG: 36						
			VOLTS: 115 HERTZ: 60 AMPS: 15		MECH NOTE: REFRIGERAN	NT: R134A;3.25 OZ				







FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: NUTRITION ALCOVE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ #:	055770 OVM01	1	OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL; COMEDIUM DUTY	SHARP ELECTRONICS CORP. MMERCIAL; R-21LVF R21LVF	OF/OI	NEW	\$375.00 \$375.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 20.50 X 16.00 X 12.13 LBS: 37.00 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP NOTES: 2023-0606: COUNTERTOP AUX \$: \$375.00 VOLTS: 120 HERTZ: 60 AMPS: 14 WATTS: 1550	0			
4 EQ#	083455 COF01	1	PLUG TYPE: Type B (NEMA 5-15) COFFEE BREWER, PLUMBED 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FLIP UP DRIP T FILTER	KEURIG, INC. RAY;WATER K3000SE COMMERCIAL	OF/OI	NEW	\$1,049.98 \$1,049.98 GROUP: 1 FIXED
			(WXDXH) IN: 12.00 X 22.00 X 20.00 MM: 305 X 559 X 508 LOCATION: COUNTERTOP SPEC COMMENTS: DEPTH US WITH FILTER IS 22" AUX \$: \$1,049.98 DATA: HARD WIRED DATA NOTE: RJ11 JACK				
			VOLTS: 120 HERTZ: 60 AMPS: 11.6 WATTS: 1400 PLUG TYPE: Type B (NEMA 5-15))			R PRESSURES: 40PSIG TO 125PSIG JT FILTER WATER CONNECTION-3/4" CONNECTION





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: NUTRITION ALCOVE

ROOM NUMBER: 220

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	1006012 : COF04	1	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; B HANDLES	LACK; PLASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 GROUP: 3 MI	\$45.00 NOR MOVABLE
			(WXDXH) IN: 5.40 X 11.00 X 12.60 MM: 137 X 279 X 320 LOCATION: COUNTERTOP AUX \$: \$45.00	LBS: 2.00 KG: 1					
6	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MI	\$47.67 NOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS: 6.73 KG: 3					
7	1014420	1	WASTE RECEPTACLE 13GAL;OPEN TOP;BLUE		RUBBERMAID COMM. PRODUCTS 2026699 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MI	\$47.67 NOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS : 6.73 KG : 3					

ROOM TOTAL: \$6,284.42





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: NURSE STATION

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSI	ON
1 1015781 EQ#: MTC02	1	MONITOR, CENTRAL STATION PIIC IX SURVEILLANCE CENTRAL MONITORING; 23 TO INCLUDE: 1 EA DISPLAY: 23" HP, NON-TOUCH, 1920X1080 1 EA MOUNT: CPU, UNDERDESK, 360 DEGREE SW 1 EA PIC IX HARDWARE	,	PHILIPS MEDICAL SYSTEMS INTELLIVUE INFO CENTER IX	OF/VI	NEW	\$4,517.86 \$4,517 GROUP: 2 MAJOR MOVA	
		(WXDXH) IN: 16.00 X 8.20 X 16.00 MM: 406 X 208 X 406 LOCATION: COUNTERTOP AUX \$: \$4,517.86 DATA: HARD WIRED VOLTS: 120 HERTZ: 60 ELECT NOTE: CPU: 115 VAC;60 HZ;5.2 AMPS LCD III HZ;48W TYP. EMERGENCY POWER	LBS: 30.00 KG: 14 DISPLAY: 115 VAC;60	MECH NOTE: MUST MAINTAIN TEMP AT 62-82 DE F AND NON-CONDENSING RELATIVE HUMIDITY AT 30-60% CPU: 215 BTU/HR UPS: 437 BTU/HR (MAX				







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: ACUTE CARE ROOM NAME: **NURSE STATION**

ROOM NUMBER: 221

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 2 1015755 MONITOR, PHYSIOLOGIC, TRANSPORT PHILIPS HEALTHCARE - MONITORING OF/VI NEW \$8,372.86 \$8,372.86 **SYSTEMS**

867030

EQ#: PHY08

INTELLIVUE MULTI-MEASUREMENT TRANSPORT ACQUISITION MODULE; 5 HOUR BATTERY; CHARGES VIA DOCKING STATION, 120VAC

INTELLIVUE X3

TO INCLUDE:

1 EA A03 3-WAVES CAPABILITY

1 EA E29 ROTATABLE QUICK CLAW MOUNT

1 EA E31 CARRYING HANDLE

1 EA H72 CRITICAL CARE TRANSPORT SW

1 EA SP5 MASIMO RAINBOW SET SPO2

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	867043	INTELLIVUE DOCK	\$497.00

(WXDXH) IN: 9.80 X 3.80 X 4.40

LBS: 3.10

MM: 249 X 97 X 112

KG: 1

LOCATION: SPACE

AUX \$: \$8,372.86

DATA: WIRELESS

VOLTS: 120 **HERTZ:** 60

ELECT NOTE: - REMOVABLE, RECHARGEABLE 5 HOUR BATTERY - 120 V AC-POWERED INTELLIVUE DOCK PROVIDES CHARGING AND NETWORK CONNECTIVITY - CAN BE ATTACHED TO A HOST MONITOR WHICH

PROVIDES THE POWER TO THE X3





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: NURSE STATION

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION	
3 EQ#:	056002 CRC04	1	CART, RESUSCITATION, CARDIAC CART, RESUSCITATION, CARDIAC; 6 DRAWERS;4-3", 1-6",1-12",PVC BUMPER;LOCKING BREAKAWAY BAR, TWIN PADDED PUSH HANDLES;METAL DRAWER PULLS;ALL-SWIV CASTER TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. ADT-1 CRASH CART TRAY W/ LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY (WXDXH) IN: 43.00 X 25.00 X 47.00 MM: 1092 X 635 X 1194 KG: 75 LOCATION: FLOOR AUX \$: \$2,030.16		OF/VI	NEW	\$2,030.16 \$2,030.16 GROUP: 3 MINOR MOVABLE		
4 EQ#:	082533 DEF01	1	DEFIBRILLATOR R SERIES ALS DEFIBRILLATOR;AED W/MANUAL OVERRIDE;COMPATIBLE;CODE READINESS TESTING SYSTEM;RECTILINITECHNOLOGY ONESTEP 3 LEAD ECG CABLE W/AHA MARKI ADVISORY DEFIBRILLATION;BUILT-IN TEST PORT;COMPACT SLOT;INTEGRATED AC POWER 5.8 AH LITHIUM ION BATTER INCLUDES: EXPANSION PACK, ONE STEP PACING, MASIMO OXIMETRY,NIBP, ETCO2 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGEABLE LITHIUM ION BATTERY PACK (WXDXH) IN: 10.50 X 12.50 X 8.20 LBS: 15 MM: 267 X 318 X 208 KG: 7 LOCATION: COUNTERTOP AUX \$: \$23,980.20 DATA: HARD WIRED AND WIRELESS DATA NOTE: OPTIONAL WIFI: 802.11B USB PORT 2.0 COMPATIBLE VOLTS: 120 HERTZ: 60 AMPS: 2 ELECT NOTE: SEALED LEAD ACID BATTERY INTEGRAL BATTE EMERGENCY POWER	AR BIPHASIC R SERIES ALS NGS FLASH CARD Y;PACKAGE PULSE	OF/OI	EXISTING	\$0.00 GROUP: 2 MA	\$0.00 AJOR MOVABLE	





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: NURSE STATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	094808 : ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, PORTABLE PORTABLE; RECHARGEABLE BATTERY; LED DISPLAY; HEP. DISPOSABLE CANISTER SYSTEM; HIGH FLOW; HIGH VACUUM RANGE; EXTERNAL BATTERY CHARGER TO INCLUDE: 1 EA 780220 AC POWER CORD -EU	PA FILTER;BEMIS	LAERDAL MEDICAL CORP. LSU 4000 78002001	OF/OI	NEW	\$995.00 GROUP: 2 MAJO	\$995.00 PR MOVABLE
			(WXDXH) IN: 13.00 X 6.30 X 12.40 LB	3S: 8.20					
				G: 4					
			LOCATION: COUNTERTOP						
			AUX \$: \$995.00 VOLTS: 120 HERTZ: 60						
			ELECT NOTE: ELECTRICAL SHOWN FOR BATTERY CHAR	RGER					
6 EQ#	070441 : TMP02	1	THERMOMETER, ELECTRONIC, WALL MOUNTED TEMPORAL SCANNER W/QUICK RELEASE;TAT5000 COI COILED LATEX FREE CABLE AND WALL MOUNT INSTRU RANGE 61-110F	•	EXERGEN CORP 124277 TAT-5000	OF/OI	NEW	\$425.00 GROUP: 3 MINC	\$425.00 OR MOVABLE
			(WXDXH) IN: 2.00 X 1.25 X 8.00 LB	35: 2.00					
			MM: 51 X 32 X 203	G: 1					
			LOCATION: WALL						
			AUX \$: \$425.00						
			ELECT NOTE: 9V BATTERY.						







FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: NURSE STATION

ROOM NUMBER: 221

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7 EQ# :	105759 GLU01	1	LAB ANALYZER, GLUCOSE TOUCH SCREEN; QR BARCODE SCANNER; 1,000 TI STORAGE; 500 TEST STORAGE; NUMERIC OR PASS QC; ABNORMAL/CRITICAL RANGES FLAGGED BY HIGHLIGHT; TRAINING MODE; CORRELATION MO CONFIGURATION; CUSTOM METER CONFIGURAT HOSPITAL ADT; CONNECT TO LIS/EMR; POCT1-A DE ETHERNET PORT TCP/IP ETHERNET; NOVANET W MANAGER SOFTWARE; 3.7V LI POLYMER RECHAR BATTERY; 6-8 HOURS IN USE, 40 TESTS W/BARCO STANDBY	S/FAIL COLOR DE; WEB-BASED METER ION;CONNECT TO DATA OUTPUT;RJ-45 EB-BASED INSTRUMENT IGEABLE	NOVA BIOMEDICAL 44993 STATSTRIP GLU 2	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 3.10 X 5.80 X 1.18 MM: 79 X 147 X 30 LOCATION: COUNTERTOP AUX \$: \$1,890.00 DATA: HARD WIRED AND WIRELESS DATA NOTE: DATA REQUIRED: ETHERNET NETWORK 802.11 A/B/G/N WIRELESS ACCESS. SEE CUTSHEIF FURTHER DETAILS. VOLTS: 120 HERTZ: 60 AMPS: .6 ELECT NOTE: STATSTRIP: 3.7V LI POLYMER RECHA	ET FOR				
8 EQ#	1005565 BIN01	1	BIN, SHREDDING SHREDDER COLLECTION BIN (WXDXH) IN: 19.00 X 16.00 X 27.00	LBS: 35.00	RAPID SHRED SHORT CONSOLE	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			MM: 483 X 406 X 686 LOCATION: FLOOR AUX \$: \$0.00	KG: 16				
								DOOM TOTAL . \$16 240 00

ROOM TOTAL: \$16,340.88





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: PATIENT, TOILET

ROOM NUMBER: 222

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 004363 WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI NEW \$54.50 \$54.50 CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL FG254300[XXX] GROUP: 3 | MINOR MOVABLE APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN 2543

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

LBS: 5.00

KG: 2

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50

Confidential Information





FLOOR: 1

DEPARTMENT: **ACUTE CARE** ROOM NAME: STAFF TOILET

ROOM NUMBER:

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE I	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR	R MOVABLE
-			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

QTY PART NUMBER DESCRIPTION **PRICE** BEIG BEIGE \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

KG: 2 MM: 368 X 267 X 389

LOCATION: FLOOR - GRAY AUX \$: \$54.50

ROOM TOTAL: \$54.50





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ACUTE EQUIPMENT STORAGE

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 078823 EQ#: SHW02	1	<i>MM</i> : 1219 X 457 X 2032 LOCATION: FLOOR		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 MIN	\$560.80 OR MOVABLE
2 053119 EQ#: HVR01	1	MM: 305 X 229 X 356 LOCATION: SPACE AUX \$: \$8,100.00 VOLTS: 120 HERTZ: 60 AMPS: 10 V	EATED LBS: 11.00 KG: 5	HOVERTECH INTERNATIONAL HMAIR400G HOVERMATT	OF/OI	NEW	\$8,100.00 GROUP: 2 MAJ	\$8,100.00 OR MOVABLE
3 092271 EQ#: LFT03	1	,	LBS: 123.00 KG: 56	EZ WAY, INC LLB600PS SMART LIFT	OF/OI	EXISTING	\$0.00 GROUP: 2 MAJ	\$0.00 OR MOVABLE





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ACUTE EQUIPMENT STORAGE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	074071 LFT02	1	LIFTER, PATIENT MOBILE;400LB CAP;ACTIVE STANDING/TRANSFEI SWIVEL SEAT MECHANISM; NARROW PROFILE;LC THE REAR TWO WITH BRAKES	•	ARJOHUNTLEIGH NTB2000 SARA STEDY	OF/OI	EXISTING	\$0.00 GROUP: 3 MIN	\$0.00 OR MOVABLE
			(WXDXH) IN: 34.65 X 36.22 X 41.50	LBS: 65.00					
			MM: 880 X 920 X 1054 LOCATION: FLOOR	KG: 29					
			SPEC COMMENTS: SPACE REQUIREMENT: 87" X	79"		/		4	4
EQ#:	097638 SCL02	1	SCALE, STAND-ON DIGITAL 1000LBS CAP;TOUCH LESS SONAR HEIGH HEIGHT, WEIGHT,BMI;HL7 COMPLIANT; HEIGHT 24-86";17"X17" PLATFORM		DETECTO SCALE COMPANY ICON	OF/OI	NEW	\$1,297.00 GROUP: 2 MA.	\$1,297.00 OR MOVABLE
			(WXDXH) IN: 17.00 X 18.50 X 89.50	LBS: 22.00					
			MM: 432 X 470 X 2273	KG : 10					
			LOCATION: FLOOR						
			AUX \$: \$1,297.00						
			DATA: HARD WIRED AND WIRELESS						
			DATA NOTE: RS232 SERIAL & USB-B PORT VOLTS: 100-240 HERTZ: 50/60						
	075704	1	ELECT NOTE: 12 AA BATTERIES OR AC ADAPTER		WELCH ALLYN, INC.	OF/OI	NEW	\$905.25	\$905.25
	LHT03	1	PROCEDURE LIGHT WITH MOBILE STAND;3 WHIT ON/OFF DIMMING OPTION	E LEDS;TOUCHLESS	44600 GS 600	OF/OI	NEW	3903.23 GROUP: 2 MA.	
			(WXDXH) IN: 21.00 X 21.00 X 47.00	LBS: 17.35					
			MM: 533 X 533 X 1194	KG : 8					
			LOCATION: FLOOR						
			AUX \$: \$905.25						
			VOLTS: 120 HERTZ: 60 AMPS: 0.65 ELECT NOTE: 3-WIRE GROUNDED CORD SET, 8'						





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ACUTE EQUIPMENT STORAGE

STATUS PRICE	RESP STATUS PRICE EXTER	EXTENSION
EXISTING \$0.00 GROUP: 3	OF/OI EXISTING \$0.00 GROUP: 3 MINOR MO	\$0.00 IOR MOVABLE
EXISTING \$0.00	•	\$0.00
GROUP: 3	GROUP: 3 MINOR MO	OR MOVABLE
NEW \$762.65	OF/OI NEW \$762.65 \$7	\$762.65
GROUP: 3	GROUP: 3 MINOR MO	OR MOVABLE





FLOOR: 1

DEPARTMENT: ACUTE CARE

ROOM NAME: ACUTE EQUIPMENT STORAGE

ROOM NUMBER: 224

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10 EQ#	106100 IUS01	1	IMAGING, ULTRASOUND SCANNER 0-99ML BLADDER VOLUME RANGE;3D ULT DISPLAY;HAND-HELD PROBE;2 LITHIUM IOI CHARGER/WIRELESS HUB;MOBILE CART W/LOCKING WHEELS TO INCLUDE: 1 EA 0800-0532 BLADDERSCAN PRIME MO (WXDXH) IN: 21.00 X 21.00 X 52.00 MM: 533 X 533 X 1321 LOCATION: FLOOR DATA NOTE: MICRO USB;USB PORT;SD CAF VOLTS: 120 HERTZ: 60 AMPS: 120 CELECT NOTE: ELECTRICAL SHOWN IS FOR TO OPERATED POWER ADAPTER: 24V DC; 0-2.	N BATTERIES;BATTERY BILE CART LBS: 15.00 KG: 7 RD PORT 1.4 HE CHARGING UNIT BATTERY	VERATHON MEDICAL 0270-0870 BLADDERSCAN PRIME PLUS	OF/VI	EXISTING	\$0.00 GROUP: 2 1	\$0.00 MAJOR MOVABLE

ROOM TOTAL: \$11,625.70





FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: HOUSEKEEPING

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	052851 HKP01	1	CART, HOUSEKEEPING SS;2 SHELF;FOLDING PLATFORM W/LOCKING LID;TOOL BRACKET W/4 HANDLES & 3 HOOKS		ROYCE ROLLS RINGER CO. F36 FOLDING F36 FOLDING	OF/OI	NEW	\$1,086.00 GROUP: 3 M	\$1,086.00 VINOR MOVABLE
			(WXDXH) IN: 23.00 X 36.00 X 42.50 MM: 584 X 914 X 1080 LOCATION: FLOOR AUX \$: \$1,086.00	LBS: 32.00 KG: 15					
2 EQ#:	1015581 SHW04	1	SHELVING, WIRE 4 SHELF, STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING: 4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL 63 1 EA. SABP13BR-4PK SEISMIC OSHPD PREAPI TRIANGULAR PLATE KIT (WXDXH) IN: 36.00 X 18.00 X 63.00 MM: 914 X 457 X 1600 LOCATION: FLOOR		INTERMETRO INDUSTRIES CORP. 1836NC/63P SUPER ERECTA SEISMIC	OF/VI	NEW	\$343.94 GROUP: 3 M	\$343.94 JINOR MOVABLE
N	078704 RCK04	1	AUX \$: \$343.94 RACK, MOP/BROOM SS;SHELF W/3 MOP OR BROOM HOLDERS;4 H STAINLESS;ALL WELDED CONSTRUCTION;SATI		BOBRICK WASHROOM EQUIPMENT, INC. B-239	OF/CI	NEW	\$347.12 GROUP: 3 M	\$347.12 VINOR MOVABLE
			(WXDXH) IN: 34.00 X 8.00 X 13.00 MM: 864 X 203 X 330 LOCATION: WALL AUX \$: \$347.12	LBS: 10.00 KG: 5					







FLOOR: 1

DEPARTMENT: ACUTE CARE
ROOM NAME: HOUSEKEEPING

ROOM NUMBER: 225

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION	N
4	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50 \$54.5	0
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR MOVABL	Ε
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
			OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 GRAY
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$1,831.56

DEPARTMENT TOTAL: \$612,108.04







FLOOR: 1

DEPARTMENT: DIETARY
ROOM NAME: OFFICE
ROOM NUMBER: 706

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	2	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50 \$109.00
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR MOVABLE

2543

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$109.00





FLOOR:

1

DEPARTMENT: DIETARY

ROOM NAME: HOUSEKEEPING

ROOM NUMBER:

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1014559 RCK05	1	RACK, DRYING SOILED MAT TRANSFER CAR; 500 LB CAPACIT	ТУ	CACTUS MAT MFR. CO. 6477 PORT-A-MAT	OF/CI	NEW	\$325.00 GROUP: 3 MINO	\$325.00 R MOVABLE
	•		(WXDXH) IN: 28.00 X 42.00 X 40.00	LBS: 50.00					
			MM : 711 X 1067 X 1016	KG : 23					
			LOCATION: FLOOR						
			AUX \$: \$325.00						
	1015581 SHW04	1	SHELVING, WIRE 4 SHELF, STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING: 4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL 6 1 EA. SABP13BR-4PK SEISMIC OSHPD PREAF TRIANGULAR PLATE KIT		INTERMETRO INDUSTRIES CORP. 1836NC/63P SUPER ERECTA SEISMIC	OF/VI	NEW	\$343.94 GROUP: 3 MINO	\$343.94 R MOVABLE
			(WXDXH) IN: 36.00 X 18.00 X 63.00	LBS: 53.00					
			MM: 914 X 457 X 1600	KG : 24					
			LOCATION: FLOOR						
			AUX \$: \$343.94						
	078704 RCK04	1	RACK, MOP/BROOM SS;SHELF W/3 MOP OR BROOM HOLDERS;4	HOOKS; TYPE-304	BOBRICK WASHROOM EQUIPMENT, INC.	OF/CI	NEW	\$347.12 GROUP: 3 MINO	\$347.12 R MOVABLE
	<u> </u>		STAINLESS;ALL WELDED CONSTRUCTION;SAT	ΓΙΝ FINISH	B-239				
			(WXDXH) IN: 34.00 X 8.00 X 13.00	LBS: 10.00					
			MM: 864 X 203 X 330	KG : 5					
			LOCATION: WALL						
			AUX \$: \$347.12						
								ROOM TOTAL:	\$1.016.06

ROOM TOTAL: \$1,016.06





FLOOR: 1

DEPARTMENT: DIETARY
ROOM NAME: TRASH
ROOM NUMBER: 710

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENS	ION
1 EQ#	1015414 :: TRK02	1	TRUCK, TILT, WASTE/LINEN 16 CUFT MANUAL CUBE TRUCK; INCLUDES LID		TOTER INC. MMC16-10836 BLACK	OF/OI	NEW	\$650.00 \$650 GROUP: 3 MINOR MOVA	
			(WXDXH) IN: 30.40 X 44.00 X 35.50 MM: 772 X 1118 X 902 LOCATION: FLOOR NOTES: BLACK IN COLOR; INCLUDES LID AUX \$: \$650.00	LBS: 60.00 KG: 27					
2 EQ#	1003921 :: LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOS CASTERS; MEDIUM 29X38 BAG	SS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 \$143 GROUP: 3 MINOR MOVA	
			(WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR AUX \$: \$143.81	LBS: 25.00 KG: 11					_

ROOM TOTAL: \$793.81





FLOOR: 1

DEPARTMENT: DIETARY
ROOM NAME: STAFF TOILET

ROOM NUMBER: 712

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
-			APPROVED: ULLISTED: 6/CARTON: CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: DIETARY
ROOM NAME: DISHROOM

ROOM NUMBER: 713

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	094275	3	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44 GROUP: 3 M	\$442.32 IINOR MOVABLE
			o o recon, a o ne, peroc		FG614300BEIG			G1667.37 III	
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG: 3					
			LOCATION: FLOOR						
			- GRAY						
			AUX \$: \$147.44						
2 EQ:	057206 #: GLV01	3	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4 MOUNT;VERTICAL/HORIZONTAL	4;KEYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$171.00 NINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			<i>MM</i> : 570 X 99 X 254 LOCATION: WALL	KG: 1					
			AUX \$: \$57.00						

ROOM TOTAL: \$613.32





FLOOR: 1

DEPARTMENT: DI

DIETARY

ROOM NAME:

HOSPITAL DINING

ROOM N	UMBER:	715							
LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	083455 COF01	1	COFFEE BREWER, PLUMBED 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FILTER	ELIP UP DRIP TRAY;WATER	KEURIG, INC. K3000SE COMMERCIAL	OF/OI	NEW	\$1,049.98	\$1,049.98 GROUP: 1 FIXED
			(WXDXH) IN: 12.00 X 22.00 X 20.00	LBS: 35.00					
			MM: 305 X 559 X 508	KG : 16					
			LOCATION: COUNTERTOP						
			SPEC COMMENTS: DEPTH US WITH FILTER IS 22"						
			AUX \$: \$1,049.98						
			DATA: HARD WIRED						
			DATA NOTE: RJ11 JACK VOLTS: 120 HERTZ: 60 AMPS: 11.6 PLUG TYPE: Type B (NEMA 5-15)	WATTS: 1400			COLD WATER: YES		
							PLUMB NOTE: WATER F 1/4"FPT PORTS IN/OUT MALE GARDEN HOSE C	FILTER WATER CONN	
2 EQ# :	1006012 COF04	1	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; BLACK; HANDLES	PLASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 <i>GROUP: 3</i>	\$45.00 MINOR MOVABLE
			(WXDXH) IN: 5.40 X 11.00 X 12.60	LBS: 2.00					
			MM: 137 X 279 X 320	KG: 1					
			LOCATION: COUNTERTOP						
			AUX \$: \$45.00						
3	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3	\$47.67 MINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						





FLOOR: 1

DEPARTMENT: DIETARY

ROOM NAME: HOSPITAL DINING

ROOM NUMBER: 715

EXTENSION LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI \$47.67 1014420 1 NEW \$47.67 13GAL;OPEN TOP;BLUE 2026699 GROUP: 3 | MINOR MOVABLE SLIM JIM

(WXDXH) IN: 11.17 X 22.23 X 26.09

MM: 284 X 565 X 663

LBS: 6.73 KG: 3

LOCATION: FLOOR
AUX \$: \$47.67

ROOM TOTAL: \$1,190.32

DEPARTMENT TOTAL: \$3,777.01







FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: ED LOUNGE

ROOM NUMBER: 300

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1015398	2	WASTE RECEPTACLE		TRASHCAN WAREHOUSE	OF/OI	NEW	\$960.00 \$1,920.00
			THE BLACK TIE KALEIDOSCOPE THREE-STREAM	COMBO RECYCLING	RC-KDSQ-3C-BT			GROUP: 3 MINOR MOVABLE
	4-		STATION INCLUDES ONE 24 GALLON SQUARE CO	ONTAINER AND TWO 8	THREE-STREAM COMBO			
	STAGGINETO METALI		GALLON HALF-ROUND CONTAINERS					
			(WXDXH) IN: 15.75 X 31.50 X 30.00	LBS: 81.50				
			MM: 400 X 800 X 762	KG : 37				
			LOCATION: FLOOR					
			AUX \$: \$960.00					

ROOM TOTAL: \$1,920.00





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: PUBLIC TOILET

ROOM NUMBER: 301

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
	150			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				



OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

LBS: 5.00 KG: 2

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY

AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: PUBLIC TOILET

ROOM NUMBER: 302

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00 KG: 2

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: ED ALCOVE 03

ROOM NUMBER: 303

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56	\$3,729.56
EQ#	t: STR01		TRANSPORT STRETCHER 26" WIDE DECK, T	O INCLUDE:	P8005			GROUP: 3 N	MINOR MOVABLE
			TN TRANSPORT P8005		TRANSPORT				
			ST-ASE ACCUMAX MATTRESS ELASTIMAX	(
			ST-HEAD PUSH HANDLE HEAD END (BLU	Ε)					
	Jan.		ST-3SONE IV POLE AT HEAD						
			ST-SP 5TH WHEEL STEERING						
			ST-4SBS BRAKE PEDAL ALL 4 SIDES						
			(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00					
			MM: 914 X 2108 X 870	KG: 118					
			LOCATION: FLOOR						
			AUX \$: \$3,729.56						

ROOM TOTAL: \$3,729.56





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: STAFF TOILET

ROOM NUMBER: 304

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
	75			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: PATIENT TOILET

ROOM NUMBER: 305

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				



OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50





PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: ED ALCOVE 02

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	1015397 CRL01	1	CART, LINEN 5" QUIET, NON-MARKING TENTE CASTERS A MARKET; REINFORCED INJECTION-MOLDED PREVENT STORED MATERIALS FROM SLIDIN COVER TO PREVENT SAGGING AND TO ALLC TOP; STRONG, TIGHTWEAVE FABRIC FOR BE DURABLE, AND LONGER LASTING COVER; FE WITH 11" BETWEEN SHELVES; CARTS HAVE (WXDXH) IN: 40.00 X 20.00 X 63.00 MM: 1016 X 508 X 1600 LOCATION: FLOOR AUX \$: \$590.00	SHELVES WITH ½" LIP TO G; TOP PLATE UNDER THE W ITEMS TO BE PLACED ON TTER LOOKING, MORE SATURES 36"W X 20"D SHELVES	DIRECT SUPPLY, INC LC36-4-42 IPU PREMIUM	OF/OI	NEW	\$590.00 GROUP: 3 M	\$590.00 INOR MOVABLE
2 EQ#	106032 ECG01	1	ELECTROCARDIOGRAPH WIRELESS;15" COLOR TOUCH SCREEN;UP TO REFLECT AN OPEN DISPLAY (38" HT WHEN OF TO INCLUDE: 1 EA 860315 PAGEWRITER TC70 CARDIOGRAPH FUNCTIONALITY 1 EA D24 WIRELESS 802.11 1 EA E01 ALLIGATOR CLIPS - TAB ELECT 1 EA H16 MEMBRANE KEYBOARD COVER 1 EA H21 PIM 12 LEAD 1 EA 860318 TROLLEY, PAGEWRITER TC70 1 EA BO2 TROLLEY FULLY ASSEMBLED 1 EA C02 STORAGE BIN 1 EA C04 WIRE BASKET	PLOSED)	PHILIPS MEDICAL SYSTEMS 860315/860318 PAGEWRITER TC70	OF/OI	NEW	\$15,000.00 GROUP: 3 M	\$15,000.00 INOR MOVABLE
			(WXDXH) IN: 20.10 X 25.90 X 53.00 MM: 511 X 658 X 1346	LBS: 200.00 KG: 91					
			LOCATION: FLOOR	NG. 51					
			AUX \$: \$15,000.00						
			DATA: WIRELESS DATA NOTE: WIRELESS CONFIGURATION OT AVAILABLE: LAN 10/100 BASE-TX IEEE 802.3 ON-BOARD RJ45 VOLTS: 120 HERTZ: 60 ELECT NOTE: LITHIUM ION BATTERY (2 MOE	ETHERNET VIA WATTS: 75					





GROUP: 1 | FIXED

FLOOR: 1

DEPARTMENT: **EMERGENCY** ROOM NAME: **ED ALCOVE 02**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** \$12,986.42 3 1015745 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$12,986.42

EQ#: PHY06

9" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP, DUAL PRESS AND TEMP; INCLUDES

866060_NAM

INTELLIVUE MX400

ROLL STAND; 120 VAC

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00
1	MXU0462	ROLL STAND: MX400-800, MP40-70, MP5	\$681.00
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00

(WXDXH) IN: 21.00 X 21.00 X 54.30

LBS: 42.30

WATTS: 70

MM: 533 X 533 X 1379

KG: 19

LOCATION: FLOOR

AUX \$: \$12,986.42

DATA: HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED

ROOM TOTAL: \$28,576.42





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: ED VESTIBULE

ROOM NUMBER: 307

Confidential Information

EXTENSION	PRICE	STATUS	RESP	MANUFACTURER		GENERIC	QTY	ID#	LINE
\$3,642.00 MINOR MOVABLE	\$1,821.00 GROUP: 3 N	NEW	OF/OI	STAXI CORPORATION LIMITED RA010-L-C RANGER		CHAIR, TRANSPORT 800LB CAP;LIFTING ARMREST;NON-FOLDING;A TO INCLUDE: 1 EA. ST074: 3 PART TELESCOPING POLE - NON 1 EA. ST080: REAR FITTING 02 TANK HOLDER 1 EA. CUSTOM NAMEPLATE		1002727	1
					LBS: 79.00	(WXDXH) IN: 31.00 X 39.00 X 41.00			
					KG : 36	MM: 787 X 991 X 1041 LOCATION: FLOOR NOTES: MUST INCLUDE O2 HOLDER AUX \$: \$1,821.00			
\$300.00 MINOR MOVABLE	\$300.00 GROUP: 3 N	NEW	OF/OI	ALCO SALES & SERVICE COMPANY AL-79000 CLASSIC 700	700 LBS; PUSH-TO-	WHEELCHAIR, ADULT, BARIATRIC BARIATRIC WHEELCHAIR; WEIGHT CAPACITY: 7 LOCK BRAKES; ADJUSTABLE FOOTPLATE		1006581	2
					LBS: 68.00	(WXDXH) IN: 34.00 X 48.00 X 32.00			
					KG: 31	MM: 864 X 1219 X 813 LOCATION: FLOOR NOTES: MUST INCLUDE O2 HOLDER AUX \$: \$300.00			
\$379.00 MINOR MOVABLE	\$379.00 GROUP: 3 N	NEW	OF/OI	BOWMAN MANUFACTURING COMPANY BD114-0012 COMPLIANCE KIT	S TWO BOXES OF MASKS, AND LBS: 18.10	DISPENSER, PPE STATION KIT INCLUDES: - RS004-0212 RESPIRATORY HYGIENE STATION • DISPENSING UNIT MOUNTING AREA, HOLDS ONE - TWO BOXES OF FACIAL TISSUES • QUARTZ BEIGE ABS PLASTIC - KS010-0412 FLOOR STAND • QUARTZ BEIGE POWDER-COATED STEEL - MP-075 SIGN HOLDER - HORIZONTAL • HOLDS 11" X 8.5" SIGNAGE • CLEAR PETG PLASTIC • ASSEMBLY HARDWARE INCLUDED (WXDXH) IN: 22.25 X 17.00 X 58.06		1015399	3
					KG: 8	MM: 565 X 432 X 1475			
						LOCATION: FLOOR AUX \$: \$379.00			





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: GREETER / REGISTRATION

ROOM NUMBER: 309

 INE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	2	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$109.00
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MIN	IOR MOVABLE
7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
1	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 GRAY
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LBS: 5.00 KG: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$109.00







FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: TRIAGE
ROOM NUMBER: 310

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	1 100991 EQ#: CHR07	1	CHAIR, RECLINER 450LBS CAP;24" SEAT;MOBILE;REAR LOCKING CA CYLINDERS;PADDED ARMRESTS;FLIP-UP SIDE TAB CHAIR IN RECLINED POSITION; FOR FULL SPACE N POSITION: 33X36X50	LES; DIMENSIONS REFLECT	LUMEX, INC. 587W851 EXTRA WIDE	OF/OI	NEW	\$1,499.00 GROUP: 3 MI	\$1,499.00 NOR MOVABLE
			(WXDXH) IN: 53.00 X 76.00 X 50.00	LBS: 138.90					
			MM: 1346 X 1930 X 1270	KG: 63					
			LOCATION: FLOOR						
			AUX \$: \$1,499.00						
	2 069814 EQ#: DIAG01	1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOPI 1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG 1 EA 01690-300 SURETEMP PLUS THERMOMETER (WXDXH) IN: 34.00 X 6.00 X 12.00	E	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 MA	\$1,447.37 NOR MOVABLE
			MM: 864 X 152 X 305	KG: 11					
			LOCATION: WALL	KG. 11					
			AUX \$: \$1,447.37						
			VOLTS: 120 HERTZ: 60 AMPS: 18						
	097638 SCL02	1	SCALE, STAND-ON DIGITAL 1000LBS CAP;TOUCH LESS SONAR HEIGH HEIGHT, WEIGHT,BMI;HL7 COMPLIANT; HEIGHT 24-86";17"X17" PLATFORM		DETECTO SCALE COMPANY ICON	OF/OI	NEW	\$1,297.00 GROUP: 2 MA	\$1,297.00 IJOR MOVABLE
			(WXDXH) IN: 17.00 X 18.50 X 89.50	LBS: 22.00					
			MM: 432 X 470 X 2273	KG: 10					
			LOCATION: FLOOR						
			AUX \$: \$1,297.00						
			DATA: HARD WIRED AND WIRELESS DATA NOTE: RS232 SERIAL & USB-B PORT						
			VOLTS: 100-240 HERTZ: 50/60						
			ELECT NOTE: 12 AA BATTERIES OR AC ADAPTER						





FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: TRIAGE
ROOM NUMBER: 310

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 EQ#	4 006656 EQ#: MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2"CASTERS; 16 1/4 X 21 1/4 IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL TRAY FRAME;FOOT PEDAL OPERATED	PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 MIN	\$549.99 OR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00 LBS: 33.00 MM: 413 X 540 X 914 KG: 15 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99					
5 10	1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 MIN	\$35.20 OR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20					
6	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57		OF/OI	NEW	\$518.57 GROUP: 3 MIN	\$518.57 OR MOVABLE





FLOOR: 1

ROOM NUMBER:

DEPARTMENT: EMERGENCY ROOM NAME: TRIAGE

310

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015413 **BRACKET, SUCTION CANISTER** ALLIED HEALTHCARE PRODUCTS INC. OF/CI NEW \$25.00 \$25.00 **INCLUDES 1500CC CANISTER AND CANISTER HOLDER** 20-02-0150B GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 8.00 X 8.00 X 12.00 LBS: 2.00 MM: 203 X 203 X 305 **KG**: 1 LOCATION: WALL AUX \$: \$25.00 8 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** OF/CI NEW \$57.00 \$57.00 EQ#: GLV01 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER GROUP: 3 | MINOR MOVABLE MOUNT; VERTICAL/HORIZONTAL GP-061 (WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 KG: 1 LOCATION: WALL **AUX \$:** \$57.00 055619 **DISPOSAL CONTAINER, SHARPS W/BRACKET BECTON DICKINSON** OF/CI NEW \$38.94 \$38.94 EQ#: DSP01 RED;5.4QT;SIDE ENTRY;W/WALL BRACKET 305517/305447 GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 12.00 X 8.75 X 10.75 LBS: 2.54 MM: 305 X 222 X 273 **KG**: 1 LOCATION: WALL AUX \$: \$38.94







FLOOR: 1

DEPARTMENT: **EMERGENCY** ROOM NAME: TRIAGE

ROOM N	IUMBER:	310							
LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10 094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 MINO	\$130.00 PR MOVABLE	
			(WXDXH) IN: 15.75 X 16.25 X 17.13 LBS: 7.	7.90					
			MM: 400 X 413 X 435 KG: 4						
			LOCATION: FLOOR						
			AUX \$: \$130.00						
11 004363		1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;C APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLO OPTIONS AT PROCUREMENT		RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 GROUP: 3 MINC	\$54.50 PR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE		<u>PRICE</u> \$0.00				
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.	5.00					
			MM : 368 X 267 X 389 KG : 2						
			LOCATION: FLOOR						
			- GRAY						
			AUX \$: \$54.50						
EQ#:	102576 : EYE01	1	CHART, EYE, WALL MOUNTED TESTING VISUAL ACUITY EYE TEST CHART-10 FOOT; MATTE MATERIAL SNELLEN LETTER; 11X24" REGULAR	E FINISH, BRASS	WESTERN OPTHALMICS CORP OS-1935 10FT - SNELLEN	OF/CI	NEW	\$39.99 GROUP: 3 MINC	\$39.99 PR MOVABLE
			(WXDXH) IN: 11.00 X 1.00 X 24.00 LBS: 1.	1.00					
			MM : 279 X 25 X 610 KG : 0						
			LOCATION: WALL						
			AUX \$: \$39.99						





FLOOR: 1

DEPARTMENT: **EMERGENCY** ROOM NAME: TRIAGE ROOM NUMBER:

310

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
13 EQ#	087746 : SCL03	1	SCALE, INFANT DIGITAL; HEAD/FOOT; WIRELESS EMR; LARGE TRAY; MEASURING ROD TO INCLUDE: 1 EA 4180000009 HEAD & FOOT PIECES 1 EA 4000000009 POWER ADAPTER 1 EA MEASURING ROD 233 (WXDXH) IN: 24.40 X 14.10 X 7.50 LB.	35: 7.90	SECA CORPORATION 374 374/233	OF/OI	NEW	\$634.00 \$634.00 GROUP: 3 MINOR MOVABLE
			•	<i>G: 4</i> DWER ADAPTOR				
14 EQ#	1006176 : CRS03	1	CART, SUPPLY 3 3"-, 2 6"-, AND 1 9"-HIGH DRAWER CONFIGURATION VARIETY OF INTERIOR AND EXTERIOR ACCESSORIES; LIC ALUMINUM CASE; DURABLE BUMPER AND BASE; SEAM WITH RAISED EDGES; 5" MEDICAL-GRADE CASTERS; KEY	GHTWEIGHT MLESS WORK SURFACE	INNERSPACE BY SOLAIRE SP30W6 PACE 30	OF/VI	NEW	\$1,816.88 \$1,816.88 GROUP: 3 MINOR MOVABLE
			, , , , , , , , , , , , , , , , , , , ,	35: 145.00 5: 66				

ROOM TOTAL: \$8,143.44





FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: ON-CALL
ROOM NUMBER: 311

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				



OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

LINE ID#	QTY	GENERIC		MANUFACTURER I	RESP	STATUS	PRICE	EXTENSION
1 1015781 EQ#: MTC02	1	MONITOR, CENTRAL STATION PIIC IX SURVEILLANCE CENTRAL MONITORING; 23" T TO INCLUDE: 1 EA DISPLAY: 23" HP, NON-TOUCH, 1920X1080 1 EA MOUNT: CPU, UNDERDESK, 360 DEGREE SWIVE 1 EA PIC IX HARDWARE	,	PHILIPS MEDICAL SYSTEMS INTELLIVUE INFO CENTER IX	OF/VI	NEW	\$4,517.86 GROUP: 2 N	\$4,517.86 NAJOR MOVABLE
		(WXDXH) IN: 16.00 X 8.20 X 16.00	PLAY: 115 VAC;60	MECH NOTE: MUST MAINTAIN TEMP AT 62-82 DEG F AND NON-CONDENSING RELATIVE HUMIDITY AT 30-60% CPU: 215 BTU/HR UPS: 437 BTU/HR (MAX)				





PlanView

GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

ROOM NUMBER: 312

EQ#: PHY08

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 2 1015755 MONITOR, PHYSIOLOGIC, TRANSPORT PHILIPS HEALTHCARE - MONITORING OF/VI NEW \$8,372.86 \$8,372.86 **SYSTEMS**

INTELLIVUE X3

867030

HOUR BATTERY; CHARGES VIA DOCKING STATION, 120VAC

TO INCLUDE:

1 EA A03 3-WAVES CAPABILITY

1 EA E29 ROTATABLE QUICK CLAW MOUNT

INTELLIVUE MULTI-MEASUREMENT TRANSPORT ACQUISITION MODULE; 5

1 EA E31 CARRYING HANDLE

1 EA H72 CRITICAL CARE TRANSPORT SW

1 EA SP5 MASIMO RAINBOW SET SPO2

OPTIONS AND ACCESSORIES								
PART NUMBER	DESCRIPTION	<u>PRICE</u>						
989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00						
989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00						
989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00						
989803206931	RD RAINBOW SET R25 12	\$165.00						
989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00						
867043	INTELLIVUE DOCK	\$497.00						
989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00						
989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00						
	PART NUMBER 989803147881 989803147891 989803147901 989803206931 989803147861 867043 989803209771	PART NUMBER DESCRIPTION 989803147881 EASY CARE CUFF, 1 HOSE, ADULT XL (1) 989803147891 EASY CARE CUFF, 1 HOSE, LRG ADULT (1) 989803147901 EASY CARE CUFF, 1 HOSE, LRG ADULT XL (1) 989803206931 RD RAINBOW SET R25 12 989803147861 EASY CARE CUFF, 1 HOSE, SMALL ADULT (1) 867043 INTELLIVUE DOCK 989803209771 ADULT NIBP AIR HOSE 3.0M						

(WXDXH) IN: 9.80 X 3.80 X 4.40

LBS: 3.10

MM: 249 X 97 X 112

KG: 1

LOCATION: SPACE

AUX \$: \$8,372.86

DATA: WIRELESS

VOLTS: 120 **HERTZ**: 60

ELECT NOTE: - REMOVABLE, RECHARGEABLE 5 HOUR BATTERY - 120 V AC-POWERED INTELLIVUE DOCK PROVIDES CHARGING AND NETWORK CONNECTIVITY - CAN BE ATTACHED TO A HOST MONITOR WHICH

PROVIDES THE POWER TO THE X3





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3	1015752	1	MONITOR ACCESSORY, MODULE MULTI-MEASUREMENT MODULE TO INCLUDE: 1 EA B06 DUAL PRESS AND TEMP 1 EA C12 CONVENTIONAL 12 LEAD ECG 1 EA SP5 MASIMO RAINBOW SET SPO2	PHILIPS MEDICAL SYSTEMS 867036 INTELLIVUE MMX	OF/OI	NEW	\$6,120.30 \$6,120.30 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 2.40 X 7.40 X 3.80 LBS: 1.60				
			MM: 61 X 188 X 97 KG: 1 LOCATION: SPACE AUX \$: \$6,120.30 DATA: HARD WIRED AND WIRELESS				
			DATA NOTE: NETWORK CONNECTION REQUIRED LAN SIGNALS IEEE 802.3 10BASE-T AND 100BASE-TX COMPLIANT SERIAL	5:			
			SIGNALS: RS-422 COMPLIANT REFERENCE VENDOR'S TECHNICAL DATA FOR DETAILS				
4 EQ#	1003252 : CBW03	1	CABINET, WARMING, DUAL, FREESTANDING DUAL FREESTANDING FLUID AND BLANKET WARMING CABINE WINDOW GLASS DOORS. FEATURES 18 INCH DEPTH PERFECT I OR APPLICATIONS, 4 DIGIT LED DISPLAY, CONTROL LOCK PROG AND AUTO TIME PROGRAMMING, INDIVIDUAL CONTROLS FOI COMPARTMENT, TWO SELECTABLE OPERATING MODES: INJECTION IN THE PROSE OF THE PROSE	FOR BUILT-IN P-2148 GRAMMING R EACH ITION OR D IN BAGS OR	OF/OI	NEW	\$15,234.00 \$15,234.00 GROUP: 2 MAJOR MOVABLE
			PLUG TYPE: Type B (NEMA 5-20) ELECT NOTE: SINGLE PHASE.;8FT CORD				







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#:	5 075907 EQ#: ICE01	1	ICE MAKER W/WATER DISPENSER 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER DISTOUCH FREE;AIR COOLED	SPENSER	MANITOWOC ICE, INC. SN-20AT AIR COOLED	OF/CI	NEW	\$3,595.00	\$3,595.00 GROUP: 1 FIXED
			,	LBS: 184.00 KG: 83	BTU: 2300		COLD WATER: YES DRAIN REQUIRED: YES PLUMB NOTE: MIN 20PSI/M. REQUIRED DRAIN CONNECTI INFORMATION FOR DETAILS		
6 EQ# :	008082 REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVE ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERS DOOR; NO LOCK		U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 GROUP: 2	\$1,124.10 MAJOR MOVABLE
			,	LBS: 80.00 KG: 36	MECH NOTE: REFRIGERANT: R134A;3.25 OZ				







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7 EQ#	054875 : IST01	1	LAB ANALYZER, CHEMISTRY, MANUAL HANDHELD; W/DOWNLOADER/RECHARGER NETWORK; UTILIZES TEST CARTRIDGE OR GLUCOSE STRIP; MEASURES: BLOOD GASES, ELECTROLYTES, CHEMISTRIES, COAGULATION, HEMATOLOGY, GLUCOSE AND CARDIAC MARKERS TO INCLUDE: 1 EA. 06F16-10: I-STAT 1 ANALYZER 1 EA. 06F23-46: DOWNLOADER/RECHARGER NETWORK (WXDXH) IN: 3.04 X 2.85 X 9.24 LBS: 2.00 MM: 77 X 72 X 235 KG: 1 LOCATION: COUNTERTOP AUX \$: \$13,000.00 DATA: HARD WIRED VOLTS: 120 HERTZ: 60 AMPS: 0.9 WATTS: 120 ELECT NOTE: REQUIRES: 2-9V LITHUIM OR NICKEL CADMIUM BATTERIES RECHARGER: 9V-120V AC ADAPTER	ABBOTT LABORATORIES 06F16-10/06F23-46 I-STAT 1	OF/OI	NEW	\$13,000.00 \$13,000.00 GROUP: 2 MAJOR MOVABLE
8 EQ#:	105759 : GLU01	1	LAB ANALYZER, GLUCOSE TOUCH SCREEN;QR BARCODE SCANNER;1,000 TEST STORAGE; 4,000 USER STORAGE; 500 TEST STORAGE;NUMERIC OR PASS/FAIL QC;ABNORMAL/CRITICAL RANGES FLAGGED BY COLOR HIGHLIGHT;TRAINING MODE;CORRELATION MODE; WEB-BASED METER CONFIGURATION;CUSTOM METER CONFIGURATION;CONNECT TO HOSPITAL ADT;CONNECT TO LIS/EMR;POCT1-A DATA OUTPUT;RJ-45 ETHERNET PORT TCP/IP ETHERNET;NOVANET WEB-BASED INSTRUMENT MANAGER SOFTWARE;3.7V LI POLYMER RECHARGEABLE BATTERY;6-8 HOURS IN USE, 40 TESTS W/BARCODE SCANS 12-24 HOURS STANDBY (WXDXH) IN: 3.10 X 5.80 X 1.18 LBS: 0.49 MM: 79 X 147 X 30 KG: 0	NOVA BIOMEDICAL 44993 STATSTRIP GLU 2	OF/OI	NEW	\$550.00 \$550.00 GROUP: 2 MAJOR MOVABLE
			MM: 79 X 147 X 30 KG: 0 LOCATION: COUNTERTOP AUX \$: \$550.00 DATA: HARD WIRED AND WIRELESS DATA NOTE: DATA REQUIRED: ETHERNET NETWORK DROP OR 802.11 A/B/G/N WIRELESS ACCESS. SEE CUTSHEET FOR FURTHER DETAILS. VOLTS: 120 HERTZ: 60 AMPS: .6 ELECT NOTE: STATSTRIP: 3.7V LI POLYMER RECHARGEABLE BATTERY DOCKING STATION: 100-240V;50/60HZ;0.6A				







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: STAFF / MD WORKROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY	RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MINC	\$47.67 PR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 LBS: 6.73					
			MM: 284 X 565 X 663 KG: 3					
			LOCATION: FLOOR AUX \$: \$47.67					
10	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FAPPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR OPTIONS AT PROCUREMENT		OF/OI	NEW	\$54.50 GROUP: 3 MINC	\$54.50 DR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 GRAY GRAY	<u>PRICE</u> \$0.00				
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50					
11	1014420	1	WASTE RECEPTACLE 13GAL;OPEN TOP;BLUE	RUBBERMAID COMM. PRODUCTS 2026699 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MINC	\$47.67 OR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 LBS: 6.73					
			MM: 284 X 565 X 663 KG: 3					
			LOCATION: FLOOR					
			AUX \$: \$47.67					
							ROOM TOTAL: \$	52,663.96





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	104140 : MED01	1	DISPENSER, MEDICATION, AUTOMATED 6 DRAWER; LCD MONITOR; KEYBOARD; BARCOD ACCESS SYSTEM; SECURE HALF AND FULL HEIGH MINIDRAWERS; ALL-IN-ONE POWER AND COMMUNICATION SYSTEM; CONTR	T CUBIE POCKETS AND	BD CAREFUSION PYXIS MEDSTATION ES 323 6 DRAWER MAIN	OF/VI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 55.00 MM: 584 X 686 X 1397 LOCATION: FLOOR AUX \$: \$36,881.00	LBS : 166.00 KG : 75				
			DATA: HARD WIRED AND WIRELESS VOLTS: 120 HERTZ: 60 AMPS: 3 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 1A NOM,3 AMPS MAX LOAD CURR REQUIRED	WATTS: 80 ENT EMERGENCY POWER	BTU: 409 MECH NOTE: 409 BTU/HR			
2 EQ# :	089012 : MED02	1	DISPENSER, MEDICATION, AUTOMATED 7-DRAWER AUXILIARY;18-GAUGE SHEET METAL; REAR PANEL	REMOVABLE, LOCKING	BD CAREFUSION PYXIS 7-DRAWER AUXILIARY MEDSTATION ES 7-DRAWER AUXILIARY	OF/VI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 47.00	LBS: 133.00				
			MM: 584 X 686 X 1194	KG: 60				
			LOCATION: FLOOR					
			AUX \$: \$7,500.00					
			DATA: HARD WIRED					
			DATA NOTE: CONNECTS TO MAIN MED DISPENSI ELECT NOTE: POWERED BY MAIN VIA CABLE CON					





PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

TUS PRICE EXTENSION	STATUS	RESP	MANUFACTURER		GENERIC	QTY	ID#	LINE	
SED \$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE	LEASED	OF/VI	BD CAREFUSION PYXIS DOUBLE COLUMN AUX MEDSTATION ES	ED	DISPENSER, MEDICATION, AUTOMATED DOUBLE COLUMN AUXILIARY;8 DOORS	2	105662 MED04	3 EQ #:	
				<i>LBS: 470.50 KG: 213</i> NT CONDITION	(WXDXH) IN: 52.00 X 28.00 X 80.00 MM: 1321 X 711 X 2032 LOCATION: FLOOR NOTES: 1 IS AN ADD OVER CURRENT AUX \$: \$12,500.00				
			BTU: 222 MECH NOTE: 222 BTU/HR	<i>WATTS: 65</i> CY POWER;DATA REQUIRED	DATA: HARD WIRED VOLTS: 120 HERTZ: 60 ELECT NOTE: 120V;60HZ;65W;EMERGENCY CONNECTS TO MAIN UNIT VIA CABLE				
SED \$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE	LEASED	OF/VI	BD CAREFUSION PYXIS CIISAFE SINGLE/ACC	PRINTER SHELF	SAFE, NARCOTICS SINGLE COLUMN INTEGRATED MAIN W/PR	1	065859 SAFE01	4 EQ#:	
			BTU: 488 MECH NOTE: 488 BTU/HR	5: 1.71	(WXDXH) IN: 49.00 X 28.00 X 79.50 MM: 1245 X 711 X 2019 LOCATION: FLOOR NOTES: ADDITION OVER CURRENT C AUX \$: \$36,000.00 DATA: HARD WIRED DATA NOTE: DATA PORT VOLTS: 120 HERTZ: 60 AMPS: . ELECT NOTE: EMERGENCY POWER REQUIR				







FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	059047 MBOX01	1	BOX, RETURN, DRUGS LOCKABLE; COUNTER/WALL MOUNT; BEIGE ME' BOTTOM IS LINED WITH FOAM	TAL ANTI-THEFT BAFFLE;	HEALTH CARE LOGISTICS 3783 LOCKABLE RETURN DRUG BOX	OF/VI	EXISTING	\$0.00 GROUP: 3 M.	\$0.00 INOR MOVABLE
	•		(WXDXH) IN: 12.00 X 5.20 X 6.25	LBS: 9.00					
			MM: 305 X 132 X 159	KG: 4					
			LOCATION: COUNTERTOP AUX \$: \$205.00						
6 EQ# :	105664 REF07	1	REFRIGERATOR, UPRIGHT, PHARMACY 13.3CUFT; 115V; SS; VCC COMPRESSOR-BASED; HYDROCARBON 1300-4000RPM SPEED RANGE; DIGITAL DISPLAY; LOCKABLE DOOR; MIN CLEARANCE 8" ABOVE & 3" BEHIND		HELMER LABS, INC. HORIZON SERIES HPR113-GX	OF/OI	LEASED	\$0.00 GROUP: 2 M.	\$0.00 AJOR MOVABLE
	-		(WXDXH) IN: 24.60 X 30.80 X 70.50	LBS: 338.00					
			MM: 625 X 782 X 1791 LOCATION: FLOOR SPEC COMMENTS: MINIMUM OF 8" ABOVE AND CLEARANCE AND FEATURE ACCESS VOLTS: 115 HERTZ: 60 AMPS: 2.3 ELECT NOTE: 15A MINIMUM BRANCH CIRCUIT V	v/EARTH GROUND;8-10'	MECH NOTE: 751 BTU/HR 3" CLEARANCI	E REQUIRED IN			
			POWER CORD W/NEMA 5-15 HOSP GRADE PLUC DISPOSABLE 9V BATTERIES	G;CONTROLLER USES	REAR				
7 EQ#	066552 PAN01	3	LOUVER PANEL, WALL MOUNTED STORAGE PANEL;16 GAUGE STEEL W/ GRAY ENA LOUVERED FOR BINS;250LB LOAD CAPACITY ONCE FASTENED SECURELY TO WALL,BENCH,CAE OR INSIDE SERVICE TRUCK		QUANTUM STORAGE SYSTEMS QLP-4819 ULTRA HANGING SYSTEMS	OF/CI	NEW	\$112.36 GROUP: 3 M	\$337.08 INOR MOVABLE
			(WXDXH) IN: 48.00 X 1.00 X 19.00	LBS: 18.00					
			MM: 1219 X 25 X 483	KG : 8					
			LOCATION: WALL AUX \$: \$112.36						_





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

ROOM NUMBER: 313

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	506580	1	ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$1,500.00 GROUP: 3 N	\$1,500.00 MINOR MOVABLE
			AUX \$: \$1,500.00						
9 EQ#	067123 : CRU04	1	CART, UTILITY PLASTIC;2 SHELF;LOCKABLE DOORS;SLIDING CAPACITY;BACK/SIDE PANELS;4"CASTERS; 2		RUBBERMAID COMM. PRODUCTS 3457 -	OF/OI	NEW	\$262.50 GROUP: 3 N	\$262.50 NINOR MOVABLE
			(WXDXH) IN: 19.00 X 34.00 X 38.00	LBS: 45.00					
			MM: 483 X 864 X 965	KG: 20					
			LOCATION: FLOOR						
			AUX \$: \$262.50						
10	1005565	1	BIN, SHREDDING		RAPID SHRED	OF/OI	LEASED	\$0.00	\$0.00
EQ#	: BIN01		SHREDDER COLLECTION BIN		SHORT CONSOLE			GROUP: 3 N	IINOR MOVABLE
					SHOKI CONSOLE				
			(WXDXH) IN: 19.00 X 16.00 X 27.00	LBS: 35.00					
			MM: 483 X 406 X 686	KG : 16					



LOCATION: FLOOR
AUX \$: \$0.00



PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11 EQ#:	099493 DSPP04	1	DISPOSAL CONTAINER, WASTE, PHARMACEUT "GO GREEN" SYSTEM; COMPLIANCE WITH REGULA GUIDELINES; AUTOMATED, TAMPER-PROOF, BATTE OPERATED ALERT SYSTEM EQUIPPED W/WARNING AND AUDIBLE ALERTS. TO INCLUDE: 1 EA 10100, SMART SINK 4 EA 10201, LIQUIDS CARTRIDGE 4 EA 10301, SOLIDS CARTRIDGE 1 EA 10400, TRIPLE AA BATTERY PACK	ATORY RY	CACTUS, A STRYKER COMPANY SMART SINK	OF/CI	NEW	\$1,039.00 GROUP: 3 N	\$1,039.00
			(WXDXH) IN: 15.50 X 9.50 X 12.50 MM: 394 X 241 X 318 LOCATION: WALL AUX \$: \$1,039.00 ELECT NOTE: TRIPLE AA BATTERY PACK; RECHARG ADAPTER UPON REQUEST	LBS: 17.00 KG: 8 EABLE BATTERIES W A/C					
12 EQ#	099447 STL03	1	STOOL, FOOT, WITH HANDRAIL TWO STEP;STEPS ARE 8" AND 16"HIGH;CHROME CORRUGATED RUBBER SURFACE;GREY FLOOR TIPS	S	PEDIGO PRODUCTS, INC. P-18-A-K P-18-A-K	OF/OI	NEW	\$169.63 GROUP: 3 N	\$169.63 MINOR MOVABLE
	·		(WXDXH) IN: 16.00 X 12.00 X 47.00 MM: 406 X 305 X 1194 LOCATION: FLOOR AUX \$: \$169.63	LBS: 35.00 KG: 16					
13 EQ#:	057206 GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHI MOUNT;VERTICAL/HORIZONTAL	OLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 IINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	LBS: 2.00 KG: 1					





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14	087350	1	DISPOSAL CONTAINER, WASTE, PHARMAC 8 GAL;SLIDE LID;10/CS;WHITE	EUTICAL	KENDALL HEALTHCARE, COVIDIEN 8851 PHARMA	OF/OI	NEW	\$19.00 GROUP: 3 M	\$19.00 INOR MOVABLE
			(WXDXH) IN: 16.00 X 11.00 X 18.00						
			MM: 406 X 279 X 457						
			LOCATION: FLOOR						
			AUX \$: \$19.00						
15	1015402	1	SHARPS, DISPOSAL, FLOOR BIN 8 GAL SHARPS WITH SLIDING LID		COVIDIEN 8980S 8 GAL	OF/OI	NEW	\$45.00 GROUP: 3 M	\$45.00 INOR MOVABLE
	10								
			(WXDXH) IN: 10.50 X 15.50 X 17.25						
			MM: 267 X 394 X 438						
			LOCATION: FLOOR						
			AUX \$: \$45.00						
16	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 INOR MOVABLE
					SLIM JIM				
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						





FLOOR: 1

DEPARTMENT: EMERGENCY ROOM NAME: DRUG ROOM

ROOM NUMBER: 313

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
_	17	004363	2	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$109.00
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$3,585.88





FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: SECURE STORAGE

AUX \$: \$1,700.00

ROOM NUMBER: 314

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1015640 **CABINET, STORAGE, BIN** ULINE OF/VI NEW \$1,700.00 \$3,400.00 EQ#: CAB07 DOORS HAVE 3-POINT LOCKING SYSTEM - KEYS INCLUDED. H-8347BLU GROUP: 3 | MINOR MOVABLE (48) 5 1/2 X 4 X 3", (48) 7 1/2 X 4 X 3", 138 BLUE BIN (24) 11 X 5 1/2 X 5", (12) 15 X 8 X 7" AND (6) 15 X 16 1/2 X 7" BINS. (WXDXH) IN: 36.00 X 24.00 X 78.00 LBS: 333.00 **MM**: 914 X 610 X 1981 **KG**: 151 LOCATION: FLOOR

ROOM TOTAL: \$3,400.00







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	106103 : LHT01	1	LIGHT, EXAM/TREATMENT DOUBLE ARM;LED DIMMABLE;CEILING MOUNTED;ARM DROP; TLENGTH = 150MM; ARM LENGTH=800MM TO INCLUDE: 1 EA CB5392075 SOFFIT FOR F 300, 446 X 100 MM, FOR TUBE 45 1 EA CB5020904 POWER SWITCHING SUPPLY F300 (90-132 VAC) 1 EA CB5264015 D300 CEILING TUBE, 150MM LENGTH, 45MM ELBS: 17.60 KG: 8	F300 SMM	OF/CI	NEW	\$8,000.00	\$8,000.00 GROUP: 1 FIXED
			LOCATION: CEILING AUX \$: \$8,000.00					
			VOLTS: 100-120 HERTZ: 50/60 WATTS: 50VA					
2 EQ#	096706 : STR05	1	STRETCHER 700LB WT CAP;3" MATTRESS;26" DECK WIDTH;FULL PERIMETER BUMPER;3/4" STANDARD IV POLE SOCKETS;6 TRANSPORT STRAI LOCATIONS;LARGE STORAGE AREA; PNEUMATIC HEAD SECTION; CASTERS;HYDRAULIC PEDALS ON BOTH SIDES;LIGHT NEUTRAL BELLOWS;CONDUCTIVE CASTER TO INCLUDE: 1 EA TS TRAUMA P8040 1 EA ST-R RADIOLUCENT SURFACE 1 EA ST-SC SCALE 1 EA ST-SC SCALE 1 EA ST-ASE ACCUMAX MATTRESS ELASTIMAX 1 EA ST-HDFT PUSH HANDLE HEAD AND FOOT ENDS GREY 1 EA ST-3SONE IV POLE AT HEAD 1 EA ST-4SBS BRAKE PEDALS ALL 4 SIDES 1 EA ST-UCH UPRIGHT CASSETTE HOLDER	P TRAUMA 8"	OF/VI	NEW	\$5,200.00 GROUP: 3	\$5,200.00 MINOR MOVABLE
			(WXDXH) IN: 32.00 X 83.00 X 37.80 LBS: 289.90					
			MM: 813 X 2108 X 960 KG: 132 LOCATION: FLOOR AUX \$: \$5,200.00 ELECT NOTE: SCALE REQUIRES QTY 3 AA BATTERIES					







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

ROOM NUMBER: 317

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

866062_NAM

INTELLIVUE MX450

EQ#: PHY04

INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES;

WALL CHANNEL; 120 VAC

OPTION	IS AND ACCESSORIES	;	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 **KG**: 6 **MM:** 325 X 183 X 287

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE E	XTENSION
4 069814 EQ#: DIAG01	1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; SPHYG; TEMP TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOPE	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 MAJOR	\$1,447.37 R MOVABLE	
			1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG					
			1 EA 01690-300 SURETEMP PLUS THERMOMETER (WXDXH) IN: 34.00 X 6.00 X 12.00 LBS: 25.00					
			MM: 864 X 152 X 305 KG: 11 LOCATION: WALL AUX \$: \$1,447.37					
			VOLTS: 120 HERTZ: 60 AMPS: 18					
	094482 :: ISR01	1	INFUSION SYSTEM, RAPID RAPID INFUSER;750ML/M;IV POLE;RESERVOIR HOLDER;LCD DISPLAY;SUPPORT HOUSING;OPERATORS MANUAL	BELMONT INSTRUMENT CORPORATION 903-00039 RI-2	OF/OI	NEW	\$27,200.00 GROUP: 2 MAJOR	\$27,200.00 R MOVABLE
			(WXDXH) IN: 7.50 X 13.50 X 12.00 LBS: 28.00					
			MM: 191 X 343 X 305 LOCATION: FLOOR SPEC COMMENTS: IV POLE MOUNTABLE OR FREESTANDING. IV DIAMETER RANGE OF POLE MOUNT: 1" - 1-1/4". DIMENSION W WXDXH 14X8X46 AUX \$: \$27,200.00 VOLTS: 115 HERTZ: 60 AMPS: 12.5 WATTS: 1440	TITH POLE				
			PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: INTERNAL RECHARGEABLE BATTERY					



PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1014543 CPR01	1	COMPRESSION DEVICE CHEST COMPRESSION SYSTEM TO INCLUDE: 1EA LUCAS 3.0 CHEST COMPRESSION SYSTEM HARD SHELL CASE SLIM BACK PLATE (2) PATIENT STRAPS (1) STABILIZATION STRAP (2) SUCTION CUPS (1) RECHARGEABLE BATTERY (1) DEVICE INSTRUCTIONS (1) WALL MOUNT 1EA 11576-000080 LUCAS 3 BATTERY 1EA 11576-000071 LUCAS POWER SUPPLY (WXDXH) IN: 21.00 X 22.00 X 10.00 MM: 533 X 559 X 254 LOCATION: WALL VOLTS: 115 HERTZ: 60 AMPS: 2. ELECT NOTE: FOR BATTERY CHARGING: 115V	LBS: 18.00 KG: 8 3 WATTS: 265	STRYKER - PHYSIO-CONTROL, INC 99576-000043 LUCAS 3.0	OF/OI	EXISTING	\$0.00 GROUP: 2 N	\$0.00
7	1014544	1	OUTPUT 24VDC;4.2A ALLOWANCE, ACCESSORY WALL MOUNT ACCESSORY FOR THE LUCAS 3		STRYKER - PHYSIO-CONTROL, INC LUCAS3 WALL MOUNT	OF/OI	NEW	\$575.00 G	\$575.00 GROUP: 1 FIXED
			(WXDXH) IN: 17.00 X 12.00 X 25.00 MM: 432 X 305 X 635 LOCATION: WALL NOTES: NEED TO PURCHASE FOR EXIS AUX \$: \$575.00	LBS: 15.00 KG: 7 TING LUCAS 3 DEVICE					
8 EQ# :	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/G SELECTED; HEIGHT ADJ. 18-24.5"	SLIDES UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 N	\$150.00 MINOR MOVABLE
			(WXDXH) IN: 23.00 X 23.00 X 24.50 MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	LBS: 24.00 KG: 11					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9 EQ# :	006656 MAY01	2	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2" IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 M	\$1,099.98 NINOR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00 MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	LBS: 33.00 KG: 15					
10 EQ# :	1012767 CRS01	1	CABINET, SUPPLY STORAGE MOBILE STORAGE CABINET; STEEL CONSTRUCTIO FINISH; FOUR ADJUSTABLE SHELVES; 400LB SHELF PT LOCKING SYSTEM; 41N LOCKING SWIVEL CASTE ACRYLIC DOOR PANELS; COMES IN GRAY, BLACK, (INCLUDES 2 KEYS;	CAP; 750LB TOTAL CAP; 3 RS; 2 DOORS; CLEAR	ULINE H-9092A CLEAR VIEW ASSEMBLED	OF/VI	NEW	\$1,315.00 GROUP: 3 M	\$1,315.00 NINOR MOVABLE
			(WXDXH) IN: 48.00 X 24.00 X 84.00 MM: 1219 X 610 X 2134 LOCATION: FLOOR NOTES: SEISMIC KIT CUSTOM UPON ORDER AUX \$: \$1,315.00	LBS: 242.00 KG: 110					
11 EQ#:	072962 CRC03	1	CART, RESUSCITATION, CARDIAC PEDS;30";9 MULTICOLOR DRW;(8)3"DRAWERS;(1) CARDIAC BOARD;STEEL BREAKAWAY LOCK;5"CAST TO INCLUDE: 1 EA PCB-1 PREMIER CARDIAC BOARD 1 EA ASU-1 SUCTION UNIT HOLDER 1 EA AOB-1 OXYGEN TANK BRACKET 8 EA AMT-1N MODULAR TRAY FOR 3"DRAWER		ARMSTRONG MEDICAL INDUSTRIES PREMIER BROSELOW PBL-PC-9	OF/VI	NEW	\$2,363.00 GROUP: 3 M	\$2,363.00 NINOR MOVABLE
			(WXDXH) IN: 46.09 X 25.00 X 45.50 MM: 1171 X 635 X 1156 LOCATION: FLOOR AUX \$: \$2,363.00	LBS: 128.00 KG: 58					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

ROOM NUMBER: 317

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 12 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE W/BRAKES; ANTIMICROBIAL WORK SURFACE & DRAWER PULLS PACE 24



OPTION	IS AND ACCESSORIES		
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

13 1003921 HAMPER, LINEN

MEDLINE INDUSTRIES, INC.

TRICX302

NEW

OF/OI

\$143.81 GROUP: 3 | MINOR MOVABLE

\$143.81

CASTERS; MEDIUM 29X38 BAG

EQ#: LHM01

(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00 MM: 470 X 495 X 832 KG: 11

RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING

LOCATION: FLOOR

AUX \$: \$143.81







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
-	021273 : KCB01	1	KICKBUCKET SS;REMOVABLE 12 QT. SS PAIL;TIP-RESISTANT;R BALANCED;ELECTRO-POLISHED;PERIMETER BU SWIVEL CASTERS		PEDIGO PRODUCTS, INC. P-1020-SS P-1020-SS	OF/OI	NEW	\$242.00 GROUP: 3 M	\$242.00 IINOR MOVABLE
	9		(WXDXH) IN: 13.75 X 13.75 X 13.25	LBS: 8.00					
			MM: 349 X 349 X 337	KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$242.00						
15	1004559	2	FLOWMETER, OXYGEN		OHIO MEDICAL CORPORATION	OF/OI	EXISTING	\$0.00	\$0.00
			FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE (OFF	FM-15UO-OHPT			GROUP: 3 M	IINOR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM: 28 X 86 X 140	KG : 0					
			LOCATION: WALL						
			AUX \$: \$35.20						
16	1004558	1	FLOWMETER, AIR		OHIO MEDICAL CORPORATION	OF/OI	EXISTING	\$0.00	\$0.00
	e de la companya del companya de la companya del companya de la co		15 LPM;OHIO DIAMOND ADAPTER OHMEDA W	1/50 PSI PORT USA; PB	FM-15UA-OHPT			GROUP: 3 M	IINOR MOVABLE
			CONNECTION						
			(WXDXH) IN: 1.25 X 3.50 X 5.50	LBS: 0.40					
			MM: 32 X 89 X 140	KG : 0					
			LOCATION: WALL						
			AUX \$: \$39.16						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
17	1014992	2	REGULATOR, SUCTION, CONTINUOUS & INTERMIT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGUL OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PAT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISH WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINI INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITC AND FULL-WALL VACUUM RANGES. FLOW RATE: INTER L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165	ULATOR WITH ITIENT CONNECTION. HES A VACUUM LIMIT IUOUS AND CH. 0-200 MMHG	OHIO MEDICAL CORPORATION 8701-1251-901 PUSH-TO-SET	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			LOCATION: SPACE AUX \$: \$518.57						
18	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLDER		ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 M	\$25.00 INOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 LBS MM: 203 X 203 X 305 KG: LOCATION: WALL AUX \$: \$25.00	S : 2.00 : 1					
19 EQ #	1003621 #: CLK01	1	CLOCK, ELAPSED TIME SURFACE MOUNT;4" SLOPE BRACKET, POE;COUNT UP O UP TO A MAX OF 99 HOURS, 59MINUTES AND 59 SECO	•	PRIMEX C2005X203E	OF/CI	FUTURE	\$0.00 GA	\$0.00 ROUP: 1 FIXED
			(WXDXH) IN: 23.30 X 2.40 X 8.00 LBS	S : 4.60					
			MM: 592 X 61 X 203 KG: LOCATION: WALL NOTES: FUTURE ITEM; ROUGH IN ONLY AT THIS TO DATA: HARD WIRED DATA NOTE: 802.3AF COMPLIANT; POE ELECT NOTE: POE IEEE 802.3AF COMPLIANT						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXT	ENSION
20 057206 EQ#: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	OLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MINOR M	\$57.00 IOVABLE
		(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
		<i>MM</i> : 570 X 99 X 254 LOCATION : WALL	KG: 1					
		AUX \$: \$57.00						
21 055619 EQ#: DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MINOR M	\$77.88 IOVABLE
		(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
		MM: 305 X 222 X 273	KG : 1					
		LOCATION: WALL NOTES: 1 SHARPS ON WALL; 1 SHARPS ON AUX \$: \$38.94	SUPPLY CART					
22 1003160 EQ#: DSPP03	1	DISPOSAL CONTAINER, WASTE, PHARMACEUT LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON CONTAINER LEAK RESISTANT; TAMPER EVIDENT; SE LID; ABSORBENT PAD FOR EXCESS FLUID	PHARMASAFETY	COVIDIEN 8528C/8836SA	OF/OI	NEW	\$39.00 GROUP: 3 MINOR M	\$39.00 IOVABLE
		(WXDXH) IN: 13.75 X 6.00 X 16.50	LBS: 5.00					
		MM: 349 X 152 X 419	KG : 2					
		LOCATION: WALL SPEC COMMENTS: DIMENSIONS OF BRACKET: 13 X H)	.75" X 6.5" X 11.75" (W X [
		AUX \$: \$39.00						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 05, TRAUMA

ROOM NUMBER: 317

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
23	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT I MARSHALL APP'D	FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 <i>GROUP: 3 N</i>	\$150.00 MINOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
24	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 N	\$88.50 MINOR MOVABLE
	20								
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG : 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						
								20014 7074	. 670.052.50

ROOM TOTAL: \$70,953.59





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

LOCATION: FLOOR

AUX \$: \$3,729.56

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	1014542 : LHT04	1	LIGHT, EXAM, MOBILE EXAMINATION LIGHT		SUNNER TECHNOLOGIES TS20	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			LOCATION: FLOOR AUX \$: \$0.00 VOLTS: 120 HERTZ: 60					
2 EQ#	1001212 : STR03	1	STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLU TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00	HILL-ROM P8005 TRANSPORT	OF/VI	NEW	\$3,729.56 \$3,729.56 GROUP: 3 MINOR MOVABLE PHASE: EARLY - PO/LEASED
			MM: 914 X 2108 X 870	KG : 118				







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

ROOM NUMBER: 318

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC WALL CHANNEL; 120 VAC

866062_NAM INTELLIVUE MX450 GROUP: 2 | MAJOR MOVABLE



ORTION	IS AND ACCESSORIES		
OTY	PART NUMBER	DESCRIPTION	PRICE
			· · · · · · · · · · · · · · · · · · ·
11	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG;	\$5,341.00
		SP5 MASIMO RAINBOW SET SPO2)	
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED



PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	069814 DIAG01	1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOP! 1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG 1 EA 01690-300 SURETEMP PLUS THERMOMETE!	E	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 M.	\$1,447.37 AJOR MOVABLE
			(WXDXH) IN: 34.00 X 6.00 X 12.00 MM: 864 X 152 X 305 LOCATION: WALL AUX \$: \$1,447.37	LBS: 25.00 KG: 11					
			VOLTS: 120 HERTZ: 60 AMPS: 18						
5 EQ#:	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDE SELECTED;HEIGHT ADJ. 18-24.5"	S UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 <i>GROUP: 3 M</i>	\$150.00 INOR MOVABLE
	0		(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	KG: 11					
6 EQ# :	006656 MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2 IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 M	\$549.99 INOR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00	LBS: 33.00					
			MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	KG : 15					



PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

ROOM NUMBER: 318

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE

PACE 24



OPTIONS AND ACCESSORIES QTY PART NUMBER DESCRIPTION **PRICE** SPN3DW NARROW PACE DRAWER WHITE, 3" \$64.00 1 NARROW PACE DRAWER WHITE, 6" 2 SPN6DW \$90.00 SPN9DW NARROW PACE DRAWER WHITE, 9" \$112.00 1 SNTD3 3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR \$83.00 1 **DIVIDERS** LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW 1 **SPNPOWSL** \$20.00 PACE CARTS SNTD6 6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR \$83.00 2 **DIVIDERS** SPN24WF NARROW PACE 24, WHITE FRAME, 36" \$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

8 1003921 **EQ#: LHM01**

HAMPER, LINEN MEDLINE INDUSTRIES, INC.

OF/OI NEW

\$143.81

\$143.81

RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING

W/BRAKES;ANTIMICROBIAL WORK SURFACE & DRAWER PULLS

IG TRICX302

GROUP: 3 | MINOR MOVABLE

CASTERS; MEDIUM 29X38 BAG



(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00

MM: 470 X 495 X 832

KG: 11

LOCATION: FLOOR

AUX \$: \$143.81







FLOOR:

1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT

TREATMENT ROOM 04, BEHAVIORAL HEALTH

D #	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9 1004559		FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 NINOR MOVABLE
		•						
		LOCATION: WALL AUX \$: \$35.20						
04558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI P CONNECTION	PORT USA; PB	OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 NINOR MOVABLE
		MM: 32 X 89 X 140 KG: 0						
		LOCATION: WALL AUX \$: \$39.16						
4992	1	ANALOG CONTINUOUS/INTERMITTENT VACUUM REGUL OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATI PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHE WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINU INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERM L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE	LATOR WITH IENT CONNECTION. ES A VACUUM LIMIT JOUS AND H. 0-200 MMHG		OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 NINOR MOVABLE
)4	1558	1559 2 1558 1	(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: MM: 28 X 86 X 140 KG: LOCATION: WALL AUX \$: \$35.20 1 FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI FICONNECTION (WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: MM: 32 X 89 X 140 KG: LOCATION: WALL AUX \$: \$39.16 1 REGULATOR, SUCTION, CONTINUOUS & INTERMITT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGU OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PAT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISH WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUINTERMITTENT MODES. TOP MOUNTED ON/OFF SWITC AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERNIL/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF (WXDXH) IN: 1.10 X 3.40 X 5.50 MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20 1 FLOWMETER, AIR 15 LPM; OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB CONNECTION (WXDXH) IN: 1.25 X 3.50 X 5.50 MM: 32 X 89 X 140 LOCATION: WALL AUX \$: \$39.16 1 REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF (WXDXH) IN: 1.10 X 3.40 X 5.50 MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20 THOUMETER, AIR 15 LPM; OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB CONNECTION (WXDXH) IN: 1.25 X 3.50 X 5.50 MM: 22 X 89 X 140 LOCATION: WALL AUX \$: \$39.16 THOUMETER, AIR 15 LPM; OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB CONNECTION (WXDXH) IN: 1.25 X 3.50 X 5.50 MM: 22 X 89 X 140 LOCATION: WALL AUX \$: \$39.16 THOUMED ADIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS -88 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF (WXDXH) IN: 1.10 X 3.40 X 5.50 MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20 1 FLOWMETER, AIR 15 LPM; OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB CONNECTION (WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16 REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS, INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNECTION. PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUM LIMIT WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MMHG AND FULL-WALL VACUUM RANGES, FLOW RATE: INTERMITTENT 0-16 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE	1 FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI TAKE OFF Commetter, OXYGEN 15 LPM W/50 PSI PORT USA; PB Commetter, AIR	2 FLOWMETER, OXYGEN 5 LPM W/50 PSI TAKE OFF FM-15UO-OHPT OHIO MEDICAL CORPORATION OF/OI EXISTING \$0.00 GROUP: 3 / M PLANCE OF FM-15UO-OHPT OF





FLOOR:

1

EMERGENCY

DEPARTMENT: ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
12	12 1015413 1		BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLDER		ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 N	\$25.00 MINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	LBS: 2.00 KG: 1					
13 EQ#	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1					
14 EQ#	055619 : DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 N	\$77.88 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL NOTES: 1 SHARPS ON WALL; 1 SHARPS ON AUX \$: \$38.94	LBS: 2.54 KG: 1 SUPPLY CART					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 04, BEHAVIORAL HEALTH

ROOM NUMBER: 318

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
15	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT FITTING LID;CALIF FIRE MARSHALL APP'D		RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	DF/OI NEW	\$150.00 <i>GROUP: 3 N</i>	\$150.00 MINOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
16	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 N	\$88.50 MINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR	LBS: 6.42 KG: 3					
			AUX \$: \$88.50					DOOM TOTA	1 . ¢20 100 16

ROOM TOTAL: \$29,199.16





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	106103 : LHT01	1	LIGHT, EXAM/TREATMENT DOUBLE ARM; LED DIMMABLE; CEILING MOUNTED LENGTH = 150MM; ARM LENGTH=800MM TO INCLUDE: 1 EA CB5392075 SOFFIT FOR F 300, 446 X 100 MM 1 EA CB5020904 POWER SWITCHING SUPPLY F300 1 EA CB5264015 D300 CEILING TUBE, 150MM LEN LOCATION: CEILING AUX \$: \$8,000.00	I, FOR TUBE 45MM (90-132 VAC)	STRYKER COMMUNICATIONS CE 2863075 F300	OF/CI	NEW	\$8,000.00	\$8,000.00 GROUP: 1 FIXED
2 EQ#:	1001212 : STR03	1	VOLTS: 100-120 HERTZ: 50/60 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUING TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 MM: 914 X 2108 X 870 LOCATION: FLOOR AUX \$: \$3,729.56	WATTS: 50VA JDE: LBS: 260.00 KG: 118	HILL-ROM P8005 TRANSPORT	OF/VI	NEW		\$3,729.56 MINOR MOVABLE EARLY - PO/LEASED







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

ROOM NUMBER: 319


LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

866062_NAM INTELLIVUE MX450

WALL CHANNEL; 120 VAC



(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	069814 DIAG01	1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOP! 1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG 1 EA 01690-300 SURETEMP PLUS THERMOMETE!	E	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 M.	\$1,447.37 AJOR MOVABLE
			(WXDXH) IN: 34.00 X 6.00 X 12.00 MM: 864 X 152 X 305 LOCATION: WALL AUX \$: \$1,447.37	LBS: 25.00 KG: 11					
			VOLTS: 120 HERTZ: 60 AMPS: 18						
5 EQ#:	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDE SELECTED;HEIGHT ADJ. 18-24.5"	S UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 <i>GROUP: 3 M</i>	\$150.00 INOR MOVABLE
	0		(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	KG: 11					
6 EQ# :	006656 MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2 IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 M	\$549.99 INOR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00	LBS: 33.00					
			MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	KG : 15					





FLOOR:

DEPARTMENT: EMERGENCY

1

ROOM NAME: TREATMENT ROOM 03, ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7 EQ#	1003921 : LHM01	1 HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING CASTERS; MEDIUM 29X38 BAG RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING TRICX302 TRICX302				OF/OI	NEW	\$143.81 GROUP: 3 Mi	\$143.81 NOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG: 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						
8	1004559	2	FLOWMETER, OXYGEN		OHIO MEDICAL CORPORATION	OF/OI	NEW	\$35.20	\$70.40
	147		FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		FM-15UO-OHPT			GROUP: 3 MI	NOR MOVABLE
_			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM: 28 X 86 X 140	KG: 0					
			LOCATION: WALL						
			AUX \$: \$35.20						
9	1004558	1	FLOWMETER, AIR		OHIO MEDICAL CORPORATION	OF/OI	EXISTING	\$0.00	\$0.00
	per .		15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 CONNECTION	PSI PORT USA; PB	FM-15UA-OHPT			GROUP: 3 Mi	NOR MOVABLE
			CONNECTION						
			(WXDXH) IN: 1.25 X 3.50 X 5.50	LBS: 0.40					
			MM : 32 X 89 X 140	KG: 0					
			LOCATION: WALL						
			AUX \$: \$39.16						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTEN ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULAT OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIEN PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOU INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. O AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMIT L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57	TOR WITH NT CONNECTION. A VACUUM LIMIT US AND 0-200 MMHG	OHIO MEDICAL CORPORATION 8701-1251-901 PUSH-TO-SET	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 IINOR MOVABLE
11	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLDER		ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 M	\$25.00 NINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 LBS: 2.0 MM: 203 X 203 X 305 KG: 1 LOCATION: WALL AUX \$: \$25.00	00					
12 EQ#	057206 e: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL		BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 NINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.0	00					
			<i>MM</i> : 570 X 99 X 254 <i>KG</i> : 1 LOCATION : WALL						
			AUX \$: \$57.00						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE E	XTENSION
13 EQ #	055619 :: DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MINOR	\$77.88 MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL NOTES: 1 SHARPS ON WALL; 1 SHARPS ON AUX \$: \$38.94	LBS: 2.54 KG: 1 I SUPPLY CART					
14	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT F MARSHALL APP'D	FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 GROUP: 3 MINOR	\$150.00 MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
15	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 MINOR	\$88.50 MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR AUX \$: \$88.50	LBS: 6.42 KG: 3					







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 03, ISOLATION

ROOM NUMBER: 319

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** 16 053947 **CART, ISOLATION** ARMSTRONG MEDICAL INDUSTRIES OF/OI **EXISTING** \$0.00 \$0.00 EQ#: CRI01 4 DRAWER; YELLOW; BASIC CART W/DRAWER; CONFIGURATION OF 1 EA.3" AKL-Y-4 GROUP: 3 | MINOR MOVABLE HIGH & 3 EA. 9" HIGH DRAWERS; BEIGE FRAME TWO TONE (WXDXH) IN: 33.50 X 25.00 X 46.25 LBS: 165.00 MM: 851 X 635 X 1175 **KG**: 75 LOCATION: FLOOR **AUX \$:** \$1,542.75

ROOM TOTAL: \$35,948.03





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	106103 : LHT01	1	LIGHT, EXAM/TREATMENT DOUBLE ARM;LED DIMMABLE;CEILING MOUNTED LENGTH = 150MM; ARM LENGTH=800MM TO INCLUDE: 1 EA CB5392075 SOFFIT FOR F 300, 446 X 100 MM 1 EA CB5020904 POWER SWITCHING SUPPLY F300 1 EA CB5264015 D300 CEILING TUBE, 150MM LEN LOCATION: CEILING AUX \$: \$8,000.00	I, FOR TUBE 45MM I (90-132 VAC) IGTH, 45MM DIAMETER LBS: 17.60 KG: 8	STRYKER COMMUNICATIONS CE 2863075 F300	OF/CI	NEW	\$8,000.00	\$8,000.00 GROUP: 1 FIXED
2 EQ#	1001212 : STR03	1	VOLTS: 100-120 HERTZ: 50/60 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLU TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 MM: 914 X 2108 X 870 LOCATION: FLOOR AUX \$: \$3,729.56	WATTS: 50VA JDE: LBS: 260.00 KG: 118	HILL-ROM P8005 TRANSPORT	OF/VI	NEW	\$3,729.56 GROUP: 3	\$3,729.56 MINOR MOVABLE







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: **TREATMENT ROOM 02**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; 866062_NAM **INTELLIVUE MX450**

WALL CHANNEL; 120 VAC

OPTION	OPTIONS AND ACCESSORIES							
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>					
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00					
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00					
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00					
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00					
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00					
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00					
1	989803206931	RD RAINBOW SET R25 12	\$165.00					
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00					
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00					
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00					
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00					
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00					
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00					
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00					

(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 **KG**: 6 **MM:** 325 X 183 X 287

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	069814 DIAG01	1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO; TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOP! 1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG 1 EA 01690-300 SURETEMP PLUS THERMOMETE!	E	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 M.	\$1,447.37 AJOR MOVABLE
			(WXDXH) IN: 34.00 X 6.00 X 12.00 MM: 864 X 152 X 305 LOCATION: WALL AUX \$: \$1,447.37	LBS: 25.00 KG: 11					
			VOLTS: 120 HERTZ: 60 AMPS: 18						
5 EQ#:	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDE SELECTED;HEIGHT ADJ. 18-24.5"	S UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 <i>GROUP: 3 M</i>	\$150.00 INOR MOVABLE
	0		(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	KG: 11					
6 EQ# :	006656 MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2 IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 M	\$549.99 INOR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00	LBS: 33.00					
			MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	KG : 15					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

ROOM NUMBER: 320

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE

PACE 24



OPTION	IS AND ACCESSORIES	;	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

1003921 1 **HAMPER, LINEN**

MEDLINE INDUSTRIES, INC.

TRICX302

OF/OI

NEW

\$143.81 \$143.81 GROUP: 3 | MINOR MOVABLE

RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING CASTERS; MEDIUM 29X38 BAG

EQ#: LHM01

8

(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00

W/BRAKES; ANTIMICROBIAL WORK SURFACE & DRAWER PULLS

MM: 470 X 495 X 832

KG: 11

LOCATION: FLOOR

AUX \$: \$143.81







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
9	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 \$70.40 GROUP: 3 MINOR MOVABLE
•	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20				
10	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; P. CONNECTION	OHIO MEDICAL CORPORATION B FM-15UA-OHPT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16				
11	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATOR WITH OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT CONNE PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A VACUUI WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS AND INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. 0-200 MM AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITTENT 0-1 L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165	CCTION. PUSH-TO-SET M LIMIT MHG	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			LOCATION: SPACE AUX \$: \$518.57				





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
12	1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 MI	\$25.00 INOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	LBS: 2.00 KG: 1					
13 EQ#	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	IOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MI	\$57.00 INOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1					
14 EQ#	055619 : DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MI	\$77.88 INOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 02

ROOM NUMBER: 320

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
15	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT MARSHALL APP'D	FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 <i>GROUP: 3 M</i>	\$150.00 1INOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
16	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 M	\$88.50 NINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR AUX \$: \$88.50	LBS: 6.42 KG: 3					

ROOM TOTAL: \$37,269.56





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	106103 f: LHT01	1	LIGHT, EXAM/TREATMENT DOUBLE ARM;LED DIMMABLE;CEILING MOUNTER LENGTH = 150MM; ARM LENGTH=800MM TO INCLUDE: 1 EA CB5392075 SOFFIT FOR F 300, 446 X 100 MM 1 EA CB5020904 POWER SWITCHING SUPPLY F300 1 EA CB5264015 D300 CEILING TUBE, 150MM LENGTH COMMITTED COMMITTE	л, FOR TUBE 45MM 0 (90-132 VAC)	STRYKER COMMUNICATIONS CE 2863075 F300	OF/CI	NEW	\$8,000.00	\$8,000.00 GROUP: 1 FIXED
			VOLTS: 100-120 HERTZ: 50/60	WATTS: 50VA					
2 EQ #	1001212 #: STR03	1	STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCL TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25	UDE: LBS: 260.00	HILL-ROM P8005 TRANSPORT	OF/VI	NEW	\$3,729.56 GROUP: 3	\$3,729.56 MINOR MOVABLE
			·						
			MM: 914 X 2108 X 870 LOCATION: FLOOR AUX \$: \$3,729.56	KG : 118					







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01


ROOM NUMBER: 32:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015743 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$21,458.52 \$21,458.52

EQ#: PHY04

INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC WALL CHANNEL; 120 VAC

866062_NAM INTELLIVUE MX450



(WXDXH) IN: 12.80 X 7.20 X 11.30 LBS: 12.30 MM: 325 X 183 X 287 KG: 6

12" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES;

LOCATION: WALL

AUX \$: \$21,458.52

DATA: HARD WIRED AND WIRELESS

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 069814 EQ#: DIAG01		1	DIAGNOSTIC SET GREEN TECHNOLOGY; WALLBOARD; OPHTH/OTO TO INCLUDE: 1 EA 77710 WALL TRANSFORMER 1 EA 11810 PANOPTIC OPHTHALMOSCOPE 1 EA 23810 DIAGNOSTIC MACROVIEW OTOSCOP 1 EA 52400-PF KLEENSPEC DISPENSER 1 EA 7670-01 ANEROID SPHYG 1 EA 01690-300 SURETEMP PLUS THERMOMETE	PE R	WELCH ALLYN, INC. 77791-1MPX GS 777 SERIES	OF/CI	NEW	\$1,447.37 GROUP: 2 N	\$1,447.37 MAJOR MOVABLE
			(WXDXH) IN: 34.00 X 6.00 X 12.00 MM: 864 X 152 X 305 LOCATION: WALL AUX \$: \$1,447.37	LBS: 25.00 KG: 11					
			VOLTS: 120 HERTZ: 60 AMPS: 18						
	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLID SELECTED;HEIGHT ADJ. 18-24.5"	ES UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 N	\$150.00 NINOR MOVABLE
	- O		(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	KG: 11					
	006656 MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2 IN REMOVABLE TRAY;REINFORCED; STAINLESS STEE PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 N	\$549.99
			(WXDXH) IN: 16.25 X 21.25 X 36.00	LBS: 33.00					
			MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	KG : 15					





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

ROOM NUMBER: 321

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE

OF/OI

NEW

PACE 24



OPTION	OPTIONS AND ACCESSORIES									
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>							
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00							
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00							
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00							
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00							
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00							
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00							
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00							

(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

8 1003921

HAMPER, LINEN MEDLINE INDUSTRIES, INC.

EQ#: LHM01

RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING TRICX302

CASTERS; MEDIUM 29X38 BAG



(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00

W/BRAKES; ANTIMICROBIAL WORK SURFACE & DRAWER PULLS

MM: 470 X 495 X 832

KG: 11

LOCATION: FLOOR

AUX \$: \$143.81



\$143.81

GROUP: 3 | MINOR MOVABLE

\$143.81





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
9	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 \$70.40 GROUP: 3 MINOR MOVABLE
•	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20				
10	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT CONNECTION	OHIO MEDICAL CORPORATION USA; PB FM-15UA-OHPT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0.40 MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16				
11	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTENT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULATO OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIENT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES A WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOUS INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. OAND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITT L/MIN, CONTINUOUS 0-80 L/MIN.	CONNECTION. PUSH-TO-SET VACUUM LIMIT AND 200 MMHG	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57				





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
12 1015413	1	BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 M	\$25.00 INOR MOVABLE
		(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
		MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	K G : 1					
13 057206 EQ#: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	IOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 INOR MOVABLE
		(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
		MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG: 1					
14 055619 EQ#: DSP01	2	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 M	\$77.88 INOR MOVABLE
		(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
		MM: 305 X 222 X 273 LOCATION: WALL NOTES: 1 SHARPS ON WALL; 1 SHARPS ON AUX \$: \$38.94	KG: 1 SUPPLY CART					







FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: TREATMENT ROOM 01

ROOM NUMBER: 321

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
15	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT MARSHALL APP'D	FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 <i>GROUP: 3 M</i>	\$150.00 IINOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
16	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 M	\$88.50 IINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR AUX \$: \$88.50	LBS: 6.42 KG: 3					

ROOM TOTAL: \$37,269.56





FLOOR: 1

DEPARTMENT: **EMERGENCY** ROOM NAME: **ED ALCOVE 01**

ROOM CO	OMMENTS: /	ALCOVE L	OCATED OUTSIDE OF TRAUMA ROOM						
LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	056002 CRC04	1	CART, RESUSCITATION, CARDIAC CART, RESUSCITATION, CARDIAC; 6 DRAWERS;2 1-6",1-12",PVC BUMPER;LOCKING BREAKAWAY PADDED PUSH HANDLES;METAL DRAWER PULL CASTER TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. AOT-1 CRASH CART TRAY W/ LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY (WXDXH) IN: 43.00 X 25.00 X 47.00 MM: 1092 X 635 X 1194 LOCATION: FLOOR AUX \$: \$2,030.16	BAR, TWIN	ARMSTRONG MEDICAL INDUSTRIES AR-6 PREMIER W/ER PK	OF/VI	NEW	\$2,030.16 GROUP: 3 N	\$2,030.16 MINOR MOVABLE
2 EQ#:	082533 DEF01	1	DEFIBRILLATOR R SERIES ALS DEFIBRILLATOR;AED W/MANUAL COMPATIBLE;CODE READINESS TESTING SYSTE TECHNOLOGY ONESTEP 3 LEAD ECG CABLE W/. ADVISORY DEFIBRILLATION;BUILT-IN TEST POR SLOT;INTEGRATED AC POWER 5.8 AH LITHIUM INCLUDES: EXPANSION PACK, ONE STEP PACIN OXIMETRY,NIBP, ETCO2 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGEAE ION BATTERY PACK (WXDXH) IN: 10.50 X 12.50 X 8.20 MM: 267 X 318 X 208 LOCATION: COUNTERTOP AUX \$: \$23,980.20 DATA: HARD WIRED AND WIRELESS DATA NOTE: OPTIONAL WIFI: 802.11B USB POR COMPATIBLE VOLTS: 120 HERTZ: 60 AMPS: 2 ELECT NOTE: SEALED LEAD ACID BATTERY INTE EMERGENCY POWER	M;RECTILINEAR BIPHASIC AHA MARKINGS T;COMPACT FLASH CARD ION BATTERY;PACKAGE G, MASIMO PULSE BLE LITHIUM LBS: 15.20 KG: 7	ZOLL MEDICAL CORPORATION 30120005201310012 R SERIES ALS	OF/OI	EXISTING	\$0.00 GROUP: 2 N	\$0.00





FLOOR: 1

DEPARTMENT: EMERGENCY
ROOM NAME: ED ALCOVE 01

ROOM NUMBER: 325

ROOM COMMENTS: ALCOVE LOCATED OUTSIDE OF TRAUMA ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ#:	094808 ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, PORTABLE PORTABLE;RECHARGEABLE BATTERY;LED DISPLAY;HEPA FILTER;BEMIS DISPOSABLE CANISTER SYSTEM;HIGH FLOW;HIGH VACUUM;80-500 MMHG VACUUM RANGE;EXTERNAL BATTERY CHARGER TO INCLUDE: 1 EA 780220 AC POWER CORD -EU	LAERDAL MEDICAL CORP. LSU 4000 78002001	OF/OI	NEW	\$995.00 \$995.00 GROUP: 2 MAJOR MOVABLE
4 EQ#:			(WXDXH) IN: 13.00 X 6.30 X 12.40 LBS: 8.20 MM: 330 X 160 X 315 KG: 4 LOCATION: COUNTERTOP AUX \$: \$995.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: ELECTRICAL SHOWN FOR BATTERY CHARGER				
EQ#:	098605 RCK01	1	RACK, APRON, WALL MOUNTED 8 PEGS;4 APRONS;ELECTRO-MAGNETIC POWDER COATING;STAINLESS STEEL	PHILLIPS SAFETY PRODUCTS RAR-P4	OF/CI	NEW	\$71.43 \$71.43 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 19.00 X 5.00 X 3.00 LBS: 7.20 MM: 483 X 127 X 76 KG: 3 LOCATION: WALL				
5	1001743	2	AUX \$: \$71.43 APRON, LEAD COMFORTLITE WAIST ADJUSTABLE APRON; 0.35MM, 0.5MM LEAD EQUIV; VELCRO CLOSURES; ELASTIC BACK SECTIONS	AADCO MEDICAL, INC. LP-CX COMFORTLITE	OF/OI	NEW	\$411.00 \$822.00 GROUP: 3 MINOR MOVABLE
			LOCATION: SPACE				
			AUX \$: \$411.00				ROOM TOTAL : \$3,918.59

ROOM TOTAL: \$3,918.59



PlanView

FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: AMBULANCE CANOPY

ROOM NUMBER: ZZZ

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	094151	1	CABINET, STORAGE		ULINE	OF/OI	NEW	\$2,042.00	\$2,042.00
EQ#:	CAB06		SS STORAGE CABINET;5 ADJUSTABLE SHELVES;LOCKAB TO HEIGHT AND 25 LB IN WEIGHT. TO INCLUDE: 1 EA H-2462: 36X24 CABINET DOLLY	BLE; DOLLY ADDS 5"	H-5588			GROUP: 3 MIN	IOR MOVABLE
	·		(WXDXH) IN: 36.00 X 24.00 X 78.00 LB	35: 285.00					
			MM: 914 X 610 X 1981 KG	G: 129					
			LOCATION: FLOOR						
			NOTES: SEISMIC: CUSTOM ORDER THROUGH CO PURCHASE AUX \$: \$2,042.00	OMPANY AT TIME OF					
2	1003487	1	BOARD, PATIENT TRANSFER		MEDLINE INDUSTRIES, INC.	OF/CI	NEW	\$223.99	\$223.99
EQ#:	BRD01		500LB WEIGHT CAP;PVC TRANSFER BOARD					GROUP: 3 MIN	IOR MOVABLE
			TO INCLUDE: 1 EA. PVCM618HDP WALL BRACKET		PVCM600W				
			(WXDXH) IN: 35.50 X 70.00 X 1.25	3S: 26.00					
			MM: 902 X 1778 X 32	G: 12					
			LOCATION: WALL						
			AUX \$: \$223.99						
3	1001718	1	BOARD, PATIENT TRANSFER		MEDLINE INDUSTRIES, INC.	OF/OI	NEW	\$79.36	\$79.36
EQ#:	BRD02		NOTCHES ON BOTH SIDES SECURES THE BOARD TO W	HEELCHAIR ARM; FOR				GROUP: 3 MIN	IOR MOVABLE
			USE ON RIGHT OR LEFT SIDE; 300 LB. WEIGHT CAPACIT	ITY; WOOD	MDSR005379				
			(WXDXH) IN: 8.00 X 1.00 X 29.00 LB	35: 2.25					
			MM: 203 X 25 X 737 KG	G: 1					
			LOCATION: SPACE						
			AUX \$: \$79.36						





FLOOR: 1

DEPARTMENT: EMERGENCY

ROOM NAME: AMBULANCE CANOPY

ROOM NUMBER: ZZZ

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
	105585	1	STRETCHER 700LB CAP;30" WIDE PATIENT SURFACE DEC 3/4" IV POLE SOCKETS; FULL PERIMETER BU SIX TRANSPORT STRAP; LARGE STORAGE AR CARPET CASTERS; HYDRAULIC PEDALS; 02 THOLDER/UTIITY SHELF; NO SCALE INCLUDED IN ABOVE: 1 EA PS: PROCEDURAL P8000 1 EA ST-30: 30" WIDTH DECK 1 EA ST-4W: 4" MATTRESS UPGRADE 1 EA ST-HEAD: PUSH HANDLE AT HEAD END 1 EA ST-3SONE: IV POLE AT HEAD 1 EA ST-4SBS: BRAKE PEDALS ALL SIDES 1 EA ST-FO: BACKSAVER FOWLER/KNEE GAT (WXDXH) IN: 35.50 X 83.00 X 34.25 MM: 902 X 2108 X 870 LOCATION: FLOOR AUX \$: \$5,482.98 VOLTS: 120 HERTZ: 60	MPERING EA; 8" TENTE ANK BLUE	HILL-ROM PROCEDURAL P8000	OF/VI	NEW	\$5,482.98 \$5,482.98 GROUP: 2 MAJOR MOVABLE

ROOM TOTAL: \$7,828.33

DEPARTMENT TOTAL: \$329,108.58







FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: MANAGER OFFICE

ROOM NUMBER: 506

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	1			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: VIEWING / TECH WORK

ROOM NUMBER: 507

LINE	ID#	QTY	GENERIC		MANUFACTURER		RESP	STATUS	PRICE	EXTENSION
1	1 004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLAS APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COPTIONS AT PROCUREMENT		RUBBERMAID COMM. PRODI FG254300[XXX] 2543	UCTS	OF/OI	NEW	\$54.50 GROUP: 3 Mi	\$54.50 INOR MOVABLE
			OPTIONS AND ACCESSORIES							
			OTY PART NUMBER DESCRIPTION		<u>PRICE</u>					
			1 BEIG BEIGE		\$0.00					
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS	S: 5.00						
			MM: 368 X 267 X 389 KG	5: 2						
			LOCATION: FLOOR							
			- GRAY							
			AUX \$: \$54.50							
2	092852	1	WASTE RECEPTACLE, RECYCLING		RUBBERMAID COMM. PROD	UCTS	OF/OI	NEW	\$35.00	\$35.00
			16 GALLON;RECYCLING;PLASTIC CONSTRUCTION; VENT	TED CHANNELS;	1971257				GROUP: 3 M	NOR MOVABLE
			HANDLES AT RIM		SLIM JIM					
			(WXDXH) IN: 22.00 X 11.00 X 25.00 LBS	S: 6.42						
			MM: 559 X 279 X 635	5: 3						
			LOCATION: FLOOR							
			AUX \$: \$35.00							

ROOM TOTAL: \$89.50





FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: PATIENT TOILET

ROOM NUMBER: 508

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
	8			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

OPTIONS AT PROCUREMENT

ROOM TOTAL: \$54.50





FLOOR: 1

DEPARTMENT: **IMAGING** ROOM NAME: **ULTRASOUND**

ROOM NUMBER: 509

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1015461 **IMAGING, ULTRASOUND SYSTEM** CANON MEDICAL SYSTEMS USA, INC. OF/VI NEW \$95,550.00 \$95,550.00 EQ#: IUS02 TO INCLUDE: APLIO-I700-V6.5.100 GROUP: 2 | MAJOR MOVABLE 1 APLIO 1700 PRISM ULTRASOUND SYSTEM 1700 PRISM PHASE: EARLY - PO/LEASED 1 APLIO 1700 ULTRASOUND IMAGING SYSTEM 1 PROTOCOL ASSISTANT 1 GEL WARMER 1 INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT) 1 STANDARD APPLICATIONS TRAINING 1 LINEAR ARRAY TRANSDUCER (I18LX5) 1 MULTI FREQUENCY LINEAR ARRAY TRANSDUCER (I11LX3) 1 CONVEX ARRAY TRANSDUCER (I8CX1) ENDO-AI700/4.100 1 EV/ER TRANSDUCER

> 1 PANORAMIC VIEW 1 CV KIT

HOLDER KIT

1 CV KIT FOR V5.1 OR LATER 1 REFERENCE SIGNAL KIT 1 REFERENCE SIGNAL CABLE 1 CONTINUOUS WAVE KIT 1 PENCIL CONNECTOR UNIT

1 EV/ER TRANSDUCER HOLDER

(WXDXH) IN: 24.80 X 42.10 X 69.20 LBS: 253.50 KG: 115

1 MULTI-FREQUENCY ENDOCAVITARY TRANSDUCER (11C3)

MM: 630 X 1069 X 1758

LOCATION: FLOOR

SPEC COMMENTS: SEE QUOTE FOR ADDITIONAL INFORMATION

NOTES: SENECA WANTS TO PROCURE ASAP VIA LEASED AGREEMENT

AUX \$: \$95,550.00

DATA: HARD WIRED AND WIRELESS

DATA NOTE: ETHERNET 10BASE-T/ 100BASE-TX/ GIGABIT; INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT); DUAL BAND

2.4GHZ/5 GHZ

VOLTS: 115 **HERTZ:** 60 **BTU:** 1945 BTU/h

MECH NOTE: POWER CONSUMPTION 1440 VA





PlanView

FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
	2 1009558 EQ#: STR02		TABLE, IMAGING, ULTRASOUND 550LB CAPACITY; POWERED HEIGHT ADJUSTABLE 19" TO 33"; 3-SECTION TOP (30"W X 72"L); POWERED BACKREST 34"L; SEAT 26"L; POWERED LEG REST 11"L X 19"W; TRENDELENBURG/REVERSE TILT: +/- 18 DEGREES; BACKREST: 0-75 DEGREES; POWERED LEG REST: 0-90 DEGREES; 3" PADDING FOAM; HAND CONTROL WITH GRAPHIC DISPLAY; INCLUDES STIRRUPS.	OAKWORKS MEDICAL 84797 MULTI-SPECIALTY EA	OF/VI	NEW	\$8,520.00 \$8,520.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 30.00 X 72.00 X 33.00 LBS: 359.00				
			MM: 762 X 1829 X 838 LOCATION: FLOOR SPEC COMMENTS: ELECTRIC HEIGHT RANGE: 19"-33" AUX \$: \$8,520.00 VOLTS: 120 HERTZ: 60 AMPS: 4 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: REQUIRES 15 AMP CIRCUIT.				
3 EQ#:	105868 CHR06	1	CHAIR, ULTRASOUND ULTRASOUND CHAIR. FEATURES: BACKWARDS TILT, LOCKABLE SEAT ADJUSTABLE, SEAT HEIGHT ADJUSTABLE 23"-33", SEAT DEPTH ADJUSTMENT, BACK HEIGHT ADJUSTMENT, FOOTBASE WITH SLOPING FOOTPLATES, INDEPENDENT BACKWARDS TILT RESISTANCE ADJUSTMENT, 265 MM LIFT, FOOT RING.CHAIRS ARE CUSTOM BUILT TO ORDER.	HAG INC 8106 CAPISCO	OF/OI	NEW	\$952.89 \$952.89 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 28.74 X 28.74 X 50.00 LBS: 30.86				
			MM: 730 X 730 X 1270 KG: 14 LOCATION: FLOOR AUX \$: \$952.89				
4 EQ# :	072156 CAB03	1	CABINET, STORAGE, TRANSDUCER/PROBE 120V 3 PROBE POLYPROPYLENE CABINET; ACFHEPA-188 FILTER; ACFPRE10 PREFILTER	CS MEDICAL AC-TE-03 AC-TE-03	OF/OI	NEW	\$3,450.00 \$3,450.00 GROUP: 2 MAJOR MOVABLE
	vaminal		(WXDXH) IN: 26.00 X 10.00 X 88.00 LBS: 115.10 MM: 660 X 254 X 2235 KG: 52 LOCATION: FLOOR AUX \$: \$3,450.00 VOLTS: 120 HERTZ: 60 AMPS: 0.7 WATTS: 84				





FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#:	089695 WRM02	1	WARMER, GEL ULTRASOUND GEL WARMER; 3 BOTTLE; ADJUSTABLE TEMP; LCD TEMP DISPLAY;	PARKER LABORATORIES, INC. 83-03 (LCD TEMP) THERMASONIC	OF/OI	NEW	\$223.00 GROUP: 2	\$223.00 MAJOR MOVABLE
			(WXDXH) IN: 8.00 X 5.00 X 12.00 LBS: 3.00 MM: 203 X 127 X 305 KG: 1 LOCATION: COUNTERTOP AUX \$: \$223.00					
			VOLTS: 120 HERTZ: 60 AMPS: 0.26 WATTS: 31 PLUG TYPE: Type B (NEMA 5-15)					
6 EQ# :	101226 DIS01	1	DISINFECTOR ULTRASOUND TRANSDUCER DISINFECTOR;7 MIN CYCLE TIME;ELECTRONIC CYCLE LOGGING;W/WALL-MOUNTED PRINTER;(PRINTER IS 5X9X7") TO INCLUDE: 1 EA E8350MA TROPHON 2 DEVICE 1 EA E8350PA TROPHON PRINTER 1 EA E8350PB TROPHON PRINTER PAPER 1 EA E8350MD TROPHON WALL MOUNT 2 1 EA E8350PF TROPHON PRINTER WALL MOUNT 1 EA E8350MC TROPHON SONEX-HL 1 EA E8350MB TROPHON CHEMICAL INDICATOR	GE MEDICAL SYSTEMS E8350MA TROPHON 2	OF/CI	NEW	\$9,455.70	\$9,455.70 GROUP: 1 FIXED
			(WXDXH) IN: 14.20 X 12.50 X 21.00 LBS: 56.90 MM: 361 X 318 X 533 KG: 26 LOCATION: WALL AUX \$: \$9,455.70 DATA: HARD WIRED DATA NOTE: TCP/IP PROTOCOL; ETHERNET CONNECTOR RJ45; USB PORT: TYPE A VOLTS: 120 HERTZ: 60 AMPS: 6 WATTS: 720 PLUG TYPE: Type B (NEMA 5-15)					





FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7 EQ# :	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLO CASTERS; MEDIUM 29X38 BAG	SS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 MI	\$143.81 NOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG: 11					
			LOCATION: FLOOR AUX \$: \$143.81						
8	094275	1	WASTE RECEPTACLE, STEP-ON		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44	\$147.44
			8 GALLON;PLASTIC;BEIGE		FG614300BEIG			GROUP: 3 MI	NOR MOVABLE
	W.								
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG : 3					
			LOCATION: FLOOR						
			AUX \$: \$147.44						
9	055619	1	DISPOSAL CONTAINER, SHARPS W/BRACKET		BECTON DICKINSON	OF/CI	NEW	\$38.94	\$38.94
EQ#:	DSP01		RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		305517/305447			GROUP: 3 MI	NOR MOVABLE
1									
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273	KG : 1					
			LOCATION: WALL						
			AUX \$: \$38.94						





FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10 057206 EQ#: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL		BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 MINOR MOVABLE
		(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS:	5: 2.00					
		MM: 570 X 99 X 254 KG:	: 1					
		LOCATION: WALL						
		AUX \$: \$57.00						
11 1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 N	\$35.20 MINOR MOVABLE
		, , , , , , , , , , , , , , , , , , , ,	5: 0.35					
		MM: 28 X 86 X 140 KG:	: 0					
		LOCATION: WALL						
12 1014992	1	AUX \$: \$35.20 REGULATOR, SUCTION, CONTINUOUS & INTERMITT ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULOHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PAT PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHI WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINU INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITMIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57	ULATOR WITH TIENT CONNECTION. HES A VACUUM LIMIT UOUS AND CH. 0-200 MMHG	OHIO MEDICAL CORPORATION 8701-1251-901 PUSH-TO-SET	OF/OI	EXISTING	\$0.00 GROUP: 3 N	\$0.00 MINOR MOVABLE





ROOM TOTAL: \$118,598.98

FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: ULTRASOUND

ROOM NUMBER: 509

STATUS EXTENSION LINE ID# QTY GENERIC MANUFACTURER RESP PRICE 13 1015413 ALLIED HEALTHCARE PRODUCTS INC. OF/CI **BRACKET, SUCTION CANISTER** NEW \$25.00 \$25.00 INCLUDES 1500CC CANISTER AND CANISTER HOLDER 20-02-0150B GROUP: 3 | MINOR MOVABLE



(WXDXH) IN: 8.00 X 8.00 X 12.00

MM: 203 X 203 X 305 KG: 1

LBS: 2.00

LOCATION: WALL
AUX \$: \$25.00







FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: IMG DRESS

ROOM NUMBER: 511

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1003921 MEDLINE INDUSTRIES, INC. OF/OI 1 HAMPER, LINEN NEW \$143.81 \$143.81

EQ#: LHM01

RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING CASTERS; MEDIUM 29X38 BAG

TRICX302

GROUP: 3 | MINOR MOVABLE

(WXDXH) IN: 18.50 X 19.50 X 32.75

LBS: 25.00 **KG**: 11 **MM:** 470 X 495 X 832

LOCATION: FLOOR AUX \$: \$143.81

ROOM TOTAL: \$143.81





PlanView

FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: GENERAL RADIOLOGY

ROOM NUMBER: 512

EXTENSION
\$193,527.00 GROUP: 1 FIXED

1 VINYL CABLE WRAP 9 METERS

1 50FT BLACK CAT 6 ETHERNET CABLE, 70U

1 OMNERA WIRELESS KIT

1 PATIENT LATERAL ARM REST - GREY 1 GRID 52 LP/CM, 10:1 RATIO, F140, AL TYPE 1 GRID 52 LP/CM, 10:1 RATIO, F110, AL TYPE

1 NE V2.19 (INTANGIBLE) SOFTWARE WITH SCATTER CORRECTION

1 TRELLIX 3 YEAR MAINTENANCE AND SUPPORT LICENSE

1 WALL MOUNTED PANEL POCKET

1 WALL STAND: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER

1 TABLE: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER

1 DETECTOR HOLDER; MECHANICAL INDEX (TO FIND POSITION) FOR

MANUAL BUCKY MOVEMENT

1 CABLE OUTLET, OTC CABLING (CONNECTION TO WALL)

1 CANON PC, MONITOR (CMSU)

1 OEM SYSTEM STAGING

1 COLLISION PROTECTION (IR), DOWNWARDS OTC MOVEMENT

1 ~STANDARD APPLICATIONS TRAINING

1 80 KW 100KHZ-240KHZ HIGH FREQUENCY GENERATOR

1 AUTOMATIC COLLIMATOR WITH DAP + WALLSTAND COLLIMATOR HANDLE

1 600KHU XRAY TUBE 40/100KW 150KV

1 X=3M X Y=5M, COLUMN LENGTH 1700MM (OVER 2.85M CEILING HEIGHT

- 1700MM VERTICAL COLUMN STROKE)

1 WALLSTAND LEFT HAND LOADING

1 UPGRADE TO TILTING WALLSTAND FOR 400T

1 [KIT] MOTORIZED WALLSTAND

1 MOTORIZED WALLSTAND

1 FOOT CONTROL WS, MANUAL & MOTORIZED VERTICAL MOVEMENTS

1 WALL STAND CXDI-410/402 AND TABLE CXDI-410/402, 400T

1 CXDI-410C 17" X 17" KIT WITH 2 YR PROTECTION PLUS

1 CXDI-410C 17" X 17" WIRELESS DIGITAL DETECTOR

1 PROTECTION PLUS - YEAR 1





PlanView

FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: GENERAL RADIOLOGY

ROOM NUMBER: 512

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 PROTECTION PLUS - YEAR 2 1 410C PROTECT-A-GRID ENCASEMENT AND GRID (8:1/132/40"-72"/140CM) 1 CXDI 17" X 17" WIRELESS DETECTOR HOLDER (NO GRID) 1 17" X 17" WEIGHT DISTRIBUTION CAP FOR CXDI DETECTOR 1 TABLE TOP DR PANEL HOLDER FOR USE WITH WIRELESS 1 REJECT ANALYSIS MODULE 1 PATIENT KIT: COMPRESSION BELT COST EFFECTIVE - PATIENT HANDGRIP (2PCS) AND MATTRESS LBS: 3,170.00 KG: 1438 LOCATION: FLOOR **AUX \$:** \$193,527.00 **DATA: HARD WIRED DATA NOTE: ETHERNET** VOLTS: 480 **AMPS:** 70 **DEDICATED CIRCUIT: YES ELECT NOTE: 3 PHASE; SEE DATA SHEET FOR DETAILS** MECH NOTE: MINIMUM OF 10 AIR CHANGES PER HOUR IS SUGGESTED, SEE DATA SHEET 2 098605 RACK, APRON, WALL MOUNTED PHILLIPS SAFETY PRODUCTS OF/CI NEW \$71.43 \$71.43 EQ#: RCK01 8 PEGS;4 APRONS;ELECTRO-MAGNETIC POWDER COATING;STAINLESS GROUP: 3 | MINOR MOVABLE **STEEL** RAR-P4 (WXDXH) IN: 19.00 X 5.00 X 3.00 LBS: 7.20 MM: 483 X 127 X 76 **KG**: 3 LOCATION: WALL AUX \$: \$71.43 1001743 AADCO MEDICAL, INC. OF/OI **EXISTING** \$0.00 APRON, LEAD \$0.00 LP-CX---COMFORTLITE WAIST ADJUSTABLE APRON; 0.35MM, 0.5MM LEAD EQUIV; GROUP: 3 | MINOR MOVABLE **VELCRO CLOSURES; ELASTIC BACK SECTIONS** COMFORTLITE LOCATION: SPACE AUX \$: \$411.00







FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: GENERAL RADIOLOGY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 EQ#:	057206 GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHO MOUNT;VERTICAL/HORIZONTAL	DLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 NINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						
5	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 N	\$130.00 IINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM: 400 X 413 X 435	KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$130.00						
6 EQ# :	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOS CASTERS; MEDIUM 29X38 BAG	SS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 N	\$143.81 NINOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG: 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						





FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: GENERAL RADIOLOGY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7 EQ# :	006717 RES01	1	RESTRAINT, IMMOBILIZER, CHILD SMALL;FOR X-RAY USE;INFANT TO 3 1/2 YEARS; PLATFORM TO FACILITATE OBLIQUE AND LATER, BALANCED CASSETTE HOLDER;TO ACCOMMOD, TO 14X17";LEAD SHIELD W/R, L AND ARROW MARKERS;ADJUSTABLE;CASTERS	AL VIEWS;SPRING	MXR/SOURCEONE 292205/MODERN WAY PIGG-O-STAT	OF/OI	NEW	\$3,616.48 GROUP: 3 N	\$3,616.48 NINOR MOVABLE
			(WXDXH) IN: 20.00 X 22.00 X 35.00	LBS: 48.00					
		<i>MM</i> : 508 X 559 X 889							
8	1003609	1	AUX \$: \$3,616.48		TECHNO-AIDE STEALTH-COTE SPONGER KIT 127595	OF/OI	NEW	\$404.32 GROUP: 3 N	\$404.32 NINOR MOVABLE
9 EQ# :	1003487 BRD01	1	AUX \$: \$404.32 BOARD, PATIENT TRANSFER 500LB WEIGHT CAP;PVC TRANSFER BOARD TO INCLUDE: 1 EA. PVCM618HDP WALL BRACKET		MEDLINE INDUSTRIES, INC. PVCM600W	OF/CI	NEW	\$223.99 GROUP: 3 N	\$223.99 IINOR MOVABLE
			(WXDXH) IN: 35.50 X 70.00 X 1.25	LBS: 26.00					
			MM : 902 X 1778 X 32	KG : 12					
			LOCATION: WALL						
			AUX \$: \$223.99						





FLOOR: DEPARTMENT:

ROOM NAME:

1

_

IMAGING

GENERAL RADIOLOGY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10	1004559	2	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 MI	\$70.40 NOR MOVABLE
'	*		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0 MM: 28 X 86 X 140 KG: 0 LOCATION: WALL						
			AUX \$: \$35.20						
11 1004558	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PC CONNECTION	ORT USA; PB	OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	EXISTING	\$0.00 GROUP: 3 MI	\$0.00 NOR MOVABLE
			(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0	0.40					
			MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16						
12	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTE ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULA OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIE PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUO INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMI L/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50 MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57	ATOR WITH ENT CONNECTION. S A VACUUM LIMIT DUS AND I. 0-200 MMHG		OF/OI	EXISTING	\$0.00 GROUP: 3 MI	\$0.00 NOR MOVABLE



PlanView

FLOOR:

1

DEPARTMENT:

ROOM NAME:

GENERAL RADIOLOGY

IMAGING

ROOM NUMBER: 512

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
13	13 1015413		BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOL	DER	ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 \$25.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00				
			MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	KG : 1				
14 EQ ‡	055619 #: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$38.94 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54				
			MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	KG: 1				
15	094275	1	WASTE RECEPTACLE, STEP-ON		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44 \$147.44
			8 GALLON;PLASTIC;BEIGE		FG614300BEIG			GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30				
			MM: 413 X 400 X 432 LOCATION: FLOOR	KG : 3				
			AUX \$: \$147.44					POOM TOTAL · \$108 455 81

ROOM TOTAL: \$198,455.81





FLOOR: 1

DEPARTMENT: IMAGING

ROOM NAME: GENERAL RADIOLOGY CONTROL

ROOM NUMBER: 513

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50 \$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR MOVABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543			

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LBS: 5.00 KG: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$54.50





AQUILION PRIME

PRIME SP10.000

CANON MEDICAL SYSTEMS USA, INC.

OF/VI

NEW

PlanView

EXTENSION

\$473.180.00

GROUP: 1 | FIXED

PRICE

\$473,180.00

FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT SCAN

ROOM NUMBER: 514

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS

EQ#: ICT01

1015460

TO INCLUDE:

IMAGING, CT SYSTEM

1

1 PRIME SP 80 DESCRIPTION V10

1 YES - PRIME-SP SEISMIC LABELING AND ANCHORING REQUIRED

1 NAVI BOX ANCHORAGE SYSTEM (GENESIS, PRISM, AND PRIME SP10)

1 CON BOX BRACKETS (WITH STRAPS)

1 POWER DISTRIBUTER SEISMIC HARDWARE

1 CBTB-032 CT PATIENT COUCH BRACKETS (SET OF 2) FOR COUCH

WITHOUT LATERAL MOVEMENT

1 AQUILION PRIME SP CONFIGURATION (80 ROW / 80 SLICE) WITH HIGH

CAPACITY EXTENDED COUCH KIT

1 CT SCANNER AQUILION PRIME SP WITH HIGH CAPACITY EXTENDED

COUCH

1 ACCESSORY KIT FOR HIGH CAPACITY COUCH

1 AQUILION DETECTOR UPGRADE

1 PHANTOM, IMAGE QUALITY

2 MULTIFUNCTION TASK CHAIR WITH ARMS

1 CONSOLE DESK 65" X 36" X 30"

1 NON-CORROSIVE FLOOR LEVELING EPOXY KIT

1 DVD-R 4.7 GB 10 PACK SLIM CASE

1 72 KW X-RAY HIGH VOLTAGE GENERATOR 600 MA UPGRADE

1 SURECONNECT DICOM CONNECTIVITY PACKAGE

1 DICOM 3 STORAGE SERVICE CLASS PROVIDER (SCP)

1 DICOM 3 MODALITY WORKLIST MANAGEMENT (MWM) SERVICE CLASS

USER (SCU) SYSTEM

1 DICOM 3 PERFORMED PROCEDURE STEP SCU

1 DICOM 3 QUERY/RETRIEVE SCP

1 DICOM 3 QUERY/RETRIEVE SCU AQ/MP

1 DICOM 3 STORAGE COMMITMENT SCU SOFTWARE

1 PRESENTATION OF GROUPED PROCEDURES (PGP) AND EXAM HARD SPLIT

1 [KIT] POWERVAR 6KVA CONSOLE UPS FOR AQUILION PRIME SP

1 POWERVAR 6KVA CONSOLE UPS

1 CONSOLE UPS U6000 CONNECTION KIT (AQUILION PRIME SP)

1 POWER DISTRIBUTION UNIT

1 REQUIRED FOR SEISMIC STATES - SEISMIC MOUNTING KIT FOR

POWERVAR SECURITY PLUS II UPS

1 STANDARD APPLICATIONS TRAINING

1 [KIT] AQUILION SURESUBTRACTION COMPLETE WORKFLOW PACKAGE

1 SURESUBTRACTION SCANNING (RECOMMEND ADDITIONAL

SURESUBTRACTION OPTIONS)

1 SURESUBTRACTION ORTHO (RECOMMEND CHSS-001A

SURESUBTRACTION SCANNING)

1 SURESUBTRACTION LUNG (RECOMMEND CHSS-001A SURESUBTRACTION

SCANNING)







EXTENSION

\$37,000.00 GROUP: 1 | FIXED

PRICE

\$37,000.00

FLOOR: 1

LINE

DEPARTMENT: **IMAGING** ROOM NAME: CT SCAN ROOM NUMBER: 514

ID#

QTY GENERIC

1 SURESUBTRACTION IODINE MAPPING (REQUIRES VERSION 8.3 SOFTWARE OR GREATER) 1 SURESUBTRACTION ANGIO (REQUIRES VERSION 8.3 SOFTWARE OR GREATER) 1 SURESUBTRACTION BRAIN/NECK 1 CARDIAC BUNDLE WORKFLOW PROMOTION 1 ECG GATED SCANNING FOR AQUILION PRIME, LIGHTNING, EXCEED LB & CARTESION PRIME 1 ECG MONITOR, R WAVE CARDIAC TRIGGER 7800T 1 STAND, ECG UNIT (MODEL-7800) 1 VARIABLE HELICAL PITCH (PRE V6-REQUIRES SURECARDIO ECG GATING) 1 SURECARDIO SCORING ON CONSOLE (REQUIRES ECG OPTION) 1 ADVANCED CARDIAC CT COURSE FOR TECHNOLOGISTS 1 AI ADVANCED IMAGING (AI) PROMOTION PACKAGE

MEDRAD/BAYER HEALTHCARE

STELLANT FLEX

MANUFACTURER

RESP

OF/VI

STATUS

NEW

LOCATION: FLOOR

1 AICE FOR CT

AUX \$: \$500,000.00

1 [KIT] DIGITAL SERVICES PROMOTION

DATA NOTE: YES

VOLTS: 480 **HERTZ:** 60 **AMPS**: 100 **ELECT NOTE: REFERENCE VENDORS TECHNICAL DATA**

106403

EQ#: INJ01



INJECTOR DUAL INJECTION SYRINGE HEAD; LED DISPLAY

TO INCLUDE:

1 EA STELLANT FLEX OCS: MEDRAD STELLANT FLEX CT INJECTION SYSTEM

LBS: 30.40

KG: 14

1 EA INS SCT FLEC CS: INSTALLATION

(WXDXH) IN: 12.10 X 9.00 X 25.80 **MM:** 307 X 229 X 655

LOCATION: CEILING

SPEC COMMENTS: REFERENCE VENDOR'S TECHNICAL DATA FOR ARM LENGTHS AND INSTALLATION INFORMATION BASE UNIT: 11.0X9.0X11.3 WXDXH IN INCHES, 13.6LBS. WORKSTATION: 15.1X7.9X10.8 WXDXH IN

INCHES, 15.8LBS

AUX \$: \$37,000.00

DATA: WIRELESS

DATA NOTE: OPTIONAL VIRTUAL-CARE REMOTE SUPPORT VOLTS: 120 WATTS: 300 HERTZ: 60 **AMPS:** 2.5

> MECH NOTE: DIMENSIONS ARE FOR INJECTOR ONLY WORKSTATION MEASURES 16" X 8" X 11", 16LBS

Confidential





FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: CT SCAN
ROOM NUMBER: 514

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 056002 EQ#: CRC04		1	CART, RESUSCITATION, CARDIAC CART, RESUSCITATION, CARDIAC; 6 DRAWERS;4-3", 1-6",1-12",PVC BUMPER;LOCKING BREAKAWAY BAR, TWIN PADDED PUSH HANDLES;METAL DRAWER PULLS;ALL-SWIVEL CASTER TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. ADT-1 CRASH CART TRAY W/ LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY (WXDXH) IN: 43.00 X 25.00 X 47.00 MM: 1092 X 635 X 1194 KG: 75 LOCATION: PLACE ON NORTH WALL; SHARED BETWEEN CT AND SHARES	ARMSTRONG MEDICAL INDUSTRIES AR-6 PREMIER W/ER PK XRAY ROOMS	OF/VI	NEW	\$2,030.16 \$2,030.16 GROUP: 3 MINOR MOVABLE
	082533 : DEF01	1	AUX \$: \$2,030.16 DEFIBRILLATOR R SERIES ALS DEFIBRILLATOR;AED W/MANUAL OVERRIDE;GUIDELINI COMPATIBLE;CODE READINESS TESTING SYSTEM;RECTILINEAR BIPH, TECHNOLOGY ONESTEP 3 LEAD ECG CABLE W/AHA MARKINGS ADVISORY DEFIBRILLATION;BUILT-IN TEST PORT;COMPACT FLASH CASLOT;INTEGRATED AC POWER 5.8 AH LITHIUM ION BATTERY;PACKAGE INCLUDES: EXPANSION PACK, ONE STEP PACING, MASIMO PULSE OXIMETRY,NIBP, ETCO2 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGEABLE LITHIUM ION BATTERY PACK (WXDXH) IN: 10.50 X 12.50 X 8.20 MM: 267 X 318 X 208 KG: 7 LOCATION: COUNTERTOP AUX \$: \$23,980.20 DATA: HARD WIRED AND WIRELESS DATA NOTE: OPTIONAL WIFI: 802.11B USB PORT 2.0 COMPATIBLE VOLTS: 120 HERTZ: 60 AMPS: 2	ASIC R SERIES ALS ARD	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE

ELECT NOTE: SEALED LEAD ACID BATTERY INTEGRAL BATTERY CHARGER

EMERGENCY POWER





FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT SCAN ROOM NUMBER: 514

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE E	XTENSION
5 EQ# :	094808 ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, PORTA PORTABLE; RECHARGEABLE BATTERY; LED DISPLAY; I DISPOSABLE CANISTER SYSTEM; HIGH FLOW; HIGH VACUUM RANGE; EXTERNAL BATTERY CHARGER TO INCLUDE: 1 EA 780220 AC POWER CORD -EU	HEPA FILTER;BEMIS	LAERDAL MEDICAL CORP. LSU 4000 78002001	OF/OI	NEW	\$995.00 GROUP: 2 MAJOR	\$995.00 MOVABLE
			(WXDXH) IN: 13.00 X 6.30 X 12.40 MM: 330 X 160 X 315 LOCATION: COUNTERTOP AUX \$: \$995.00 VOLTS: 120	LBS: 8.20 KG: 4 HARGER					
6 EQ# :	055619 DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MINOR	\$38.94 MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1					
7	1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF		OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 MINOR	\$35.20 MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50 MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20	LBS: 0.35 KG : 0					





FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT SCAN ROOM NUMBER: 514

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 MIN	\$35.20 NOR MOVABLE
	-		(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0. MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20	35				
9	1004558	1	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI POI CONNECTION	OHIO MEDICAL CORPORATION RT USA; PB FM-15UA-OHPT	OF/OI	NEW	\$39.16 GROUP: 3 MIN	\$39.16 NOR MOVABLE
	-		(WXDXH) IN: 1.25 X 3.50 X 5.50 LBS: 0. MM: 32 X 89 X 140 KG: 0 LOCATION: WALL AUX \$: \$39.16	40				
10	1014992	1	REGULATOR, SUCTION, CONTINUOUS & INTERMITTEN ANALOG CONTINUOUS/INTERMITTENT VACUUM REGULAT OHMEDA DIAMOND ADAPTER AND TUBING NIPPLE PATIEN PUSH-TO-SET MECHANISM AUTOMATICALLY ESTABLISHES WITH EACH VACUUM LEVEL SETTING IN BOTH CONTINUOU INTERMITTENT MODES. TOP MOUNTED ON/OFF SWITCH. AND FULL-WALL VACUUM RANGES. FLOW RATE: INTERMITL/MIN, CONTINUOUS 0-80 L/MIN. (WXDXH) IN: 2.80 X 4.80 X 6.50	OR WITH 8701-1251-901 NT CONNECTION. PUSH-TO-SET A VACUUM LIMIT US AND 0-200 MMHG	OF/OI	EXISTING	\$0.00 GROUP: 3 MIN	\$0.00 NOR MOVABLE
			MM: 71 X 122 X 165 LOCATION: SPACE AUX \$: \$518.57					



PlanViev

FLOOR:

ROOM NAME:

1

DEPARTMENT: IMAGING

CT SCAN

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11	11 1015413		BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLDER		ALLIED HEALTHCARE PRODUCTS INC. 20-02-0150B	OF/CI	NEW	\$25.00 GROUP: 3 M	\$25.00 INOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00 LBS	5: 2.00					
			MM: 203 X 203 X 305 KG:	: 1					
			LOCATION: WALL						
			AUX \$: \$25.00						
12			HAMPER, LINEN		MEDLINE INDUSTRIES, INC.	OF/OI	NEW	\$143.81	\$143.81
EQ#	: LHM01		RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FIN CASTERS; MEDIUM 29X38 BAG	NISH; 3 IN LOCKING	TRICX302			дко <i>и</i> р: з м	INOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75 LBS	S: 25.00					
			MM: 470 X 495 X 832 KG:	: 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						
13	057206	1	DISPENSER, GLOVE		BOWMAN MANUFACTURING COMPANY	OF/CI	NEW	\$57.00	\$57.00
EQ#	: GLV01		HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL		QUAD GLOVE DISPENSER GP-061			GROUP: 3 M	INOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS	S: 2.00					
			MM: 570 X 99 X 254 KG:	: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						





FLOOR: 1

DEPARTMENT: IMAGING
ROOM NAME: CT SCAN
ROOM NUMBER: 514

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTEN	SION
14 EQ#	14 066923 EQ#: WRM01		WARMER, CONTRAST MEDIA .65 CF;BI-METALLIC THERMOSTAT;2 FIXED SHE CONSTRUCTION; POWDER COAT FINISH	.VES; EXTERIOR STEEL	CONE INSTRUMENTS 216105 -	OF/OI	NEW	\$596.00 \$5 GROUP: 2 MAJOR MOV	96.00 /ABLE
			(WXDXH) IN: 10.20 X 18.50 X 16.30 MM: 259 X 470 X 414 LOCATION: COUNTERTOP	LBS: 16.00 KG: 7					
			AUX \$: \$596.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: 100-240V;50/60HZ						
15 1003487 EQ#: BRD01		1	BOARD, PATIENT TRANSFER 500LB WEIGHT CAP; PVC TRANSFER BOARD TO INCLUDE: 1 EA. PVCM618HDP WALL BRACKET		MEDLINE INDUSTRIES, INC. PVCM600W	OF/CI	NEW	\$223.99 \$2 GROUP: 3 MINOR MOV	23.99 /ABLE
			(WXDXH) IN: 35.50 X 70.00 X 1.25	LBS: 26.00					
			MM: 902 X 1778 X 32 LOCATION: WALL AUX \$: \$223.99	KG: 12					
16	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 \$1 GROUP: 3 MINOR MOV	47.44 /ABLE
	A								
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG: 3					
			LOCATION: FLOOR AUX \$: \$147.44						





FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT SCAN ROOM NUMBER: 514

AUX \$: \$39.00

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
17	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 N	\$130.00 MINOR MOVABLE
			` '	LBS: 7.90 KG: 4					
18 EQ#	1003160 :: DSPP03	1	DISPOSAL CONTAINER, WASTE, PHARMACEUTIC LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON P CONTAINER LEAK RESISTANT; TAMPER EVIDENT; SEC LID; ABSORBENT PAD FOR EXCESS FLUID	HARMASAFETY	COVIDIEN 8528C/8836SA	OF/OI	NEW	\$39.00 GROUP: 3 N	\$39.00 MINOR MOVABLE
			` '	LBS: 5.00 KG: 2 '5" X 6.5" X 11.75" (W X D					

ROOM TOTAL: \$514,715.90



PlanView

FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT CONTROL

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	069542 ICR01	, ,		S PER HOUR	FUJIFILM MEDICAL SYSTEMS USA, INC. FCR PRIMA T CR1R-392	OF/VI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 22.00 X 21.00 X 15.00 MM: 559 X 533 X 381 LOCATION: COUNTERTOP ELECT NOTE: 120V;60HZ;1.9 AMPS	LBS: 86.00 KG: 39					
2 EQ# :	1001188 CBW01	1	CABINET, WARMING 2.5 CUBIC FT; 6 BLANKET CAPACITY; COUNTED STACKABLE; NO FANS OR MOVING PARTS	RTOP MODEL;	ENTHERMICS MEDICAL SYSTEMS TITAN SERIES EC250	OF/OI	NEW	\$3,762.00 GROUP: 2 M	\$3,762.00 AJOR MOVABLE
			(WXDXH) IN: 18.50 X 23.50 X 22.00	LBS: 67.00					
			MM: 470 X 597 X 559	KG: 30					
			LOCATION: COUNTERTOP SPEC COMMENTS: CLEARANCES: TOP/LEFT/R AUX \$: \$3,762.00	IGHT: 1", BACK 3"					
			VOLTS: 120 HERTZ: 60 AMPS: 5 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 0.6KW;15A;125V PLUG;HOSPITA	AL GRADE PLUG	BTU: 2050				
3	098605 1		RACK, APRON, WALL MOUNTED		PHILLIPS SAFETY PRODUCTS	OF/CI	NEW	\$71.43	\$71.43
EQ#:	RCK01		8 PEGS;4 APRONS;ELECTRO-MAGNETIC POW STEEL	DER COATING;STAINLESS	RAR-P4			GROUP: 3 M	IINOR MOVABLE
			(WXDXH) IN: 19.00 X 5.00 X 3.00	LBS: 7.20					
			MM: 483 X 127 X 76	KG: 3					
			LOCATION: WALL						
			AUX \$: \$71.43						





FLOOR: 1

DEPARTMENT: IMAGING ROOM NAME: CT CONTROL

ROOM NUMBER: 515

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4	1001743	4	APRON, LEAD COMFORTLITE WAIST ADJUSTABLE APRON; 0.35MM, 0.5MM LEAD EQUIV; VELCRO CLOSURES; ELASTIC BACK SECTIONS	AADCO MEDICAL, INC. LP-CX COMFORTLITE	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			LOCATION: SPACE				
			AUX \$: \$411.00				
5	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			OTY PART NUMBER DESCRIPTION	<u>PRICE</u>			
			1 BEIG BEIGE	\$0.00			
	(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50						

ROOM TOTAL: \$3,887.93





GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: **IMAGING**

ROOM NAME: ALCOVE, MOBILE XRAY

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1001970 **IMAGING, X-RAY UNIT, MOBILE, BATTERY** CANON, USA, INC. OF/VI NEW \$113,673.00 \$113,673.00

EQ#: IMX01

MOBILE DIGITAL X-RAY; 360 DEGREE ROTATION OF THE PORTABLE X AND Y SOLTUS-500

AXIS; EXPOURE TIME RAND 0.001-10 SECONDS; DUAL FOCAL FIXED ANODE;

ANODE ANGLE 14 DEGREES

OPTIONS AND ACCESSORIES								
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>					
1	810CW	CANON CXDI-810C WIRELESS DIGITAL DETECTOR	\$0.00					
1	APPLICATIONSTRAINI NG3	APPLICATIONS TRAINING - THREE (3) DAYS/TWENTY-FOUR (24) HOURS OF TECHNOLOGIST TRAINING	\$0.00					
1	WARRANTY	WARRANTY - TWO (2) YEARS PARTS AND LABOR ON RADIOGRAPHIC SYSTEM AND CANON PRODUCTS. ONE (1) YEAR PRO	\$0.00					
1	VIR INSTALL	INCLUDES STANDARD INSTALLATION	\$0.00					
1	710CW	CANON CXDI-710C WIRELESS DIGITAL DETECTOR	\$0.00					

(WXDXH) IN: 21.30 X 99.00 X 87.80 LBS: 1,146.00 **MM:** 541 X 2515 X 2230 **KG**: 520

LOCATION: FLOOR

AUX \$: \$113,673.00 **VOLTS:** 120 **HERTZ**: 60 **ELECT NOTE:** 100-240V;50/60

ROOM TOTAL: \$113,673.00

DEPARTMENT TOTAL: \$949,728.43







FLOOR: 1

DEPARTMENT: LA

LAB

ROOM NAME: MICROBIOLOGY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	1005344 BIO01	1	CABINET, SAFETY, BIOLOGICAL 3' BIOLOGICAL SAFETY CABINET W/ 10" SASH OPENING, UV LIGHT, SERVICE FIXTURE AND VACU-PASS PORTAL; ELECTRONICALLY COMMUTATED MOTOR (ECM); CONSTANT AIRFLOW PROFILE (CAP) AIRFLOW MONITORING SYSTEM; INTRINSICALLY-SAFE NEGATIVE PRESS DESIGN; AIR-WAVE ENTRY SYSTEM; CONTAIN-AIR NEGATIVE PRESSURE CHANNEL; FULLY-CLOSING, CLEAR 1/4" TEMPERED SAFETY GLASS SASH; CURVED STAINLESS STEEL INLET GRILLE WITH RESERVE-AIR SECONDARY AIRFLOW SLOTS; 10° ANGLED SASH WITH COUNTERBALAN EASY LIFT MECHANISM; ADA-COMPLIANT TOUCHPAD CONTROL ON RIG SIDE POST (WXDXH) IN: 42.30 X 31.20 X 61.70 MM: 1074 X 792 X 1567 LOCATION: FLOOR AUX \$: \$10,530.00 VOLTS: 115 HERTZ: 60 AMPS: 12 WATTS: 1380	ICED,	OF/VI	NEW	\$10,530.00	\$10,530.00 GROUP: 1 FIXED
2	068742	1	PLUG TYPE: Type B (NEMA 5-15) LAB CENTRIFUGE, COUNTER TOP 9 SPEED SETTINGS: 20 1060 VG EODCES: 6 CYCLE TIMES	MECH NOTE: 303-379 CFM W/ OPTIONAL O IRIS DIAGNOSTICS STATSPIN CYTOFUGE 2	OF/OI	EXISTING	\$0.00 CROUD: 2.1	\$0.00
EQ#	CEN04		8 SPEED SETTINGS;20-1060 XG FORCES;6 CYCLE TIMES	CF02			GROUP: 2	MAJOR MOVABLE
			(WXDXH) IN: 6.60 X 8.60 X 5.30 LBS: 5.50 MM: 168 X 218 X 135 KG: 2 LOCATION: COUNTERTOP AUX \$: \$5,000.00 VOLTS: 120 HERTZ: 60					







FLOOR: 1 DEPARTMENT:

LAB

ROOM NAME: MICROBIOLOGY

ROOM NUMBER: 500

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1006076 LAB ANALYZER, CHEMISTRY, IMMUNO QUIDEL OF/VI **EXISTING** \$0.00 \$0.00 COUNTERTOP IMMUNOASSAY ANALYZER FOR USE WITH CASSETTE-BASED 20310 GROUP: 2 | MAJOR MOVABLE EQ#: QUI01 IMMUNOFLUORESCENT IN VITRO DIAGNSOTIC ASSAYS MANUFACTURED BY SOFIA 2 QUIDEL. FEATURES: ULTRAVIOLET LED ENERGY SOURCE. USES ADVANCED FLUORESCENCE DETECTION TO COLLECT HUNDREDS OF DATA POINTS ON A TEST STRIP FOUND INSIDE OF A SOFIA FIA TEST CASSETTE. USES PROPRIETARY ALGORITHMS TO ANALYZE THE DATA, INTERPRETS THE SIGNALS AND PROPERLY DETERMINES THE RESULTS AUTOMATICALLY. STORES UP TO 1000 PATIENT TESTS RESULTS, 200 QC RESULTS AND 2000 CALIBRATION RESULTS. CAN ALSO BE EXPORTED TO A USB FLASH DRIVE USING PORT ON THE BACK. EACH 1 GB OF EXTERNAL USB MEMORY CAN HOLD UP TO APPROXIMATELY 4000 TEST RESULTS. 4-INCH COLOR LCD TOUCHSCREEN AND AN RJ45 CONNECTOR. CUSTOMIZABLE SETTINGS, FLEXIBLE WORKFLOW, BARCODE TECHNOLOGY AND VIRENA WIRELESS CONNECTIVITY. TWO MODES (WALK AWAY AND READ NOW) TO INCLUDE: 1EA LEASED SOFIA 2 ANALYZER 1EA INSTALL KIT 1EA INFLUENZA A&B FIA TEST KIT (25 TEST) (WXDXH) IN: 4.72 X 8.66 X 4.72 LBS: 2.00 MM: 120 X 220 X 120 KG: 1 **LOCATION: COUNTERTOP** AUX \$: \$252.50 **DATA: HARD WIRED DATA NOTE: RJ45 LAN INTERFACE VOLTS:** 120 **HERTZ:** 60 AMPS: 2.93 **ELECT NOTE:** ELECTRICAL REFLECTS POWER ADAPTER. SYSTEM COMES WITH PRE-INSTALLED RECHARGEABLE BATTERY. 1007244 LAB INCUBATOR, FLOOR MODEL THERMO FISHER SCIENTIFIC OF/OI **EXISTING** \$0.00 \$0.00 EQ#: INC03 5.1 CU FT INCUBATOR; GRAVITY CONVECTION; 120 VAC PR205165G GROUP: 2 | MAJOR MOVABLE **PRECISION** (WXDXH) IN: 21.00 X 21.00 X 33.00 MM: 533 X 533 X 838 LOCATION: FLOOR AUX \$: \$0.00 **VOLTS: 120** HERTZ: 60





FLOOR: 1 **DEPARTMENT:** LAB

ROOM NAME: MICROBIOLOGY

ROOM NUMBER:

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1007247 : LMG01	1	LIGHT, MAGNIFIER 7" WIDE MAGNIFYING ACRYLIC LENS; 1600 LUMEN; INCLUDES CLAMP; 120 VAC		NEATFI 9006LED	OF/OI	EXISTING	\$0.00 <i>GROUP: 2</i>	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 12.40 X 4.13 X 26.00 MM: 315 X 105 X 660 LOCATION: COUNTERTOP AUX \$: \$150.00 VOLTS: 120 HERTZ: 60	LBS : 6.50 KG : 3					
6 EQ#	009775 : LAB01	1	LAB ANALYZER, BACTERIA STANDARDIZED, AUTOMATED PANEL INTERPETATION DATA MANAGEMENT SYSTEM; PROVIDES MIC FOR URINE LEVELS WITH SIMULTANEOUS IDENTIFICATION A LARGE DATABASE OF CLINICALLY RELEVANT BAC	BLOOD AND ON FOR	SIEMENS MEDICAL SYSTEMS/CORPORATE B1012-2 DADE MICROSCAN AUTOSCAN-4	OF/VI	EXISTING	\$0.00 <i>GROUP: 2</i>	\$0.00 MAJOR MOVABLE

(WXDXH) IN: 14.00 X 16.00 X 10.00 **MM:** 356 X 406 X 254

LBS: 30.00 KG: 14

LOCATION: COUNTERTOP

NOTES: 6/6/2023: LOOK AT BUYING NEW DUE TO SERVICE CONTRACT

INCLUDES PRO PC WORKSTATION

AUX \$: \$49,900.00 **VOLTS:** 115 **HERTZ**: 60

> **MECH NOTE:** ENVIRONMENTAL CONDITIONS: TEMPERATURE - OPERATING 0.5 TO 32 DEG. C; STORAGE - MINUS 30 TO 50 DEG. C (MINUS 22 TO MINUS 122 DEG. F); HUMIDITY - 30 TO 80 PERCENT (NO

CONDENSATION)







FLOOR:

1

DEPARTMENT:

LAB

ROOM NAME: MICROBIOLOGY

ROOM NUMBER:

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1007249 d: LAB02	1	LAB ANALYZER, BACTERIA MICROSCAN TURBIDITY METER	SIEMENS 5400-3126D AUTOSCAN TURBIDITY METER	OF/VI	EXISTING	\$0.00 GROUP: 2 I	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 6.00 X 4.00 X 4.00 MM: 152 X 102 X 102 LOCATION: COUNTERTOP AUX \$: \$0.00 VOLTS: 120 HERTZ: 60					
8 EQ #	1000226 : LBM03	1	LAB MICROSCOPE LABORATORY MICROSCOPE; QUINTUPLE NOSE PIECE; 5 LENSES	OLYMPUS AMERICA INC. BH2	OF/OI	EXISTING	\$0.00 GROUP: 2 I	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 12.00 X 15.00 X 18.00 LBS: 16.00					



(WXDXH) IN: 12.00 X 15.00 X 18.00 MM: 305 X 381 X 457

KG: 7

LOCATION: COUNTERTOP

AUX \$: \$0.00

VOLTS: 115

HERTZ: 60







FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: MICROBIOLOGY

ROOM NUMBER: 500

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1005504 ANALYZER, LAB, MOLECULAR QIAGEN OF/VI **EXISTING** \$0.00 \$0.00 EQ#: QIA01 NUCLEIC ACID LAB ANALYZER. FEATURES: INSTRUMENT CONSISTS OF BOTH 9002824 GROUP: 2 | MAJOR MOVABLE THE OPERATIONAL MODULE AND ANALYTICAL MODULE, LESS THAN QIASTAT-DX ONE-MINUTE HANDS-ON TIME. ALL WET AND DRY REAGENTS ONBOARD AND ROOM TEMPERATURE STABLE. UTILIZES REAL-TIME PCR. RESULTS AVAILABLE IN ABOUT AN HOUR. TOUCHSCREEN, 1X 10/100 - BASE-T ETHERNET, BAR CODE READER FOR SAMPLE, PATIENT, USER, AND QIASTAT-DX ASSAY CARTRIDGE IDENTIFICATION, CARTRIDGE ENTRANCE PORT, 1 FRONT AND 3 REARS USB PORTS. (WXDXH) IN: 9.21 X 20.35 X 12.83 LBS: 46.29 MM: 234 X 517 X 326 KG: 21 **LOCATION: COUNTERTOP** SPEC COMMENTS: INSTRUMENT CONSISTS OF BOTH THE OPERATIONAL MODULE AND ANALYTICAL MODULE. DIMENSIONS REFLECT THE OPERATIONAL MODULE ONLY, ANALYTICAL MODULE: 6.023 X 16.850 X 12.086 IN. WEIGHT INCLUDES THE TWO MODULES. TO ENSURE PROPER VENTILATION, MAINTAIN A MINIMUM CLEARANCE OF 10 CM AT THE REAR OF THE QIASTAT-DX ANALYZER 1.0 AND DO NOT BLOCK AIRFLOW UNDER THE UNIT. SLITS AND OPENINGS THAT ENSURE INSTRUMENT VENTILATION MUST NOT BE COVERED. AUX \$: \$0.00 **DATA: HARD WIRED** DATA NOTE: ETHERNET INTERFACE 1X 10/100 - BASE-T ETHERNET USB PORTS 1 FRONT AND 3 REARS **VOLTS:** 120 **HERTZ:** 60 **AMPS:** 2.5 **WATTS:** 300 **PLUG TYPE:** Type B (NEMA 5-15) OF/OI 10 063128 LAB MIXER THERMO FISHER SCIENTIFIC **EXISTING** \$0.00 \$0.00 EQ#: MIX01 **VORTEX MIXERS** VARIABLE SPEED ANALOG MIXER; 100-3200 RPM; GROUP: 2 | MAJOR MOVABLE FOR FLASKS, BEAKERS, TUBES AND MICROWELL PLATES; 02-215-365 TOUCH MODE; 3 WAY POWER SWITCH. INCLUDES: CUP HEAD AND 3" HEAD WITH COVER (WXDXH) IN: 5.00 X 6.00 X 6.00 **MM**: 127 X 152 X 152 **LOCATION: COUNTERTOP** AUX \$: \$438.00







FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: MICROBIOLOGY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 M</i>	\$130.00 INOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	KG: 4					
12	1014551	1	WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSAL	WITH FLIP-TOP LID	MARKETLAB, INC. ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 <i>GROUP: 3 M</i>	\$83.00 INOR MOVABLE
	1		(WXDXH) IN: 5.00 X 3.88 X 7.63	LBS: 2.00					
			MM: 127 X 99 X 194	KG: 1					
			LOCATION: COUNTERTOP	NO. 1					
			AUX \$: \$83.00						
13 EQ #	053801 e: DSP02	1	DISPOSAL CONTAINER, SHARPS W/ENCLOSUR 12 QUART; WALL ENCLOSURE W/CONTAINER INSE		KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA	OF/CI	NEW	\$70.00 GROUP: 3 M	\$70.00 INOR MOVABLE
			(WXDXH) IN: 15.00 X 7.00 X 18.00	LBS: 6.00					
			MM: 381 X 178 X 457	KG: 3					
			LOCATION: WALL NOTES: 6/6/2023: PLACE NEAR MICROSCO AUX \$: \$70.00	PES					





FLOOR: 1

DEPARTMENT: LAB

ROOM NAME: MICROBIOLOGY

ROOM NUMBER: 500

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 14 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** OF/CI NEW \$57.00 \$57.00 EQ#: GLV01 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER GROUP: 3 | MINOR MOVABLE MOUNT; VERTICAL/HORIZONTAL GP-061 (WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 **KG**: 1 LOCATION: WALL AUX \$: \$57.00 15 004363 1 WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI NEW \$54.50 \$54.50 CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL FG254300[XXX] GROUP: 3 | MINOR MOVABLE APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN 2543 **OPTIONS AT PROCUREMENT**

OPTIONS AND ACCESSORIES

OTYPART NUMBERDESCRIPTIONPRICE1BEIG\$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

LBS: 5.00

MM: 368 X 267 X 389

KG: 2

LOCATION: FLOOR

- GRAY

AUX \$: \$54.50

ROOM TOTAL: \$10,924.50





FLOOR: 1

DEPARTMENT: LAB

ROOM NAME: PATIENT TOILET (BLOOD DRAW)

ROOM NUMBER: 501

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
-	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				



OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50



PlanView

FLOOR: 1

DEPARTMENT: LAB

ROOM NAME: BLOOD DRAW

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	069766 CRP01	1	CART, PHLEBOTOMY PHLEBOTOMY;4 DRAWERS;12 CLEAR TILT BINS; LO AND WASTE DISPOSAL BIN INCLUDED;4 DIVIDABL CASTERS W/2 LOCKING 2 ERGONOMIC HANDLES		WATERLOO INDUSTRIES, INC. MSWA-3469-WHT MSWA-3469-WHT	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 27.00 X 24.50 X 37.50 MM: 686 X 622 X 953 LOCATION: FLOOR AUX \$: \$1,722.07	LBS: 105.00 KG: 48				
2 EQ# :	081174 CHR01	1	CHAIR, EXAM/TREATMENT PHLEBOTOMY/ENT CHAIR;375LBS CAP;ADJUSTAB HEIGHT 19"-36";BACKREST;RECLINE TO 30 DEG;SI		UMF MEDICAL 8000 SERIES 8678	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 32.00 X 67.00 X 36.00 MM: 813 X 1702 X 914 LOCATION: FLOOR AUX \$: \$4,250.00 ELECT NOTE: 120V;60HZ OR 220/240 VAC					
	1005432 CHR02	1	CHAIR, BLOOD DRAW ULTRA COMFORT HEAVY DUTY CHAIR DESIGNED 750LBS PATIENTS OR CHILD ON A PARENT'S LAP; LEG LEVELERS; AVAILABLE IN 16 COLORS		UMF MEDICAL 8690	OF/OI	NEW	\$1,349.40 \$1,349.40 GROUP: 3 MINOR MOVABLE
	,		(WXDXH) IN: 41.00 X 35.00 X 41.75 MM: 1041 X 889 X 1060 LOCATION: FLOOR AUX \$: \$1,349.40	LBS: 78.00 KG: 35				





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: BLOOD DRAW

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 EQ#	088476 : MAY02	1	STAND, MAYO SS;5-LEG CAST ALUMINUM BASE;29.5"-49" H 2" TWIN-WHEEL CASTERS;13"X20" TRAY	IEIGHT ADJ;	BLICKMAN, INC. 0661501000 1501	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			(WXDXH) IN: 19.13 X 12.65 X 49.00	LBS: 14.00					
			MM: 486 X 321 X 1245	KG: 6					
			LOCATION: FLOOR						
			AUX \$: \$146.33						
	053801 : DSP02	2	DISPOSAL CONTAINER, SHARPS W/ENCLO 12 QUART; WALL ENCLOSURE W/CONTAINER		KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA	OF/CI	NEW	\$70.00 GROUP: 3 M	\$140.00 INOR MOVABLE
			(WXDXH) IN: 15.00 X 7.00 X 18.00	LBS: 6.00					
			MM: 381 X 178 X 457	KG : 3					
			LOCATION: WALL						
			AUX \$: \$70.00						
6	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIG MARSHALL APP'D	HT FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 <i>GROUP:</i> 3 M	\$150.00 INOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00	LBS: 18.00					
			MM: 508 X 432 X 838	KG: 8					
			LOCATION: FLOOR						
			AUX \$: \$150.00						





FLOOR: 1

LAB

DEPARTMENT:

ROOM NAME: **BLOOD DRAW**

ROOM NUMBER:

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAPPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS AL FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				
8 EQ #	057206 #: GLV01	2	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$114.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 KG: 1				
			LOCATION: WALL AUX \$: \$57.00				

ROOM TOTAL: \$1,807.90





FLOOR: 1
DEPARTMENT: LA

LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	107077 : ABX01	1	ANALYZER, LAB, HEMATOLOGY COMPACT 5-PART DIFFERENTIAL ANALYZER; SINGLE SAM OPEN MODE; FULLY INTEGRATED IPU;LCD COLOR TOUCH ASPIRATION VOLUME IN WHOLE BLOOD MODE; USER M DAILY SHUTDOWN; WEEKLY CLEANING W/ CELLCLEAN O	HSCREEN; 25 ML IAINTENANCE:	SYSMEX CORPORATION XN SERIES 350	OF/VI	NEW	\$40,000.00 GROUP: 2 M	\$40,000.00 AJOR MOVABLE
			(WXDXH) IN: 18.00 X 19.00 X 21.00 LBS:	78.00					
			MM: 457 X 483 X 533 KG: 3	35					
			LOCATION: COUNTERTOP						
			AUX \$: \$40,000.00						
			DATA: HARD WIRED						
			VOLTS: 100-240 HERTZ: 50/60 ELECT NOTE: 235VA						
2 EQ#	066203 : FZP01	1	FREEZER, PLASMA UNDERCOUNTER;120V;5.4 CU.FT.;-30 DEG C;FROST FREE TEMPERATURE PROBE PORT;S.S. INTERIOR/EXTERIOR	E;	THERMO FISHER SCIENTIFIC/JEWETT CTF306-1B UNDERCOUNTER	OF/OI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 24.00 X 24.10 X 36.00 LBS:	250.00					
			MM: 610 X 612 X 914 KG: 1						
			LOCATION: FLOOR						
			VOLTS : 120 HERTZ : 60 AMPS : 8						
					MECH NOTE: REFRIGERANT: CFC FREE				





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** LAB ANALYZER, URINE 3 1003596 SIEMENS OF/OI **EXISTING** \$0.00 \$0.00 EQ#: CLN01 ANALYZER; AUTOMATIC CHECKS; STRIP TEST; CONNECTIVITY READY; **CLINITEK STATUS PLUS** GROUP: 2 | MAJOR MOVABLE

1780 / STARTUA



 OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 2083
 CLINITEK MICROALBUMIN 2 REAGENT STRIPS
 \$0.00

 10
 2161
 MULTISTIX 10 SG REAGENT STRIPS
 \$0.00

(WXDXH) IN: 6.70 X 10.70 X 6.20 LBS: 3.65
MM: 170 X 272 X 157 KG: 2

LOCATION: COUNTERTOP

PREGNANCY TESTS

SPEC COMMENTS: W/ OPTIONS: CLINITEK STATUS+ ANALYZER STARTER PACK

TOUCHSCREEN;950 PATIENT TEST MEMORY;URINE, KIDNEY DISEASE AND

AUX \$: \$865.00 DATA: HARD WIRED

DATA NOTE: RS-232 SERIAL PORT **VOLTS:** 120 **HERTZ:** 60

ELECT NOTE: 6 AA BATTERIES, NON-RECHARGEABLE MECH NOTE: REFERENCE VENDOR TECHNICAL

DRAWINGS

4 055214 1 LAB ANALYZER, CHEMISTRY, AUTOMATED SIEMENS M
EQ#: DCA01 MEASURES BLOOD/URINE HGBA1C & MICROALBUMIN; CALIBRATED W/BAR 23-312-998
CODE CARD STORES UP TO 16 TEST RESULTS/16 CONTROL RESULTS DCA VANTA

SIEMENS MEDICAL SYSTEMS/CORPORATE 23-312-998 DCA VANTAGE

TE OF/VI EXISTING

GROUP: 2 | MAJOR MOVABLE

\$0.00

\$0.00

(WXDXH) IN: 11.50 X 10.50 X 9.00 LBS: 9.00 MM: 292 X 267 X 229 KG: 4

LOCATION: COUNTERTOP
AUX \$: \$4,470.00

VOLTS: 120 **HERTZ:** 60 **AMPS:** 4



4





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	098908 : SYS01	1	LAB ANALYZER, COAGULATION, AUTOMATED COAGULATION ANALYZER FOR CLOTTING, CHROMOGENIC, AND IMMUNOLOGIC DETECTION METHODS. FEATURES TILTED COLOR LCD TOUCH SCREEN AND HANDHELD 2D BARCODE READER FOR AUTOMATED READING OF ASSIGNED VALUES, LOT NUMBERS AND EXPIRATION DATES OF STANDARDS, CONTROLS AND PT REAGENTS TO INCLUDE: 1 EA 10712041 CA-600 SERIES US INSTRUMENT KIT #1 1 EA 10713011 CA-660 US COUNTRY KIT #2	SIEMENS MEDICAL SYSTEMS/CORPORATE 10712039 SYSMEX CA-660	OF/VI	EXISTING	\$0.00 GROUP: 2 MA.	\$0.00 JOR MOVABLE
			(WXDXH) IN: 22.50 X 19.50 X 19.50 LBS: 94.60					
			MM : 572 X 495 X 495 KG : 43					
			LOCATION: COUNTERTOP SPEC COMMENTS: PROVIDE SPACE FOR 5L EXTERNAL WASTE AND WATER CONTAINERS. AUX \$: \$50,000.00 DATA: HARD WIRED DATA NOTE: HOST CONNECTION: BIDIRECTIONAL RS-232C SERIAL PORT INTERFACE: ASTM, CA-100 PROTOCOL VOLTS: 120 HERTZ: 60 WATTS: 300 DEDICATED CIRCUIT: YES					
6	1007255 : CELL01	1	LAB ANALYZER, HEMATOLOGY, AUTOMATED BLOOD CELL DIFFERENTIAL ANALYZER; CAPTURES DIGITAL IMAGES OF	CELLAVISION, INC.	OF/VI	NEW	\$37,000.00 <i>GROUP: 2 MA</i> .	\$37,000.00
EQ#:	Property of the state of the st		CELLS FROM BLOOD SMEARS; CAN BE USED AS EITHER STAND-ALONE OR NETWORKED CONFIGURATION; 120 VAC	DC-1				Y - PO/LEASED
			(WXDXH) IN: 11.00 X 15.40 X 14.60 LBS: 24.00					
			MM : 279 X 391 X 371 KG : 11					
			LOCATION: COUNTERTOP					
			AUX \$: \$37,000.00					
			DATA: HARD WIRED DATA NOTE: LIS SUPORT; ETHERNET 10/100 MBPS					
			VOLTS: 240 HERTZ: 60 AMPS: 1.2					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7 EQ#:	028950 REF03	1	REFRIGERATOR, UNDERCOUNTER, CLINICAL WITHOUT STAINLESS STEEL TOP;1 DOOR, 2 DRAWE STORES 50-500 ML BOTTLES OR 60 - 450 ML BAGS; DUAL A FACTORY SET TO MAINTAIN TEMPERATURE OF 2-4 DEGREE FAHRENHEIT); AUTOMATIC OFF CYCLE DEF STANDARD WITH DTPM1000; STAINLESS INTERIOR/ TO INCLUDE: 1 EA. OPTIONAL STAINLESS STEEL TOP #SR300 (WXDXH) IN: 24.00 X 24.10 X 36.00 MM: 610 X 612 X 914 LOCATION: FLOOR	AUTOMATIC CONTROLS DEGREES C (35.6 TO 39.2 ROST; COMES	THERMO FISHER SCIENTIFIC/JEWETT CT-1	OF/OI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
8	1007220	1	VOLTS: 120 HERTZ: 60 AMPS: 3.2 LAB CENTRIFUGE, COUNTER TOP		DRUCKER COMPANY	OF/OI	NEW	\$2,792.00	\$2,792.00
-	CEN02	1	6 TUBES CAPACITY; 5500 RPM; 20 SECOND ACCELL, FACTORY SET	/DECEL; 1-30 MINUTES	00-076-009-004 DASH APEX 6	OFFOI	NEVV	. ,	\$2,792.00 AJOR MOVABLE
			(WXDXH) IN: 11.00 X 13.50 X 8.00	LBS: 12.00					
			MM: 279 X 343 X 203	KG : 5					
			LOCATION: COUNTERTOP						
			AUX \$: \$2,792.00						
			VOLTS: 120 HERTZ: 60	WATTS: 220					
_	087773 EXL01	1	LAB ANALYZER, CHEMISTRY, AUTOMATED CHEMISTRY/HETEROGENEOUS IMMUNOASSAY; 47 CAPACIY W/ 3 ISE; 437 PHOTOMETRIC TESTS;187 IS 167 IMMUNOASSAY		SIEMENS MEDICAL SYSTEMS/CORPORATE DIMENSION EXL 200	OF/VI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 56.00 X 41.00 X 49.00	LBS: 770.00					
			MM : 1422 X 1041 X 1245	KG: 349					
			LOCATION: FLOOR NOTES: 6/6/2023: OEM RELOCATION, RECER NEEDED, DRAIN NEEDED. FUTURE 220V AUX \$: \$250,000.00	T. DEDICATED CIRCUIT					
			VOLTS: 115 HERTZ: 63 AMPS: 11 LELECT NOTE: SEE CUTSHEET FOR CIRCUIT INFO	WATTS: 1265	BTU: 3753		PLUMB NOTE: MAXIM HOUR	UM OF 10.6 GAL (40 LITER	RS) PER





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
10 EQ#:	100155 CEN05	1	LAB CENTRIFUGE, COUNTER TOP DIGITAL SPEED AND TIME CONTROL;MULTI-PURPOSE;6 TUBE CAPACITY;1000 TO 3800 RPM	DRUCKER COMPANY 00-024-009-002 HORIZON 642VES	OF/OI	EXISTING	\$0.00 GROUP: 2 M.	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 11.75 X 14.00 X 8.75 LBS: 12.00					
			MM: 298 X 356 X 222 KG: 5 LOCATION: COUNTERTOP					
			AUX \$: \$1,236.00 VOLTS: 120 HERTZ: 60 WATTS: 165 ELECT NOTE: 4-AMP RESETTABLE PROTECTION BREAKER					
11	013535	2	REFRIGERATOR ACCESSORY, RECORDER, ALARM/TEMP DIGITAL REMOTE MONITORING UNIT; USE W/TPM SERIES TEMP./POWER MONITORS ONLY; TRANSMITS SAME WARING SIGNALS AS THE MASTER UNIT; AUDIBLE/VISUAL ALARMS FOR HIGH/LOW TEMP; LOSS OF POWER AND TRANSMISSION PROBLEMS	THERMO FISHER SCIENTIFIC/JEWETT DTPMR 7397	OF/VI	EXISTING	\$0.00 GROUP: 2 M.	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 8.00 X 3.00 X 5.00 LBS: 3.00					
			<i>MM</i> : 203 X 76 X 127 KG : 1 LOCATION : WALL					
			ELECT NOTE: 115 VOLTS, 60 HERTZ, 1.0 AMP, 115 WATTS, SINGLEPHAS DEDICATED CIRCUIT NOT REQUIRED	Ε,				
12 EQ#:	071820 DIF01	1	LAB COUNTER, BLOOD CELL 12 CELL COUNT; HEMATOLOGY; LCD DISPLAY; PERCENT OR WBC VALUES; ALARMS EVERY 100 COUNTS; SOFT-TOUCH KEYS	MODULUS DATA SYSTEMS, INC. DIFFCOUNT III 10-312	OF/OI	EXISTING	\$0.00 GROUP: 2 M.	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 6.00 X 9.00 X 2.00 LBS: 3.00					
			MM: 152 X 229 X 51 KG: 1 LOCATION: COUNTERTOP AUX \$: \$625.00 ELECT NOTE: 110-125VAC;50/60HZ;5W					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 13 098427 LAB MICROSCOPE NIKON INSTRUMENTS INC. OF/OI NEW \$6,100.00 \$6,100.00 EQ#: LBM02 ERGO CERAMIC STG PKG;NIKON ECLIPSE CI-L MICROSCOPE **ECLIPSE CI-LED** GROUP: 2 | MAJOR MOVABLE FRAME; VARIABLE LED ILLUMINATION SYSTEM & CORD; ERGONOMIC MBA950LP TILTING AND TELESCOPING HEAD;(2) 10X EYEPIECES W/22MM FIELD OF VIEW;6 HOLE NOSEPIECE; CERAMIC STAGE, RIGHT HANDED, MECHANICAL; SINGLE SPECIMEN HOLDER, LEFT LEVER TO INCLUDE: 1 EA MBA950LP CI-LED ERGONOMIC MICROSCOPE PACKAGE WITH CERAMIC STAGE 1 EA MBL71105 NIKON ABBE CONDENSER N.A. 9.0 1 EA MRL00102 NIKON 10X PLAN ACHROMAT OBJECTIVE 1 EA MRL00402 NIKON 40X PLAN ACHROMAT OBJECTIVE 1 EA MRL01903 100X OIL PLAN ACHROMAT OBJECTIVE (WXDXH) IN: 8.78 X 20.00 X 16.00 LBS: 30.00 MM: 223 X 508 X 406 KG: 14 **LOCATION: COUNTERTOP** AUX \$: \$6,100.00 **VOLTS:** 120 **HERTZ:** 60 **AMPS:** .37 WATTS: 6 **ELECT NOTE: 3 CONDUCTOR GROUNDING TYPE SVT, NO. 18 AWG, 3M** LONG MAX. RATED AT 125VAC 054875 OF/OI 14 LAB ANALYZER, CHEMISTRY, MANUAL ABBOTT LABORATORIES **EXISTING** \$0.00 \$0.00 EQ#: IST01 HANDHELD; W/DOWNLOADER/RECHARGER NETWORK; UTILIZES TEST 06F16-10/06F23-46 GROUP: 2 | MAJOR MOVABLE CARTRIDGE OR GLUCOSE STRIP; MEASURES: BLOOD I-STAT 1 GASES, ELECTROLYTES, CHEMISTRIES, COAGULATION, HEMATOLOGY, GLUCOSE AND CARDIAC MARKERS TO INCLUDE: 1 EA. 06F16-10: I-STAT 1 ANALYZER 1 EA. 06F23-46: DOWNLOADER/RECHARGER NETWORK (WXDXH) IN: 3.04 X 2.85 X 9.24 LBS: 2.00 MM: 77 X 72 X 235 **KG**: 1 **LOCATION: COUNTERTOP NOTES: INCLUDES I-STAT PRINTER** AUX \$: \$13,000.00 **DATA: HARD WIRED VOLTS:** 120 **HERTZ:** 60 **AMPS:** 0.9 **WATTS: 120 ELECT NOTE: REQUIRES: 2-9V LITHUIM OR NICKEL CADMIUM BATTERIES RECHARGER: 9V-120V AC ADAPTER**







FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
15	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 IINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG : 3					
			LOCATION: FLOOR AUX \$: \$47.67						
16	1007220	1	LAB CENTRIFUGE, COUNTER TOP		DRUCKER COMPANY	OF/OI	EXISTING	\$0.00	\$0.00
EQ#	CEN02		6 TUBES CAPACITY; 5500 RPM; 20 SECOND A FACTORY SET	CCELL/DECEL; 1-30 MINUTES	00-076-009-004 DASH APEX 6			GROUP: 2 M	AJOR MOVABLE
			(WXDXH) IN: 11.00 X 13.50 X 8.00	LBS: 12.00					
			MM: 279 X 343 X 203	KG: 5					
			LOCATION: COUNTERTOP						
			AUX \$: \$2,792.00						
			VOLTS: 120 HERTZ: 60	WATTS: 220					
17 EQ#	056955 : ALE01	1	LAB FLUOROMETER W/CARDIAC PANEL;LCD DISPLAY;PRINTER;RS	232 COMPUTER SERIAL PORT	ALERE NORTH AMERICA, INC. TRIAGE METERPRO TRIAGE METERPRO	OF/OI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 6.25 X 8.50 X 2.75	LBS: 1.50					
			MM: 159 X 216 X 70	KG : 1					
			LOCATION: COUNTERTOP						
			NOTES: TYPICAL, NOT ACTUAL AUX \$: \$6,995.00						
			DATA: HARD WIRED						
			DATA NOTE: RS-32 COMPUTER INTERFACE PO	ORT					
			VOLTS: 120 HERTZ: 60						
			ELECT NOTE: AC/DC CONVERTER OR 4AA BAT	TTERIES					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
18 EQ#:	098717 : CEN06	1	LAB CENTRIFUGE, SERO-FUGE 2400RPM/500XG OR 3400RPM/1049XG;TIME DISP TACHOMETER;SUPPLIED ROTOR HAS NUMBERED S IDENTIFICATION;VARIABLE-CONTROL BRAKE;LOCKI POLYCARBONATE BASE AND LID W/ WHITE POLYUR TO INCLUDE: 1 EA MCKESSON# 1035592 SERO-FUGE 2002 1 EA MCKESSON# 493688/BECTON DICKINSON# 42 HEMOGARD 8 ROTOR (12 PLACE FIXED ANGLE, V UP TO 3550 RPM)	LOTS FOR SAMPLE NG LID;MOLDED ETHANE ENAMEL FINISH 0352	CLAY ADAMS BD#420352/MC#493688 SEROFUGE 2002	OF/OI	EXISTING	\$0.00 GROUP: 2 MA.	\$0.00 JOR MOVABLE
			, ,	LBS: 28.00					
			MM: 432 X 330 X 305 LOCATION: COUNTERTOP	KG : 13					
			VOLTS: 115 HERTZ: 60 AMPS: 6.5						
			ELECT NOTE: CONNECT TO 3-WIRE GROUNDED AC	RECEPTACLE	MECH NOTE: 175BTU/HR;12" CLEARANC	E ALL SIDES			
19	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT FITT MARSHALL APP'D	TING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 GROUP: 3 MIN	\$150.00 NOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00	LBS: 18.00					
			MM: 508 X 432 X 838	KG : 8					
			LOCATION: FLOOR						
			AUX \$: \$150.00						
20	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 MIN</i>	\$130.00 NOR MOVABLE
	16								
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
				KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$130.00						





FLOOR: 1
DEPARTMENT: LAI

DEPARTMENT: LAB
ROOM NAME: LABORATORY

ROOM N	UMBER:	503						
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
21 EQ# :	088030 BLK01	1	LAB HEATING BLOCK 1 BLOCK CAPACITY;130 DEG C TO 60 DEG C;HI/LOW THERMOSTATS;SEPARATE ON/OFF POWER SWITCH;PILOT LIGHT INDICAT HEAT CYCLING;SPECIALLY WOUND SAFETY METAL- SHEATHED HEATER ASSURES TEMPERATURE UNIFORMITY/RAPID HEAT UP;HOUSING IS STEE WITH A BAKED ENAMEL FINISH.		OF/OI	EXISTING	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 7.00 X 8.00 X 4.00 MM: 178 X 203 X 102 LOCATION: COUNTERTOP AUX \$: \$904.73 VOLTS: 120 HERTZ: 60 AMPS: .83 WATTS: 100 ELECT NOTE: 120 VOLTS; 50/60 HERTZ; 100 WATTS; 0.83 AMPS; LINE CORD AND PLUG					
22 EQ# :	1007238 WTS01	1	WATER SYSTEM PRODUCES UP TO 15 LPH; CLSI/CAP TYPE 1 WATER; 120V AC	MED WATER MW-15	OF/VI	EXISTING	\$0.00	\$0.00 GROUP: 1 FIXED
			(WXDXH) IN: 22.00 X 17.00 X 22.00 MM: 559 X 432 X 559 LOCATION: SPACE NOTES: 6/6/2023: OEM RELOCATION NEEDED AUX \$: \$0.00 VOLTS: 120 HERTZ: 60					
23 EQ#:	105904 INC01	1	LAB INCUBATOR, COUNTER TOP CENTRIFUGE & INCUBATOR; INTEGRATED ID-MTS GEL CARDS; ALARM SYSTEM; TEMP. MONITOR; 10 CARD CAPACITY CENTRIFUGE; 20 CARD CAPACITY INCUBATOR; 99 DEGREE F INCUBATION TEMP	ORTHO CLINICAL DIAGNOSTICS, INC. 6904630 ORTHO WORKSTATION	OF/OI	PLUMB NOTE: 1/4" FEED EXISTING	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 22.64 X 12.80 X 8.66 LBS: 24.00 MM: 575 X 325 X 220 KG: 11 LOCATION: COUNTERTOP NOTES: NEED WORKSPACE FOR PC VOLTS: 120 HERTZ: 60 WATTS: 150 PLUG TYPE: Type B (NEMA 5-15)					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
24	1014551	1	WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSAL WITH FLIP-TO	MARKETLAB, INC. P LID ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 \$83.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 5.00 X 3.88 X 7.63 LBS: 2.00				
			<i>MM</i> : 127 X 99 X 194 <i>KG</i> : 1 LOCATION: COUNTERTOP				
			AUX \$: \$83.00				
25	1014551	1	WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSAL WITH FLIP-TO	MARKETLAB, INC. P LID ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 \$83.00 GROUP: 3 MINOR MOVABLE
	4		(WXDXH) IN: 5.00 X 3.88 X 7.63 LBS: 2.00				
			MM: 127 X 99 X 194 KG: 1				
			LOCATION: COUNTERTOP				
			AUX \$: \$83.00				
26 EO #	1006966 : SED01	1	ANALYZER, ERYTHROCYTE SEDIMENTATION RATE (ESR), A ERYTHROCYTE SEDIMENTATION RATE (ESR) ANALYZER; FULLY A		OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
	NO.		REQUIRES 100 MICROLITERS OF SAMPLE; INCLUDES INTERNAL READER				·
	minii SED*		(WXDXH) IN: 7.10 X 10.40 X 9.50 LBS: 9.80				
			MM : 180 X 264 X 241 KG : 4				
			LOCATION: COUNTERTOP				
			AUX \$: \$4,710.00				
			DATA: HARD WIRED				
			DATA NOTE: RJ-45 ETHERNET FOR LIS CONNECTION				
			VOLTS: 120 HERTZ: 60 WATTS: 60 ELECT NOTE: 100-240VAC WATTS: 60				





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
27 1007247	1	LIGHT, MAGNIFIER	NEATFI	OF/OI	NEW	\$150.00	\$150.00
EQ#: LMG01		7" WIDE MAGNIFYING ACRYLIC LENS; 1600 LUMEN; INCLUDES CLAM VAC	P; 120 9006LED			GROUP: 2 M	AJOR MOVABLE
		(WXDXH) IN: 12.40 X 4.13 X 26.00 LBS: 6.50					
		MM: 315 X 105 X 660 KG: 3 LOCATION: COUNTERTOP AUX \$: \$150.00					
		VOLTS: 120 HERTZ: 60					
28 053801 EQ#: DSP02	1	DISPOSAL CONTAINER, SHARPS W/ENCLOSURE 12 QUART; WALL ENCLOSURE W/CONTAINER INSERT	KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA	OF/CI	NEW	\$70.00 GROUP: 3 M	\$70.00 IINOR MOVABLE
		(WXDXH) IN: 15.00 X 7.00 X 18.00 LBS: 6.00					
		MM: 381 X 178 X 457 KG: 3					
		LOCATION: WALL					
		NOTES: 6/6/2023: PLACE NEAR MICROSCOPES AUX \$: \$70.00					
29 1013950 EQ#: INC02	1	LAB ANALYZER ORTHO OPTIX WORKS WITH THE ORTHO WORKSTATION, THE ONLY	ORTHO CLINICAL DIAGNOSTICS, INC.	OF/VI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
		COMPACT 2-IN-1 BLOOD TESTING SCREENING SYSTEM; 120VAC	OPTIX			·	
		(WXDXH) IN: 8.46 X 17.13 X 9.45 LBS: 11.90					
		MM : 215 X 435 X 240 KG : 5					
		NOTES: WORKS WITH THE ORTHO WORKSTATION					
		DATA: HARD WIRED DATA NOTE: NETWORK CONNECTION IS NEEDED FOR LIS AND E-CONNECTIVITY					
		VOLTS: 120 HERTZ: 60 AMPS: 150 VA					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
30 EQ# :	103350 RFZ03	1	REFRIGERATOR/FREEZER, UPRIGHT 115V;BIOMEDICAL;VACCINE STORAGE;14.7CF RI FREEZER;MICROPROCESSOR TEMP CONTROL;LE CASTERS;2 LEVELING FEET		PANASONIC HEALTHCARE COMPANY MPR-715F-PA/PNAMPR715FPA	OF/OI	EXISTING	\$0.00 GROUP: 2 N	\$0.00 AAJOR MOVABLE
			(WXDXH) IN: 35.40 X 28.10 X 75.20	LBS: 357.00					
			MM: 899 X 714 X 1910	KG : 162					
			LOCATION: FLOOR						
			SPEC COMMENTS: DEPTH WITH DOORS OPEN: 2	28.10" + 17.7" = 45.8"					
			AUX \$: \$6,200.00						
			DATA: HARD WIRED						
			DATA NOTE: REMOTE ALARM CONTACTS						
			VOLTS: 115 HERTZ: 60 AMPS: 4.30	WATTS: 510					
			PLUG TYPE: Type B (NEMA 5-15)		AAFOU NOTE DEEDICEDANT D 5424				
21	057206	1	DISDENSED CLOVE		MECH NOTE: REFRIGERANT: R-513A	05/0	NEW	\$57.00	\$57.00
31 EQ# :	GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEY MOUNT;VERTICAL/HORIZONTAL	HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	· ·	\$57.00 IINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						
32	093825	1	LAB PLASMA SYSTEM		CYTOTHERM	OF/OI	EXISTING	\$0.00	\$0.00
EQ#:	LPS01		THAWS FROZEN BAGS OF PLASMA;UP TO 4 BAG THAW TIME;37 DEG. CELSIUS TEMP PRESET POII	· ·	PLASMA THAWER CT-4S			GROUP: 2 N	IAJOR MOVABLE
			(WXDXH) IN: 9.00 X 21.00 X 14.00						
			MM: 229 X 533 X 356						
			LOCATION: COUNTERTOP						
			VOLTS: 115 HERTZ: 60	WATTS: 770					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 33 086779 LAB MICROSCOPE NIKON INSTRUMENTS INC. OF/OI **EXISTING** \$0.00 \$0.00 EQ#: LBM01 UPRIGHT; W/CAMERA, COMPUTER, MONITOR; HALOGEN LAMP **ECLIPSE** GROUP: 2 | MAJOR MOVABLE SEXTUPLE NOSEPIECE;10-1500X MAGNIFICATION;INFINITY 501 OPTICAL SYSTEM;ND8 FILTER (WXDXH) IN: 32.00 X 16.00 X 20.00 LBS: 31.00 KG: 14 **MM:** 813 X 406 X 508 **LOCATION: COUNTERTOP AUX \$:** \$55,000.00 **DATA:** HARD WIRED **VOLTS: 120 HERTZ:** 60 **AMPS:** 0.9 **WATTS:** 48 040292 LAB ROCKER, TUBE OF/OI **EXISTING** \$0.00 THERMO FISHER SCIENTIFIC \$0.00 M26125 EQ#: RCKR01 16 TUBE CAPACITY; PRESET 18 RPM MOTOR SPEED GROUP: 2 | MAJOR MOVABLE PRESET MIXING ZONE OF 48 DEGREE ANGLE; REVERSIBLE SPECI-MIX PAD WITH ONE SIDE FOR CAPPED TUBES 110MM LONG OTHER SIDE ACCOMMODATES LONGER TUBES; WHITE SILICON RUBBER, FRICTION-GRIP PAD LBS: 5.30 (WXDXH) IN: 13.80 X 5.50 X 4.30 MM: 351 X 140 X 109 KG: 2 **LOCATION: COUNTERTOP AUX \$:** \$460.95 **VOLTS:** 120 HERTZ: 60 AMPS: 25 **ELECT NOTE: 3 WIRE GROUNDED CORD**







FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

36

EQ#: REF05

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 35 100924 LAB PROCESSOR, BLOOD IMMUCOR, INC. OF/VI **FUTURE** \$0.00 \$0.00 EQ#: IMM01 17" TOUCH SCREEN MONITOR; ACCOMODATES 32 STRIPS GROUP: 2 | MAJOR MOVABLE COLOR IMAGING ADD SYSTEM FLUID OR REMOVE WASTE **LUMENA ECHO** ANYTIME DURING OPERATION; AUTOMATED PROCESSING

RGL7504A

REVCO

(WXDXH) IN: 45.00 X 23.00 X 26.00

LBS: 104.00

MM: 1143 X 584 X 660

KG: 47

LOCATION: COUNTERTOP

NOTES: THIS WILL BE A FUTURE PIECE OF EQUIPMENT PER DAVE MONDAY, AND WILL REPLACE SOME OF THE OTHER EQUIPMENT TO MAKE SPACE FOR

IT WHEN ADDED IN THE FUTURE

DATA: HARD WIRED

DATA NOTE: PC TO INSTRUMENT: SERIAL RS232 INSTRUMENT

INTERNAL: SERIAL RS232 MONITOR TO PC: USB

VOLTS: 120 **HERTZ:** 60 **AMPS:** 2 **WATTS:** 250

ELECT NOTE: POWER SUPPLY: 5X11X3

066907 1 **REFRIGERATOR, LABORATORY**

REVCO, A THERMO FISHER COMPANY

NEW

OF/OI

\$11,404.00

GROUP: 2 | MAJOR MOVABLE

\$11,404.00

115V;78.8 CF;3 GLASS DOORS;1-8 DEGREES C12 SHELVES;7 DAY CHART RECORDER;AUTOMATIC DEFROST;AUDIBLE VISUAL ALARMS;DUAL WHEEL

CASTERS

OPTIONS AND ACCESSORIES								
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>					
1	6183-7	7 DAY CHART RECORDER, BUILT IN; FACTORY INSTALLED	\$0.00					
1	TF-LRF75	OSHPD SEISMIC RESTRAINT KIT	\$0.00					
4	6696	ADDITIONAL SHELVES;FULL SIZE;EPOXY COATED	\$0.00					

(WXDXH) IN: 79.25 X 37.25 X 79.25

LBS: 805.00

MM: 2013 X 946 X 2013

KG: 365

LOCATION: FLOOR

AUX \$: \$11,404.00

VOLTS: 115

HERTZ: 60 **AMPS:** 16

ELECT NOTE: ;5-20P PLUG

MECH NOTE: 1979 BTU/HR





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
37	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 IINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						
	062537 VWR01	1	LAB VIEWER, TEST TUBE 5 WATT HALOGEN BULB;ON/OFF SWITCH;FL BULB;MIRROR AND POWER PACK	EXIBLE NECK; INCLUDES	THERMO FISHER SCIENTIFIC 22-363-560 AGGLUTINATION	OF/OI	EXISTING	\$0.00 GROUP: 2 M	\$0.00 IAJOR MOVABLE
			(WXDXH) IN: 5.00 X 8.00 X 12.00						
			MM: 127 X 203 X 305						
			LOCATION: COUNTERTOP						
			VOLTS: 120 HERTZ: 60	WATTS: 18					
	1007240	1	ANALYZER, BLOOD CULTURE		BECTON DICKINSON	OF/VI	EXISTING	\$0.00	\$0.00
EQ#:	BAC01		BLOOD CULTURE DIAGNOSTICS SYSTEM; HO CONNECTIVITY; 120 VAC	LDS UP TO 40 VIALS; LIS	BACTEC FX40			GROUP: 2 M	AJOR MOVABLE
			(WXDXH) IN: 26.60 X 23.00 X 15.40	LBS: 70.10					
			MM: 676 X 584 X 391	KG: 32					
			LOCATION: COUNTERTOP						
			AUX \$: \$0.00						
			VOLTS: 120 HERTZ: 60						





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
40 EQ #	40 1007247 EQ#: LMG01		LIGHT, MAGNIFIER 7" WIDE MAGNIFYING ACRYLIC LENS; 1600 LUNVAC	MEN; INCLUDES CLAMP; 120	NEATFI 9006LED	OF/OI	NEW	\$150.00 GROUP: 2 Mi	\$150.00 AJOR MOVABLE
			(WXDXH) IN: 12.40 X 4.13 X 26.00 MM: 315 X 105 X 660 LOCATION: COUNTERTOP AUX \$: \$150.00 VOLTS: 120 HERTZ: 60	LBS: 6.50 KG: 3					
41	084252	1	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT MARSHALL APP'D	FITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 GROUP: 3 MI	\$150.00 INOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG : 8					
42	1014551	1	WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSA	AL WITH FLIP-TOP LID	MARKETLAB, INC. ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 GROUP: 3 MI	\$83.00 INOR MOVABLE
			(WXDXH) IN: 5.00 X 3.88 X 7.63 MM: 127 X 99 X 194 LOCATION: COUNTERTOP AUX \$: \$83.00	LBS: 2.00 KG: 1					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
43 EQ#:	43 014328 EQ#: BLK02		LAB HEATING BLOCK 2 BLOCK CAPACITY; BIMETALLIC CONTROLLED HE TEMPERATURE UNIFORMITY +/5 DEGREE C CONTROL +/- 2 DEGREE C; HI/LOW THERMOSTAT SEPARATE ON/OFF POWER SWITCH; PILOT LIGHT HEAT CYCLING; SPECIALLY WOUND SAFETY META SHEATHED HEATER ASSURES TEMPERATURE UNI RAPID HEAT UP; HOUSING IS STEEL WITH A BAKE ENAMEL FINISH	TS INDICATE L- FORMITY/	THERMO FISHER SCIENTIFIC 2052Q MULTI-BLOK	OF/OI	EXISTING	\$0.00 GROUP: 2 MA	\$0.00 JOR MOVABLE
			(WXDXH) IN: 8.00 X 9.00 X 4.00 MM: 203 X 229 X 102 LOCATION: COUNTERTOP NOTES: TYPICAL, NOT ACTUAL AUX \$: \$904.73 VOLTS: 120 HERTZ: 60 AMPS: 1.25	LBS: 5.00 KG: 2 WATTS: 150					
44 EQ#:	053801 DSP02	1	DISPOSAL CONTAINER, SHARPS W/ENCLOSU 12 QUART; WALL ENCLOSURE W/CONTAINER INS		KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA	OF/CI	NEW	\$70.00 GROUP: 3 MII	\$70.00 NOR MOVABLE
			(WXDXH) IN: 15.00 X 7.00 X 18.00 MM: 381 X 178 X 457 LOCATION: WALL NOTES: 6/6/2023: PLACE NEAR MICROSCO AUX \$: \$70.00	LBS: 6.00 KG: 3					
45 EQ# :	053801 DSP02	1	DISPOSAL CONTAINER, SHARPS W/ENCLOSU 12 QUART; WALL ENCLOSURE W/CONTAINER INS		KENDALL HEALTHCARE, COVIDIEN 85301H/8536SA	OF/CI	NEW	\$70.00 GROUP: 3 MII	\$70.00 NOR MOVABLE
			(WXDXH) IN: 15.00 X 7.00 X 18.00 MM: 381 X 178 X 457 LOCATION: WALL NOTES: 6/6/2023: PLACE NEAR MICROSCO AUX \$: \$70.00	LBS: 6.00 KG: 3 DPES					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
46 EQ#	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4 MOUNT;VERTICAL/HORIZONTAL	;KEYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG: 1					
			LOCATION: WALL AUX \$: \$57.00						
47 EQ#	057206 : GLV01	2	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4 MOUNT;VERTICAL/HORIZONTAL	;KEYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$114.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG: 1					
48	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 MINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG : 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
49	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 N	\$47.67 MINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						
	105022 :: CEN03	1	LAB CENTRIFUGE, COUNTER TOP PROGRAM UP TO 10 CUSTOM TIME;RPM AND G-F LOCK 3-PREFERRED CYCLES;LIGHTED LID INDICATE DISPLAY	·	DRUCKER COMPANY DASH FLEX 12	OF/OI	NEW	\$3,452.00 GROUP: 2 N	\$3,452.00 MAJOR MOVABLE
			(WXDXH) IN: 13.00 X 15.00 X 9.00	LBS: 30.00					
			MM: 330 X 381 X 229	KG: 14					
			LOCATION: COUNTERTOP						
			AUX \$: \$3,452.00						
			VOLTS: 120 HERTZ: 60						
51	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 N</i>	\$130.00 MINOR MOVABLE
	K								
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM: 400 X 413 X 435	KG: 4					
			LOCATION: FLOOR						
			AUX \$: \$130.00						





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY

ROOM NUMBER: 503

LINE ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSI	ON
52 041208 EQ#: CEN01	1	LAB CENTRIFUGE, COUNTER TOP MAXIMUM SPEED: 13,200 RPM; 48 X 0.5ML CAPACITY; MAXIMUM RCF: 16,250XG; MAXIMUM SAMPLE VOLUME: 36ML (24 X 15ML); DIGITAL SEP POINTS AND DISPLAYS FOR EASE AND ACCURACY; SPEED CAN BE SET IN 100RPM INCREMENTS; RUN TIME IN SECONDS OR MINUTES; MOMENTARY SPIN HOLD; HOLD MODE; BRUSHLESS MOTOR; ROTATION: 1000-13,200RPM BY 100RPM; FAST OR SLOW ACCELERATION RATE CONTROL; HARD BRAKE, SOFT BRAKE, AND COAST FOR DECELERATION RATE CONTROL; SOUND LEVEL IS LESS THAN 60 DBA; REPEATABILITY: ROTATION TO 10RPM; SPIN TIME: EXACT; HEIGHT WITH LID CLOSED IS 9 INCHES, WITH LID OPEN, 20 INCHES (WXDXH) IN: 12.00 X 13.30 X 19.80 MM: 305 X 338 X 503 KG: 16 LOCATION: COUNTERTOP NOTES: LOCATED WITH THE OTHER CENTRIFUGE UNITS, ACROSS AUTO CHEM ANALYZER AUX \$: \$195.00 VOLTS: 120 HERTZ: 60 AMPS: 6.3	INTERNATIONAL EQUIPMENT CO. (IEC) 2498 MICROMAX FROM THE	OF/OI	EXISTING	\$0.00 \$0 GROUP: 2 MAJOR MOVA	0.00 BLE
53 1014551	1	WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSAL WITH FLIP-TOP LID (WXDXH) IN: 5.00 X 3.88 X 7.63 MM: 127 X 99 X 194 LOCATION: COUNTERTOP AUX \$: \$83.00	MARKETLAB, INC. ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 \$83 GROUP: 3 MINOR MOVA	

ROOM TOTAL: \$102,568.68





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY (PHLEBOTOMY DESK)

ROOM NUMBER: 503D

LINE	ID#	QTY	GENERIC		MANUFACTURER RES	P	STATUS	PRICE EXTENSION
1	098003	1	REFRIGERATOR/FREEZER, UNDERCOUNTER		SUMMIT APPLIANCE DIV. OF/O	OI	NEW	\$825.00 \$825.00
EQ#	RFZ01		2.9 CUFT;ADA;WHITE CABINET AND DOOR;ENERG DEFROST;ZERO DEGREE FREEZER;TWO REVERSIBL STORAGE;ADJUSTABLE SHELVES	• •	761101048406 CP351WADA			GROUP: 2 MAJOR MOVABLE
			STOTAL CELL STEEL					
			(WXDXH) IN: 18.50 X 20.25 X 32.50	LBS: 130.00				
			MM: 470 X 514 X 826	KG: 59				
			LOCATION: FLOOR					
			SPEC COMMENTS: DEPTH WITH DOOR AT 90 DEG	REES: 37.25 INCHES				
			AUX \$: \$825.00					
			VOLTS: 115 HERTZ: 60 AMPS: 1.4	WATTS: 161				
			PLUG TYPE: Type B (NEMA 5-15)					
			ELECT NOTE: 115V;60HZ;1.4A		MECH NOTE: REFRIGERANT TYPE: R134A REFRIGERAN AMOUNT: 2.6 OZ	ΝΤ		

ROOM TOTAL: \$825.00





FLOOR: 1
DEPARTMENT: LA

DEPARTMENT: LAB

ROOM NAME: LABORATORY (PROCESSING)

ROOM NUMBER: 503P

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 105022 LAB CENTRIFUGE, COUNTER TOP DRUCKER COMPANY OF/OI **EXISTING** \$0.00 \$0.00 EQ#: CEN03 PROGRAM UP TO 10 CUSTOM TIME; RPM AND G-FORCE SETTINGS; SET AND DASH FLEX 12 GROUP: 2 | MAJOR MOVABLE LOCK 3-PREFERRED CYCLES; LIGHTED LID INDICATE CYCLE STATUS; DIGITAL **DISPLAY** (WXDXH) IN: 13.00 X 15.00 X 9.00 LBS: 30.00 KG: 14 **MM:** 330 X 381 X 229 **LOCATION: COUNTERTOP** AUX \$: \$3,452.00 VOLTS: 120 **HERTZ:** 60 2 1007239 OF/OI \$0.00 \$0.00 STAMP, TIME AND DATE LATHEM TIME RECORDER COMPANY **EXISTING** REGISTERS TIME, DATE, NUMBERS, AND CUSTOMIZED MESSAGES ON GROUP: 2 | MAJOR MOVABLE DOCUMENTS; LT5000 120 VAC (WXDXH) IN: 6.20 X 7.10 X 7.10 LBS: 4.00 MM: 157 X 180 X 180 KG: 2 **LOCATION: COUNTERTOP** AUX \$: \$360.88 **DATA NOTE: USB 2.0** AMPS: .6 **VOLTS:** 120 **HERTZ:** 60 3 053801 **DISPOSAL CONTAINER, SHARPS W/ENCLOSURE** KENDALL HEALTHCARE, COVIDIEN OF/CI NEW \$70.00 \$70.00 EQ#: DSP02 12 QUART; WALL ENCLOSURE W/CONTAINER INSERT 85301H/8536SA GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 15.00 X 7.00 X 18.00 LBS: 6.00 MM: 381 X 178 X 457 **KG**: 3 LOCATION: WALL **NOTES:** 6/6/2023: PLACE NEAR MICROSCOPES AUX \$: \$70.00





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY (PROCESSING)

ROOM NUMBER: 503P

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4	1014551	1 WASTE CONTAINER, BIOHAZARDOUS LIGHTWEIGHT ABS BENCHTOP WASTE DISPOSAL WITH FLIP-TOP LID		MARKETLAB, INC. ML16505 1.4 Q BENCHTOP	OF/OI	NEW	\$83.00 \$83.0 GROUP: 3 MINOR MOVAB.		
			(WXDXH) IN: 5.00 X 3.88 X 7.63	LBS: 2.00					
			MM: 127 X 99 X 194	KG: 1					
			LOCATION: COUNTERTOP						
			AUX \$: \$83.00						
5 EQ #	057206 #: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;I MOUNT;VERTICAL/HORIZONTAL	KEYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 IINOR MOVABLE
	-		(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1					
6	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 NINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: LABORATORY (PROCESSING)

ROOM NUMBER: 503P

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7 EQ# :	008082 REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBLE DOOR; NO LOCK	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 \$1,124.10 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 21.00 X 23.00 X 29.00 LBS: 80.00 MM: 533 X 584 X 737 KG: 36 LOCATION: FLOOR AUX \$: \$1,124.10 VOLTS: 115 HERTZ: 60 AMPS: 15				
				MECH NOTE: REFRIGERANT: R134A;3.25 OZ			
8 EQ# :	101177 ESR01	1	LAB ANALYZER, ELECTROLYTE HAND-HELD TESTING DEVICE UTILIZING HOVA LACTATE TEST STRIPS TO INCLUDE: 1 EA LACTATE PLUS METER 2 EA LACTATE PLUS TEST STRIPS LOCATION: SPACE	NOVA BIOMEDICAL - LACTATE PLUS	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			AUX \$: \$346.25				

ROOM TOTAL: \$1,381.77





FLOOR: 1

DEPARTMENT: LAB

ROOM NAME: OFFICE / BREAKROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	008082 : REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBLE DOOR; NO LOCK	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 GROUP: 2 MA	\$1,124.10 JOR MOVABLE
			(WXDXH) IN: 21.00 X 23.00 X 29.00 MM: 533 X 584 X 737 KG: 36 LOCATION: FLOOR AUX \$: \$1,124.10 VOLTS: 115 HERTZ: 60 AMPS: 15		05 O7			
2 EQ #:	081519 : COF02	1	COFFEE BREWER 4-CUP PROGRAMMABLE;GRAB-A-CUP AUTO PAUSE DUAL WINDOW;1-HR AUTO SHUT-OFF	MR. COFFEE	OF/OI	NEW	\$26.99 GROUP: 2 MA	\$26.99 JOR MOVABLE
			(WXDXH) IN: 6.50 X 9.10 X 10.50 LBS: 3. MM: 165 X 231 X 267 KG: 1 LOCATION: COUNTERTOP AUX \$: \$26.99					
3 EQ# :	055770 : OVM01	1	VOLTS: 120 HERTZ: 60 WATTS: OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL, MEDIUM DUTY	SHARP ELECTRONICS CORP.	OF/OI	NEW	\$375.00 GROUP: 2 MA	\$375.00 JOR MOVABLE
			(WXDXH) IN: 20.50 X 16.00 X 12.13 LBS: 37 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP AUX \$: \$375.00 VOLTS: 120 HERTZ: 60 AMPS: 14 WATTS: PLUG TYPE: Type B (NEMA 5-15)					





FLOOR: 1
DEPARTMENT: LAB

ROOM NAME: OFFICE / BREAKROOM

ROOM NUMBER: 504

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE CO OPTIONS AT PROCUREMENT	· · · · · · · · · · · · · · · · · · ·	OF/OI	NEW	\$54.50 GROUP: 3 Mi	\$54.50 INOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00				
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: MM: 368 X 267 X 389 KG: . LOCATION: FLOOR - GRAY AUX \$: \$54.50	5.00				
5	1005146	1	WASTE RECEPTACLE, RECYCLE 7GAL RECTANGULAR RECYCLING CONTAINER	RUBBERMAID COMM. PRODUCTS 5M785 FG295673	OF/OI	NEW	\$14.33 GROUP: 3 M.	\$14.33 NOR MOVABLE
			(WXDXH) IN: 10.50 X 14.50 X 15.00 LBS:	1.88				
			MM: 267 X 368 X 381 KG: . LOCATION: FLOOR AUX \$: \$14.33	1				

ROOM TOTAL: \$1,594.92





FLOOR: 1 DEPARTMENT: LAB

ROOM NAME: SUPPLY STORAGE

ROOM NUMBER: 505

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 078823 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. OF/VI NEW \$560.80 \$1,682.40 EQ#: SHW02 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF 1848NC/74P GROUP: 3 | MINOR MOVABLE TO CONSIST OF: SUPER ERECTA 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 **MM:** 1219 X 457 X 2032 **KG**: 39 LOCATION: FLOOR AUX \$: \$560.80

ROOM TOTAL: \$1,682.40

DEPARTMENT TOTAL: \$120,839.67







FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: STORAGE ROOM NUMBER: Z400

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	1015148	1	TRUCK, FORKLIFT		GLOBAL INDUSTRIAL	OF/OI	NEW	\$6,770.00 \$6,770.00	
EQ#	FRK01		FULLY POWERED STRADDLE STACKER LIFT TRUI CAPACITY; 120V AC	CK; 65" LIFT' 2650 LB	WB988955			GROUP: 2 N	MAJOR MOVABLE
			(WXDXH) IN: 59.50 X 62.00 X 65.00	LBS: 1,400.00					
			MM: 1511 X 1575 X 1651 LOCATION: FLOOR AUX \$: \$6,770.00	KG: 635					
			VOLTS: 120 HERTZ: 60 ELECT NOTE: UNIT INCLUDES (2) 12V / 85AH M BATTERIES, BATTERY DISCHARGE GAUGE AND A CHARGER.						
2 EQ#	053947 : CRI01	2	CART, ISOLATION 4 DRAWER; YELLOW; BASIC CART W/DRAWER; CHIGH & 3 EA. 9" HIGH DRAWERS; BEIGE FRAME		ARMSTRONG MEDICAL INDUSTRIES AKL-Y-4 TWO TONE	OF/OI	EXISTING	\$0.00 GROUP: 3 N	\$0.00 MINOR MOVABLE
			(WXDXH) IN: 33.50 X 25.00 X 46.25	LBS: 165.00					
			MM: 851 X 635 X 1175	KG: 75					
			LOCATION: FLOOR						
			AUX \$: \$1,542.75						
3	092852	1	WASTE RECEPTACLE, RECYCLING 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION HANDLES AT RIM	ON; VENTED CHANNELS;	RUBBERMAID COMM. PRODUCTS 1971257 SLIM JIM	OF/OI	NEW	\$35.00 GROUP: 3 N	\$35.00 MINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG : 3					
			LOCATION: FLOOR						
			AUX \$: \$35.00						



Plan View

FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: STORAGE ROOM NUMBER: Z400

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4	1014831	2	SHELVING, STEEL 5 SHELF; STEEL DECK; 3000 LBS CAPACITY; ADJ	USTABLE SHELVING	GLOBAL INDUSTRIAL 236618 EXTRA HEAVY DUTY	OF/VI	NEW	\$846.00 GROUP: 3 M.	\$1,692.00 NOR MOVABLE
			(WXDXH) IN: 72.00 X 24.00 X 72.00 MM: 1829 X 610 X 1829 LOCATION: FLOOR AUX \$: \$846.00	LBS: 338.00 KG: 153					
5 EQ ‡	078823 #: SHW02	4	SHELVING, WIRE 5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTO TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5, 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 MM: 1219 X 457 X 2032 LOCATION: FLOOR AUX \$: \$560.80		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 M.	\$2,243.20 NOR MOVABLE
6	037382	1	RACK, CRUTCH CRUTCH/CANE RACK;30 PAIR OF CRUTCHES;10 MOUNTING HARDWARE NOT SUPPLIED) CANES	BAILEY MFG. COMPANY 790 790	OF/CI	NEW	\$235.00 GROUP: 3 M.	\$235.00 NOR MOVABLE
			(WXDXH) IN: 60.00 X 16.00 X 17.00 MM: 1524 X 406 X 432 LOCATION: WALL AUX \$: \$235.00	LBS: 24.00 KG: 11					





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: STORAGE ROOM NUMBER: Z400

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7	056756	2	LOUVER PANEL, WALL MOUNTED 480LB CAPACITY;GRAY;16 GAUGE STEEL;POW FINISH;ATTACHES DIRECTLY TO WALL;MOUNT NOT INCLUDED		AKRO-MILS 30161 -	OF/CI	NEW	\$177.00 GROUP: 3 N	\$354.00 AINOR MOVABLE
			(WXDXH) IN: 36.00 X 1.00 X 61.00	LBS: 40.00					
			MM: 914 X 25 X 1549 LOCATION: WALL AUX \$: \$177.00	KG: 18					
8	000156	2	LOUVER PANEL, WALL MOUNTED STORAGE; MODULAR TYPE; LOUVERED FOR BII VERTICAL AND HORIZONTAL SUSPENSION; HEAVY DUTY FOR BIN MOUNTING; GRAY BAKED ENAMEL; SIZE:	STEEL W/HORIZONTAL RIBS		CF/CI	NEW	\$93.43 GROUP: 3 N	\$186.86 MINOR MOVABLE
			(WXDXH) IN: 35.75 X 0.31 X 19.00 MM: 908 X 8 X 483 LOCATION: WALL NOTES: PACK OF 4 EACH AUX \$: \$93.43	LBS: 11.25 KG: 5					

ROOM TOTAL: \$11,516.06



PlanView

FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: MAINTENANCE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1015154	1	BENCH, TECH WORKSTATION, 6 FT. COMPOSITE WOOD TOP (MODEL H-1137-WOOD); HEIGHT (INCLUDING TOP): 28 1/8 - 38 1/4"; STEEL (W X D);		ULINE H-9636-WOOD	OF/OI	NEW	\$1,200.00 \$1,200.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 30.00 X 72.00 X 38.00 MM: 762 X 1829 X 965 LOCATION: FLOOR NOTES: MUST INCLUDE COMPOSITE WOOD AUX \$: \$1,200.00	LBS: 329.00 KG : 149				
2	1015155	1	BENCH, TECH WORKSTATION, 6 FT. INCLUDES TABLE, FULL DEPTH BOTTOM SHELF, DR UPRIGHTS.TABLE HEIGHT ADJUSTS FROM 30-37". 9		GLOBAL INDUSTRIAL H-6342-WOOD	OF/OI	NEW	\$700.00 \$700.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 30.00 X 72.00 X 37.00	LBS: 231.00				
			MM: 762 X 1829 X 940 LOCATION: FLOOR AUX \$: \$700.00	KG : 105				
3	1015158	3	ELECTRICAL OUTLET STRIP 15 AMP/120V. 15 FOOT CORD. DIMENSIONS: 19.8	" X 1.9" X 1.7"	GLOBAL INDUSTRIAL WB500883	OF/OI	NEW	\$30.95 \$92.85 GROUP: 2 MAJOR MOVABLE
					WB300083			
			(WXDXH) IN: 2.00 X 19.00 X 2.00 MM: 51 X 483 X 51 LOCATION: SPACE AUX \$: \$30.95 VOLTS: 120 HERTZ: 60	LBS: 2.00 KG: 1				





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: MAINTENANCE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4	1014539	1	LIGHT, MAGNIFIER ROUND MAGNIFIER LIGHT;5-DIOPTER (2.25X);600 WHITE LEDS; SPRING BALANCED ARM; HEAVY DUTY MOUNTING CLAMP	AVEN TOOLS 26501-LED	OF/OI	NEW	\$131.07 \$131.07 GROUP: 2 MAJOR MOVABLE
			LBS: 6.70				
			KG : 3				
			LOCATION: SPACE AUX \$: \$131.07 VOLTS: 120 HERTZ: 60 ELECT NOTE: 5 FT POWER CORD				
5	1015157	1	WORK PLATFORM, MOBILE 72"W X 36"D MOBILE PRODUCTION WORKBENCH - POWER APRON - SHOP TOP SQUARE EDGE BLUE; PRE-WIRED POWER APRON INCLUDES ONE USB TYPE A/C AND TWO DUPLEX 15 AMP/115V OUTLETS, CIRCUIT BREAKER AND 10 FEET POWER CORD. 15"D LOWER SHELF WITH BACKSTOP FOR ADDED STORAGE SPACE. MOVES EASY ON 5" PHENOLIC SWIVEL CASTERS WITH BRAKES. (WXDXH) IN: 72.00 X 36.00 X 36.00 MM: 1829 X 914 X 914 LOCATION: FLOOR AUX \$: \$850.00 VOLTS: 115 HERTZ: 60	GLOBAL INDUSTRIAL WB254000WBBL	OF/OI	NEW	\$850.00 \$850.00 GROUP: 2 MAJOR MOVABLE
6	070892	1	CABINET, SAFETY, FLAMMABLE STORAGE 2 DOOR;SELF CLOSE;2 SHELF;45 GAL CAPACITY;YELLOW;CONFORMS TO OSHA/NFPA STANDARDS;WARNING LABEL;3 POINT LATCH SYSTEM	JUSTRITE MANUFACTURING COMPANY 894520	OF/OI	NEW	\$1,420.00 \$1,420.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 43.00 X 18.00 X 65.00 LBS: 313.00 MM: 1092 X 457 X 1651 KG: 142 LOCATION: FLOOR SPEC COMMENTS: UNIT CAN BE CONNECTED TO BUILDING EXHAUST IF REQUIRED, BUT NOT RECOMMENDED BY THE VENDOR AUX \$: \$1,420.00	MECH NOTE: DUAL 2" NPT VENTS MAY BE CON	NNECTED		
				TO EXHAUST SYSTEM. MAXIMUM DUCT LENGT			





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: MAINTENANCE

ROOM NUMBER: Z401

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7	1015151	3	PEGBOARD, WALL MOUNTED CONTENTS INCLUDE (2) 18 IN. X 36 IN. LOCBO MULTI-PRONG TOOL HOLDER; (1) MULTI-RING SINGLE ROD 30 DEGREE BEND; (2) 6 IN. SINGL 5-3/4 IN. DOUBLE ROD 80 DEGREE BEND; (3) BEND; (3) 3 IN. SINGLE ROD 30 DEGREE BEND DEGREE BEND; (3) 2-1/4 IN. CURVED HOOK; (STANDARD SPRING CLIPS; (2) CLOSED HAMM BINCLIPS; (2) BLACK PLASTIC HANGING BINS; INCLUDED. (WXDXH) IN: 36.00 X 1.00 X 72.00 MM: 914 X 25 X 1829 LOCATION: WALL AUX \$: \$230.00	G TOOL HOLDER; (2) 4 IN. LE ROD 90 DEGREE BEND; (2) 1 IN. SINGLE ROD 30 DEGREE 1; (3) 3 IN. DOUBLE ROD 90 2) EXTENDED SPRING CLIP; (2) ER/PLIERS HOLDER; (2)	GLOBAL INDUSTRIAL LB18-BKIT WGB2143599	OF/CI	NEW	\$230.00 GROUP: 3 N	\$690.00 IINOR MOVABLE
8	1004790	1	BIN, ACCESSORY, PANEL, LOUVERED MOBILE; DOUBLE SIDED 100LB WEIGHT CAPA TO INCLUDE: 1 EA LVDMOBILE DOLLY	CITY;	AKRO-MILS 30676	OF/OI	NEW	\$1,161.00 GROUP: 3 N	\$1,161.00 NINOR MOVABLE
			(WXDXH) IN: 36.19 X 25.00 X 71.50 MM: 919 X 635 X 1816 LOCATION: FLOOR AUX \$: \$1,161.00	LBS: 55.00 KG: 25					
9	506580	1	ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$250.00 GROUP: 3 N	\$250.00 IINOR MOVABLE



AUX \$: \$250.00





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

MM: 140 X 279 X 127

NOTES: CASE OF 12 EACH

LOCATION: SPACE

AUX \$: \$4.15

ROOM NAME: MAINTENANCE

ROOM NUMBER: Z401

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXT	TENSION
10	1015152	1	BIN, SUPPLY BIN DIVIDERS PROVIDE SAFE AND ORGANIZED COM SOLD IN PACKAGE OF 24, PRICE PER PACKAGE.	IPONENT STORAGE.	GLOBAL INDUSTRIAL 40150 WB752372	OF/OI	NEW	\$38.95 GROUP: 3 MINOR N	\$38.95 10VABLE
			' '	LBS: 3.00 KG: 1					
11	1015153	2	BIN, SUPPLY PLASTIC STACKABLE BINS - 11 X 5 1/2 X 5", BLUE, CA	ASE OF 12	ULINE S-12415BLU	OF/OI	NEW	\$4.15 GROUP: 3 MINOR N	\$8.30 10VABLE
			(WXDXH) IN: 5.50 X 11.00 X 5.00						

ROOM TOTAL: \$6,542.17





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: STAFF TOILET

ROOM NUMBER: Z402

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	EXISTING	\$0.00	\$0.00
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MII	NOR MOVABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00 KG: 2

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$0.00







FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING

ROOM NAME: PURCHASING MAINTENANCE OFFICE

ROOM NUMBER: Z403

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA I APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR OPTIONS AT PROCUREMENT		OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			OTY PART NUMBER DESCRIPTION	<u>PRICE</u>			
			1 BEIG BEIGE	\$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00				
			MM : 368 X 267 X 389 KG : 2				
			LOCATION: FLOOR				
			- GRAY				
			AUX \$: \$54.50				
2	094527	2	CABINET, STORAGE	GRAINGER, INC.	OF/OI	NEW	\$607.00 \$1,214.00
			METAL STORAGE CABINET;BLACK;KEYLESS LOCK;72"	22ND35			GROUP: 3 MINOR MOVABLE
			OVERALL HEIGHT;ASSEMBLED;4 SHELVES;ANSI/BIFMA	EA4E361872-09			
	-		(WXDXH) IN: 36.00 X 18.00 X 72.00 LBS: 149.	.00			
			MM : 914 X 457 X 1829 KG : 68				
			LOCATION: FLOOR				
			AUX \$: \$607.00				

ROOM TOTAL: \$1,214.00





FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING ROOM NAME: HOUSEKEEPING OFFICE

ROOM NUMBER: Z404

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	EXISTING	\$0.00	\$0.00
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
8			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$0.00







FLOOR: 1

DEPARTMENT: MAINTENANCE BUILDING ROOM NAME: MAINTENANCE OFFICE

ROOM NUMBER: Z405

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	EXISTING	\$0.00	\$0.00
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC)R MOVABLE
	16			APPROVED:UL LISTED:6/CARTON:CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

LBS: 5.00 KG: 2

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

ROOM TOTAL: \$0.00

DEPARTMENT TOTAL: \$19,272.23





FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: RT WORK / STORAGE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	065434 SHW03	3	SHELVING, WIRE 5 SHELF W/SOLID GALV BOTTOM SHELF;STATIONARY TO INCLUDE: 4 EA 74P 74" CHROME POST 4 EA A2460NC SUPER ADJ SHELF-CHROME 1 EA 2460FG 24X60 SOLID GALV SHELF	INTERMETRO INDUSTRIES CORP. A2460NC/2460FG/74P SASE	OF/VI	NEW	\$660.60 \$1,981.80 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 60.00 X 24.00 X 74.50 LBS: 131.00 MM: 1524 X 610 X 1892 KG: 59 LOCATION: FLOOR AUX \$: \$660.60				
2 EQ#	1003148 : VNT02	1	VENTILATOR ICU;TRANSPORT;ADULT/PEDS;8.4"COLOR TOUCHSCREEN 41 MONITORING PARAMETERS;5.5 HOURS BACKUP BATTERY, TROLLEY WITH DUAL TANK HOLDER VENT MODES:ASV,CMV+/APVCMV,SIMV+/APVSIMV,PCV+ SPONT,PSIMV+;MANUAL BREATH,02 ENRICHMENT,STANDBY SIGH,SCREEN-SHOT,APENEA BACKUP VENT;INSPIRATORY HOLD,SUCTIONING TOOL,DIMMABLE SCREEN (WXDXH) IN: 24.80 X 24.80 X 64.30 MM: 630 X 630 X 1633 KG: 19	HAMILTON MEDICAL, INC. T1 T1	OF/VI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			LOCATION: FLOOR AUX \$: \$16,300.00 DATA: HARD WIRED DATA NOTE: COMMUNICATION INTERFACE: COM1 PORT FOR CONNECTION TO A REMOTE MONITOR NURSE CALL INTERFACE RJ-45 ETHERNET CONNECTOR USB CONNECTOR REFERENCE VENDOR'S TECHNICAL DATA VOLTS: 120 HERTZ: 60 WATTS: 150 ELECT NOTE: POWER CONSUMPTION:50-150W				





FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: RT WORK / STORAGE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ#:	1000454 VNT01	2	VENTILATOR V60 TRSPT DOM, CART, ARM, O2 MAN, NIC UNAS;PEDIATRIC-ADULT;BIPAP/NON-INVASIVE;CPAP;S/T;PCV;TOUCH-SCRE EN;6 HOUR LI-ION BATTERY;C-FLEX & AVAPS;SOFTWARE OPTIONS;GRAPHICS PACKAGE;OXYGEN HOSE;POWER CORD;UNIVERSAL STAND;V60 MOUNTING PLATE;CIRCUIT SUPPORT ARM;CIRCUIT SUPPORT ARM BRACKET;OXYGEN TANK MANIFOLD & OXYGEN TANK BRACKET;QUICK REFERENCE CARD;OPERATION MANUAL	PHILIPS MEDICAL SYSTEMS V60 RESPIRONICS V60	OF/VI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 1076430 ASSY, IDLE MASK STORAGE BRACKET 1 1076723 V60 AUTO-TRAK+OPTION. 1 1113631 V60 TRSPT DOM, CART,ARM,02 MAN,NIC ASSM	\$22.00 \$492.00 \$0.00			
			(WXDXH) IN: 16.00 X 17.00 X 46.00 LBS: 80.00 MM: 406 X 432 X 1168 KG: 36 LOCATION: FLOOR AUX \$: \$13,773.37 VOLTS: 120 HERTZ: 60 WATTS: 300 ELECT NOTE: LITHIUM ION BATTERY (6-HR OPERATION)				
4 EQ#:	008082 REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBLE DOOR; NO LOCK	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 \$1,124.10 GROUP: 2 MAJOR MOVABLE
	_		(WXDXH) IN: 21.00 X 23.00 X 29.00 LBS: 80.00 MM: 533 X 584 X 737 KG: 36 LOCATION: FLOOR AUX \$: \$1,124.10 VOLTS: 115 HERTZ: 60 AMPS: 15	MECH NOTE : REFRIGERANT: R134A;3.25 OZ			







FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: RT WORK / STORAGE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ# :	076164 ABG01	1	LAB ANALYZER, BLOOD GAS 60 SEC RESULTS; W/CART; TOUCH SCREEN/BARCO CLOT DETECTION & MANAGEMENT; CAN USE WH (ARTERIAL & VENOUS), PLEURAL FLUID, & DIALYS TESTS BLOOD GAS/ELECTROLYTES/GLUCOSE/LAC' CO-OXIMETRY INCLUDING NEONATAL TOTAL BILIF TOTAL HEMOGLOBIN TO INCLUDE: 1 EA 10698368 RAPIDPOINT BLOOD GAS CART 1 EA 014557001 UNIVERSAL POWER SUPPLY	OLE BLOOD ATE FATE/	SIEMENS MEDICAL SOLUTIONS USA, INC. 10492730/10698368 RP500	OF/OI	EXISTING	\$0.00 GROUP: 2 M.	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 11.50 X 16.00 X 21.50	LBS: 36.50					
			MM: 292 X 406 X 546	KG : 17					
			LOCATION: FLOOR						
			DATA: HARD WIRED DATA NOTE: RS232 PORT; 10BASE T ETHERNET VOLTS: 120 HERTZ: 60						
6	1000341	1	STOOL		STORAGE SYSTEMS UNLIMITED	OF/OI	EXISTING	\$0.00	\$0.00
			STOOL GAS CYLINDER; 5-CASTER;		- P-526-GS			GROUP: 3 M	INOR MOVABLE
ć			ALUMINUM BASE; SPECIFY COLOR;		F-520-03				
	•		(WXDXH) IN: 12.00 X 12.00 X 24.00						
			MM: 305 X 305 X 610						
			LOCATION: FLOOR						
			AUX \$: \$188.74						
7 EQ# :	055619 DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 M	\$38.94 INOR MOVABLE
1									
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273	KG : 1					
			LOCATION: WALL						
			AUX \$: \$38.94						





FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: RT WORK / STORAGE

LOCATION: FLOOR
AUX \$: \$0.00
DATA: HARD WIRED

STEREO AUDIO JACK

VOLTS: 120 HE

REPLACEABLE)

DATA NOTE: ELECTRONIC MEDICAL RECORDS (EMR): RS-232 BI-DIRECTIONAL COMMUNICATION NURSE CALL: 3-PIN 3.5 MM

ELECT NOTE: 200VA IN WARM-UP; 80VA STEADY-STATE BATTERY BACKUP

POWER: QTY 4, 4.8V NICKEL-METAL HYDRIDE AA BATTERIES (NOT USER

WATTS: 200

HERTZ: 60

ROOM NUMBER: 604

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8 057206 EQ#: GLV01		1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KE MOUNT;VERTICAL/HORIZONTAL	YHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3	\$57.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	LBS: 2.00 KG: 1					
9 EQ #	1006395 : HUM02	1	HUMIDIFIER HEAT/HUMIDIFICATION;HIGH FLOW;WITH STA GAS 1-40LPM;BUILT-IN BLENDER 02 SENSOR; E DISPOSABLE PATIENT CIRCUIT	•	VAPOTHERM PF-UNIT-US PRECISION FLOW	OF/OI	EXISTING	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 25.00 X 25.00 X 72.00 MM: 635 X 635 X 1829	LBS: 40.00 KG: 18					

MEDICAL GAS: YES

PLUMB NOTE: MEDICAL AIR AND O2 AT BETWEEN 4 AND 85

PSI INLET; DISS FITTINGS

Confidential Information





FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: RT WORK / STORAGE

ROOM NUMBER: 604

LINE	PRICE EXTENS	RESP STATUS PRICE EXT	MANUFACTURER		GENERIC	# QTY	NE
10	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	OF/OI EXISTING \$0.00	WANUFACTURER VAPOTHERM PF-PLUS-US PRECISION FLOW+	ELIVERED R VOLUME;GCX ROLL STAND PF-PLUS-UKIT-US LL STAND (GCX) LBS: 50.00 KG: 23	HUMIDIFIER HEATS/HUMIDIFIES PATIENT RESP GASES;US PERCENTAGE, TEMP, & FLOW RATE OF DELIN GAS;APPROX 400ML CIRCULATING WATER V TO INCLUDE: 1 EA PF-PLUS-US PRECISION FLOW PLUS + PI 1 EA PF-STAND-GCX PRECISION FLOW ROLL S (WXDXH) IN: 25.00 X 25.00 X 84.00 MM: 635 X 635 X 2134 LOCATION: FLOOR AUX \$: \$5,200.00 VOLTS: 120 HERTZ: 60	333 1	
EQ#:	GROUP	GROUP		ELIVERED R VOLUME;GCX ROLL STAND PF-PLUS-UKIT-US LL STAND (GCX) LBS: 50.00 KG: 23	PERCENTAGE, TEMP, & FLOW RATE OF DELIV GAS;APPROX 400ML CIRCULATING WATER V TO INCLUDE: 1 EA PF-PLUS-US PRECISION FLOW PLUS + PI 1 EA PF-STAND-GCX PRECISION FLOW ROLL: (WXDXH) IN: 25.00 X 25.00 X 84.00 MM: 635 X 635 X 2134 LOCATION: FLOOR AUX \$: \$5,200.00		EQ#:

ROOM TOTAL: \$3,201.84





FLOOR: 1

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	100148 PBR01	1	PARALLEL BARS MOTORIZED;6 FT. PLATFORM;HEIGHT/WIDTH ADJUSTABLE BARS;1000# CAP;BARIATRIC; FINGERTIP CONTROLS;STEEL FRAME;NON-SKID BLACK MAT	TRI W-G INC. TWG1000.BA BARIATRIC	OF/VI	NEW	\$8,062.50	\$8,062.50 GROUP: 1 FIXED
			(WXDXH) IN: 54.00 X 72.00 X 39.75 MM: 1372 X 1829 X 1010 LOCATION: FLOOR AUX \$: \$8,062.50 VOLTS: 115					
2 EQ#:	103132 STP01	1	EXERCISE UNIT, STAIRCASE TRAINING STAIRS WITH BUS STEP;(3) 4" RISERS ON ONE SIDE AND (2)6" RISERS ON THE OTHER. WHEN BUS STEP IS INSTALLED, A 12" RISER IS CREATED; PLATFORM IS 24" X 30"; WEIGHT CAP 350LBS; PLYWOOD MAPLE BASE	PERFORMANCE HEALTHCARE 081535582	OF/OI	NEW	\$1,060.06 <i>GROUP:</i> 3 /	\$1,060.06 I MINOR MOVABLE
			(WXDXH) IN: 31.00 X 55.00 X 48.00 LBS: 61.00 MM: 787 X 1397 X 1219 KG: 28 LOCATION: FLOOR AUX \$: \$1,060.06					



PlanView

FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ#	072847 : EXR03	1	EXERCISE, STEPPER RECUMBENT FULL BODY;RECUMBENT STEPPER;400LB CAF ACCOMMODATES USERS FROM 4'6"-6'4";USI STEP LENGTH;360 DEGREE SWIVEL SEAT;15"I ADJUSTMENT;BATTERY POWERED CONSOLE; HOLDER;MEDIA SHELF TO INCLUDE: 1 EA T4R TOTAL ESSENTIALS BUNDLE ACCESS 2 EA 51070 T4 LEG STABILIZER 1 EA 45642 T4R LEG STABILIZER MOUNTING 1 EA 45647 INSTRUCTIONS-T4R LEG STABILI BRACKET 1 EA 45670 T4R FOOT SECURE SYSTEM-ACCINSTALLED 1 EA 45650 T4R SEATBELTS-ACCESSORY INST 1 EA 50813 T4/T5 COED POLAR T31C TRANS BELT 1 EA 45683 T4/T4R WELLGRIP SET-ACCESSO (WXDXH) IN: 27.00 X 60.00 X 45.00 MM: 686 X 1524 X 1143 LOCATION: FLOOR AUX \$: \$4,795.00 ELECT NOTE: UNIT IS SELF-POWERED CONSORECHARGEABLE BATTERIES	ER CONTROLLED BACK/FORWARD WATER BOTTLE ORY KIT BERACKET ZER ESSORY TALLED KIT SMITTER BRY KIT LBS: 210.00 KG: 95	NUSTEP, INC. T4R	OF/VI	NEW	\$4,795.00 GROUP: 3 MING	\$4,795.00 OR MOVABLE
4 EQ#	065262 EXR02	1	EXERCISE UNIT, ERGOMETER, ARM UPPER/LOWER BODY EXERCISER; MAGNETIC DIGITAL DISPLAY; ADJUSTABLE BASE	RESISTANCE	PERFORMANCE HEALTHCARE 554035 MAGNETIC RESIST	OF/OI	EXISTING	\$0.00 GROUP: 3 MINO	\$0.00 OR MOVABLE
			(WXDXH) IN: 17.00 X 9.00 X 17.00 MM: 432 X 229 X 432 LOCATION: COUNTERTOP	LBS: 18.00 KG: 8					







FLOOR: 1

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5	087084	1	TABLE, WORK, ADJUSTABLE	CLINTON INDUSTRIES	OF/OI	NEW	\$1,186.99	\$1,186.99
EQ#:	TBR01		HAND CRANK PATIENT TABLE WITH TILT TOP;HEIGHT ADJ				GROUP: 3 M	IINOR MOVABLE
			RANGE 27"-39";1-1/8" ALL LAMINATE TOP;ALUMINUM AND	76-36C				
2	H		POWDER-COATED STAND.					
			(WXDXH) IN: 36.00 X 32.00 X 39.00					
			MM : 914 X 813 X 991					
			LOCATION: FLOOR					
			AUX \$: \$1,186.99					
6	092792	1	TABLE, MAT, MOTORIZED	PERFORMANCE HEALTHCARE	OF/OI	NEW	\$3,285.00	\$3,285.00
EQ#:	MAT01		WT CAP 900LBS;20-30" HT RANGE;HAND CONTROL SWITCH;2" FOAM	A370562			GROUP: 2 M	AJOR MOVABLE
			PADDING;PERMABLOK COATING	PERFORMA POWER				
T	T							
			(WXDXH) IN: 48.00 X 84.00 X 30.00 LBS: 270.00					
			MM : 1219 X 2134 X 762 KG : 123					
			LOCATION: FLOOR					
			AUX \$: \$3,285.00					
			VOLTS: 120 HERTZ: 60 AMPS: 2.4					
			ELECT NOTE: HOSPITAL GRADE PLUG		/		4	
	092980	1	FRAME, STANDING	PERFORMANCE HEALTHCARE 961522B	OF/OI	NEW	\$3,431.70	\$3,431.70 AJOR MOVABLE
EQ#:	FRM01		ELECTRIC SIT-TO-STAND STANDING FRAME; FOUR POINT SYSTEM STABILIZATION AT FEET, KNEES, BUTTOCKS AND	METRON ELITE			GNOUP. 2 IVI	AJOK WOVABLE
			CHEST; BACK PAD FOR LUMBAR SUPPORT; HAND HELD					
			POWER SWITCH CONTROLS TABLETOP HEIGHT; LOCKING					
-			SWIVEL CASTERS; WEIGHT CAPACITY 300LBS					
			(WXDXH) IN: 42.00 X 38.00 X 53.00 LBS: 295.00					
			MM : 1067 X 965 X 1346 KG : 134					
			LOCATION: FLOOR					
			AUX \$: \$3,431.70					
			VOLTS: 115 HERTZ: 60 AMPS: 3.5					





FLOOR: 1

ROOM NAME:

DEPARTMENT: PT/OT/RT

THERAPY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
8 EQ# :	102949 PUL01	1	EXERCISE UNIT, PULLEY, WALL 2-42" ALUMINUM WALL TRACKS W/CONNECTIONS;3 ANCHORS INSTRUCTION POSTER;7 PROGRESSIVE RESISTANCE BANDS ACCESSORY RACK;INSTALLATION INSTRUCTION SHEET	PERFORMANCE HEALTHCARE THERA-BAND CLX WALL 087106779	OF/CI	NEW	\$450.00 \$450.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 6.00 X 2.00 X 84.00 LBS: 15.00 MM: 152 X 51 X 2134 KG: 7 LOCATION: WALL AUX \$: \$450.00				
9 EQ#:	078097 RCK07	3	EXERCISE UNIT, WEIGHTS ACCESSORY, RACK, STORAGE STRIP; WALL MOUNTED HOLDS 11 DUMBBELLS; GRAY PRE-DRILLED MOUNTING HOLES; POLYCARBONATE RODS	CLINTON INDUSTRIES 5113K -	OF/OI	NEW	\$94.82 \$284.46 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 3.00 X 2.00 X 55.00 MM: 76 X 51 X 1397 LOCATION: WALL AUX \$: \$94.82				
10	094356	1	EXERCISE UNIT, DUMBBELLS SET OF 10 NEOPRENE COATED CAST IRON DUMBBELLS; 1 EA, 1-10 LBS; WEIGHT IS THE TOTAL OF THE 10 WEIGHTS.	PERFORMANCE HEALTHCARE 081513878 INDIVIDUAL NEOPRENE DUMBBELLS	OF/OI	NEW	\$100.00 \$100.00 GROUP: 3 MINOR MOVABLE
			LBS: 55.00				
			KG: 25				
			AUX \$: \$100.00				





FLOOR: 1

EXTENSION	PRICE	STATUS	RESP	MANUFACTURER		GENERIC	QTY	ID#	LINE
\$221.1! MINOR MOVABLI	\$221.19 GROUP: 3	NEW	OF/OI	PERFORMANCE HEALTHCARE 540014 081035013	V/CLR LABEL	EXERCISE UNIT, WEIGHT BAR SET OF 5;1,2,3,4,5LB WEIGHTS;GRAY BAR W,	1	092574	11
					LBS: 15.00	(WXDXH) IN: 30.00 X 1.50 X 1.50			
					KG: 7	MM: 762 X 38 X 38			
						LOCATION: SPACE			
						AUX \$: \$221.19			
\$344.2! MINOR MOVABLI	\$344.29 GROUP: 3	NEW	OF/OI	PERFORMANCE HEALTH 5170Y SET Y		EXERCISE UNIT, WEIGHT, WRIST AND AN 18 PIECES;ANKLE/WRIST;2 EA. 1LB, 1.5LB, 2 AND 10LB. WEIGHTS	1	1005075	12
					LBS: 73.00				
					KG: 33				
						LOCATION: SPACE			
						AUX \$: \$344.29			
\$300.00 MINOR MOVABL	\$150.00 GROUP: 3	NEW	OF/OI	MIDMARK CORPORATION 272-001-312 272-001-312	GLIDES UPHOLSTERY TO BE	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/G SELECTED;HEIGHT ADJ. 18-24.5"	2	106653 STL02	13 EQ#
					LBS: 24.00	(WXDXH) IN: 23.00 X 23.00 X 24.50		_	
					KG : 11	MM: 584 X 584 X 622			
						LOCATION: FLOOR			
					AUX \$: \$150.00				





FLOOR: 1

DEPARTMENT: PT/OT/RT
ROOM NAME: THERAPY
ROOM NUMBER: 801

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 14 1003921 1 HAMPER, LINEN MEDLINE INDUSTRIES, INC. OF/OI NEW \$143.81 \$143.81 EQ#: LHM01 RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING TRICX302 GROUP: 3 | MINOR MOVABLE CASTERS; MEDIUM 29X38 BAG (WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00 **MM:** 470 X 495 X 832 **KG**: 11 LOCATION: FLOOR AUX \$: \$143.81 15 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** OF/CI NEW \$57.00 \$57.00 EQ#: GLV01 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER GROUP: 3 | MINOR MOVABLE MOUNT; VERTICAL/HORIZONTAL GP-061 (WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 KG: 1 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00 16 004363 WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI NEW \$54.50 \$54.50 CAP 28 QT; RECTANGULAR; FIRE RETARDANT; FIBERGLASS; CA FIRE MARSHAL FG254300[XXX] GROUP: 3 | MINOR MOVABLE APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN 2543 **OPTIONS AT PROCUREMENT OPTIONS AND ACCESSORIES** PART NUMBER DESCRIPTION **PRICE** BEIG BEIGE \$0.00 (WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 **KG**: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50

ROOM TOTAL: \$23,776.50





FLOOR: 1

DEPARTMENT: PT/OT/RT

ROOM NAME: THERAPY STORAGE

ROOM NUMBER: 802

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	078823 : SHW02	1	,	ELF . .BS: 86.00 KG: 39	INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 MI	\$560.80 NOR MOVABLE
2 EQ# :	071749 : RCK03	1	AUX \$: \$560.80 RACK, CRUTCH FOR CRUTCHES,CANES,WALKERS & ROLLS;ALL STEEL FINISH;3 FIXED HOOKS	GREY POWDER COAT	IDEAL RR31	OF/CI	NEW	\$121.97 GROUP: 3 MI	\$121.97 NOR MOVABLE
				. BS : 13.00 K G : 6					

ROOM TOTAL: \$682.77

DEPARTMENT TOTAL: \$27,661.11





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: LOBBY ROOM NUMBER: 100

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 1015398	1	1 WASTE RECEPTACLE THE BLACK TIE KALEIDOSCOPE THREE-STREAM COMBO RECYCLING STATION INCLUDES ONE 24 GALLON SQUARE CONTAINER AND TWO 8 GALLON HALF-ROUND CONTAINERS		TRASHCAN WAREHOUSE RC-KDSQ-3C-BT THREE-STREAM COMBO	OF/OI	NEW	\$960.00 GROUP: 3 M	\$960.00 INOR MOVABLE
		(WXDXH) IN: 15.75 X 31.50 X 30.00 MM: 400 X 800 X 762 LOCATION: FLOOR AUX \$: \$960.00	LBS: 81.50 KG: 37					
2 1015399	1	DISPENSER, PPE STATION KIT INCLUDES: - RS004-0212 RESPIRATORY HYGIENE STATION DISPENSING UNIT MOUNTING AREA, HOLDS ONE - TWO BOXES OF FACIAL TISSUES QUARTZ BEIGE ABS PLASTIC - KS010-0412 FLOOR STAND QUARTZ BEIGE POWDER-COATED STEEL - MP-075 SIGN HOLDER - HORIZONTAL HOLDS 11" X 8.5" SIGNAGE CLEAR PETG PLASTIC ASSEMBLY HARDWARE INCLUDED (WXDXH) IN: 22.25 X 17.00 X 58.06 MM: 565 X 432 X 1475 LOCATION: FLOOR AUX \$: \$379.00	TWO BOXES OF MASKS, AND LBS: 18.10 KG: 8	BOWMAN MANUFACTURING COMPANY BD114-0012 COMPLIANCE KIT	OF/OI	NEW	\$379.00 GROUP: 3 M	\$379.00 INOR MOVABLE

ROOM TOTAL: \$1,339.00





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: CHAPEL ROOM NUMBER: 102

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	EXISTING	\$0.00	\$0.00
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
	8			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

OPTIONS AT PROCUREMENT

ROOM TOTAL: \$0.00







FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: PUBLIC TOILET (QTY 2)

ROOM NUMBER: 104

ROOM COMMENTS: RM 104, 105 NEAR MALL

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	2	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	EXISTING	\$0.00 GROUP: 3 M	\$0.00 INOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00				
		(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50						

ROOM TOTAL: \$0.00





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: DECON ROOM NUMBER: 400

LINE II	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 08 EQ#: ST	88075 TR04	1	STRETCHER, SHOWER PVC; WATER PROOF FOAM PAD; DROP SIDE RAILS; PILLOW; 450LB CAPACITY	4"CASTERS; BEVELED	LUMEX, INC. GRF-8005	OF/OI	NEW	\$1,375.00 GROUP: 3 N	\$1,375.00 NINOR MOVABLE
			(WXDXH) IN: 28.00 X 79.00 X 34.00	LBS: 130.00					
			MM: 711 X 2007 X 864	KG : 59					
			LOCATION: FLOOR						
			AUX \$: \$1,375.00						
2 08	89875	1	WASTE RECEPTACLE		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$88.50	\$88.50
-	_		GRAY;SLIM JIM;VENTING CHANNELS;16GAL		1971258			GROUP: 3 N	IINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						
3 06	65637	1	ORGANIZER, PPE		ROYAL ARMS MEDICAL INC.	OF/VI	NEW	\$77.00	\$77.00
			HOLDS 3 SINGLE GLOVE BOXES;1 LG & 2 SM POC		DOOR HANGING			GROUP: 3 N	IINOR MOVABLE
			2 LG POCKETS ON BACK OF CADDY W/SIDE ACCE.	55	Q9				
			(WXDXH) IN: 33.00 X 5.00 X 19.00						
			MM: 838 X 127 X 483						
			LOCATION: WALL						
			AUX \$: \$77.00						

ROOM TOTAL: \$1,540.50





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: LACTATION

ROOM NUMBER:

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
	008082 : REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBLE DOOR; NO LOCK	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 \$1,124.10 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 21.00 X 23.00 X 29.00 LBS: 80.00 MM: 533 X 584 X 737 KG: 36 LOCATION: FLOOR AUX \$: \$1,124.10 VOLTS: 115 HERTZ: 60 AMPS: 15				
2 004	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	MECH NOTE: REFRIGERANT: R134A;3.25 OZ RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50				

ROOM TOTAL: \$1,124.10





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: LOCKERS, MALE / FEMALE (QTY 2)

ROOM NUMBER: 402

ROOM COMMENTS: RM 402, 404

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENS	ION
1	089875	2	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 \$17' GROUP: 3 MINOR MOVA	
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						

ROOM TOTAL: \$177.00





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: LOCKERS, TOILET (QTY 2)

ROOM NUMBER: 403

ROOM COMMENTS: RM 403, 405

LINE ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 004363	2	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	EXISTING	\$0.00 GROUP: 3 N	\$0.00 MINOR MOVABLE
		OPTIONS AND ACCESSORIES					
		QTY PART_NUMBER DESCRIPTION	PRICE				
		1 BEIG BEIGE	\$0.00				
		(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50					

ROOM TOTAL: \$0.00





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: STAFF BREAK

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	075907 ICE01	1	ICE MAKER W/WATER DISPENSER 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER TOUCH FREE;AIR COOLED	DISPENSER	MANITOWOC ICE, INC. SN-20AT AIR COOLED	OF/CI	NEW	\$3,595.00	\$3,595.00 GROUP: 1 FIXED
			(WXDXH) IN: 16.25 X 24.00 X 42.00 MM: 413 X 610 X 1067 LOCATION: COUNTERTOP AUX \$: \$3,595.00	LBS: 184.00 KG: 83					
			VOLTS: 115 HERTZ: 60 AMPS: 10.3 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 15A;SINGLE PHASE 6' CORD		BTU: 2300			OPSI/MAX 80 PSI WATE NNECTION REQUIRED S	
2 EQ# :	1002050 RFZ02	2	REFRIGERATOR/FREEZER, UPRIGHT 18.3CF;TOP MOUNT FREEZER; WHITE; NO ICE		FRIGIDAIRE FFHT1835VW	OF/OI	NEW	\$1,049.00 <i>GROUP: 2</i>	\$2,098.00 MAJOR MOVABLE
			(WXDXH) IN: 30.00 X 30.38 X 66.38 MM: 762 X 772 X 1686 LOCATION: FLOOR	LBS: 164.00 KG: 74					
			SPEC COMMENTS: CLEARANCES: 3/8" SIDES AND AUX \$: \$1,049.00	TOP, 1" BACK					
			VOLTS: 120 HERTZ: 60 AMPS: 15 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 15A CIRCUIT;3 PRONG GROUNDING	WATTS: 1800 G PLUG					







FLOOR: 1

DEPARTMENT: SHARED SERVICES ROOM NAME: STAFF BREAK

INE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ# :	055770 OVM01	1	OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONT MEDIUM DUTY	FROL; COMMERCIAL;	SHARP ELECTRONICS CORP. R-21LVF R21LVF	OF/OI	NEW	\$375.00 <i>GROUP: 2</i>	\$375.0 MAJOR MOVABL
			(WXDXH) IN: 20.50 X 16.00 X 12.13	3S: 37.00					
			MM: 521 X 406 X 308	5: 17					
			LOCATION: COUNTERTOP						
			NOTES: BUILT IN BELOW CABINET AUX \$: \$375.00						
				TTS: 1550					
		PLUG TYPE: Type B (NEMA 5-15)							
4 08345 EQ#: COF0	083455 COF01	1	COFFEE BREWER, PLUMBED 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FLIP L FILTER	UP DRIP TRAY;WATER	KEURIG, INC. K3000SE COMMERCIAL	OF/OI	NEW	\$1,049.98	\$1,049.9 GROUP: 1 FIXEL
			(WXDXH) IN: 12.00 X 22.00 X 20.00 LB	35: 35.00					
			MM: 305 X 559 X 508	5 : 16					
			LOCATION: COUNTERTOP						
			SPEC COMMENTS: DEPTH US WITH FILTER IS 22"						
			AUX \$: \$1,049.98 DATA: HARD WIRED						
			DATA NOTE: RJ11 JACK						
			VOLTS: 120 HERTZ: 60 AMPS: 11.6 WA PLUG TYPE: Type B (NEMA 5-15)	TTS: 1400		•	COLD WATER: YES		
			TEGGTTE. Type B (NEWAS 15)				PLUMB NOTE: WATER PF 1/4"FPT PORTS IN/OUT F MALE GARDEN HOSE CO	ILTER WATER CONN	





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: STAFF BREAK

ROOM NUMBER: 406

				MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1006012 COF04	1	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; BLACHANDLES	K; PLASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 GROUP: 3 M	\$45.00 INOR MOVABLE
		(WXDXH) IN: 5.40 X 11.00 X 12.60 MM: 137 X 279 X 320 LOCATION: COUNTERTOP AUX \$: \$45.00	LBS: 2.00 KG: 1					
1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 M	\$47.67 INOR MOVABLE
		(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS: 6.73 KG: 3					
092852	1	WASTE RECEPTACLE, RECYCLING 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION HANDLES AT RIM	n; VENTED CHANNELS;	RUBBERMAID COMM. PRODUCTS 1971257 SLIM JIM	OF/OI	NEW	\$35.00 GROUP: 3 M	\$35.00 INOR MOVABLE
		(WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR AUX \$: \$35.00	LBS: 6.42 KG: 3					
	1004090	1004090 1	COF64 COFFEE CUP & CONDIMENT ORGANIZER; BLACK HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60 MM: 137 X 279 X 320 LOCATION: COUNTERTOP AUX \$: \$45.00 1004090 1 WASTE RECEPTACLE 13GAL; OPEN TOP; GRAY (WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67 092852 1 WASTE RECEPTACLE, RECYCLING 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION HANDLES AT RIM (WXDXH) IN: 22.00 X 11.00 X 25.00 MM: 559 X 279 X 635 LOCATION: FLOOR	COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PLASTIC; CHROME HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60 LBS: 2.00 MM: 137 X 279 X 320 KG: 1 LOCATION: COUNTERTOP AUX \$: \$45.00 1004090 1 WASTE RECEPTACLE 13GAL; OPEN TOP; GRAY (WXDXH) IN: 11.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR AUX \$: \$47.67 092852 1 WASTE RECEPTACLE, RECYCLING 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION; VENTED CHANNELS; HANDLES AT RIM (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 KG: 3 LOCATION: FLOOR	COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PLASTIC; CHROME HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60 LBS: 2.00 MM: 137 X 279 X 320 KG: 1 LOCATION: COUNTERTOP AUX \$: \$45.00 1. WASTE RECEPTACLE 13GAL; OPEN TOP; GRAY (WXDXH) IN: 11.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR AUX \$: \$47.67 1. WASTE RECEPTACLE, RECYCLING 16 GALLON; RECYCLING; PLASTIC CONSTRUCTION; VENTED CHANNELS; HANDLES AT RIM (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 KG: 3 LOCATION: FLOOR (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 KG: 3 LOCATION: FLOOR	COFF64 COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PLASTIC; CHROME HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60	COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PLASTIC; CHROME HANDLES (WXDXH) IN: 5.40 X 11.00 X 12.60	COF64 COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PLASTIC; CHROME KADDY ORGANIZER (WXDXH) IN: 5.40 X 11.00 X 12.60 LBS: 2.00 MM:: 137 X 279 X 320 KG: 1 LOCATION: COUNTERTOP AUX \$: \$45.00 (WXDXH) IN: 1.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR (WXDXH) IN: 1.1.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR (WXDXH) IN: 1.1.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR (WXDXH) IN: 1.1.17 X 22.23 X 26.09 LBS: 6.73 MM: 284 X 565 X 663 KG: 3 LOCATION: FLOOR (WXDXH) IN: 2.2.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 KG: 3 LOCATION: FLOOR (WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 KG: 3 LOCATION: FLOOR

ROOM TOTAL: \$7,245.65





FLOOR: 1

DEPARTMENT: SHARED SERVICES

ROOM NAME: EMERGENCY DRY FOOD STORAGE

ROOM NUMBER: 409

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	065434 SHW03	3	SHELVING, WIRE 5 SHELF W/SOLID GALV BOTTOM SHELF;STATIONA TO INCLUDE: 4 EA 74P 74" CHROME POST 4 EA A2460NC SUPER ADJ SHELF-CHROME 1 EA 2460FG 24X60 SOLID GALV SHELF	RY	INTERMETRO INDUSTRIES CORP. A2460NC/2460FG/74P SASE	OF/VI	NEW	\$660.60 GROUP: 3 N	\$1,981.80 NINOR MOVABLE
			(WXDXH) IN: 60.00 X 24.00 X 74.50	LBS: 131.00					
			MM: 1524 X 610 X 1892 LOCATION: FLOOR AUX \$: \$660.60	KG : 59					
2 EQ#:	094824 SHW01	1	SHELVING, STEEL, PALLET 2 SHELF PALLET RACK STARTER UNIT TO INCLUDE: 2EA H-5724 WIRE DECKING		ULINE H-5715	OF/VI	NEW	\$339.00 GROUP: 3 N	\$339.00 NINOR MOVABLE
			(WXDXH) IN: 96.00 X 42.00 X 96.00	LBS: 190.00					
			MM: 2438 X 1067 X 2438 LOCATION: FLOOR NOTES: CUSTOM SEISMIC KIT WHEN ORDER AUX \$: \$339.00	KG : 86					

ROOM TOTAL: \$2,320.80





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: GENERAL STORAGE

ROOM NUMBER: 410

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 065434 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. OF/VI NEW \$660.60 \$3,963.60 EQ#: SHW03 5 SHELF W/SOLID GALV BOTTOM SHELF; STATIONARY A2460NC/2460FG/74P GROUP: 3 | MINOR MOVABLE TO INCLUDE: SASE 4 EA 74P 74" CHROME POST 4 EA A2460NC SUPER ADJ SHELF-CHROME 1 EA 2460FG 24X60 SOLID GALV SHELF (WXDXH) IN: 60.00 X 24.00 X 74.50 LBS: 131.00 **KG**: 59 **MM**: 1524 X 610 X 1892 LOCATION: FLOOR **AUX \$:** \$660.60

ROOM TOTAL: \$3,963.60





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: SOILED LINEN

ROOM NUMBER: 411

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** TRUCK/BIN, LINEN OF/OI 1 100858 TOTER INC. NEW \$497.51 \$2,985.06 EQ#: TRK01 500LB/16 CUFT CAPACITY; MANUAL UNLOADING; BLUE MMC16-90701 GROUP: 3 | MINOR MOVABLE **CUBE HEAVY DUTY**



(WXDXH) IN: 30.38 X 44.00 X 35.50 LBS: 60.50

MM: 772 X 1118 X 902 **KG**: 27

LOCATION: FLOOR

NOTES: INCLUDES LID; COLOR BLUE FOR ALL

AUX \$: \$497.51

ROOM TOTAL: \$2,985.06







FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: CLEAN LINEN STORAGE

ROOM NUMBER: 412

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	065434 SHW03	3	SHELVING, WIRE 5 SHELF W/SOLID GALV BOTTOM SHELF; STATIONARY TO INCLUDE: 4 EA 74P 74" CHROME POST 4 EA A2460NC SUPER ADJ SHELF-CHROME 1 EA 2460FG 24X60 SOLID GALV SHELF	INTERMETRO INDUSTRIES CORP. A2460NC/2460FG/74P SASE	OF/VI	NEW	\$660.60 GROUP: 3 N	\$1,981.80 NINOR MOVABLE
			(WXDXH) IN: 60.00 X 24.00 X 74.50 LBS:	31.00				
			MM: 1524 X 610 X 1892 KG: 5 LOCATION: FLOOR AUX \$: \$660.60					
	1015397 CRL01	2	CART, LINEN 5" QUIET, NON-MARKING TENTE CASTERS AMONG THE MARKET; REINFORCED INJECTION-MOLDED SHELVES WI'PREVENT STORED MATERIALS FROM SLIDING; TOP PLATE COVER TO PREVENT SAGGING AND TO ALLOW ITEMS TO TOP; STRONG, TIGHTWEAVE FABRIC FOR BETTER LOOKIND DURABLE, AND LONGER LASTING COVER; FEATURES 36" WITH 11" BETWEEN SHELVES; CARTS HAVE HANDLES ON (WXDXH) IN: 40.00 X 20.00 X 63.00 LBS: MM: 1016 X 508 X 1600 KG: 2 LOCATION: FLOOR AUX \$: \$590.00	H ½" LIP TO IPU PREMIUM UNDER THE BE PLACED ON G, MORE V X 20"D SHELVES BOTH SIDES 0.00	OF/OI	NEW	\$590.00 GROUP: 3 N	\$1,180.00 NINOR MOVABLE

ROOM TOTAL: \$3,161.80







FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: HOUSEKEEPING

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 052851 EQ#: HKP01	1	CART, HOUSEKEEPING SS;2 SHELF;FOLDING PLATFORM W/LOCKING LID;TOOL BRACKET W/4 HANDLES & 3 HOOK	· · · · · · · · · · · · · · · · · · ·	ROYCE ROLLS RINGER CO. F36 FOLDING F36 FOLDING	OF/OI	NEW	\$1,086.00 GROUP: 3 N	\$1,086.00 NOVABLE
		(WXDXH) IN: 23.00 X 36.00 X 42.50 MM: 584 X 914 X 1080	LBS: 32.00 KG: 15					
		LOCATION: FLOOR AUX \$: \$1,086.00						
2 1015581 EQ#: SHW04	1	SHELVING, WIRE 4 SHELF, STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING: 4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL 6: 1 EA. SABP13BR-4PK SEISMIC OSHPD PREAP TRIANGULAR PLATE KIT		INTERMETRO INDUSTRIES CORP. 1836NC/63P SUPER ERECTA SEISMIC	OF/VI	NEW	\$343.94 GROUP: 3 N	\$343.94 MINOR MOVABLE
		(WXDXH) IN: 36.00 X 18.00 X 63.00	LBS: 53.00					
		MM: 914 X 457 X 1600 LOCATION: FLOOR AUX \$: \$343.94	KG : 24					
3 078704	1	RACK, MOP/BROOM		BOBRICK WASHROOM EQUIPMENT, INC.	OF/CI	NEW	\$347.12	\$347.12
EQ#: RCK04		SS;SHELF W/3 MOP OR BROOM HOLDERS;4 F STAINLESS;ALL WELDED CONSTRUCTION;SAT		B-239			GROUP: 3 N	IINOR MOVABLE
		(WXDXH) IN: 34.00 X 8.00 X 13.00 MM: 864 X 203 X 330	LBS: 10.00 KG: 5					
		LOCATION: WALL AUX \$: \$347.12						





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: HOUSEKEEPING

ROOM NUMBER: 413

Confidential Information

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4 EQ#:	100388 SCB02	1	FLOOR MACHINE, SCRUBBER, POLISHER WALK BEHIND; SCRUBBING PATH OF 14.5"; BATTERY OPERATED	NILFISK ADVANCE 183603 SC351	OF/OI	NEW	\$4,280.00 \$4,280.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 18.70 X 48.00 X 42.70 LBS: 176.00 MM: 475 X 1219 X 1085 KG: 80 LOCATION: FLOOR AUX \$: \$4,280.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: 1-84AH AGM BATTERY (12V) ELECTRICAL SHOWN FOR CHARGING				
5 EQ# :	093627 VAC04	1	VACUUM, WET/DRY 19GAL TANK;FRONT MOUNT SQUEEGEE;ERGO TIP-&-POUR DESIGN;9GAL DUST BAG (DRY);101CFM;8' HOSE	NILFISK ADVANCE 56383408 VL500-75	OF/OI	NEW	\$553.00 \$553.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 24.00 X 26.00 X 41.00 LBS: 61.00 MM: 610 X 660 X 1041 KG: 28 LOCATION: FLOOR AUX \$: \$553.00				
			VOLTS: 120 HERTZ: 60 WATTS: 1100 ELECT NOTE: 50' POWER CORD				
	1003893 VAC01	1	CLEANER, CARPET / FLOOR, VACUUM, PORTABLE UPRIGHT VACUUM W/ 18-INCH CLEANING PATH;AUTOMATIC BRUSH-HEIGHT ADJUSTMENT; 40 FOOT POWER CORD	KARCHER SENSOR XP 18 10126130	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
	•		(WXDXH) IN: 18.00 X 11.00 X 46.00 LBS: 19.00 MM: 457 X 279 X 1168 KG: 9 LOCATION: FLOOR NOTES: MODEL NOT EXACT. PLACEHOLDER FOR EXISTING VACUUM AUX \$: \$775.00 VOLTS: 110 HERTZ: 60 AMPS: 1.19 ELECT NOTE: REFERENCE VENDOR TECHNICAL DATA	MECH NOTE: REFERENCE VENDOR TECH	INICAL DATA		
			REFERENCE VERTOON FEGILITICAL DATA				

ROOM TOTAL: \$6,610.06





FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: BIOHAZARD WASTE

ROOM NUMBER: 414

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE **EXTENSION** CONTAINER, BIOHAZARD OF/OI 1 100859 TOTER INC. NEW \$306.11 \$612.22 EQ#: WST02 RED;64 GALLON;2 WHEEL;HINGED LID;2-10"WHEELS RMC64-00RED GROUP: 3 | MINOR MOVABLE

(WXDXH) IN: 24.75 X 32.00 X 44.25 LBS: 45.30

MM: 629 X 813 X 1124 **KG**: 21

LOCATION: FLOOR
AUX \$: \$306.11

2-4"CASTERS;PLASTIC

ROOM TOTAL: \$612.22







FLOOR: 1

DEPARTMENT: SHARED SERVICES
ROOM NAME: STAFF TOILET

ROOM NUMBER: 601

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
	-			APPROVED:UL LISTED:6/CARTON:CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50

DEPARTMENT TOTAL: \$31,134.29







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: PUBLIC TOILET (QTY 2)

ROOM NUMBER: 803

ROOM COMMENTS: RM 803, 804 NEAR THERAPY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	2	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$109.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				

ROOM TOTAL: \$109.00



PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: DINING ROOM

ROOM NUMBER: 806

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 M	\$88.50 IINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						
2	092852	1	WASTE RECEPTACLE, RECYCLING		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$35.00	\$35.00
			16 GALLON;RECYCLING;PLASTIC CONSTRUCTION; HANDLES AT RIM	VENTED CHANNELS;	1971257 SLIM JIM			GROUP: 3 M	IINOR MOVABLE
			TANDLES AT NIM		SERVI SILVI				
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$35.00						
3	057206	1	DISPENSER, GLOVE		BOWMAN MANUFACTURING COMPANY	OF/CI	NEW	\$57.00	\$57.00
EQ#	: GLV01		HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH	OLE	QUAD GLOVE DISPENSER			GROUP: 3 M	IINOR MOVABLE
			MOUNT;VERTICAL/HORIZONTAL		GP-061				
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM : 570 X 99 X 254	KG: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						
								POOM TO	TAL • \$180 50

ROOM TOTAL: \$180.50



PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: RECREATION ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	1002050 : RFZ02	1	REFRIGERATOR/FREEZER, UPRIGHT 18.3CF;TOP MOUNT FREEZER; WHITE; NO ICE		FRIGIDAIRE FFHT1835VW	OF/OI	NEW	\$1,049.00 GROUP: 2	\$1,049.00 MAJOR MOVABLE
			MM: 762 X 772 X 1686 KG. LOCATION: FLOOR SPEC COMMENTS: CLEARANCES: 3/8" SIDES AND TOP, AUX \$: \$1,049.00	NTTS: 1800					
2 EQ #	1013974 : RNG01	1	RANGE, ELECTRIC 30" INDUCTION RANGE WITH AIR FRYING OPTION; 240		FRIGIDAIRE GCRI3058AF GALLERY 30	OF/CI	NEW	\$1,650.00	\$1,650.00 GROUP: 1 FIXED
			, ,	35: 250.00 5: 113					





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: RECREATION ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 1015636 EQ#: OVM02	1	OVEN, DOMESTIC, MICROWAVE, BUILT-IN 30 INCH OVER THE RANGE MICROWAVE OVEN WITH 1.8 CU. FT. CAP, 1000 COOKING WATTS, DUCTED VENTING, 300 CFM, 10 POWER LEVI LISTED, SENSOR COOKING, COOKTOP LED LIGHTING, INTERIOR MICROWAVE LED LIGHTING IN STAINLESS STEEL; 120V, 60HZ, 15AMP	ELS, UL 1.8 CU. FT OVER-THE-RANGE	OF/OI	NEW	\$320.00	\$320.00 GROUP: 1 FIXEL	
			(WXDXH) IN: 29.88 X 15.75 X 16.38 LBS: 50.00					
			MM: 759 X 400 X 416 KG: 23					
			LOCATION: SPACE NOTES: BUILT-IN ABOVE STOVE AUX \$: \$320.00					
			VOLTS: 120 HERTZ: 60 AMPS: 15 WATTS: 1000					
				VENT REQUIRED: YES				
4 083455 EQ#: COF01		1	COFFEE BREWER, PLUMBED 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FLIP UP DRIP TRAY;V FILTER	KEURIG, INC. /ATER K3000SE COMMERCIAL	OF/OI	NEW	\$1,049.98	\$1,049.98 GROUP: 1 FIXED
			(WXDXH) IN: 12.00 X 22.00 X 20.00 LBS: 35.00					
		MM: 305 X 559 X 508 KG: 16 LOCATION: COUNTERTOP SPEC COMMENTS: DEPTH US WITH FILTER IS 22" AUX \$: \$1,049.98 DATA: HARD WIRED						
			DATA NOTE: RJ11 JACK VOLTS: 120 HERTZ: 60 AMPS: 11.6 WATTS: 1400 PLUG TYPE: Type B (NEMA 5-15) Nema 5-15 Nema 5-15			COLD WATER: YES		
							R PRESSURES: 40PSIG T UT FILTER WATER CONN : CONNECTION	





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: RECREATION ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ# :	1006012 COF04	1	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; BLACK; HANDLES	PLASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 GROUP: 3 MI	\$45.00 NOR MOVABLE
			(WXDXH) IN: 5.40 X 11.00 X 12.60 MM: 137 X 279 X 320 LOCATION: COUNTERTOP AUX \$: \$45.00	LBS: 2.00 KG: 1					
6 EQ# :	055619 DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MI	\$38.94 NOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1					
7 EQ#:	057206 GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	HOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MI	\$57.00 NOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	LBS: 2.00 KG: 1					





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: RECREATION ROOM

ROOM NUMBER: 809

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	092852	1	WASTE RECEPTACLE, RECYCLING 16 GALLON;RECYCLING;PLASTIC CONSTRUCTIO HANDLES AT RIM	N; VENTED CHANNELS;	RUBBERMAID COMM. PRODUCTS 1971257 SLIM JIM	OF/OI	NEW	\$35.00 GROUP: 3 M	\$35.00 NINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$35.00						
9	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 M	\$88.50 NINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						

ROOM TOTAL: \$4,333.42





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: FAMILY ROOM

ROOM NUMBER: 811

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE I	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR	R MOVABLE
-			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: LOCKERS, FEMALE

ROOM NUMBER: 812

STATUS EXTENSION LINE ID# QTY GENERIC MANUFACTURER RESP PRICE WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI \$88.50 1 089875 NEW \$88.50 GRAY;SLIM JIM; VENTING CHANNELS; 16GAL 1971258 GROUP: 3 | MINOR MOVABLE



(WXDXH) IN: 22.00 X 11.00 X 25.00

MM: 559 X 279 X 635

LBS: 6.42 **KG:** 3

LOCATION: FLOOR

AUX \$: \$88.50

ROOM TOTAL: \$88.50







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: LOCKERS, TOILET (QTY 2)

ROOM NUMBER: 813

ROOM COMMENTS: RM 813, 849

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	2	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$109.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				

ROOM TOTAL: \$109.00



PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	1 104140 EQ#: MED01	1	DISPENSER, MEDICATION, AUTOMATED 6 DRAWER; LCD MONITOR; KEYBOARD; BARCODE ACCESS SYSTEM; SECURE HALF AND FULL HEIGHT MINIDRAWERS; ALL-IN-ONE POWER AND COMMUNICATION SYSTEM; CONTRO DRAWERS	CUBIE POCKETS AND	BD CAREFUSION PYXIS MEDSTATION ES 323 6 DRAWER MAIN	OF/VI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 55.00 MM: 584 X 686 X 1397 LOCATION: FLOOR DATA: HARD WIRED AND WIRELESS	LBS: 166.00 KG: 75					
				WATTS: 80	BTU: 409				
			ELECT NOTE: 1A NOM,3 AMPS MAX LOAD CURREN REQUIRED	NT EMERGENCY POWER	MECH NOTE: 409 BTU/HR				
2 EQ# :	089012 MED02	1	DISPENSER, MEDICATION, AUTOMATED 7-DRAWER AUXILIARY;18-GAUGE SHEET METAL;RI REAR PANEL	EMOVABLE, LOCKING	BD CAREFUSION PYXIS 7-DRAWER AUXILIARY MEDSTATION ES 7-DRAWER AUXILIARY	OF/VI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 47.00	LBS: 133.00					
			MM: 584 X 686 X 1194 LOCATION: FLOOR DATA: HARD WIRED DATA NOTE: CONNECTS TO MAIN MED DISPENSEF ELECT NOTE: POWERED BY MAIN VIA CABLE CONN						
3 EQ#:	105662 MED04	1	DISPENSER, MEDICATION, AUTOMATED DOUBLE COLUMN AUXILIARY;8 DOORS	<u>icinon</u>	BD CAREFUSION PYXIS DOUBLE COLUMN AUX MEDSTATION ES	OF/VI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			(WXDXH) IN: 52.00 X 28.00 X 80.00 MM: 1321 X 711 X 2032 LOCATION: FLOOR DATA: HARD WIRED	LBS: 470.50 KG: 213					
				<i>WATTS: 65</i> ER;DATA REQUIRED	BTU: 222 MECH NOTE: 222 BTU/HR				





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: MED ROOM

KOOW N	IUIVIBEK:	814					
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4 EQ#	105843 : REF04	1	REFRIGERATOR, UNDERCOUNTER, MEDICAL GRADE 5.3 CF;SOLID FIELD REVERSIBLE DOOR;TEMP RANGE 2-10 DEG C;7" I.C3 COLOR TOUCHSCREEN INTERFACE;AUTO DEFROST;R600A ISOBUTANE REFRIGERANT;LEVELING FEET;2 SHELVES	HELMER LABS, INC. ILR105-GX I SERIES ADA	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 25.00 X 29.00 X 34.00 LBS: 174.00				
			MM : 635 X 737 X 864 KG : 79				
			LOCATION: FLOOR				
			DATA: HARD WIRED DATA NOTE: RJ45 ETHERNET VOLTS: 115 HERTZ: 60 AMPS: 1.4 DEDICATED CIRCUIT: YES PLUG TYPE: Type B (NEMA 5-15)	BTU : 460			
			ELECT NOTE: 8-10' POWER CORD;12V RECHARGEABLE LEAD ACID BATTER FOR DISPLAY & ALARM BACKUP	Y MECH NOTE: REAR ACCESS PORT FOR EXT MO PROBES	ONITORING		
5 EQ#	008082 : REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBLE DOOR; NO LOCK	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 \$1,124.10 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 21.00 X 23.00 X 29.00 LBS: 80.00				
			MM: 533 X 584 X 737 KG: 36				
			LOCATION: FLOOR				
			AUX \$: \$1,124.10				
			VOLTS: 115 HERTZ: 60 AMPS: 15				
				MECH NOTE: REFRIGERANT: R134A;3.25 OZ			





PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: MED ROOM

EXTENSION	PRICE	STATUS	RESP	MANUFACTURER		GENERIC	QTY	ID#	LINE
\$0.00 MINOR MOVABLE	\$0.00 GROUP: 3 I	EXISTING	OF/VI	CAPSA SOLUTIONS AVALO ACS 10 HIGH	DER	CART, MEDICATION ACS CART; KEYLESS PUSH LOCK; NO HANDLE DK CREME; CASTERS ACS10-CHODC-D010-C40 TO INCLUDE: 1 EA 6" MAIN DRAWERS 4 EA 2 TIER CASSETTE STYLE DRAWER 1 EA 12771: AC 6/10" MAIN DRAWER DIVIDER 4 EA 12750: TWO TIER CASSETTE PACKAGE 5.5 1 EA 12746: AC NARC LID FOR 6/10" M	1	105414 CRTM01	6 EQ# :
					LBS: 123.00	(WXDXH) IN: 26.00 X 24.00 X 44.00			
					KG: 56	MM : 660 X 610 X 1118			
						LOCATION: FLOOR			
						AUX \$: \$1,736.37			
\$1,039.00	\$1,039.00	NEW	OF/CI	CACTUS, A STRYKER COMPANY		DISPOSAL CONTAINER, WASTE, PHARMAC	1	099493	7
MINOR MOVABLE	GROUP: 3 I			SMART SINK	BATTERY ARNING LIGHTS LBS: 17.00 KG: 8	"GO GREEN" SYSTEM; COMPLIANCE WITH REG GUIDELINES; AUTOMATED, TAMPER-PROOF, BA OPERATED ALERT SYSTEM EQUIPPED W/WAR AND AUDIBLE ALERTS. TO INCLUDE: 1 EA 10100, SMART SINK 4 EA 10201, LIQUIDS CARTRIDGE 4 EA 10301, SOLIDS CARTRIDGE 1 EA 10400, TRIPLE AA BATTERY PACK (WXDXH) IN: 15.50 X 9.50 X 12.50 MM: 394 X 241 X 318 LOCATION: WALL AUX \$: \$1,039.00 ELECT NOTE: TRIPLE AA BATTERY PACK; RECHAADAPTER UPON REQUEST		DSPP04	EQ#:
\$205.00 MINOR MOVABLE	\$205.00 GROUP: 3 I	NEW	OF/VI	HEALTH CARE LOGISTICS 3783 LOCKABLE RETURN DRUG BOX	E METAL ANTI-THEFT BAFFLE;	BOX, RETURN, DRUGS LOCKABLE; COUNTER/WALL MOUNT; BEIGE N BOTTOM IS LINED WITH FOAM	1	059047 MBOX01	8 EQ# :
					LBS: 9.00	(WXDXH) IN: 12.00 X 5.20 X 6.25			
					KG: 4	MM: 305 X 132 X 159 LOCATION: COUNTERTOP AUX \$: \$205.00			





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: MED ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9	087350	1	DISPOSAL CONTAINER, WASTE, PHARMA 8 GAL;SLIDE LID;10/CS;WHITE	ACEUTICAL	KENDALL HEALTHCARE, COVIDIEN 8851 PHARMA	OF/OI	NEW	\$19.00 GROUP: 3 N	\$19.00 NINOR MOVABLE
			(WXDXH) IN: 16.00 X 11.00 X 18.00						
			MM: 406 X 279 X 457						
			LOCATION: FLOOR						
			AUX \$: \$19.00						
10 EQ#:	055619 : DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRAC RED;5.4QT;SIDE ENTRY;W/WALL BRACKET	CKET	BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 N	\$38.94 IINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	KG: 1					
11	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 N	\$47.67 IINOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: MED ROOM

ROOM NUMBER: 814

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** OF/CI 12 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** NEW \$57.00 \$57.00 EQ#: GLV01 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER GROUP: 3 | MINOR MOVABLE MOUNT; VERTICAL/HORIZONTAL GP-061

MAIN

(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00

MM: 570 X 99 X 254 **KG**: 1

LOCATION: WALL
AUX \$: \$57.00

ROOM TOTAL: \$2,530.71





PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: BEAUTY PARLOR

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ# :	056183 CHR05	1	CHAIR, SALON HYDRAULIC HEIGHT ADJUST;HEAVY DUTY BASE;RECLI LOGO FOOTREST;CALF BARS	INING	COLLINS MANUFACTURING 9020 CONTINENTAL	OF/OI	NEW	\$1,985.00 \$1,985.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 30.00 X 40.00 X 35.00 MM: 762 X 1016 X 889 LOCATION: FLOOR AUX \$: \$1,985.00					
	1008257 DRY01	1	DRYER, HAIR FEATURES LARGE HOOD; INCLUDES VARIABLE TIME A SETTINGS; 1000 WATTS OF DYING POWER	ND TEMPERATURE	COLLINS MANUFACTURING 1433S TEMPTURA ULTRA	OF/CI	NEW	\$593.00 \$593.00 GROUP: 2 MAJOR MOVABLE
			,	BS: 45.00 G: 20				
3 EQ# :	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS F CASTERS; MEDIUM 29X38 BAG	FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 \$143.81 GROUP: 3 MINOR MOVABLE
			•	BS: 25.00 G: 11				





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: BEAUTY PARLOR

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSIO
4 EQ# :	099002 VAC03	1	VACUUM STATIONARY VACUUM;AUTO/MANUAL FUNCTIONS 4.8 LITER CAPACITY;HIGH EFFICIENCY FILTRATION 1400 WATT MOTOR	EYE VAC EYEVAC PRO	OF/OI	NEW	\$129.00 \$129.0 GROUP: 2 MAJOR MOVABL
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 COLOR BLACK	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 13.00 X 7.50 X 20.50 LBS: 15.60 MM: 330 X 191 X 521 KG: 7 LOCATION: FLOOR AUX \$: \$129.00 VOLTS: 120 HERTZ: 60				
5	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.5 GROUP: 3 MINOR MOVABL
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: BEAUTY PARLOR

ROOM NUMBER: 815

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
6 EQ# :	081549 WSH02	1	WASHER/DRYER, CLOTHES, DOMESTIC HE TOP LOAD;3.8 CF WASHER;FRONT LOAD 5.5 CF DRYER 8 WASH CYCLES;STAINLESS STEEL WASHER/DRYER INTERIOR;VIBRATION CONTROL SYSTEM;FRESH WATER RINSE;ENERGY STAR RATED;DEPTH WITH DOOR OPEN: 48" (WXDXH) IN: 27.00 X 31.50 X 77.00 MM: 686 X 800 X 1956 KG: 125 LOCATION: FLOOR	FRIGIDAIRE FFLE3911QW WHITE	OF/CI	NEW	\$2,500.00	\$2,500.00 GROUP: 1 FIXED
			AUX \$: \$2,500.00 VOLTS: 240 HERTZ: 60 AMPS: 30 ELECT NOTE: 5.1 CONNECTED LOAD HEATING ELEMENT @ 240V 4,50	VENT REQUIRED: YES MECH NOTE: 56FT MAX EXHAUST DUCT LENGTH POWER SUPPLY AND WATER INLET CONNECTION LOCATION: MIDDLE REAR		COLD WATER: YES DRAIN REQUIRED: YES PLUMB NOTE: PRESSUR THAN 10PSI H/C WATER WITHIN 42" OF WASHEF W/ THREADING FOR LAI CONNECT TO 48" INLET DIAMETER OF 1 1/4" M ABOVE FLOOR, CAPABLE MINUTE ATTACHED 52"	FAUCETS MUST BE I R'S WATER INLET ANI UNDRY HOSE CONNE HOSES DRAIN STANI IN & HEIGHT OF 33"I OF ELIMINATING 17	WITH NOT MORE NSTALLED D MUST BE 3/4" ECTION TO DPIPE REQUIRES MIN/96"MAX GALLONS PER

ROOM TOTAL: \$5,405.31

STANDPIPE WATER INLET CONNECTION LOCATION: MIDDLE

REAR





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SEMI-PRIVATE PATIENT BEDROOM (QTY 12)

ROOM NUMBER: 816

ROOM COMMENTS: RM 816, 819, 821, 824, 826, 828, 852, 854, 856, 859, 861, 864

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	1016183 BED02	24	BED, RESIDENTIAL, LONG TERM CARE STANDARD FEATURES: - CONTROL LOCKOUT PANEL - AUTO CONTOUR - 3" CASTERS - WALL BUMPERS - MATTRESS RETAINER INCLUDED OPTIONS: - 1/2 RAILS WITH CONTROLS - 4 FLOOR BRAKES - 80" HARD PAN	HILL-ROM LTC300 RESIDENT LTC	OF/VI	NEW	\$5,500.00 \$132,000.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 PACO05010180-1 ACCUMAX SURFACE 1 LTC-300 BASE FRAME 1 RB-HTH HEARTHSIDE STYLE HD/FT BOARDS	PRICE \$0.00 \$0.00 \$0.00			
			(WXDXH) IN: 42.00 X 91.50 X 30.00 LBS: 275.00 MM: 1067 X 2324 X 762 KG: 125 LOCATION: FLOOR AUX \$: \$5,500.00 VOLTS: 120 HERTZ: 60				
2 EQ#:	093154 TB001	24	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE (WXDXH) IN: 19.50 X 37.70 X 46.70 LBS: 48.00	HILL-ROM OBT-635 ART OF CARE	OF/OI	NEW	\$462.67 \$11,104.08 GROUP: 3 MINOR MOVABLE
			MM: 495 X 958 X 1186 KG: 22 LOCATION: FLOOR AUX \$: \$462.67				





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SEMI-PRIVATE PATIENT BEDROOM (QTY 12)

ROOM NUMBER:

ROOM COMMENTS: RM 816, 819, 821, 824, 826, 828, 852, 854, 856, 859, 861, 864

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3	1006224	12	CART, SUPPLY	INNERSPACE BY SOLAIRE MEDICAL	OF/VI	NEW	\$1,321.53 \$15,858.36
EQ#:	CRS02		NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS	SPN24			GROUP: 3 MINOR MOVABLE
			W/BRAKES;ANTIMICROBIAL WORK SURFACE & DRAWER PULLS	PACE 24			

OPTION	IS AND ACCESSORIES	3	
QTY	PART NUMBER	DESCRIPTION	PRICE
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

OF/OI \$844.80 FLOWMETER, OXYGEN OHIO MEDICAL CORPORATION NEW \$35.20 FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF FM-15UO-OHPT GROUP: 3 | MINOR MOVABLE

(WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 **KG**: 0 MM: 28 X 86 X 140

LOCATION: WALL AUX \$: \$35.20

1004559





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SEMI-PRIVATE PATIENT BEDROOM (QTY 12)

ROOM NUMBER: 816

ROOM COMMENTS: RM 816, 819, 821, 824, 826, 828, 852, 854, 856, 859, 861, 864

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
5 EQ #:	057206 : GLV01	12	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	OLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$684.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00				
			MM: 570 X 99 X 254	KG: 1				
			LOCATION: WALL AUX \$: \$57.00					
6 EQ# :	055619 : DSP01	12	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447	OF/CI	NEW	\$38.94 \$467.28 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54				
			<i>MM</i> : 305 X 222 X 273 LOCATION: WALL	KG : 1				
			AUX \$: \$38.94					
7	004363	36	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBEF APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOO OPTIONS AT PROCUREMENT	·	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$1,962.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES					
			QTY PART NUMBER DESCRIPTION		PRICE			
			1 BEIG BEIGE		\$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30	LBS: 5.00	_			
			<i>MM</i> : 368 X 267 X 389 LOCATION: FLOOR	KG: 2				
			NOTES: 1 PER BED AND 1 AT SINK					
			AUX \$: \$54.50					DOOM TOTAL : \$162 020 52

ROOM TOTAL: \$162,920.52





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: RESIDENT TOILET (QTY 12)

ROOM NUMBER: 817

ROOM COMMENTS: RM 817, 820, 822, 825, 827, 829, 853, 855, 857, 860, 862, 865

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	12	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$654.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				

ROOM TOTAL: \$654.00





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: SOILED HOLDING 01

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ #:	100858 TRK01	1	TRUCK/BIN, LINEN 500LB/16 CUFT CAPACITY; MANUAL UNLOADING; BLU	JE	TOTER INC. MMC16-90701 CUBE HEAVY DUTY	OF/OI	NEW	\$497.51 GROUP: 3 MII	\$497.51 NOR MOVABLE
			,	BS: 60.50 'G: 27					
2 EQ#:	1015414 TRK02	1	TRUCK, TILT, WASTE/LINEN 16 CUFT MANUAL CUBE TRUCK; INCLUDES LID		TOTER INC. MMC16-10836 BLACK	OF/OI	NEW	\$650.00 GROUP: 3 MII	\$650.00 NOR MOVABLE
			,	BS: 60.00 'G: 27					
3 EQ# :	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS F CASTERS; MEDIUM 29X38 BAG	FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 MII	\$143.81 NOR MOVABLE
	•		,	BS: 25.00 'G: 11					
								ROOM TOTAL	: \$1,291.32







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: GENERAL STORAGE 01

ROOM NUMBER: 823

QTY GENERIC LINE ID# MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 078823 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. OF/VI NEW \$560.80 \$2,243.20 EQ#: SHW02 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF 1848NC/74P GROUP: 3 | MINOR MOVABLE TO CONSIST OF: SUPER ERECTA 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 **MM:** 1219 X 457 X 2032 **KG**: 39 LOCATION: FLOOR AUX \$: \$560.80

ROOM TOTAL: \$2,243.20





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: EQUIPMENT ALCOVE

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	071283 : LFT04	1	LIFTER, PATIENT 500LB CAP;SIT-TO-STAND;MEDIUM HARNESS BACKLIT LCD SCREEN;USAGE TIME CAPTURED PROTECTION;ADJ SHIN PADS;AMBULATION FI TO INCLUDE: 1 EA. SS00PN 500LB SMART STAND W/O SCA 1 EA. CK3 KIT CASTER 3" 1 EA. 11860 CHARGER ASSEMBLY UL 1 EA. 50910 HARNESS MEDIUM (WXDXH) IN: 26.00 X 41.00 X 49.00 MM: 660 X 1041 X 1245	o;overload Eature	EZ WAY, INC S500PN W/O SCALE	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			LOCATION: FLOOR AUX \$: \$5,020.00 ELECT NOTE: 2-24VOLT LEAD ACID BATTERY P UNIT 1-120V UL LISTED					
2 EQ #	074071 : LFT02	1	LIFTER, PATIENT MOBILE;400LB CAP;ACTIVE STANDING/TRAN: SWIVEL SEAT MECHANISM; NARROW PROFIL THE REAR TWO WITH BRAKES	· ·	ARJOHUNTLEIGH NTB2000 SARA STEDY	OF/OI	NEW	\$3,000.00 \$3,000.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 34.65 X 36.22 X 41.50 MM: 880 X 920 X 1054 LOCATION: FLOOR SPEC COMMENTS: SPACE REQUIREMENT: 87 AUX \$: \$3,000.00	LBS: 65.00 KG: 29 " X 79"				





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: **EQUIPMENT ALCOVE**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1015754 **MONITOR, VITAL SIGNS** PHILIPS MEDICAL SYSTEMS OF/OI NEW \$4,162.23 \$4,162.23 EQ#: MVS02 MOBILE STAND; 10.1" LCD TOUCHSCREEN DISPLAY; EWS (EARLY WARNING 863380 GROUP: 2 | MAJOR MOVABLE SYSTEM) EARLYVUE VS30 W/ROLLSTAND

1 EA SO1 3-YR WARRANTY, PARTS ONLY

1 EA SP5 MASIMO RAINBOW SET SPO2

1 EA TO1 PREDICTIVE TEMPERATURE

TO INCLUDE:

OPTIOI	OPTIONS AND ACCESSORIES									
QTY	PART_NUMBER	DESCRIPTION	<u>PRICE</u>							
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00							
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00							
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00							
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00							
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00							
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00							
1	989803206931	RD RAINBOW SET R25 12	\$165.00							
1	MXU0306	ROLL STAND: VS30, VS2+, VSI WITH HANDLE	\$477.00							

(WXDXH) IN: 21.00 X 21.00 X 49.85 LBS: 39.00 MM: 533 X 533 X 1266 KG: 18

LOCATION: FLOOR

AUX \$: \$4,162.23

DATA: WIRELESS

DATA NOTE: CONNECT DIRECTLY INTO EMR OR HIS VIA HL-7 **HERTZ:** 60 **WATTS:** 60 **VOLTS:** 120

ELECT NOTE: RECHARGEABLE LITHIUM ION BATTERY 11.1V 7800MAH

1013976

ETAC OF/OI NEW \$160.00 \$640.00 SEAT, TOILET, RAISED FREESTANDING TOILET SEAT RAISER, WITH BACK SUPPORT 81702020 GROUP: 3 | MINOR MOVABLE

SWIFT FREESTANDING



(WXDXH) IN: 22.00 X 22.00 X 22.00 LBS: 8.60 MM: 559 X 559 X 559 KG: 4

LOCATION: SPACE

NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS

AUX \$: \$160.00







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: EQUIPMENT ALCOVE

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
5	1013976	2	SEAT, TOILET, RAISED FREESTANDING TOILET SEAT RAISER, WITH BACK SUPPORT	ETAC 81702020 SWIFT FREESTANDING	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.00 X 22.00 X 22.00 MM: 559 X 559 X 559 KG: 4 LOCATION: SPACE NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS AUX \$: \$160.00				
6	1009029	1	CHAIR, COMMODE 350 LBS CAPACITY; WHITE; FOLDING; STANDARD SEATING PACKAGE OF 4 G1-200X1 MODEL COMMODE CHAIRS (ID#100	MEDLINE INDUSTRIES INC. G1-200X4 895) G1-200X1	OF/OI	NEW	\$114.93 \$114.93 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 21.00 X 14.50 X 22.00 LBS: 13.00 MM: 533 X 368 X 559 KG: 6 LOCATION: FLOOR NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS AUX \$: \$114.93				
7	1010678	1	CHAIR, COMMODE, BARIATRIC DROP-ARM;1000 LB CAP; SEAT HEIGHT ADJ 17.5"-21.5" ADJUSTABLE LEGS;POWDER COATED FINISH STEEL FRAME IS RUST-RESISTANT; INCLUDES COMMODELID, SPLASH GUARD AND SOLID SEAT	MEDLINE INDUSTRIES INC. G1-400BDX1 G1-400BDX1 E PAIL	OF/OI	NEW	\$200.00 \$200.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.50 X 31.50 X 19.25 LBS: 30.64 MM: 572 X 800 X 489 KG: 14 LOCATION: FLOOR NOTES: CHAIR WILL FLOAT BETWEEN RESIDENT ROOMS AUX \$: \$200.00				





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: EQUIPMENT ALCOVE

ROOM NUMBER: 830

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
8	102250	1	CHAIR, SHOWER 275LB WT CAP; WHITE ALUMINUM FRAME; (4) LOCKING CASTERS; BLUE PADDED SEAT/ARMS; SWING AWAY FOOT RESTS; USE OVER A STANE OR AS A PORTABLE SELF-CONTAINED COMMO	HT ADJ; DARD TOILET	DRIVE MEDICAL NRS185007 ALUMINUM REHAB	OF/OI	NEW	\$689.50 \$689.50 GROUP: 3 MINOR MOVABLE
	The state of the s		(WXDXH) IN: 23.00 X 35.00 X 41.00 MM: 584 X 889 X 1041 LOCATION: FLOOR AUX \$: \$689.50	LBS: 35.00 KG: 16				

ROOM TOTAL: \$8,806.66





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: NURSE STATION (QTY 2)

ROOM NUMBER: 833

ROOM COMMENTS: RM 833, 868

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 05600 EQ#: CRC0	056002 CRC04	1	CART, RESUSCITATION, CARDIAC CART, RESUSCITATION, CARDIAC; 6 DRAWERS;4-5 1-6",1-12",PVC BUMPER;LOCKING BREAKAWAY E PADDED PUSH HANDLES;METAL DRAWER PULLS; CASTER TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. ADT-1 CRASH CART TRAY W/ LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY	AR, TWIN	ARMSTRONG MEDICAL INDUSTRIES AR-6 PREMIER W/ER PK	OF/VI	NEW	\$2,030.16 GROUP: 3 N	\$2,030.16 MINOR MOVABLE
			(WXDXH) IN: 43.00 X 25.00 X 47.00	LBS: 165.00					
			MM: 1092 X 635 X 1194	KG: 75					
			LOCATION: FLOOR						
			AUX \$: \$2,030.16						
2 EQ#:	082533 DEF01	1	DEFIBRILLATOR R SERIES ALS DEFIBRILLATOR; AED W/MANUAL O'COMPATIBLE; CODE READINESS TESTING SYSTEM; TECHNOLOGY ONESTEP 3 LEAD ECG CABLE W/AFADVISORY DEFIBRILLATION; BUILT-IN TEST PORT; SLOT; INTEGRATED AC POWER 5.8 AH LITHIUM ICI INCLUDES: EXPANSION PACK, ONE STEP PACING, OXIMETRY, NIBP, ETCO2 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGEABLE ION BATTERY PACK	RECTILINEAR BIPHASIC HA MARKINGS COMPACT FLASH CARD IN BATTERY;PACKAGE MASIMO PULSE	ZOLL MEDICAL CORPORATION 30120005201310012 R SERIES ALS	OF/OI	NEW	\$23,980.20 GROUP: 2 N	\$23,980.20 NAJOR MOVABLE
			(WXDXH) IN: 10.50 X 12.50 X 8.20	LBS: 15.20					
			MM: 267 X 318 X 208 LOCATION: COUNTERTOP AUX \$: \$23,980.20 DATA: HARD WIRED AND WIRELESS DATA NOTE: OPTIONAL WIFI: 802.11B USB PORT COMPATIBLE VOLTS: 120 HERTZ: 60 AMPS: 2 ELECT NOTE: SEALED LEAD ACID BATTERY INTEGR						





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: NURSE STATION (QTY 2)

ROOM NUMBER: 833

ROOM COMMENTS: RM 833, 868

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
	094808 : ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, PORTABLE PORTABLE;RECHARGEABLE BATTERY;LED DISPLAY;HEPA FILT DISPOSABLE CANISTER SYSTEM;HIGH FLOW;HIGH VACUUM VACUUM RANGE;EXTERNAL BATTERY CHARGER TO INCLUDE: 1 EA 780220 AC POWER CORD -EU	TER;BEMIS	LAERDAL MEDICAL CORP. LSU 4000 78002001	OF/OI	NEW	\$995.00 \$995.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 13.00 X 6.30 X 12.40 LBS: 8.2	20				
			MM: 330 X 160 X 315 KG: 4 LOCATION: COUNTERTOP AUX \$: \$995.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: ELECTRICAL SHOWN FOR BATTERY CHARGER					
4 EQ#	070441 TMP02	2	THERMOMETER, ELECTRONIC, WALL MOUNTED TEMPORAL SCANNER W/QUICK RELEASE;TAT5000 CORE; CA COILED LATEX FREE CABLE AND WALL MOUNT INSTRUMEN RANGE 61-110F	ALIBRATION	EXERGEN CORP 124277 TAT-5000	OF/OI	NEW	\$425.00 \$850.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 2.00 X 1.25 X 8.00 LBS: 2.0	00				
			MM: 51 X 32 X 203 KG: 1 LOCATION: WALL AUX \$: \$425.00 ELECT NOTE: 9V BATTERY.					







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: NURSE STATION (QTY 2)

ROOM NUMBER: 833

ROOM COMMENTS: RM 833, 868

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	105759 : GLU01	1	LAB ANALYZER, GLUCOSE TOUCH SCREEN;QR BARCODE SCANNER;1,000 TEST STORAGE; 4,000 USER STORAGE; 500 TEST STORAGE;NUMERIC OR PASS/FAIL QC;ABNORMAL/CRITICAL RANGES FLAGGED BY COLOR HIGHLIGHT;TRAINING MODE;CORRELATION MODE; WEB-BASED METER CONFIGURATION;CUSTOM METER CONFIGURATION;CONNECT TO HOSPITAL ADT;CONNECT TO LIS/EMR;POCT1-A DATA OUTPUT;RJ-45 ETHERNET PORT TCP/IP ETHERNET;NOVANET WEB-BASED INSTRUMENT MANAGER SOFTWARE;3.7V LI POLYMER RECHARGEABLE BATTERY;6-8 HOURS IN USE, 40 TESTS W/BARCODE SCANS 12-24 HOURS STANDBY (WXDXH) IN: 3.10 X 5.80 X 1.18 MM: 79 X 147 X 30 KG: 0 LOCATION: COUNTERTOP	NOVA BIOMEDICAL 44993 STATSTRIP GLU 2	OF/OI	EXISTING	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			DATA: HARD WIRED AND WIRELESS DATA NOTE: DATA REQUIRED: ETHERNET NETWORK DROP OR 802.11 A/B/G/N WIRELESS ACCESS. SEE CUTSHEET FOR FURTHER DETAILS. VOLTS: 120 HERTZ: 60 AMPS: .6 ELECT NOTE: STATSTRIP: 3.7V LI POLYMER RECHARGEABLE BATTERY DOCKING STATION: 100-240V;50/60HZ;0.6A					







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: NURSE STATION (QTY 2)

ROOM NUMBER: 833

ROOM COMMENTS: RM 833, 868

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
6 EQ# :	105759 GLU01	1	TOUCH SCREEN; QR BARCODE SCANNER; 1,000 TEST STORAGE; 4,000 USER STORAGE; 500 TEST STORAGE; NUMERIC OR PASS/FAIL QC; ABNORMAL/CRITICAL RANGES FLAGGED BY COLOR HIGHLIGHT; TRAINING MODE; CORRELATION MODE; WEB-BASED METER CONFIGURATION; CUSTOM METER CONFIGURATION; CONNECT TO HOSPITAL ADT; CONNECT TO LIS/EMR; POCT1-A DATA OUTPUT; RJ-45 ETHERNET PORT TCP/IP ETHERNET; NOVANET WEB-BASED INSTRUMENT MANAGER SOFTWARE; 3.7V LI POLYMER RECHARGEABLE BATTERY; 6-8 HOURS IN USE, 40 TESTS W/BARCODE SCANS 12-24 HOURS STANDBY (WXDXH) IN: 3.10 X 5.80 X 1.18 LBS: 0.49	NOVA BIOMEDICAL 44993 STATSTRIP GLU 2	OF/OI	NEW	\$550.00 GROUP: 2 M.	\$550.00 AJOR MOVABLE
			MM: 79 X 147 X 30 KG: 0 LOCATION: COUNTERTOP AUX \$: \$550.00 DATA: HARD WIRED AND WIRELESS DATA NOTE: DATA REQUIRED: ETHERNET NETWORK DROP OR 802.11 A/B/G/N WIRELESS ACCESS. SEE CUTSHEET FOR FURTHER DETAILS. VOLTS: 120 HERTZ: 60 AMPS: .6 ELECT NOTE: STATSTRIP: 3.7V LI POLYMER RECHARGEABLE BATTERY DOCKING STATION: 100-240V;50/60HZ;0.6A					

ROOM TOTAL: \$28,405.36







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: ALCOVE, NOUR (QTY 2)

ROOM NUMBER: 833A

ROOM COMMENTS: RM 833A, 868A; LOCATED BEHIND NURSE STATIONS

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	075907 ICE01	2	ICE MAKER W/WATER DISPENSER 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER TOUCH FREE;AIR COOLED	DISPENSER	MANITOWOC ICE, INC. SN-20AT AIR COOLED	OF/CI	NEW	\$3,595.00	\$7,190.00 GROUP: 1 FIXED
			(WXDXH) IN: 16.25 X 24.00 X 42.00 MM: 413 X 610 X 1067 LOCATION: COUNTERTOP AUX \$: \$3,595.00 VOLTS: 115	LBS: 184.00 KG: 83	BTU: 2300		REQUIRED DRAIN CO	OPSI/MAX 80 PSI WATE NNECTION REQUIRED S	
2 EQ# :	1002050 RFZ02	2	REFRIGERATOR/FREEZER, UPRIGHT 18.3CF;TOP MOUNT FREEZER; WHITE; NO ICE		FRIGIDAIRE FFHT1835VW	OF/OI	NEW	\$1,049.00	\$2,098.00 MAJOR MOVABLE
			(WXDXH) IN: 30.00 X 30.38 X 66.38 MM: 762 X 772 X 1686 LOCATION: FLOOR SPEC COMMENTS: CLEARANCES: 3/8" SIDES AND AUX \$: \$1,049.00 VOLTS: 120	WATTS: 1800					



PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: ALCOVE, NOUR (QTY 2)

ROOM NUMBER: 833/

ROOM COMMENTS: RM 833A, 868A; LOCATED BEHIND NURSE STATIONS

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ#:	055770 OVM01	2	OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL; COMMERCIAL; MEDIUM DUTY	SHARP ELECTRONICS CORP. R-21LVF R21LVF	OF/OI	NEW	\$375.00 <i>GROUP: 2</i>	\$750.00 MAJOR MOVABLE
			(WXDXH) IN: 20.50 X 16.00 X 12.13 LBS: 37.00 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP AUX \$: \$375.00 VOLTS: 120 HERTZ: 60 AMPS: 14 WATTS: 1550					
4 EQ#:	083455 COF01	2	PLUG TYPE: Type B (NEMA 5-15) COFFEE BREWER, PLUMBED 4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FLIP UP DRIP TRAY;WATER FILTER	KEURIG, INC. K3000SE COMMERCIAL	OF/OI	NEW	\$1,049.98	\$2,099.96 GROUP: 1 FIXED
			(WXDXH) IN: 12.00 X 22.00 X 20.00 MM: 305 X 559 X 508 KG: 16 LOCATION: COUNTERTOP SPEC COMMENTS: DEPTH US WITH FILTER IS 22" AUX \$: \$1,049.98 DATA: HARD WIRED					
			DATA NOTE: RJ11 JACK VOLTS: 120 HERTZ: 60 AMPS: 11.6 WATTS: 1400 PLUG TYPE: Type B (NEMA 5-15)			COLD WATER: YES PLUMB NOTE: WATER 1/4"FPT PORTS IN/OUT MALE GARDEN HOSE C	FILTER WATER CONN	





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: ALCOVE, NOUR (QTY 2)

ROOM NUMBER: 833A

ROOM COMMENTS: RM 833A, 868A; LOCATED BEHIND NURSE STATIONS

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ #	1006012 #: COF04	2	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; BL HANDLES	ACK; PLASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 GROUP: 3 MI	\$90.00 NOR MOVABLE
			(WXDXH) IN: 5.40 X 11.00 X 12.60	LBS: 2.00					
			MM: 137 X 279 X 320	KG : 1					
			LOCATION: COUNTERTOP						
			AUX \$: \$45.00						
6	1004090	2	WASTE RECEPTACLE		RUBBERMAID COMMERCIAL PRODUCTS	OF/OI	NEW	\$47.67	\$95.34
			13GAL;OPEN TOP;GRAY		2026695 SLIM JIM			GROUP: 3 MI	NOR MOVABLE
					SLIVISIVI				
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$47.67						
7	1014420	2	WASTE RECEPTACLE 13GAL;OPEN TOP;BLUE		RUBBERMAID COMM. PRODUCTS 2026699 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MI	\$95.34 NOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09	LBS: 6.73					
			MM: 284 X 565 X 663	KG: 3					
			LOCATION: FLOOR AUX \$: \$47.67						
			Αυλ φ. φ47.07					ROOM TOTAL	· \$12 //18 6/

ROOM TOTAL: \$12,418.64





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: CENTRAL BATHING (QTY 2)

ROOM NUMBER: 834

ROOM COMMENTS: RM 834, 869

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTEN	ISION
1 EQ#:	088075 : STR04	1	STRETCHER, SHOWER PVC;WATER PROOF FOAM PAD;DROP SIDE RAILS;4"CASTERS; BEVE PILLOW;450LB CAPACITY	LUMEX, INC. LED GRF-8005	OF/OI	EXISTING	\$0.00 GROUP: 3 MINOR MOV	\$0.00 /ABLE
			(WXDXH) IN: 28.00 X 79.00 X 34.00 LBS: 130.00 MM: 711 X 2007 X 864 KG: 59 LOCATION: FLOOR NOTES: ONLY IN ROOM 819 AUX \$: \$1,375.00					
2 EQ#:	1001188 : CBW01	2	CABINET, WARMING 2.5 CUBIC FT; 6 BLANKET CAPACITY; COUNTERTOP MODEL; STACKABLE; NO FANS OR MOVING PARTS	ENTHERMICS MEDICAL SYSTEMS TITAN SERIES EC250	OF/OI	NEW	\$3,762.00 \$7,5. GROUP: 2 MAJOR MOV	24.00 /ABLE
			(WXDXH) IN: 18.50 X 23.50 X 22.00 LBS: 67.00 MM: 470 X 597 X 559 KG: 30 LOCATION: COUNTERTOP SPEC COMMENTS: CLEARANCES: TOP/LEFT/RIGHT: 1", BACK 3" AUX \$: \$3,762.00					
			VOLTS: 120 HERTZ: 60 AMPS: 5 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 0.6KW;15A;125V PLUG;HOSPITAL GRADE PLUG	BTU: 2050				







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: CENTRAL BATHING (QTY 2)

ROOM NUMBER: 834

ROOM COMMENTS: RM 834, 869

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ# :	105040 CBW02	2	CABINET, WARMING FOR USE WITH COMFORT PERSONAL CLEANSIN ACCOMMODATES 12 INDIVIDUAL PACKAGES;OI 125 DEGREES F TARGET PRODUCT TEMPERATUL COATED STEEL EXTERIOR;ALUMINUM INTERIOR	NE PER SLOT; RE;POWDER	SAGE PRODUCTS INC. 7937	OF/VI	NEW	\$1,500.00 GROUP: 2 N	\$3,000.00 NAJOR MOVABLI
			(WXDXH) IN: 14.69 X 15.25 X 16.88	LBS: 30.00					
			MM: 373 X 387 X 429 LOCATION: COUNTERTOP NOTES: SITS ON TOP OF CBW01 AUX \$: \$1,500.00 VOLTS: 120 HERTZ: 60 AMPS: 7 ELECT NOTE: 1PH;8A;DEDICATED CIRCUIT RECOUNT WEIGHT: 37LBS.	KG: 14					
4 1003 EQ#: LHN	1003921 LHM01	2	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE G CASTERS; MEDIUM 29X38 BAG	LOSS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 N	\$287.62 NINOR MOVABLI
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75 MM: 470 X 495 X 832 LOCATION: FLOOR AUX \$: \$143.81	LBS: 25.00 KG: 11					
	057206 GLV01	2	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEY MOUNT;VERTICAL/HORIZONTAL	YHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$114.00 NINOR MOVABL
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG: 1					
			LOCATION: WALL						
			AUX \$: \$57.00						

ROOM TOTAL: \$10,925.62





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: TOILET, CENTRAL BATHING (QTY 2)

ROOM NUMBER: 835

ROOM COMMENTS: RM 835, 870

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	004363	004363 2 WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT		RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$109.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES	ppyor			
			QTY PART NUMBER DESCRIPTION	PRICE			
			1 BEIG BEIGE	\$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00				
			MM : 368 X 267 X 389 KG : 2				
			LOCATION: FLOOR				
			- GRAY				
			AUX \$: \$54.50				

ROOM TOTAL: \$109.00





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: DON OFFICE

ROOM NUMBER: 836

_	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	OR MOVABLE
	75			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				



OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

MM: 368 X 267 X 389

LOCATION: FLOOR
- GRAY
AUX \$: \$54.50

LBS: 5.00

KG: 2

ROOM TOTAL: \$54.50





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: DON STORAGE

ROOM NUMBER: 837

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 084955 **CART, TELEMEDICINE** AVIZIA OF/VI NEW \$56,000.00 \$56,000.00 EQ#: TCRT01 MOBILE TELE-COMMUNICATION SYSTEM; FULLY INTEGRATED GROUP: 2 | MAJOR MOVABLE 24" HD LCD DISPLAY;INTEGRATED CAMERA & MICROPHONE CA750 LOCKABLE DRAWER; KEYBOARD TRAY; FRONT CONTROL PANEL HEIGHT ADJUST HANDLE; HOSPITAL GRADE CASTERS OPTIONAL: INTEGRATED WI-FI;LOCKABLE PC CABINET DUAL DISPLAY W/ARTICULATING ARM; CABLE WRAP ADDITIONAL BATTERY FOR LONGER CHARGE (WXDXH) IN: 23.00 X 27.00 X 71.00 LBS: 230.00 MM: 584 X 686 X 1803 **KG**: 104 LOCATION: FLOOR **NOTES: NEED TO CONFIRM IF ANY ARE EXISTING AUX \$:** \$56,000.00 **DATA: HARD WIRED VOLTS:** 125 **HERTZ:** 60 **ELECT NOTE:** 45 AH LITHIUM IRON BATTERY RECHARGED BY HOSPITAL **GRADE PLUG ONLY**

ROOM TOTAL: \$56,000.00







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SPECIAL PURPOSE ROOM (PRIVATE & ADA)

ROOM NUMBER: 840

LINE	ID#	QTY	GENERIC			MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	1016183 : BED02	1	STANDARD - CONTRO - AUTO CO - 3" CASTE - WALL BU - MATTRES	RS MPERS S RETAINER OPTIONS: S WITH CONTROLS BRAKES	ERM CARE	HILL-ROM LTC300 RESIDENT LTC	OF/VI	NEW	\$5,500.00 \$5,500.00 GROUP: 2 MAJOR MOVABLE
			1 1 1	PART NUMBER PAC005010180-1 LTC-300 RB-HTH	DESCRIPTION ACCUMAX SURFACE BASE FRAME HEARTHSIDE STYLE HD/FT BOARDS	PRICE \$0.00 \$0.00 \$0.00			

LOCATION: FLOOR

AUX \$: \$5,500.00 **VOLTS:** 120 **HERTZ:** 60







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SPECIAL PURPOSE ROOM (PRIVATE & ADA)

ROOM NUMBER: 840

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE W/BRAKES;ANTIMICROBIAL WORK SURFACE & DRAWER PULLS PACE 24



OPTIOI	NS AND ACCESSORIES	5	
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12 MM: 445 X 540 X 917

KG: 39

LBS: 85.00

LOCATION: FLOOR

AUX \$: \$1,321.53

3 055619 1 DISPOSAL CONTAINER, SHARPS W/BRACKET
EQ#: DSP01 RED;5.4QT;SIDE ENTRY;W/WALL BRACKET

BECTON DICKINSON 305517/305447

NEW \$38.94

OF/CI

GROUP: 3 | MINOR MOVABLE

\$38.94

.

(WXDXH) IN: 12.00 X 8.75 X 10.75

LBS: 2.54

MM: 305 X 222 X 273

KG: 1

LOCATION: WALL

AUX \$: \$38.94







FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SPECIAL PURPOSE ROOM (PRIVATE & ADA)

ROOM NUMBER: 840

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 1004559	9 1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE	E OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 M	\$35.20 INOR MOVABLE
-		(WXDXH) IN: 1.10 X 3.40 X 5.50 MM: 28 X 86 X 140	LBS: 0.35 KG: 0					
		LOCATION: WALL	KG: U					
		AUX \$: \$35.20						
5 057206 EQ#: GLV01		DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;K MOUNT;VERTICAL/HORIZONTAL	EYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 INOR MOVABLE
		(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
		MM: 570 X 99 X 254	KG : 1					
		LOCATION: WALL						
		AUX \$: \$57.00						
6 093154 EQ#: TBO01		HEIGHT ADJ FROM 29.25"-46.25";LOW PROFI DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE		HILL-ROM OBT-635 ART OF CARE	OF/OI	NEW	\$462.67 GROUP: 3 M	\$462.67 INOR MOVABLE
		(WXDXH) IN: 19.50 X 37.70 X 46.70	LBS: 48.00					
		<i>MM</i> : 495 X 958 X 1186 LOCATION: FLOOR AUX \$: \$462.67	KG : 22					





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: SPECIAL PURPOSE ROOM (PRIVATE & ADA)

ROOM NUMBER: 840

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EX	TENSION
7	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINOR N	10VABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$7,469.84





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: TOILET, PRIVATE RESIDENT (QTY 2)

ROOM NUMBER: 841

ROOM COMMENTS: RM 841, 843

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1 004363		WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$109.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES	PDVGE			
			QTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50	\$0.00			

ROOM TOTAL: \$109.00





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: QUIET ROOM (PRIVATE & ADA)

ROOM NUMBER: 842

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	1016183 :: BED02	1	BED, RESIDENTIAL, LONG TERM CARE STANDARD FEATURES: - CONTROL LOCKOUT PANEL - AUTO CONTOUR - 3" CASTERS - WALL BUMPERS - MATTRESS RETAINER INCLUDED OPTIONS: - 1/2 RAILS WITH CONTROLS - 4 FLOOR BRAKES - 80" HARD PAN		HILL-ROM LTC300 RESIDENT LTC	OF/VI	NEW	\$5,500.00 \$5,500.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES QTY PART NUMBER DESCRIPTION 1 PAC005010180-1 ACCUMAX SURFACE 1 LTC-300 BASE FRAME 1 RB-HTH HEARTHSIDE STYLE F		PRICE \$0.00 \$0.00 \$0.00			
			(WXDXH) IN: 42.00 X 91.50 X 30.00 MM: 1067 X 2324 X 762 LOCATION: FLOOR AUX \$: \$5,500.00 VOLTS: 120 HERTZ: 60	LBS: 275.00 KG: 125				
2 EQ#	055619 :: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 \$38.94 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1				








FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: QUIET ROOM (PRIVATE & ADA)

ROOM NUMBER: 842

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1006224 CART, SUPPLY INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE W/BRAKES;ANTIMICROBIAL WORK SURFACE & DRAWER PULLS PACE 24



(WXDXH) IN: 17.50 X 21.25 X 36.12

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

 FLOWMETER, OXYGEN
 OHIO MEDICAL CORPORATION
 OF/OI
 NEW
 \$35.20
 \$35.20

 FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF
 FM-15UO-OHPT
 GROUP: 3 | MINOR MOVABLE

LOWINIETER, OXYGEN 15 LPINI W/50 PSI TAKE OFF

(WXDXH) IN: 1.10 X 3.40 X 5.50

LBS: 0.35

MM: 28 X 86 X 140

KG: 0

LOCATION: WALL

AUX \$: \$35.20



1004559



PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: QUIET ROOM (PRIVATE & ADA)

ROOM NUMBER: 842

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
5 EQ #	057206 E: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00				
			<i>MM</i> : 570 X 99 X 254				
			AUX \$: \$57.00				
6 EQ#	093154 F: TBO01	1	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PROFILE;TUNING FORK BASE DESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. SGL THERMOFOIL TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE	HILL-ROM OBT-635 ART OF CARE	OF/OI	NEW	\$462.67 \$462.67 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 19.50 X 37.70 X 46.70 LBS: 48.00				
			<i>MM</i> : 495 X 958 X 1186				
			AUX \$: \$462.67				
7	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS - FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			QTY PART NUMBER DESCRIPTION	PRICE			
			1 BEIG BEIGE	\$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: QUIET ROOM (PRIVATE & ADA)

ROOM NUMBER: 842

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

ROOM TOTAL: \$7,469.84







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: GENERAL STORAGE 02

ROOM NUMBER: 844

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	EQ#: SHW02 5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00		5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER	INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 \$2,804.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 MM: 1219 X 457 X 2032 KG: 39				
			LOCATION: FLOOR				
			AUX \$: \$560.80				
2	1006551	1	RACK, CLOTHES, MOBILE	ULINE	OF/OI	NEW	\$155.00 \$155.00
EQ#	RCK06		SINGLE ROLLING CLOTHES RACK	H-1546			GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			QTY PART_NUMBER DESCRIPTION	PRICE			
			1 S-17935 NYLON CLOTHES RACK COVER	\$63.00			
	·		(WXDXH) IN: 50.00 X 22.50 X 65.00 LBS: 28.00 MM: 1270 X 572 X 1651 KG: 13 LOCATION: FLOOR AUX \$: \$155.00				





FLOOR: 1

DEPARTMENT: SKILLED NURSING **ROOM NAME: GENERAL STORAGE 02**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** RACK, CLOTHES, MOBILE 3 1006551 ULINE OF/OI **EXISTING** \$0.00 \$0.00 EQ#: RCK06 GROUP: 3 | MINOR MOVABLE

H-1546

SINGLE ROLLING CLOTHES RACK

OPTIONS AND ACCESSORIES

QTY PART NUMBER DESCRIPTION **PRICE** S-17935 NYLON CLOTHES RACK COVER \$63.00

(WXDXH) IN: 50.00 X 22.50 X 65.00 LBS: 28.00

MM: 1270 X 572 X 1651 **KG**: 13

LOCATION: FLOOR AUX \$: \$92.00

ROOM TOTAL: \$2,959.00





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: CLEAN SUPPLY

ROOM NUMBER: 847

Confidential Information

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	089770 PAN02	6	LOUVER PANEL, WALL MOUNTED 175LB LOAD CAPACITY; ADJ BIN STORAGE; 16 GAUC W/OYSTER WHITE / BEIGE BAKED-ENAMEL FINISH LOUVERS HOLD QUANTUM ULTRA BINS; 175LB LOAD CAPACITY; PROVIDE WALL BACKING		QUANTUM STORAGE SYSTEMS QLP-3619HC	OF/CI	NEW	\$65.88	\$395.28 GROUP: 1 FIXED
			(WXDXH) IN: 36.00 X 1.00 X 19.00 MM: 914 X 25 X 483 LOCATION: WALL AUX \$: \$65.88	LBS: 13.00 KG: 6					
2	506580	1	ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$1,500.00 GROUP: 3 I	\$1,500.00 MINOR MOVABLE
			AUX \$: \$1,500.00						
3 065 EQ#: SHV	065434 SHW03	3	SHELVING, WIRE 5 SHELF W/SOLID GALV BOTTOM SHELF;STATIONA TO INCLUDE: 4 EA 74P 74" CHROME POST 4 EA A2460NC SUPER ADJ SHELF-CHROME 1 EA 2460FG 24X60 SOLID GALV SHELF	RY	INTERMETRO INDUSTRIES CORP. A2460NC/2460FG/74P SASE	OF/VI	NEW	\$660.60 GROUP: 3 I	\$1,981.80 MINOR MOVABLE
			(WXDXH) IN: 60.00 X 24.00 X 74.50 MM: 1524 X 610 X 1892 LOCATION: FLOOR AUX \$: \$660.60	LBS: 131.00 KG: 59					
4 EQ#:	084882 CRK02	2	CART, CYLINDER, MEDICAL GAS 4 CAPACITY TILT BACK CART; E/D SIZE; W/HEAVY D	OUTY 5" CASTERS	W.T. FARLEY, INC. - CR-DC04E	OF/OI	NEW	\$151.00 <i>GROUP:</i> 3 I	\$302.00 MINOR MOVABLE
	9		(WXDXH) IN: 11.00 X 11.00 X 39.00 MM: 279 X 279 X 991 LOCATION: FLOOR AUX \$: \$151.00	LBS: 21.00 KG: 10					





FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: LOCKERS, MALE

ROOM NUMBER: 848

STATUS EXTENSION LINE ID# QTY GENERIC MANUFACTURER RESP PRICE WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI \$88.50 1 089875 NEW \$88.50 GRAY;SLIM JIM; VENTING CHANNELS; 16GAL 1971258 GROUP: 3 | MINOR MOVABLE



(WXDXH) IN: 22.00 X 11.00 X 25.00

MM: 559 X 279 X 635

LBS: 6.42 KG: 3

LOCATION: FLOOR

AUX \$: \$88.50

ROOM TOTAL: \$88.50







FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: GENERAL STORAGE 03

ROOM NUMBER: 858

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 078823 SHELVING, WIRE INTERMETRO INDUSTRIES CORP. OF/VI NEW \$560.80 \$2,243.20 EQ#: SHW02 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF 1848NC/74P GROUP: 3 | MINOR MOVABLE TO CONSIST OF: SUPER ERECTA 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 **MM:** 1219 X 457 X 2032 **KG**: 39 LOCATION: FLOOR AUX \$: \$560.80

ROOM TOTAL: \$2,243.20




PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: SOILED HOLDING 02

ROOM NUMBER: 863

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	100858 TRK01	500LB/16 CUFT CAPACITY;MANUAL UNLOADING;BLUE		UE	TOTER INC. MMC16-90701 CUBE HEAVY DUTY	OF/OI	NEW	\$497.51 GROUP: 3 MIN	\$497.51 IOR MOVABLE
			, , , , , , , , , , , , , , , , , , , ,	LBS : 60.50 KG : 27					
	1015414 TRK02	1	TRUCK, TILT, WASTE/LINEN 16 CUFT MANUAL CUBE TRUCK; INCLUDES LID		TOTER INC. MMC16-10836 BLACK	OF/OI	NEW	\$650.00 GROUP: 3 MIN	\$650.00 IOR MOVABLE
			' '	LBS: 60.00 KG: 27					
	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS CASTERS; MEDIUM 29X38 BAG	FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 MIN	\$143.81 IOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
				KG : 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81					DOOM TOTAL	







FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: HOUSEKEEPING

ROOM NUMBER: 871

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	052851 : HKP01	1	CART, HOUSEKEEPING SS;2 SHELF;FOLDING PLATFORM W/LOCKIN LID;TOOL BRACKET W/4 HANDLES & 3 HOO		ROYCE ROLLS RINGER CO. F36 FOLDING F36 FOLDING	OF/OI	NEW	\$1,086.00 GROUP: 3 N	\$1,086.00 NINOR MOVABLE
			(WXDXH) IN: 23.00 X 36.00 X 42.50 MM: 584 X 914 X 1080 LOCATION: FLOOR AUX \$: \$1,086.00	LBS: 32.00 KG: 15					
	078704 : RCK04	1	RACK, MOP/BROOM SS;SHELF W/3 MOP OR BROOM HOLDERS;4 STAINLESS;ALL WELDED CONSTRUCTION;SA		BOBRICK WASHROOM EQUIPMENT, INC. B-239	OF/CI	NEW	\$347.12 GROUP: 3 N	\$347.12 IINOR MOVABLE
			(WXDXH) IN: 34.00 X 8.00 X 13.00 MM: 864 X 203 X 330 LOCATION: WALL AUX \$: \$347.12	LBS: 10.00 KG: 5					

ROOM TOTAL: \$1,433.12





FLOOR: 1

DEPARTMENT: SKILLED NURSING

ROOM NAME: OFFICE ROOM NUMBER: 872

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
•	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINC	OR MOVABLE
	7			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 BEIGE
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50





PlanView

FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: EQUIPMENT ALCOVE

ROOM NUMBER: 874

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	092271 LFT03	1	LIFTER, PATIENT 600LB CAP;ILLUMINATED LCD SCREEN;3" CAW/SCALE, CHARGER, 2 BATTERY PACKS & SLTO INCLUDE: 1 EA LLB600PS 600 LB. SMART LIFT LOW PRW/SCALE 1 EA 11860 CHARGER ASSEMBLY UL 1 EA 50311 SLING DELUX MED (WXDXH) IN: 26.00 X 47.00 X 53.00	ING OFILE LEGS <i>LBS</i> : 123.00	EZ WAY, INC LLB600PS SMART LIFT	OF/OI	NEW	\$6,278.26 \$6,278.26 GROUP: 2 MAJOR MOVABLE
			MM: 660 X 1194 X 1346 LOCATION: FLOOR AUX \$: \$6,278.26 VOLTS: 120 AMPS: 5 ELECT NOTE: REMOTE CHARGING UNIT: 120 ACID					
2	102250	1	CHAIR, SHOWER 275LB WT CAP; WHITE ALUMINUM FRAME; LOCKING CASTERS; BLUE PADDED SEAT/ARM SWING AWAY FOOT RESTS; USE OVER A STAI OR AS A PORTABLE SELF-CONTAINED COMI	IS;HT ADJ; NDARD TOILET	DRIVE MEDICAL NRS185007 ALUMINUM REHAB	OF/OI	NEW	\$689.50 \$689.50 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 23.00 X 35.00 X 41.00 MM: 584 X 889 X 1041 LOCATION: FLOOR	LBS: 35.00 KG: 16				
3	102251	1	AUX \$: \$689.50 CHAIR, SHOWER 500LB WT CAP;22" X 17" SEAT;WHITE ALUN (4) REAR LOCKING CASTERS;BLUE PADDED S ADJ;SWING AWAY FOOT RESTS;USE OVER A TOILET OR AS A PORTABLE SELF-CONTAINED	SEAT/ARMS;HT STANDARD	DRIVE MEDICAL NRS185008 ALUM REHAB BARI	OF/OI	NEW	\$762.65 \$762.65 GROUP: 3 MINOR MOVABLE
	•		(WXDXH) IN: 26.00 X 36.00 X 42.00 MM: 660 X 914 X 1067 LOCATION: FLOOR AUX \$: \$762.65	LBS: 36.80 KG: 17				





FLOOR: 1

DEPARTMENT: SKILLED NURSING
ROOM NAME: EQUIPMENT ALCOVE

ROOM NUMBER: 874

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	053947 : CRI01	1	4 DRAWER; YELLOW; BASIC CART W/DRAWER; CONFIGURATION OF 1 EA.3' HIGH & 3 EA. 9" HIGH DRAWERS; BEIGE FRAME		ARMSTRONG MEDICAL INDUSTRIES AKL-Y-4 TWO TONE	OF/OI	EXISTING	\$0.00 GROUP: 3 1	\$0.00 MINOR MOVABLE
			(WXDXH) IN: 33.50 X 25.00 X 46.25 MM: 851 X 635 X 1175 LOCATION: FLOOR	LBS: 165.00 KG: 75					
5	065637	1	ORGANIZER, PPE HOLDS 3 SINGLE GLOVE BOXES;1 LG & 2 SM POCK 2 LG POCKETS ON BACK OF CADDY W/SIDE ACCESS		ROYAL ARMS MEDICAL INC. DOOR HANGING Q9	OF/VI	NEW	\$77.00 GROUP: 3	\$77.00 MINOR MOVABLE
			(WXDXH) IN: 33.00 X 5.00 X 19.00 MM: 838 X 127 X 483 LOCATION: WALL AUX \$: \$77.00						







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: SKILLED NURSING ROOM NAME: **EQUIPMENT ALCOVE**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015754 **MONITOR, VITAL SIGNS** PHILIPS MEDICAL SYSTEMS OF/OI NEW \$4,162.23 \$4,162.23

EARLYVUE VS30 W/ROLLSTAND

863380

EQ#: MVS02 MOBILE STAND; 10.1" LCD TOUCHSCREEN DISPLAY; EWS (EARLY WARNING SYSTEM) TO INCLUDE:

1 EA SO1 3-YR WARRANTY, PARTS ONLY 1 EA SP5 MASIMO RAINBOW SET SPO2 1 EA TO1 PREDICTIVE TEMPERATURE

OPTION	OPTIONS AND ACCESSORIES										
QTY	PART_NUMBER	DESCRIPTION	<u>PRICE</u>								
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00								
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00								
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00								
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00								
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00								
1	MXU0306	ROLL STAND: VS30, VS2+, VSI WITH HANDLE	\$477.00								
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00								
1	989803206931	RD RAINBOW SET R25 12	\$165.00								

(WXDXH) IN: 21.00 X 21.00 X 49.85 LBS: 39.00 **KG**: 18

MM: 533 X 533 X 1266

LOCATION: FLOOR **AUX \$:** \$4,162.23

DATA: WIRELESS

DATA NOTE: CONNECT DIRECTLY INTO EMR OR HIS VIA HL-7 **WATTS:** 60 VOLTS: 120 **HERTZ:** 60 **ELECT NOTE: RECHARGEABLE LITHIUM ION BATTERY 11.1V 7800MAH**

ROOM TOTAL: \$11,969.64

DEPARTMENT TOTAL: \$335,906.80





EXTENSION

GROUP: 3 | MINOR MOVABLE

\$54.50

PRICE

\$54.50

FLOOR: 1

DEPARTMENT: SURGERY **ROOM NAME:** REGISTRATION

ROOM NUMBER: 107 LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS**

004363

1

WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL FG254300[XXX] APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN

RUBBERMAID COMM. PRODUCTS

PRICE

\$0.00

OF/OI

NEW

2543

OPTIONS AT PROCUREMENT

OPTIONS AND ACCESSORIES

QTY PART NUMBER DESCRIPTION BEIG BEIGE

(WXDXH) IN: 14.50 X 10.50 X 15.30

LBS: 5.00

MM: 368 X 267 X 389

KG: 2

LOCATION: FLOOR

1

- GRAY

AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: PRIVATE REGISTRATION

ROOM NUMBER: 108

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 004363 WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS OF/OI NEW \$54.50 \$54.50 CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL FG254300[XXX] GROUP: 3 | MINOR MOVABLE APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN 2543

h

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30

X 15.30 LBS: 5.00

MM: 368 X 267 X 389

KG: 2

LOCATION: FLOOR
- GRAY

AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: EQUIPMENT ALCOVE

ROOM NUMBER: 605

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	078823 SHW02	5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 MINOR N	\$560.80 IINOR MOVABLE	
			(WXDXH) IN: 48.00 X 18.00 X 80.00	LBS: 86.00					
			MM: 1219 X 457 X 2032	KG : 39					
	LOCATION: FLOOR								
			AUX \$: \$560.80						
	093154 TB001	1	TABLE, OVERBED HEIGHT ADJ FROM 29.25"-46.25";LOW PRODESIGN;SGL THERMOFOIL TOP TO INCLUDE: 1 EA. OBT-3: STYLE 3 TOP 1 EA. CUTOUT FOR MIRROR 1 EA. CUP HOLDERS 1 EA. FOOD TRAY INDENTATION 1 EA. STORAGE INDENTATION 1 EA. TUNING FORK BASE (WXDXH) IN: 19.50 X 37.70 X 46.70 MM: 495 X 958 X 1186 LOCATION: FLOOR	FILE;TUNING FORK BASE LBS: 48.00 KG: 22	HILL-ROM OBT-635 ART OF CARE	OF/OI	NEW	\$462.67 GROUP: 3 M	\$462.67 IINOR MOVABLE
			AUX \$: \$462.67						

ROOM TOTAL: \$1,023.47





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: HOUSEKEEPING

ROOM NUMBER: 606

LINE ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 078704 EQ#: RCK04	1	RACK, MOP/BROOM SS;SHELF W/3 MOP OR BROOM HOLDERS;4	HOOKS: TYPE-304	BOBRICK WASHROOM EQUIPMENT, INC.	OF/CI	NEW	\$347.12 GROUP: 3 M	\$347.12 INOR MOVABLE
		STAINLESS;ALL WELDED CONSTRUCTION;SA	•	B-239				
		(WXDXH) IN: 34.00 X 8.00 X 13.00	LBS: 10.00					
		MM: 864 X 203 X 330	KG: 5					
		LOCATION: WALL						
		AUX \$: \$347.12						
2 1015581	D15581 1 SHELVING, WIRE SHW04 4 SHELF, STATIONARY, CHROME; SEISMIC			INTERMETRO INDUSTRIES CORP.	OF/VI	NEW	\$343.94	\$343.94
EQ#: SHW04	SHW04 4 SHELF, STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING:			1836NC/63P			GROUP: 3 M	INOR MOVABLE
				SUPER ERECTA SEISMIC				
		4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL	63" CHROME DI ATED DOST					
		1 EA. SABP13BR-4PK SEISMIC OSHPD PREA						
		TRIANGULAR PLATE KIT	,					
		(WXDXH) IN: 36.00 X 18.00 X 63.00	LBS: 53.00					
		MM : 914 X 457 X 1600	KG: 24					
		LOCATION: FLOOR						
		AUX \$: \$343.94						
3 052851	1	CART, HOUSEKEEPING		ROYCE ROLLS RINGER CO.	OF/OI	NEW	\$1,086.00	\$1,086.00
EQ#: HKP01		SS;2 SHELF;FOLDING PLATFORM W/LOCKIN		F36 FOLDING			GROUP: 3 M	INOR MOVABLE
		LID;TOOL BRACKET W/4 HANDLES & 3 HOO	KS;TRAY TOP	F36 FOLDING				
		(WXDXH) IN: 23.00 X 36.00 X 42.50	LBS: 32.00					
		MM: 584 X 914 X 1080	KG: 15					
		LOCATION: FLOOR						
		AUX \$: \$1,086.00						
							ROOM TOTA	l : \$1.777.06

ROOM TOTAL: \$1,777.06





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56	\$3,729.56
EQ#	#: STR03		TRANSPORT STRETCHER 26" WIDE DECK, To	O INCLUDE:	P8005		GROUP: 3 MIN		
			TN TRANSPORT P8005		TRANSPORT				
			ST-ASE ACCUMAX MATTRESS ELASTIMAX	(
			ST-HEAD PUSH HANDLE HEAD END (BLUI	Ε)					
	della		ST-3SONE IV POLE AT HEAD						
			ST-SP 5TH WHEEL STEERING						
			ST-4SBS BRAKE PEDAL ALL 4 SIDES						
			(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00					
			MM: 914 X 2108 X 870	KG : 118					
			LOCATION: FLOOR						
			AUX \$: \$3,729.56						







FLOOR: 1

DEPARTMENT: SURGERY **ROOM NAME:** PACU 3 ROOM NUMBER: 607

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015744 MONITOR, PHYSIOLOGICAL PHI

EQ#: PHY05

9" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC 866

INTELLIVUE MX400

IILIPS MEDICAL SYSTEMS	OF/VI	NEW	\$19,070.81 \$19,070.81
6060_NAM			GROUP: 2 MAJOR MOVABLE
TELLIN (LIE NAV/400			

OPTION	OPTIONS AND ACCESSORIES						
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	PRICE				
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00				
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00				
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00				
1	989803125841	5 LEADSET, GRABBER, AAMI, ICU	\$80.00				
1	989803125881	5 LEADSET, GRABBER,CHEST, AAMI,ICU	\$74.00				
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00				
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00				
1	989803144791	10 LEAD ECG TRUNK AAMI/IEC 2M	\$190.00				
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00				
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00				
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00				
1	989803206931	RD RAINBOW SET R25 12	\$165.00				
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00				
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00				
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00				
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00				
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00				

(WXDXH) IN: 10.70 X 7.00 X 11.30 LBS: 12.30 **MM**: 272 X 178 X 287 **KG**: 6

LOCATION: WALL

AUX \$: \$19,070.81 **DATA:** HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

WALL CHANNEL; 120 VAC

PLUMB NOTE: NO PLUMBING REQUIRED





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 082570 EQ#: IVP01		1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRAT MEDS ERROR PREVENTION	FION LIMIT;MULTIPLE	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES					
			<u>QTY</u> <u>PART NUMBER</u> <u>DESCRIPTION</u>		<u>PRICE</u>			
			1 35700BAX2 SPECTRUM PUMP ((VERSION 8.X)	\$0.00			
			1 35724 SPECTRUM STAND	BATTERY	\$0.00			
			1 SSL5YR SPECTRUM SOFTW	AR LICENSE	\$0.00			
			(WXDXH) IN: 4.20 X 2.50 X 5.80	LBS: 2.00				
			MM : 107 X 64 X 147	KG : 1				
			LOCATION: COUNTERTOP					
			AUX \$: \$6,358.00					
			VOLTS: 115 HERTZ: 60					
			ELECT NOTE: 7.4VDC LITHIUM ION BATTERY					
4	051488	1	I.V. POLE		PEDIGO PRODUCTS, INC.	OF/OI	NEW	\$885.00 \$885.00
EQ#	EQ#: IVP02		STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERA ADJUSTMENT	TED LOCK HEIGHT	P-1572-4 FOUR HOOK			GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 21.25 X 21.25 X 118.00	LBS: 20.00				
			MM : 540 X 540 X 2997	KG : 9				
			LOCATION: FLOOR					
			AUX \$: \$885.00					





PlanView

FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 006656 EQ#: MAY01		1	STAND, MAYO FOOT OPERATED; LARGE TRAY; STAINLESS STEEL; 2"C IN REMOVABLE TRAY; REINFORCED; STAINLESS STEEL PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 MIN	\$549.99 OR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00 MM: 413 X 540 X 914 LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	LBS: 33.00 KG: 15					
6 EQ# :	6 106653 EQ#: STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDES SELECTED;HEIGHT ADJ. 18-24.5"	UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 MIN	\$150.00 OR MOVABLE
			(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622 LOCATION: FLOOR	KG: 11					
7	086548	1	AUX \$: \$150.00		ARJOHUNTLEIGH	05/01	NEW	¢3 000 00	¢2 000 00
,	086548	1	PUMP, COMPRESSION ALL IN ONE INTERMITTENT PNEUMATIC COMPRESSION (IPC) THERAPY SYSTEM WITH AUTO-RECOGNITION THIGH, CALF, AND/OR FOOT GARMENTS TO PROVI NON-INVASIVE MECHANICAL COMPRESSION FOR TO PREVENTION OF DEEP VEIN THROMBOSIS (DVT).	OF IDE	UNIVERSAL FLOWTRON	OF/OI	NEW	\$3,000.00 GROUP: 2 MAJ	\$3,000.00 OR MOVABLE
			(WXDXH) IN: 9.00 X 6.00 X 10.50 MM: 229 X 152 X 267	LBS: 8.50 KG: 4					
			LOCATION: SPACE						
			AUX \$: \$0.00 VOLTS: 120 HERTZ: 60						





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF	=	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 M	\$35.20 VINOR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			<i>MM</i> : 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20	KG: 0					
9	093116	1	REGULATOR, SUCTION, CONTINUOUS TWO-MODE W/DIAMOND & LOCKING GLAND OV TRAP	ERFLOW SAFETY	OHIO MEDICAL CORPORATION 8701-1225-905	OF/OI	NEW	\$390.00 GROUP: 3 M	\$390.00 IINOR MOVABLE
			(WXDXH) IN: 3.00 X 5.00 X 7.00	LBS: 1.10					
			MM: 76 X 127 X 178	KG : 0					
			LOCATION: SPACE AUX \$: \$390.00 ELECT NOTE: 2-3AA BATTERIES						
10	1015413	1	BRACKET, SUCTION CANISTER		ALLIED HEALTHCARE PRODUCTS INC.	OF/CI	NEW	\$25.00	\$25.00
	To		INCLUDES 1500CC CANISTER AND CANISTER HOLE	DER	20-02-0150B			GROUP: 3 M	INOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
			MM : 203 X 203 X 305	KG : 1					
			LOCATION: WALL						
			AUX \$: \$25.00						



PlanView

FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11 EQ#:	1 057206 EQ#: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHO MOUNT;VERTICAL/HORIZONTAL	DLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 IINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG : 1					
			LOCATION: WALL AUX \$: \$57.00						
12 EQ# :	055619 : DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 M	\$38.94 NINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273	KG : 1					
			LOCATION: WALL						
			AUX \$: \$38.94						
13	1003921	1	HAMPER, LINEN		MEDLINE INDUSTRIES, INC.	OF/OI	NEW	\$143.81	\$143.81
EQ#:	LHM01		RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOS	SS FINISH; 3 IN LOCKING	TRICX302			GROUP: 3 M	IINOR MOVABLE
			CASTERS; MEDIUM 29X38 BAG						
			(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG : 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 3
ROOM NUMBER: 607

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 N</i>	\$130.00 MINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13 MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	LBS: 7.90 KG: 4					
15	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 GROUP: 3 N	\$147.44 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3					

ROOM TOTAL: \$28,352.75





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56 \$3,729.56
EQ#	: STR03		TRANSPORT STRETCHER 26" WIDE DECK, TO	INCLUDE:	P8005			GROUP: 3 MINOR MOVABLE
			TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES		TRANSPORT			
			(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00				
			MM : 914 X 2108 X 870	KG: 118				
			LOCATION: FLOOR					
			AUX \$: \$3,729.56					







FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 2
ROOM NUMBER: 608

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015744 1 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$19,070.81 \$19,070.81

EQ#: PHY05

9" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC

866060_NAM INTELLIVUE MX400 \$19,070.81 \$19,070.81 GROUP: 2 | MAJOR MOVABLE

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803125841	5 LEADSET, GRABBER, AAMI, ICU	\$80.00
1	989803125881	5 LEADSET, GRABBER,CHEST, AAMI,ICU	\$74.00
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	989803144791	10 LEAD ECG TRUNK AAMI/IEC 2M	\$190.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00

(WXDXH) IN: 10.70 X 7.00 X 11.30 LBS: 12.30 MM: 272 X 178 X 287 KG: 6

LOCATION: WALL

AUX \$: \$19,070.81 **DATA:** HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

WALL CHANNEL; 120 VAC

PLUMB NOTE: NO PLUMBING REQUIRED







FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 2
ROOM NUMBER: 608

KOOIVI IV	OWIDEN.	000					
LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3 EQ#	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES				
			<u>QTY PART NUMBER DESCRIPTION</u>	<u>PRICE</u>			
			1 35700BAX2 SPECTRUM PUMP (VERSION 8.X)	\$0.00			
			1 35724 SPECTRUM STAND BATTERY	\$0.00			
			1 SSL5YR SPECTRUM SOFTWAR LICENSE	\$0.00			
			(WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00				
			MM : 107 X 64 X 147 KG : 1				
			LOCATION: COUNTERTOP				
			AUX \$: \$6,358.00				
			VOLTS: 115 HERTZ: 60				
			ELECT NOTE: 7.4VDC LITHIUM ION BATTERY				
4	051488	1	I.V. POLE	PEDIGO PRODUCTS, INC.	OF/OI	NEW	\$885.00 \$885.00
EQ#	: IVP02		STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT ADJUSTMENT	P-1572-4 FOUR HOOK			GROUP: 3 MINOR MOVABLE
	-34-		ADIOSTIVENT	TOURTOOK			
			(WXDXH) IN: 21.25 X 21.25 X 118.00 LBS: 20.00				
			MM : 540 X 540 X 2997 KG : 9				
			LOCATION: FLOOR				

AUX \$: \$885.00





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ# :	006656 : MAY01	1	STAND, MAYO FOOT OPERATED; LARGE TRAY; STAINLESS STEEL; 2"C. IN REMOVABLE TRAY; REINFORCED; STAINLESS STEEL T PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 MIN	\$549.99 NOR MOVABLE
			•	LBS: 33.00 KG: 15					
6 EQ# :	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDES SELECTED;HEIGHT ADJ. 18-24.5"	UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 MIN	\$150.00 NOR MOVABLE
				LBS: 24.00 KG: 11					
			AUX \$: \$150.00						
7	086548	1	PUMP, COMPRESSION ALL IN ONE INTERMITTENT PNEUMATIC COMPRESS (IPC) THERAPY SYSTEM WITH AUTO-RECOGNITION THIGH, CALF, AND/OR FOOT GARMENTS TO PROVIE NON-INVASIVE MECHANICAL COMPRESSION FOR T PREVENTION OF DEEP VEIN THROMBOSIS (DVT).	OF DE	ARJOHUNTLEIGH UNIVERSAL FLOWTRON	OF/OI	NEW	\$3,000.00 GROUP: 2 MA	\$3,000.00 JOR MOVABLE
			, ,	LBS: 8.50 KG: 4					





FLOOR: 1

59	1							
		FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OI	FF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 <i>GROUP: 3 M</i>	\$35.20 INOR MOVABLE
							·	
		(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
		MM: 28 X 86 X 140	KG : 0					
		LOCATION: WALL						
		AUX \$: \$35.20						
16	1	REGULATOR, SUCTION, CONTINUOUS		OHIO MEDICAL CORPORATION	OF/OI	NEW	\$390.00	\$390.00
			VERFLOW SAFETY	8701-1225-905			GROUP: 3 M	INOR MOVABLE
		ТКАР						
		(WXDXH) IN: 3.00 X 5.00 X 7.00	LBS: 1.10					
		MM : 76 X 127 X 178	KG: 0					
		LOCATION: SPACE						
		AUX \$: \$390.00						
		ELECT NOTE: 2-3AA BATTERIES						
13		•		ALLIED HEALTHCARE PRODUCTS INC.	OF/CI	NEW	\$25.00	\$25.00
		INCLUDES 1500CC CANISTER AND CANISTER HOL	.DER	20-02-0150B			GROUP: 3 M	INOR MOVABLE
22								
		(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
			KG: 1					
		AUX \$: \$25.00						
		13 1	LOCATION: WALL AUX \$: \$35.20 1 REGULATOR, SUCTION, CONTINUOUS TWO-MODE W/DIAMOND & LOCKING GLAND O' TRAP (WXDXH) IN: 3.00 X 5.00 X 7.00 MM: 76 X 127 X 178 LOCATION: SPACE AUX \$: \$390.00 ELECT NOTE: 2-3AA BATTERIES 13 1 BRACKET, SUCTION CANISTER INCLUDES 1500CC CANISTER AND CANISTER HOLE (WXDXH) IN: 8.00 X 8.00 X 12.00 MM: 203 X 203 X 305 LOCATION: WALL	MM: 28 X 86 X 140	MM: 28 X 86 X 140	MM: 28 X 86 X 140 KG: 0	MM: 28 x 86 x 140 KG: 0	MM: 28 X 86 X 140 KG: 0 LOCATION: WALL AUX \$: \$35.20 6 1 REGULATOR, SUCTION, CONTINUOUS TWO-MODE W/DIAMOND & LOCKING GLAND OVERFLOW SAFETY 8701-1225-905 (WXDXH) IN: 3.00 X 5.00 X 7.00 LBS: 1.10 MM: 76 X 127 X 178 KG: 0 LOCATION: SPACE AUX \$: \$390.00 ELECT NOTE: 2-3AA BATTERIES 13 1 BRACKET, SUCTION CANISTER AND CANISTER HOLDER AUX S: \$2.00 MM: 20 X 20 X 20 X 305 KG: 1 LOCATION: WALL (WXDXH) IN: 8.00 X 8.00 X 12.00 LBS: 2.00 MM: 20 X 20 X 20 X 305 KG: 1 LOCATION: WALL



PlanView

FLOOR: 1

EXTENSIO	PRICE	STATUS	RESP	MANUFACTURER		GENERIC	QTY	ID#	LINE
\$57.0 MINOR MOVABL	\$57.00 GROUP: 3	NEW	OF/CI	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	YHOLE	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	1	057206 GLV01	11 EQ#:
					LBS: 2.00	(WXDXH) IN: 22.45 X 3.88 X 10.00			
					KG : 1	MM: 570 X 99 X 254			
						LOCATION: WALL AUX \$: \$57.00			
\$38.9 MINOR MOVABL	\$38.94 GROUP: 3	NEW	OF/CI	BECTON DICKINSON 305517/305447 -	Т	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET	1	055619 DSP01	12 EQ# :
					LBS: 2.54	(WXDXH) IN: 12.00 X 8.75 X 10.75			
					KG : 1	MM: 305 X 222 X 273			
						LOCATION: WALL			
						AUX \$: \$38.94			
\$143.8 MINOR MOVABL	\$143.81 GROUP: 3	NEW	OF/OI	MEDLINE INDUSTRIES, INC. TRICX302	GLOSS FINISH; 3 IN LOCKING	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLC CASTERS; MEDIUM 29X38 BAG	1	1003921 LHM01	13 EQ# :
					LBS: 25.00	(WXDXH) IN: 18.50 X 19.50 X 32.75			
					KG: 11	MM: 470 X 495 X 832			
						LOCATION: FLOOR			
						AUX \$: \$143.81			





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 2
ROOM NUMBER: 608

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD;RED;8 GALLON;PLASTIC;W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 <i>GROUP: 3 N</i>	\$130.00 MINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13 MM: 400 X 413 X 435 LOCATION: FLOOR AUX \$: \$130.00	LBS: 7.90 KG: 4					
15	094275	1	WASTE RECEPTACLE, STEP-ON 8 GALLON;PLASTIC;BEIGE		RUBBERMAID COMM. PRODUCTS FG614300BEIG	OF/OI	NEW	\$147.44 GROUP: 3 N	\$147.44 MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00 MM: 413 X 400 X 432 LOCATION: FLOOR - GRAY AUX \$: \$147.44	LBS: 7.30 KG: 3					

ROOM TOTAL: \$28,352.75





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENS	ON
1	1001212	1	STRETCHER		HILL-ROM	OF/VI	NEW	\$3,729.56 \$3,729	.56
EQ#	: STR03		TRANSPORT STRETCHER 26" WIDE DECK, TO) INCLUDE:	P8005			GROUP: 3 MINOR MOVA	BLE
			TN TRANSPORT P8005		TRANSPORT				
			ST-ASE ACCUMAX MATTRESS ELASTIMAX						
	10000		ST-HEAD PUSH HANDLE HEAD END (BLUE)					
	della		ST-3SONE IV POLE AT HEAD						
			ST-SP 5TH WHEEL STEERING						
			ST-4SBS BRAKE PEDAL ALL 4 SIDES						
			(WXDXH) IN: 36.00 X 83.00 X 34.25	LBS: 260.00					
			MM: 914 X 2108 X 870	KG: 118					
			LOCATION: FLOOR						
			AUX \$: \$3,729.56						







FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 1
ROOM NUMBER: 609

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015744 1 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$19,070.81 \$19,070.81

EQ#: PHY05

9" TOUCH SCREEN; SUPPORTS 4WAVES AND 3 INVASIVE PRESSURES; INCLUDES 12-LEAD ECG, SPO2, NIBP; WALL MOUNTED VIA 19" SEISMIC WALL CHANNEL; 120 VAC

866060_NAM INTELLIVUE MX400 \$19,070.81 \$19,070.81 GROUP: 2 | MAJOR MOVABLE

OPTIOI	NS AND ACCESSORIE	\$	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	PRICE
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	867041	INTELLIVUE MICROSTREAM EXTENSION (ETCO2)	\$5,058.00
1	989803125841	5 LEADSET, GRABBER, AAMI, ICU	\$80.00
1	989803125881	5 LEADSET, GRABBER,CHEST, AAMI,ICU	\$74.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989805710215	DOWN POST: 3" FLUTED WITH 4 HOOK	\$200.00
1	989803144791	10 LEAD ECG TRUNK AAMI/IEC 2M	\$190.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989805710348	VHM-PL: MX400-550, MP20-50, SA	\$1,118.00
1	MXU0175	WALL CHANNEL: 19" SEISMIC	\$45.00

(WXDXH) IN: 10.70 X 7.00 X 11.30 LBS: 12.30 MM: 272 X 178 X 287 KG: 6

LOCATION: WALL

AUX \$: \$19,070.81 **DATA:** HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70

DEDICATED CIRCUIT: YES

PLUMB NOTE: NO PLUMBING REQUIRED







FLOOR: 1

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3 EQ#	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 GROUP: 2 M	\$0.00 AJOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 35700BAX2 SPECTRUM PUMP (VERSION 8.X) 1 35724 SPECTRUM STAND BATTERY 1 SSL5YR SPECTRUM SOFTWAR LICENSE (WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00 MM: 107 X 64 X 147 KG: 1 LOCATION: COUNTERTOP	PRICE \$0.00 \$0.00 \$0.00				
4 EQ#	051488 : IVP02	1	AUX \$: \$6,358.00 VOLTS: 115 HERTZ: 60 ELECT NOTE: 7.4VDC LITHIUM ION BATTERY I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT ADJUSTMENT	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI	NEW	\$885.00 GROUP: 3 M	\$885.00 INOR MOVABLE
	*		(WXDXH) IN: 21.25 X 21.25 X 118.00 LBS: 20.00 MM: 540 X 540 X 2997 KG: 9 LOCATION: FLOOR AUX \$: \$885.00					





PlanView

FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#	006656 : MAY01	1	STAND, MAYO FOOT OPERATED;LARGE TRAY;STAINLESS STEEL;2"CASTE IN REMOVABLE TRAY;REINFORCED; STAINLESS STEEL TRAY PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 MII	\$549.99 NOR MOVABLE
			(WXDXH) IN: 16.25 X 21.25 X 36.00 LBS: MM: 413 X 540 X 914 KG: LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62" AUX \$: \$549.99	:: 33.00 : 15					
6 EQ#	106653 : STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDES UPH SELECTED; HEIGHT ADJ. 18-24.5"	IOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 MII	\$150.00 NOR MOVABLE
			(WXDXH) IN: 23.00 X 23.00 X 24.50 MM: 584 X 584 X 622 LOCATION: FLOOR AUX \$: \$150.00	: 24.00 - 11					
7	086548	1	PUMP, COMPRESSION ALL IN ONE INTERMITTENT PNEUMATIC COMPRESSION (IPC) THERAPY SYSTEM WITH AUTO-RECOGNITION OF THIGH, CALF, AND/OR FOOT GARMENTS TO PROVIDE NON-INVASIVE MECHANICAL COMPRESSION FOR THE PREVENTION OF DEEP VEIN THROMBOSIS (DVT).	I	ARJOHUNTLEIGH UNIVERSAL FLOWTRON	OF/OI	NEW	\$3,000.00 GROUP: 2 MA	\$3,000.00 JOR MOVABLE
			(WXDXH) IN: 9.00 X 6.00 X 10.50 MM: 229 X 152 X 267 LOCATION: SPACE VOLTS: 120 HERTZ: 60	:: 8.50 : 4					





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
8	1004559	1	FLOWMETER, OXYGEN FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE	OFF	OHIO MEDICAL CORPORATION FM-15UO-OHPT	OF/OI	NEW	\$35.20 GROUP: 3 Mi	\$35.20 INOR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20	KG: 0					
9	093116	1	REGULATOR, SUCTION, CONTINUOUS TWO-MODE W/DIAMOND & LOCKING GLAND (TRAP	OVERFLOW SAFETY	OHIO MEDICAL CORPORATION 8701-1225-905	OF/OI	NEW	\$390.00 GROUP: 3 Mi	\$390.00 INOR MOVABLE
			(WXDXH) IN: 3.00 X 5.00 X 7.00	LBS: 1.10					
			MM: 76 X 127 X 178 LOCATION: SPACE AUX \$: \$390.00 ELECT NOTE: 2-3AA BATTERIES	KG : 0					
10	1015413	1	BRACKET, SUCTION CANISTER		ALLIED HEALTHCARE PRODUCTS INC.	OF/CI	NEW	\$25.00	\$25.00
	to		INCLUDES 1500CC CANISTER AND CANISTER HO	OLDER	20-02-0150B			GROUP: 3 M.	INOR MOVABLE
			(WXDXH) IN: 8.00 X 8.00 X 12.00	LBS: 2.00					
			MM: 203 X 203 X 305 LOCATION: WALL AUX \$: \$25.00	KG : 1					





FLOOR: 1

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11 EQ#:	057206 GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYH MOUNT;VERTICAL/HORIZONTAL	OLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254	KG : 1					
			LOCATION: WALL						
			AUX \$: \$57.00						
12 EQ#:	055619 DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 N	\$38.94 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75	LBS: 2.54					
			MM: 305 X 222 X 273	KG: 1					
			LOCATION: WALL						
			AUX \$: \$38.94						
	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLO CASTERS; MEDIUM 29X38 BAG	SS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 N	\$143.81 MINOR MOVABLE
			(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG : 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: PACU 1
ROOM NUMBER: 609

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14	094274	1	WASTE RECEPTACLE, STEP-ON BIOHAZARD; RED; 8 GALLON; PLASTIC; W/LID		RUBBERMAID COMM. PRODUCTS FG614300RED FG614300RED	OF/OI	NEW	\$130.00 GROUP: 3 N	\$130.00 AINOR MOVABLE
			(WXDXH) IN: 15.75 X 16.25 X 17.13	LBS: 7.90					
			MM : 400 X 413 X 435	KG : 4					
			LOCATION: FLOOR AUX \$: \$130.00						
15	094275	1	WASTE RECEPTACLE, STEP-ON		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$147.44	\$147.44
			8 GALLON;PLASTIC;BEIGE		FG614300BEIG			GROUP. 3 N	MINOR MOVABLE
			(WXDXH) IN: 16.25 X 15.75 X 17.00	LBS: 7.30					
			MM: 413 X 400 X 432	KG: 3					
			LOCATION: FLOOR						
			- GRAY						
			AUX \$: \$147.44					DOOM TOTAL	

ROOM TOTAL: \$28,352.75





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: SUPERVISOR'S OFFICE

ROOM NUMBER: 610

	LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
_	1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
				CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINO	R MOVABLE
	75			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				

OPTIONS AND ACCESSORIES

OPTIONS AT PROCUREMENT

 QTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: PATIENT CHANGE

ROOM NUMBER: 611

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1003921 MEDLINE INDUSTRIES, INC. OF/OI 1 HAMPER, LINEN NEW \$143.81 \$143.81 EQ#: LHM01 RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING TRICX302 GROUP: 3 | MINOR MOVABLE

CASTERS; MEDIUM 29X38 BAG

(WXDXH) IN: 18.50 X 19.50 X 32.75

LBS: 25.00 **KG**: 11 **MM:** 470 X 495 X 832

LOCATION: FLOOR

AUX \$: \$143.81

ROOM TOTAL: \$143.81







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: PATIENT TOILET

ROOM NUMBER: 612

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	004363	1	WASTE RECEPTACLE	RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$54.50	\$54.50
			CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL	FG254300[XXX]			GROUP: 3 MINI	OR MOVABLE
			APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN	2543				
	A		OPTIONS AT PROCUREMENT					

OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 BEIG
 \$0.00

(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00

MM: 368 X 267 X 389 **KG**: 2

LOCATION: FLOOR
AUX \$: \$54.50

ROOM TOTAL: \$54.50







FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: ALCOVE
ROOM NUMBER: 613A

ROOM COMMENTS: ADJACENT TO ROOM 605

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#:	056002 CRC04	1	CART, RESUSCITATION, CARDIAC CART, RESUSCITATION, CARDIAC; 6 DRAWER 1-6",1-12",PVC BUMPER;LOCKING BREAKAV PADDED PUSH HANDLES;METAL DRAWER PUCASTER TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. ADT-1 CRASH CART TRAY W/ LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY (WXDXH) IN: 43.00 X 25.00 X 47.00 MM: 1092 X 635 X 1194 LOCATION: FLOOR	VAY BAR, TWIN	ARMSTRONG MEDICAL INDUSTRIES AR-6 PREMIER W/ER PK	OF/VI	NEW	\$2,030.16 GROUP: 3 N	\$2,030.16 MINOR MOVABLE
2 EQ#:	082533 DEF01	1	AUX \$: \$2,030.16 DEFIBRILLATOR R SERIES ALS DEFIBRILLATOR;AED W/MANU. COMPATIBLE;CODE READINESS TESTING SYS TECHNOLOGY ONESTEP 3 LEAD ECG CABLE N ADVISORY DEFIBRILLATION;BUILT-IN TEST POSTED TO SHORT STORY DEFIBRILLATION;BUILT-IN TEST POSTED TO INCLUDES: EXPANSION PACK, ONE STEP PACTOXIMETRY,NIBP, ETCO2 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGING ION BATTERY PACK (WXDXH) IN: 10.50 X 12.50 X 8.20 MM: 267 X 318 X 208 LOCATION: COUNTERTOP AUX \$: \$23,980.20 DATA: HARD WIRED AND WIRELESS DATA NOTE: OPTIONAL WIFI: 802.11B USB FOR COMPATIBLE VOLTS: 120 HERTZ: 60 AMPS: 2 ELECT NOTE: SEALED LEAD ACID BATTERY IN EMERGENCY POWER	TEM;RECTILINEAR BIPHASIC N/AHA MARKINGS DRT;COMPACT FLASH CARD IM ION BATTERY;PACKAGE CING, MASIMO PULSE EABLE LITHIUM LBS: 15.20 KG: 7	ZOLL MEDICAL CORPORATION 30120005201310012 R SERIES ALS	OF/OI	NEW	\$23,980.20 GROUP: 2 N	\$23,980.20 MAJOR MOVABLE





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: ALCOVE
ROOM NUMBER: 613A

ROOM COMMENTS: ADJACENT TO ROOM 605

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3	094808 : ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, PO PORTABLE; RECHARGEABLE BATTERY; LED DISPL DISPOSABLE CANISTER SYSTEM; HIGH FLOW; HIG VACUUM RANGE; EXTERNAL BATTERY CHARGER TO INCLUDE: 1 EA 780220 AC POWER CORD -EU (WXDXH) IN: 13.00 X 6.30 X 12.40 MM: 330 X 160 X 315 LOCATION: COUNTERTOP	AY;HEPA FILTER;BEMIS GH VACUUM;80-500 MMHG	LAERDAL MEDICAL CORP. LSU 4000	RESP OF/OI	NEW	PRICE EXTENSION \$995.00 \$995.00 GROUP: 2 MAJOR MOVABLE
			AUX \$: \$995.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: ELECTRICAL SHOWN FOR BATTERY	/ CHARGER				

ROOM TOTAL: \$27,005.36



PlanView

FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: CLEAN SUPPLY

ROOM NUMBER: 614

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	078823 : SHW02	2	SHELVING, WIRE 5 SHELF; MOBILE; CHROME; CLEAR INLAY BO' TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 MM: 1219 X 457 X 2032		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 MII	\$1,121.60 NOR MOVABLE
			LOCATION: FLOOR AUX \$: \$560.80						
2 EQ#	066552 : PAN01	3	LOUVER PANEL, WALL MOUNTED STORAGE PANEL;16 GAUGE STEEL W/ GRAY LOUVERED FOR BINS;250LB LOAD CAPACITY ONCE FASTENED SECURELY TO WALL,BENCHOR INSIDE SERVICE TRUCK	′	QUANTUM STORAGE SYSTEMS QLP-4819 ULTRA HANGING SYSTEMS	OF/CI	NEW	\$112.36 GROUP: 3 MII	\$337.08 NOR MOVABLE
			(WXDXH) IN: 48.00 X 1.00 X 19.00 MM: 1219 X 25 X 483 LOCATION: WALL AUX \$: \$112.36	LBS: 18.00 KG: 8					
3	506580	1	ALLOWANCE, BIN		ZZZ - GENERIC DESCRIPTIONS	OF/OI	NEW	\$1,500.00 GROUP: 3 MII	\$1,500.00 NOR MOVABLE



AUX \$: \$1,500.00





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: CLEAN SUPPLY

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4 EQ# :	055768 : HYP01	2	HYPERTHERMIA UNIT CONTAINS BLOWER; HEATING ELEMENT; HAND CONTROLLER ATTACHES TO PATIENT GOWN VIA HOSE; WALL MOUNT; ADJUSTABLE AIR TEMP & AIRFLOW; LATEX-FREE GOWN	ARIZANT HEALTHCARE, A 3M COMPANY 87500/90080 BAIR PAWS 875	OF/CI	NEW	\$2,000.00 \$4,000.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 7.70 X 4.00 X 13.00 LBS: 7.00 MM: 196 X 102 X 330 KG: 3 LOCATION: WALL AUX \$: \$2,000.00 VOLTS: 120 HERTZ: 60 AMPS: 4.6 ELECT NOTE: FUSE 6.0 A ;15-FOOT;SJT, 3COND., 15 A	MECH NOTE: 1000 BTU/HR			
5 EQ#	1001188 CBW01	1	CABINET, WARMING 2.5 CUBIC FT; 6 BLANKET CAPACITY; COUNTERTOP MODEL; STACKABLE; NO FANS OR MOVING PARTS	ENTHERMICS MEDICAL SYSTEMS TITAN SERIES EC250	OF/OI	NEW	\$3,762.00 \$3,762.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 18.50 X 23.50 X 22.00 MM: 470 X 597 X 559 LOCATION: COUNTERTOP SPEC COMMENTS: CLEARANCES: TOP/LEFT/RIGHT: 1", BACK 3" NOTES: LOCATED IN THE ALCOVE NEXT TO THE CLEAN SUPPLY ROOM ENTRANCE DOOR AUX \$: \$3,762.00				
			VOLTS: 120 HERTZ: 60 AMPS: 5 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 0.6KW;15A;125V PLUG;HOSPITAL GRADE PLUG	BTU: 2050			







FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: CLEAN SUPPLY

ROOM NUMBER: 614

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 6 105040 **CABINET, WARMING** SAGE PRODUCTS INC. OF/VI NEW \$1,500.00 \$1,500.00 EQ#: CBW02 FOR USE WITH COMFORT PERSONAL CLEANSING BRAND 7937 GROUP: 2 | MAJOR MOVABLE ACCOMMODATES 12 INDIVIDUAL PACKAGES; ONE PER SLOT; 125 DEGREES F TARGET PRODUCT TEMPERATURE; POWDER COATED STEEL EXTERIOR; ALUMINUM INTERIOR

(WXDXH) IN: 14.69 X 15.25 X 16.88 LBS: 30.00

MM: 373 X 387 X 429 **KG**: 14

LOCATION: COUNTERTOP

NOTES: SITS ON TOP OF CBW01

AUX \$: \$1,500.00

VOLTS: 120 **HERTZ:** 60 **AMPS:** 7

ELECT NOTE: 1PH;8A;DEDICATED CIRCUIT RECOMMENDED FULLY LOADED

UNIT WEIGHT: 37LBS.

ROOM TOTAL: \$12,220.68







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1	1015781	1	MONITOR, CENTRAL STATION		PHILIPS MEDICAL SYSTEMS	OF/VI	NEW	\$4,517.86 \$4,517.86
EQ#	#: MTC02		PIIC IX SURVEILLANCE CENTRAL MONITOR TO INCLUDE: 1 EA DISPLAY: 23" HP, NON-TOUCH, 1920X 1 EA MOUNT: CPU, UNDERDESK, 360 DEGR 1 EA PIC IX HARDWARE	1080	INTELLIVUE INFO CENTER IX			GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 16.00 X 8.20 X 16.00	LBS: 30.00				
			MM: 406 X 208 X 406	KG: 14				
			LOCATION: COUNTERTOP					
			AUX \$: \$4,517.86					
			DATA: HARD WIRED VOLTS: 120 HERTZ: 60					
			ELECT NOTE: CPU: 115 VAC;60 HZ;5.2 AMF	S LCD DISPLAY: 115 VAC;60	MECH NOTE: MUST MAINTAIN TEMP AT 62-82 I	DEGREES		
			HZ;48W TYP. EMERGENCY POWER		F AND NON-CONDENSING RELATIVE HUMIDITY	AT		
					30-60% CPU: 215 BTU/HR UPS: 437 BTU/HR (M.	AX)		







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: **NURSE STATION / NOUR / MEDS**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 2 1015755 MONITOR, PHYSIOLOGIC, TRANSPORT PHILIPS HEALTHCARE - MONITORING OF/VI NEW \$8,372.86 \$8,372.86 **SYSTEMS**

INTELLIVUE X3

867030

EQ#: PHY08

INTELLIVUE MULTI-MEASUREMENT TRANSPORT ACQUISITION MODULE; 5 HOUR BATTERY; CHARGES VIA DOCKING STATION, 120VAC

TO INCLUDE:

1 EA A03 3-WAVES CAPABILITY

1 EA E29 ROTATABLE QUICK CLAW MOUNT

1 EA E31 CARRYING HANDLE

1 EA H72 CRITICAL CARE TRANSPORT SW

1 EA SP5 MASIMO RAINBOW SET SPO2

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	867043	INTELLIVUE DOCK	\$497.00

(WXDXH) IN: 9.80 X 3.80 X 4.40

LBS: 3.10

MM: 249 X 97 X 112

KG: 1

LOCATION: SPACE

AUX \$: \$8,372.86

DATA: WIRELESS

VOLTS: 120 **HERTZ:** 60

ELECT NOTE: - REMOVABLE, RECHARGEABLE 5 HOUR BATTERY - 120 V AC-POWERED INTELLIVUE DOCK PROVIDES CHARGING AND NETWORK CONNECTIVITY - CAN BE ATTACHED TO A HOST MONITOR WHICH

PROVIDES THE POWER TO THE X3





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LINE	ID#	QTY	GENERIC	MANUFACTURER F	RESP	STATUS	PRICE	EXTENSION
3 EQ# :	104161 MED03	MED03 MAIN; 2 DRAWER; 14.75"LCD MONITOR; KEYBOARD; TOUCHPAD; BIO-ID N		BD CAREFUSION PYXIS MEDSTATION ES 323 2 DRAWER MAIN	OF/VI	LEASED	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 23.00 X 27.00 X 28.00 LBS: 100.70 MM: 584 X 686 X 711 KG: 46 LOCATION: COUNTERTOP DATA: HARD WIRED AND WIRELESS DATA NOTE: 802.11 B/G; BLUETOOTH VOLTS: 120 HERTZ: 60 AMPS: 3 WATTS: 80	BTU: 409/HR				
4 EQ#:	105843 REF04	1	REFRIGERATOR, UNDERCOUNTER, MEDICAL GRADE 5.3 CF;SOLID FIELD REVERSIBLE DOOR;TEMP RANGE 2-10 DEG C;7" I.C3 COLOR TOUCHSCREEN INTERFACE;AUTO DEFROST;R600A ISOBUTANE REFRIGERANT;LEVELING FEET;2 SHELVES	HELMER LABS, INC. ILR105-GX I SERIES ADA	DF/OI	LEASED	\$0.00 GROUP: 2	\$0.00 MAJOR MOVABLE
			(WXDXH) IN: 25.00 X 29.00 X 34.00 MM: 635 X 737 X 864 KG: 79 LOCATION: FLOOR DATA: HARD WIRED DATA NOTE: RJ45 ETHERNET VOLTS: 115 HERTZ: 60 AMPS: 1.4 DEDICATED CIRCUIT: YES	BTU: 460				
			PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 8-10' POWER CORD;12V RECHARGEABLE LEAD ACID BATTERY FOR DISPLAY & ALARM BACKUP	MECH NOTE: REAR ACCESS PORT FOR EXT MONITO PROBES	DRING			







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
5 EQ#:	075907 ICE01	1	ICE MAKER W/WATER DISPENSER 20# STORAGE;325#/24HRS;COUNTERTOP;LEVER TOUCH FREE;AIR COOLED	R DISPENSER	MANITOWOC ICE, INC. SN-20AT AIR COOLED	OF/CI	NEW	\$3,595.00	\$3,595.00 GROUP: 1 FIXED
			(WXDXH) IN: 16.25 X 24.00 X 42.00 MM: 413 X 610 X 1067 LOCATION: COUNTERTOP AUX \$: \$3,595.00	LBS: 184.00 KG: 83					
			VOLTS: 115 HERTZ: 60 AMPS: 10.3 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: 15A;SINGLE PHASE 6' CORD		BTU : 2300		COLD WATER: YES DRAIN REQUIRED: YE PLUMB NOTE: MIN 2	ES OPSI/MAX 80 PSI WATE	R CONNECTION
							REQUIRED DRAIN CO	NNECTION REQUIRED S DETAILS	SEE VENDOR
6 EQ# :	105759 GLU01	1	LAB ANALYZER, GLUCOSE TOUCH SCREEN; QR BARCODE SCANNER; 1,000 T STORAGE; 500 TEST STORAGE; NUMERIC OR PAS QC; ABNORMAL/CRITICAL RANGES FLAGGED BY HIGHLIGHT; TRAININING MODE; CORRELATION MC CONFIGURATION; CUSTOM METER CONFIGURAT HOSPITAL ADT; CONNECT TO LIS/EMR; POCT1-A ETHERNET PORT TCP/IP ETHERNET; NOVANET W MANAGER SOFTWARE; 3.7V LI POLYMER RECHA BATTERY; 6-8 HOURS IN USE, 40 TESTS W/BARCO STANDBY	SS/FAIL COLOR DDE; WEB-BASED METER FION;CONNECT TO DATA OUTPUT;RJ-45 VEB-BASED INSTRUMENT RGEABLE DDE SCANS 12-24 HOURS	NOVA BIOMEDICAL 44993 STATSTRIP GLU 2	OF/OI	NEW	\$550.00 <i>GROUP: 2</i>	\$550.00 MAJOR MOVABLE
			(WXDXH) IN: 3.10 X 5.80 X 1.18 MM: 79 X 147 X 30 LOCATION: COUNTERTOP AUX \$: \$550.00 DATA: HARD WIRED AND WIRELESS	LBS: 0.49 KG: 0					
			DATA NOTE: DATA REQUIRED: ETHERNET NETW 802.11 A/B/G/N WIRELESS ACCESS. SEE CUTSHE FURTHER DETAILS. VOLTS: 120 HERTZ: 60 AMPS: .6 ELECT NOTE: STATSTRIP: 3.7V LI POLYMER RECH DOCKING STATION: 100-240V;50/60HZ;0.6A	EET FOR					





PlanView

FLOOR:

1

SURGERY

DEPARTMENT: ROOM NAME:

NURSE STATION / NOUR / MEDS

LINE	UMBER: ID#	615 QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSIO
7	070441			<u> </u>		OF/OI	NEW	\$425.00	\$850.0
EQ#: TMP02		2	THERMOMETER, ELECTRONIC, WALL MOUNTED TEMPORAL SCANNER W/QUICK RELEASE; TAT5000 COILED LATEX FREE CABLE AND WALL MOUNT INSTRANGE 61-110F	CORE; CALIBRATION	EXERGEN CORP 124277 TAT-5000	UF/UI	NEW		\$850.0 MINOR MOVABL
			(WXDXH) IN: 2.00 X 1.25 X 8.00	LBS: 2.00					
			MM: 51 X 32 X 203	KG : 1					
			LOCATION: WALL						
			AUX \$: \$425.00						
			ELECT NOTE: 9V BATTERY.						
8	083455	1	COFFEE BREWER, PLUMBED		KEURIG, INC.	OF/OI	NEW	\$1,049.98	\$1,049.9
EQ#: COF01	COF01		4 CUP SIZES;HOT WATER SPOUT;LCD INTERFACE;FL FILTER	IP UP DRIP TRAY;WATER	K3000SE COMMERCIAL				GROUP: 1 FIXEI
			(WXDXH) IN: 12.00 X 22.00 X 20.00	LBS: 35.00					
			MM: 305 X 559 X 508 LOCATION: COUNTERTOP SPEC COMMENTS: DEPTH US WITH FILTER IS 22" AUX \$: \$1,049.98 DATA: HARD WIRED	KG : 16					
			DATA NOTE: RJ11 JACK VOLTS: 120 HERTZ: 60 AMPS: 11.6 PLUG TYPE: Type B (NEMA 5-15)	WATTS: 1400			COLD WATER: YES		
								R PRESSURES: 40PSIG TO UT FILTER WATER CONNE CONNECTION	
9 100601. EQ#: COF04	1006012 COF04	1	COFFEE STATION COFFEE CUP & CONDIMENT ORGANIZER; BLACK; PHANDLES	LASTIC; CHROME	MIND READER EMS-CAD01BLK CADDY ORGANIZER	OF/OI	NEW	\$45.00 <i>GROUP: 3 </i>	\$45.0 MINOR MOVABL
			(WXDXH) IN: 5.40 X 11.00 X 12.60	LBS: 2.00					
			MM : 137 X 279 X 320	KG: 1					
			LOCATION: COUNTERTOP						
			AUX \$: \$45.00						





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
10 EQ# :	055770 OVM01	1	OVEN, MICROWAVE 1.0CF; 1000W; S.S. INTERIOR/EXTERIOR/TOUCH CONTROL; COMMERCIAL; MEDIUM DUTY	SHARP ELECTRONICS CORP. R-21LVF R21LVF	OF/OI	NEW	\$375.00 \$375.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 20.50 X 16.00 X 12.13 MM: 521 X 406 X 308 KG: 17 LOCATION: COUNTERTOP AUX \$: \$375.00 VOLTS: 120 HERTZ: 60 AMPS: 14 WATTS: 1550 PLUG TYPE: Type B (NEMA 5-15)				
11 EQ#:	059047 MBOX01	1	BOX, RETURN, DRUGS LOCKABLE; COUNTER/WALL MOUNT; BEIGE METAL ANTI-THEFT BAFFLE; BOTTOM IS LINED WITH FOAM	HEALTH CARE LOGISTICS 3783 LOCKABLE RETURN DRUG BOX	OF/VI	NEW	\$205.00 \$205.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 12.00 X 5.20 X 6.25 LBS: 9.00 MM: 305 X 132 X 159 KG: 4 LOCATION: COUNTERTOP AUX \$: \$205.00				
12 EQ#:	099493 DSPP04	1	DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL "GO GREEN" SYSTEM; COMPLIANCE WITH REGULATORY GUIDELINES; AUTOMATED, TAMPER-PROOF, BATTERY OPERATED ALERT SYSTEM EQUIPPED W/WARNING LIGHTS AND AUDIBLE ALERTS. TO INCLUDE: 1 EA 10100, SMART SINK 4 EA 10201, LIQUIDS CARTRIDGE 4 EA 10301, SOLIDS CARTRIDGE 1 EA 10400, TRIPLE AA BATTERY PACK (WXDXH) IN: 15.50 X 9.50 X 12.50 MM: 394 X 241 X 318 KG: 8 LOCATION: WALL AUX \$: \$1,039.00	CACTUS, A STRYKER COMPANY SMART SINK	OF/CI	NEW	\$1,039.00 \$1,039.00 GROUP: 3 MINOR MOVABLE
			ELECT NOTE: TRIPLE AA BATTERY PACK; RECHARGEABLE BATTERIES W A/C ADAPTER UPON REQUEST				



PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
13 EQ #	1003160 #: DSPP03	1	DISPOSAL CONTAINER, WASTE, PHARMACEU LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON CONTAINER LEAK RESISTANT; TAMPER EVIDENT; S LID; ABSORBENT PAD FOR EXCESS FLUID	I PHARMASAFETY	COVIDIEN 8528C/8836SA	OF/OI	NEW	\$39.00 GROUP: 3 MINC	\$39.00 R MOVABLE
			(WXDXH) IN: 13.75 X 6.00 X 16.50 MM: 349 X 152 X 419 LOCATION: WALL SPEC COMMENTS: DIMENSIONS OF BRACKET: 13 X H) AUX \$: \$39.00	LBS: 5.00 KG: 2 3.75" X 6.5" X 11.75" (W X	D				
14 EQ #	055619 #: DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MINC	\$38.94 R MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS : 2.54 KG : 1					
15	1004090	1	WASTE RECEPTACLE 13GAL;OPEN TOP;GRAY		RUBBERMAID COMMERCIAL PRODUCTS 2026695 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MINC	\$47.67 R MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS: 6.73 KG: 3					





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: NURSE STATION / NOUR / MEDS

LOCATION: WALL
AUX \$: \$57.00

ROOM NUMBER: 615

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
16	1014420	1	WASTE RECEPTACLE 13GAL;OPEN TOP;BLUE		RUBBERMAID COMM. PRODUCTS 2026699 SLIM JIM	OF/OI	NEW	\$47.67 GROUP: 3 MIN	\$47.67 IOR MOVABLE
			(WXDXH) IN: 11.17 X 22.23 X 26.09 MM: 284 X 565 X 663 LOCATION: FLOOR AUX \$: \$47.67	LBS: 6.73 KG: 3					
17 EQ#	057206 e: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;K MOUNT;VERTICAL/HORIZONTAL	EYHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MIN	\$57.00 IOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254	LBS: 2.00 KG: 1					

ROOM TOTAL: \$20,829.98





FLOOR: 1

DEPARTMENT: SURGERY

LOCKER, MALE/FEMALE (QTY 2) ROOM NAME:

ROOM NUMBER:

ROOM COMMENTS: RM 616, 618

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#	1003921 E: LHM01	2	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS F CASTERS; MEDIUM 29X38 BAG	FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 \$287.62 GROUP: 3 MINOR MOVABLE
			'	BS: 25.00 G: 11				
2	089875	2	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 \$177.00 GROUP: 3 MINOR MOVABLE
			'	BS: 6.42 G: 3				

ROOM TOTAL: \$464.62





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: LOCKER, TOILET (QTY 2)

ROOM NUMBER:

ROOM COMMENTS: RM 617, 619

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 004363		2	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$109.00 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES				
			QTY PART_NUMBER DESCRIPTION	PRICE			
			1 BEIG BEIGE	\$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR AUX \$: \$54.50				

ROOM TOTAL: \$109.00





GROUP: 1 | FIXED

FLOOR: 1

DEPARTMENT: SURGERY ROOM NAME: **SCRUB** ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1015524 SINK, SCRUB STERIS CORPORATION OF/VI NEW \$9,736.93 \$9,736.93 CE122301

FLEXMATIC

WATER ON/OFF

EQ#: SNK02

OPTIONS AND ACCESSORIES							
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	PRICE				
1	SE131042	INSTALL DUAL OR TRIPLE SCRUB STATION	\$1,911.00				
1	CE00006	CHAIR CARRIER FOR USE WITH TWO STATIONS EQUIPMENT DRAWING 617106-851	\$267.00				
2	CE0000003	LAMINAR FLOW FAUCET HEAD FOR FLEXMATIC AND STREAMLINE SCRUB STATIONS	\$77.00				
1	CE0000001	EYE WASH FIXTURE FOR FLEXMATIC AND STREAMLINE SCRUB STATIONS	\$269.00				

(WXDXH) IN: 64.00 X 27.29 X 51.50 LBS: 295.00 MM: 1626 X 693 X 1308 KG: 134

TWO STATIONS WITH TIMER; STAINLESS STEEL; MANUAL KNEE OPERATED

LOCATION: WALL

AUX \$: \$9,736.93

VOLTS: 120 HERTZ: 60 **AMPS: 1.2**

ELECT NOTE: GROUNDED

COLD WATER: YES HOT WATER: YES

DRAIN REQUIRED: YES

PLUMB NOTE: COLD WATER - 1/2 NPT, 20 TO 50 PSIG (1.41 TO 3.52 KG/CM2); HOT WATER - 1/2 NPT, 120-140F (49-60C), 20 TO 50 PSIG (1.41 TO 3.52 KG/CM2); DRAIN - 1- 1/2 OD

OF/OI 089875 WASTE RECEPTACLE RUBBERMAID COMM. PRODUCTS NEW \$88.50 GRAY;SLIM JIM; VENTING CHANNELS; 16GAL 1971258 GROUP: 3 | MINOR MOVABLE

(WXDXH) IN: 22.00 X 11.00 X 25.00 LBS: 6.42 MM: 559 X 279 X 635 **KG**: 3

LOCATION: FLOOR AUX \$: \$88.50

ROOM TOTAL: \$9,825.43





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 04

ROOM NUMBER: 622

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 107260 SCOPE, LARYNGOSCOPE KARL STORZ ENDOSCOPY-AMERICA, INC. OF/OI NEW \$36,177.92 \$36,177.92 FOR DIFFICULT INTUBATION. C-MAC/OPTIONS GROUP: 2 | MAJOR MOVABLE

8403ZXK

EQ#: SCP03

OPTION	OPTIONS AND ACCESSORIES								
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>						
1	8403HXK	C-MAC VIDEO LARYNGOSCOPE D-BLADE SET FOR DIFFICULT INTUBATION	\$0.00						
1	8403YZ	C-MAC CLEANING CAP	\$0.00						
1	9700CM-MAT	SILICONE MAT FOR 9700GCX BASKET	\$0.00						
1	8403AXC	C-MAC VIDEO LARYNGOSCOPE MAC #3 W/ MACINTOSH LARYNGOSCOPE BLADE SIZE 3	\$0.00						
1	11301CFX	LIPP TUBE ADAPTOR FOR FLEXIBLE INTUBATION VIDEO ENDOSCOPES	\$0.00						
1	9700VIP	C-MAC VIDEO INTUBATION PLATFORM CART W/2 STORAGE BINS AND FLEXIBLE SCOPE HOLDER	\$0.00						
1	11302BDXK	FLEX INTUBATION VIDEO ENDOSCOPE F/CMAC 4.0MMX65CM W/1.5MM CHANNEL W/SUCTION	\$0.00						
1	8401DS	REUSABLE ET TUBE STYLET F/C MAC D- BLADE FOR USE W/8401HX PKG. 10	\$0.00						
1	8403ZXK	7"FLAT PANEL MONITOR SET FOR C-MAC VIDEO LARYNGOSCOPES WITH OUTPUT: HDMI	\$0.00						
1	9700TUBE/10	PRO SHIELD PROTECTION TUBES FOR FLEX INTUB SCOPES, SGL USE, NON-STERILE	\$0.00						
1	8403BXC	C-MAC VIDEO LARYNGOSCOPE MAC #4 W/ MACINTOSH LARYNGOSCOPE BLADE SIZE 4	\$0.00						
1	8403X	C-MAC CONNECTION CABLE, LENGTH 200CM	\$0.00						

(WXDXH) IN: 23.00 X 23.00 X 55.00 LBS: 24.00 MM: 584 X 584 X 1397 KG: 11

LOCATION: FLOOR
AUX \$: \$36,177.92

DATA NOTE: HDMI;USB 2.0;VIDEO OUTPUT TO EXTERNAL

MONITOR

VOLTS: 110-240 **HERTZ:** 50-60 **AMPS:** .5

ELECT NOTE: POWER CORD ADAPTER; RECHARGEABLE LI-ION BATTERIES







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 04

ROOM NUMBER: 622

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 056002 CART, RESUSCITATION, CARDIAC ARMSTRONG MEDICAL INDUSTRIES OF/VI NEW \$2,030.16 \$2,030.16 EQ#: CRC04 CART, RESUSCITATION, CARDIAC; 6 DRAWERS;4-3", AR-6 GROUP: 3 | MINOR MOVABLE 1-6",1-12",PVC BUMPER;LOCKING BREAKAWAY BAR, TWIN PREMIER W/ER PK PADDED PUSH HANDLES; METAL DRAWER PULLS; ALL-SWIVEL **CASTER** TO INCLUDE: 1EA. APT-2 PLASTIC TOP 1EA. ASN-2 SIDE SHELF 1EA. AOB-1 OXYGEN TANK BRACKET 1EA. PIV-1 PREMIER IV POLE AND BRACKET 1EA. AWB-3 WIRE CHART HOLDER 1 EA. AAB-1 ACCESSORY BRACKET 1 EA. ACB-1 CARDIAC BOARD W/ BRACKETS 1 EA. ADT-1 CRASH CART TRAY W/LID 1 EA. ADV10N DIVIDER KIT FOR ADT-1 TRAY (WXDXH) IN: 43.00 X 25.00 X 47.00 LBS: 165.00 KG: 75 MM: 1092 X 635 X 1194 LOCATION: FLOOR **AUX \$:** \$2,030.16 3 082533 OF/OI \$23,980.20 DEFIBRILLATOR **ZOLL MEDICAL CORPORATION** NEW \$23,980.20 EQ#: DEF01 R SERIES ALS DEFIBRILLATOR; AED W/MANUAL OVERRIDE; GUIDELINES 2010 30120005201310012 GROUP: 2 | MAJOR MOVABLE COMPATIBLE; CODE READINESS TESTING SYSTEM; RECTILINEAR BIPHASIC R SERIES ALS TECHNOLOGY ONESTEP 3 LEAD ECG CABLE W/AHA MARKINGS ADVISORY DEFIBRILLATION; BUILT-IN TEST PORT; COMPACT FLASH CARD SLOT; INTEGRATED AC POWER 5.8 AH LITHIUM ION BATTERY; PACKAGE INCLUDES: EXPANSION PACK, ONE STEP PACING, MASIMO PULSE OXIMETRY, NIBP, ETC02 TO INCLUDE: 1 EA 8019-0535-01 SURE POWER RECHARGEABLE LITHIUM ION BATTERY PACK (WXDXH) IN: 10.50 X 12.50 X 8.20 LBS: 15.20 MM: 267 X 318 X 208 KG: 7 **LOCATION: COUNTERTOP** AUX \$: \$23,980.20 **DATA: HARD WIRED AND WIRELESS** DATA NOTE: OPTIONAL WIFI: 802.11B USB PORT 2.0 **COMPATIBLE VOLTS:** 120 **HERTZ:** 60 AMPS: 2 **ELECT NOTE: SEALED LEAD ACID BATTERY INTEGRAL BATTERY CHARGER EMERGENCY POWER**





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 04

ROOM NUMBER: 622

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4 EQ#	094808 ASP01	1	PUMP, SUCTION/ASPIRATOR, GENERAL, POR PORTABLE; RECHARGEABLE BATTERY; LED DISPLAY DISPOSABLE CANISTER SYSTEM; HIGH FLOW; HIGH VACUUM RANGE; EXTERNAL BATTERY CHARGER TO INCLUDE:	;HEPA FILTER;BEMIS	LAERDAL MEDICAL CORP. LSU 4000 78002001	OF/OI	NEW	\$995.00 \$995.00 GROUP: 2 MAJOR MOVABLE
			1 EA 780220 AC POWER CORD -EU (WXDXH) IN: 13.00 X 6.30 X 12.40 MM: 330 X 160 X 315 LOCATION: COUNTERTOP AUX \$: \$995.00 VOLTS: 120 HERTZ: 60 ELECT NOTE: ELECTRICAL SHOWN FOR BATTERY (LBS: 8.20 KG: 4 CHARGER				

ROOM TOTAL: \$63,183.28





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 03

ROOM NUMBER: 623

QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 MM: 914 X 2108 X 870 LBS: 260.00 KG: 118 LOCATION: FLOOR		HILL-ROM P8005 TRANSPORT	OF/VI	NEW	\$3,729.56 \$3,729 GROUP: 3 MINOR MOVA	
1	TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 I	\$560.80 MINOR MOVABLE
	1	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO ITN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 MM: 914 X 2108 X 870 LOCATION: FLOOR AUX \$: \$3,729.56 1 SHELVING, WIRE 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74.5 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 MM: 1219 X 457 X 2032 LOCATION: FLOOR	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 LBS: 260.00 MM: 914 X 2108 X 870 KG: 118 LOCATION: FLOOR AUX \$: \$3,729.56 1 SHELVING, WIRE 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 MM: 1219 X 457 X 2032 KG: 39 LOCATION: FLOOR	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP STH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 LBS: 260.00 MM: 914 X 2108 X 870 KG: 118 LOCATION: FLOOR AUX \$: \$3,729.56 1 SHELVING, WIRE 5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MP: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 MM: 1219 X 457 X 2032 KG: 39 LOCATION: FLOOR	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: P8005 TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-SP 5TH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 x 83.00 x 34.25	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: P8005 TN TRANSPORT P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-9- STH WHEEL STEERING ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 LBS: 260.00 MM: 914 X 2108 X 870 KG: 118 LOCATION: FLOOR AUX \$: \$3,729.56 1 SHELVING, WIRE SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF TO CONSIST OF: SEA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MPB: SMYIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 MM: 1219 X 457 X 2032 KG: 39 LOCATION: FLOOR	1 STRETCHER TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: P8005 TRANSPORT STRETCHER 26" WIDE DECK, TO INCLUDE: P8005 ST-ASE ACCUMAX MATTRESS ELASTIMAX ST-HEAD PUSH HANDLE HEAD END (BLUE) ST-3SONE IV POLE AT HEAD ST-4SBS BRAKE PEDAL ALL 4 SIDES (WXDXH) IN: 36.00 X 83.00 X 34.25 LBS: 260.00 MM: 914 X 2108 X 870 KG: 118 LOCATION: FLOOR AUX \$: \$3,729.56 1 SHELVING, WIRE 5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF 18 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MP: SWIVEL CASTER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 MM: 1219 X 457 X 2032 KG: 39 LOCATION: FLOOR

ROOM TOTAL: \$4,290.36





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 02

ROOM NUMBER: 624

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
1 EQ#:	1015397 CRL01	1	' '	NITH ½" LIP TO ATE UNDER THE TO BE PLACED ON KING, MORE 5"W X 20"D SHELVES	DIRECT SUPPLY, INC LC36-4-42 IPU PREMIUM	OF/OI	NEW	\$590.00 \$590.00 GROUP: 3 MINOR MOVABLE
2 EQ#:	1002258 CMH01	1	' '	ERATOR; HOSPITAL ONTAINER WITH	HARLOFF COMPANY, INC. MH5216K MH5216K BTU: 190 BTU/HR	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
3 EQ# :	008082 REF02	1	REFRIGERATOR, UNDERCOUNTER 115V;3.3 CF;AUTO DEFROST;ADA;2.5 GLASS SHELVES ACCEPTS PANEL;ADJ. TEMP CONTROL;FIELD REVERSIBL DOOR; NO LOCK	LE S : 80.00	U-LINE CORPORATION 29R U-29R	OF/OI	NEW	\$1,124.10 \$1,124.10 GROUP: 2 MAJOR MOVABLE
				5: 36				
					MECH NOTE: REFRIGERANT: R134A;3.25 OZ			DOON TOTAL . 64 744 40

ROOM TOTAL: \$1,714.10





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: HOUSEKEEPING

ROOM NUMBER: 625

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ#	100390 : SCB01	1	FLOOR MACHINE, SCRUBBER, POLISHER 20";1.5HP;W/PAD DRIVER;50' POWER CORD;(2 WHEELS) 5" GRAY NON-MARKING	NILFISK ADVANCE TP2015HD	OF/OI	NEW	\$1,077.00 GROUP: 2 MAJO	\$1,077.00 OR MOVABLE
			(WXDXH) IN: 20.00 X 27.00 X 48.00 MM: 508 X 686 X 1219 LOCATION: FLOOR AUX \$: \$1,077.00 VOLTS: 120 HERTZ: 60 AMPS: 13	LBS: 109.00 KG: 49					
2 EQ#	078704 : RCK04	1	RACK, MOP/BROOM SS;SHELF W/3 MOP OR BROOM HOLDERS;4 HC STAINLESS;ALL WELDED CONSTRUCTION;SATIN	•	BOBRICK WASHROOM EQUIPMENT, INC. B-239	OF/CI	NEW	\$347.12 GROUP: 3 MINO	\$347.12 OR MOVABLE
			(WXDXH) IN: 34.00 X 8.00 X 13.00 MM: 864 X 203 X 330 LOCATION: WALL AUX \$: \$347.12	LBS: 10.00 KG: 5					
3 EQ#	1015581 : SHW04	1	SHELVING, WIRE 4 SHELF, STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING: 4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL 63" 1 EA. SABP13BR-4PK SEISMIC OSHPD PREAPPR TRIANGULAR PLATE KIT	OVAL 1-POST, 2-3 BOLT	INTERMETRO INDUSTRIES CORP. 1836NC/63P SUPER ERECTA SEISMIC	OF/VI	NEW	\$343.94 GROUP: 3 MINC	\$343.94 DR MOVABLE
			(WXDXH) IN: 36.00 X 18.00 X 63.00 MM: 914 X 457 X 1600 LOCATION: FLOOR AUX \$: \$343.94	LBS: 53.00 KG: 24					

ROOM TOTAL: \$1,768.06





FLOOR:

1

DEPARTMENT: SURGERY

ROOM NAME:

OR EQUIP ALCOVE 01

ROOM NUMBER: 62

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 1002328 **IMAGING, TABLE, C-ARM** MEDSTONE TABLES OF/OI **EXISTING** \$0.00 \$0.00 EQ#: CRM02 MOTORIZED 5-MOVEMENTS INCLUDING 12" ELEVATION (FROM 26" TO GROUP: 2 | MAJOR MOVABLE 38"), TRENDELENBURG TILT, LATERAL TILT, LONGITUDINAL TRAVEL AND 0047-TM5(H)SCU LATERAL TRAVEL WITH AUTO CENTERING; INCLUDES 2" TABLE PAD. 500 LB WEIGHT CAPACITY. TO INCLUDE FOOT SWITCH OPTION. (WXDXH) IN: 22.00 X 82.00 X 38.00 LBS: 510.00 **MM:** 559 X 2083 X 965 **KG**: 231 LOCATION: FLOOR AUX \$: \$26,713.00 **VOLTS:** 120 HERTZ: 60 AMPS: 9 **ELECT NOTE: 1 PHASE** 2 098605 **RACK, APRON, WALL MOUNTED** PHILLIPS SAFETY PRODUCTS OF/CI NEW \$71.43 \$71.43 8 PEGS;4 APRONS;ELECTRO-MAGNETIC POWDER COATING;STAINLESS GROUP: 3 | MINOR MOVABLE EQ#: RCK01 **STEEL** RAR-P4 (WXDXH) IN: 19.00 X 5.00 X 3.00 LBS: 7.20 MM: 483 X 127 X 76 **KG**: 3 LOCATION: WALL AUX \$: \$71.43 3 078823 INTERMETRO INDUSTRIES CORP. OF/VI NEW \$560.80 \$560.80 SHELVING, WIRE EQ#: SHW02 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM SHELF 1848NC/74P GROUP: 3 | MINOR MOVABLE TO CONSIST OF: SUPER ERECTA 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER (WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00 MM: 1219 X 457 X 2032 KG: 39 LOCATION: FLOOR AUX \$: \$560.80







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR EQUIP ALCOVE 01

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 106731 IMAGING, X-RAY, C-ARM GE OEC MEDICAL SYSTEMS OF/VI NEW \$150,000.00 \$150,000.00 EQ#: CRM01 COMPACT; ALL-IN-ONE; ONE TOUCH CONTROL PANEL; DOSE ONE CFD GROUP: 2 | MAJOR MOVABLE CONTROL; EXTENDED REACH; STAND-BY POWER OEC ONE CFD

> (WXDXH) IN: 30.70 X 89.80 X 88.60 LBS: 706.00

> > **MM:** 780 X 2281 X 2250 **KG**: 320

LOCATION: FLOOR

NOTES: *OEC - PREMIER (CONTRACT# PP-IM-268) POWER: TYPE B NEMA

5-20 RECEPTACLE NEEDED **AUX \$:** \$150,000.00 **DATA:** HARD WIRED AND WIRELESS

DATA NOTE: USB 2.0; DISPLAY PORT; ETHERNET; WLAN 802.11

A/B/G/N; SUPPORTS WEP ENCRYPTION

VOLTS: 100-120 **HERTZ:** 50/60 **AMPS:** 20

ROOM TOTAL: \$150,632.23





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO EQUIP ALCOVE 01

ROOM NUMBER: 627

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	058850	1	CART, CAST		HARLOFF COMPANY, INC.	OF/OI	NEW	\$3,800.00	\$3,800.00
EQ#:	CRC01	1	STAINLESS;8 DRAWER;S.S. FOLDING SIDE SHELF; D VINYL MAT, (5) 3"W/ 4 ADJ DIVIDERS PER DRAWEI DIVIDERS PER DRAWER;S.S. SIDE STORAGE CABINET;SCISSOI HOLDER W/BLACK VINYL MAT;SWIVEL TOURNIQU STEEL RULER;ALUMINUM TOWEL BAR;INTERNAL I WRAP-AROUND BUMPER;5" BALL-BEARING CASTI BRAKE;LATEX FREE. (WXDXH) IN: 44.00 X 21.00 X 76.00 MM: 1118 X 533 X 1930	R, (2) 6"W/ 4 ADJ RS CABLE; S.S. BUCKET ET/PUMP POLE;24" S.S. DRAWER DIVIDERS;FULL	DELUXE 6035	OF/OI	NEVV		55,800.00 MINOR MOVABLE
			LOCATION: FLOOR AUX \$: \$3,800.00						

ROOM TOTAL: \$3,800.00





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO EQUIP ALCOVE 02

ROOM NUMBER: 628

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1	078823	1	SHELVING, WIRE		INTERMETRO INDUSTRIES CORP.	OF/VI	NEW	\$560.80	\$560.80
EQ#	: SHW02		5 SHELF;MOBILE;CHROME;CLEAR INLAY BO	TTOM SHELF	1848NC/74P			GROUP: 3 M	INOR MOVABLE
			TO CONSIST OF:		SUPER ERECTA				
			5 EA. 1848NC: SHELF, WIRE						
			4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74	4 5/8 IN					
			1 ST. 5MP: SWIVEL CASTER						
			1 ST. 5MPB: BRAKE CASTER WITH BUMPER						
			(WXDXH) IN: 48.00 X 18.00 X 80.00	LBS: 86.00					
			MM: 1219 X 457 X 2032	KG : 39					
			LOCATION: FLOOR						
			AUX \$: \$560.80						

ROOM TOTAL: \$560.80





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: SOILED UTILITY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
1 EQ# :	100858 TRK01	1	TRUCK/BIN, LINEN 500LB/16 CUFT CAPACITY; MANUAL UNLOADIN	G;BLUE	TOTER INC. MMC16-90701 CUBE HEAVY DUTY	OF/OI	NEW	\$497.51 <i>GROUP: 3 M</i>	\$497.51 INOR MOVABLE
			(WXDXH) IN: 30.38 X 44.00 X 35.50 MM: 772 X 1118 X 902 LOCATION: FLOOR NOTES: INCLUDES LID AUX \$: \$497.51	LBS: 60.50 KG: 27					
	1015414 TRK02	1	TRUCK, TILT, WASTE/LINEN 16 CUFT MANUAL CUBE TRUCK; INCLUDES LID		TOTER INC. MMC16-10836 BLACK	OF/OI	NEW	\$650.00 <i>GROUP: 3 M</i>	\$650.00 INOR MOVABLE
			(WXDXH) IN: 30.40 X 44.00 X 35.50 MM: 772 X 1118 X 902 LOCATION: FLOOR NOTES: BLACK IN COLOR; INCLUDES LID AUX \$: \$650.00	LBS: 60.00 KG: 27					
3 EQ# :	100859 WST02	2	CONTAINER, BIOHAZARD RED;64 GALLON;2 WHEEL;HINGED LID;2-10"W 2-4"CASTERS;PLASTIC	HEELS	TOTER INC. RMC64-00RED	OF/OI	NEW	\$306.11 GROUP: 3 M	\$612.22 INOR MOVABLE
			(WXDXH) IN: 24.75 X 32.00 X 44.25 MM: 629 X 813 X 1124 LOCATION: FLOOR AUX \$: \$306.11	LBS: 45.30 KG: 21					





FLOOR: 1

DEPARTMENT: SURGERY
ROOM NAME: SOILED UTILITY

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4 EQ#	1008170 E: CRK01	1	CART, CYLINDER, D&E, MULTI 6 CYLINDER CAP; CHROME PLATED STEEL; 2 LOCKING	CASTERS;	WT FARLEY WTFCRDC06E CR-DC06E	OF/OI	NEW	\$168.48 GROUP: 3 MINO	\$168.48 R MOVABLE
			, , , , , , , , , , , , , , , , , , , ,	BS: 27.00					
			<i>MM</i> : 406 X 279 X 991 KG LOCATION: FLOOR	G: 12					
			AUX \$: \$168.48						
5 EQ#	057206 GLV01	1			BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 MINO	\$57.00 R MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LB	BS: 2.00					
				G : 1					
			LOCATION: WALL AUX \$: \$57.00						
6	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLA APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE O OPTIONS AT PROCUREMENT	·	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 GROUP: 3 MINO	\$54.50 R MOVABLE
			OPTIONS AND ACCESSORIES						
			QTY PART NUMBER DESCRIPTION		<u>PRICE</u>				
			1 BEIG BEIGE		\$0.00				
			•	BS: 5.00					
			<i>MM</i> : 368 X 267 X 389 KG LOCATION: FLOOR	G: 2					
			- GRAY						
			AUX \$: \$54.50						
								20011 7071	



PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ANESTHESIA WORKROOM

ROOM NUMBER: 631

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015782 MONITOR, CENTRAL STATION, REMOTE PHILIPS MEDICAL SYSTEMS OF/VI NEW \$3,360.00 \$3,360.00 EQ#: MTCR02 MIRROR STATION; 23" DISPLAY; 120V AC MXU0295 GROUP: 2 | MAJOR MOVABLE DISPLAY: 23

BTU: 1595 BTU/HR

1848NC/74P

SUPER ERECTA

INTERMETRO INDUSTRIES CORP.

OF/VI

NEW



OPTION	OPTIONS AND ACCESSORIES									
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>							
1	989803207001	2560: MULTI-VIDEO MIRROR SENDER 1	\$1,251.00							
1	989803207031	2560: MULTI-VIDEO MIRROR RECEIVER	\$1,251.00							
1	989803208081	2560: MIRROR RECEIVER ADAPTER KIT, FLUSH	\$306.00							

KG: 39

(WXDXH) IN: 17.00 X 8.20 X 16.00 LBS: 30.00 MM: 432 X 208 X 406 KG: 14

LOCATION: COUNTERTOP

SPEC COMMENTS: OVERALL DIMENSIONS INCLUDE CPU, UPS, AND RECORDER/ALARM SPEAKER MODULE SEE CUT SHEET FOR SPECIFIC

DIMENSIONS.

AUX \$: \$3,360.00 **DATA:** HARD WIRED

DATA NOTE: MINIMUM ETHERNET 10/100 T, CAT 5E OR

HIGHER

VOLTS: 115 **HERTZ:** 60 **AMPS:** 10.8

DEDICATED CIRCUIT: YES

ELECT NOTE: REQUIRES A 15AMP QUAD OUTLET WITHIN 3' OF UPS/CPU.

2 078823 EQ#: SHW02



SHELVING, WIRE

5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTOM SHELF

TO CONSIST OF:

5 EA. 1848NC: SHELF, WIRE

4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 IN

1 ST. 5MP: SWIVEL CASTER

1 ST. 5MPB: BRAKE CASTER WITH BUMPER

(WXDXH) IN: 48.00 X 18.00 X 80.00 LBS: 86.00

MM: 1219 X 457 X 2032

LOCATION: FLOOR
AUX \$: \$560.80



\$1,121.60

GROUP: 3 | MINOR MOVABLE

\$560.80





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ANESTHESIA WORKROOM

LOCATION: FLOOR
AUX \$: \$168.48

LINE	ID#	QTY	GENERIC	MANUFACTU	RER	RESP	STATUS	PRICE EXTENSION
3 EQ #	1003479 E: WRM03	1	WARMER, FLUID CAP. (16) 1L BAGS;OR 12L BOTTLES;RADIANT HEAT T RANGE IRRIGATION: 90-150DEG F;TEMP RANGE INJI F;DEPTH INCL. HANDLE & CORD INLET	•	DUCTS	OF/OI	NEW	\$3,512.00 \$3,512.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 1334 INSIDE SHELF		PRICE \$12.00			
			' '	LBS: 67.00 KG: 30 REAR; 6' LONG CORD				
4 EQ#	1008170 F: CRK01	1	CART, CYLINDER, D&E, MULTI 6 CYLINDER CAP; CHROME PLATED STEEL; 2 LOCKING	WT FARLEY G CASTERS; WTFCRDC066 CR-DC06E		OF/OI	NEW	\$168.48 \$168.48 GROUP: 3 MINOR MOVABLE
	9		' '	LBS: 27.00 KG: 12				







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ANESTHESIA WORKROOM

ROOM NUMBER: 631

LINE	ID#	QTY	GENERIC		MANUFACTURER		RESP	STATUS	PRICE	EXTENSION
5	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE OPTIONS AT PROCUREMENT	•	RUBBERMAID COMM. PRO FG254300[XXX] 2543	DDUCTS	OF/OI	NEW	\$54.50 GROUP: 3 MII	\$54.50 NOR MOVABLE
			OPTIONS AND ACCESSORIES			1				
			<u>QTY PART NUMBER DESCRIPTION</u>		<u>PRICE</u>					
			1 BEIG BEIGE		\$0.00					
			(WXDXH) IN: 14.50 X 10.50 X 15.30	LBS: 5.00						
			MM: 368 X 267 X 389	K G : 2						
			LOCATION: FLOOR							
			- NULL							
			AUX \$: \$54.50							
6	092852	1	WASTE RECEPTACLE, RECYCLING		RUBBERMAID COMM. PRO	DUCTS	OF/OI	NEW	\$35.00	\$35.00
			16 GALLON; RECYCLING; PLASTIC CONSTRUCTION; VE	ENTED CHANNELS;	1971257				GROUP: 3 MII	IOR MOVABLE
			HANDLES AT RIM		SLIM JIM					
			(WXDXH) IN: 22.00 X 11.00 X 25.00	L BS: 6.42						
			MM: 559 X 279 X 635	KG: 3						
			LOCATION: FLOOR							
			AUX \$: \$35.00							

ROOM TOTAL: \$8,251.58





FLOOR:

1

DEPARTMENT: **SURGERY**

ROOM NAME:

ENDO PROCEDURE ROOM

ROOM NUMBER:

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1000219 MEDICAL GAS ARTICULATING BOOM, ANESTHESIA STRYKER COMMUNICATIONS OF/VI NEW \$40,000.00 \$40,000.00 EQ#: MGAA01 S-SERIES 2 ROW ANESTHESIA BOOM; SINGLE COMMON PLATE; ELECTRIC SPS-2 GROUP: 1 | FIXED ANESTHESIA BOOM. TYPICAL CONFIGURATION WITH 1300MM TOP ARM LENGTH, 900MM BOTTOM ARM LENGTH, 300MM MID TUBE LENGTH AND 260MM COLUMN TUBE LENGTH. INCLUDES MULTI-FUNCTIONAL RAIL (MFR) 406MM, CONTROL - REAR ONLY. ELECTRIC BRAKE SYSTEM, 7 GAS OUTLETS, 4 POWER OUTLETS, 5 DATA OUTLETS (1G BLANK PLATE, SINGLE DVI AND VGA, DISTRIBUTION BOARD). **CONFIGURABLE PER SITE, ACTUAL LIST PRICE MAY VARY. SEE MANUFACTURER FOR SITE SPECIFIC PRICING AND DOCUMENTATION. **OPTIONS AND ACCESSORIES** OTY PART NUMBER DESCRIPTION **PRICE** ASSEMBLY, SPLIT DATA PASS THROUGH PLATE AND P38743 \$1,537.00 SHAPE ARM/TOUCH PANEL CABLES SPS-2 S-SERIES, STANDARD POWERED, 2 ROW, 2 A \$0.00 1 (WXDXH) IN: 168.00 X 168.00 X 0.00 MM: 4267 X 4267 X 0 **LOCATION: CEILING** AUX \$: \$40,000.00 VOLTS: 120 HERTZ: 60 **AMPS**: 20 **ELECT NOTE: REFER TO VENDOR DRAWINGS WIRING MUST BE NO. 12** AWG MINIMUM FOR BRANCH CIRCUITS UP TO 20A AND NO. 10 AWG FOR 30A BRANCH CIRCUITS. STANDARD RECEPTACLES ARE RATED AT 20 AMPS. INTERNAL SYSTEM POWER MUST BE 120 VAC 50/60 HZ (WITH A CURRENT OF 10 AMP) FROM A DEDICATED SOURCE 106509 LIGHT, SURGICAL, SINGLE W/FLAT PANEL ARM STRYKER COMMUNICATIONS OF/VI NEW \$50,000.00 \$100,000.00 EQ#: LHT02 SINGLE CHROMOPHARE F628 LIGHT WITH SINGLE FD 2003 GROUP: 1 | FIXED UNIVERSAL DISPLAY MOUNT (FLAT PANEL MOUNT) F628/FP TO INCLUDE: **IN-LIGHT CAMERA LOCATION: CEILING** SPEC COMMENTS: REFERENCE VENDOR'S TECHNICAL DATA AUX \$: \$50,000.00

MECH NOTE: REFERENCE VENDOR'S TECHNICAL DATA



ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
3	097148	2	MONITOR, VIDEO 32";4K SURGICAL DISPLAY;MOUNTED FLAT PANEL ARM TO INCLUDE: 1 EA 0240031050 PKG, 32" 4K SURGICAL DISPLAY 1 EA 0240031051 PKG, 32" 4K SURGICAL DISPLAY COVE 1 EA 0240030952 PKG, 75' (5-PIN) DC EXTENSION CORD	STRYKER ENDOSCOPY 0240-031-050	OF/VI	NEW	\$22,746.46 \$45,492.92 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 29.70 X 3.00 X 17.80 MM: 754 X 76 X 452 KG: 10 LOCATION: SPACE AUX \$: \$22,746.46 DATA: HARD WIRED DATA NOTE: RS232 COMMUNICATION PORT VOLTS: 110 HERTZ: 60 PLUG TYPE: Type B (NEMA 5-15) ELECT NOTE: POWER SUPPLY CORD: MINIMUM LENGTH OF 6 FT				
4 EQ #	1013822 :: MON01	1	MONITOR, VIDEO 55" LCD 4K DISPLAY	STRYKER COMMUNICATIONS P45952 P45952	OF/VI	NEW	\$9,462.88 \$9,462.88 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 0100224158 MOUNT PLATE PLASMA/LCD	<u>PRICE</u> \$719.00			
			(WXDXH) IN: 48.80 X 2.40 X 28.10 LBS: 60.80 MM: 1240 X 61 X 714 KG: 28 LOCATION: WALL AUX \$: \$9,462.88 DATA: HARD WIRED DATA NOTE: RJ-45 10 BASE-T/100 BASE-TX X 2 REFERENCE VENDOR'S TECHNICAL DATA VOLTS: 120 HERTZ: 60 AMPS: 3.3 WATTS: 295 ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA				





FLOOR: 1

ROOM NAME:

DEPARTMENT: SURGERY

DEFARTIVIEWI. SUNGERI

ENDO PROCEDURE ROOM

ROOM NUMBER: 632

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 5 1003443 **BOOM, EQUIPMENT** STRYKER CORP/MEDICAL DIV OF/VI NEW \$30,000.00 \$30,000.00 EQ#: BEQ01 UTILITY BOOM; STANDARD POWERED 2 ROW, 2A SPS-2-C GROUP: 1 | FIXED TO INCLUDE: 1 EA. P36143: ASM, SHELF MOUNT HDW 1 EA. P40237: ASM, SHELF WITH FAIRFIELD RAILS, 515 **LOCATION: CEILING** AUX \$: \$30,000.00 **DATA:** HARD WIRED DATA NOTE: DATA COMMUNCATIONS 1 EA. DATA PASS-THRU 2 EA. 1 G BLANK PLATE 1 EA. DISTRIBUTION BOARD **MEDICAL GAS: YES ELECT NOTE:** 1 EA. 20A/125V DUPLEX (8 OUTLETS) 1 EA. 20A/125V PLUMB NOTE: 2 EA. MEDICAL AIR 2 EA. O2 2 EA. VACUUM DUPLEX (2 OUTLETS) 20A/125V; 5-20R DUPLEX 3 EA. TOTAL 15A/20A CIRCUITS 1 EA. CIRCUIT FOR MOTOR AND BRAKE 1006322 STRYKER CORP/MEDICAL DIV OF/VI NEW \$60,000.00 \$60,000.00 A/V SYSTEM, INTEGRATION ACCESSORY CONNECT OR HUB WITH DICOM; PLACED ON 2U SHELF; 8"TFT DISPLAY; 0240200224 GROUP: 2 | MAJOR MOVABLE EQ#: AUD01 DIGITAL TOUCHSCREEN 4U

> (WXDXH) IN: MM:

(WXDXH) IN: 13.00 X 17.00 X 6.00

LBS: 19.40 **KG**: 9

MM: 330 X 432 X 152

LOCATION: SPACE

AUX \$: \$60,000.00

DATA: HARD WIRED AND WIRELESS

DATA NOTE: RECOMMENDED: WAP2 ENTERPRISE (PEAPVO/EAP-MSCHAP V2) AUTHENTICATION REFERENCE VENDOR'S TECHNICAL DATA FOR DETAILS NOTE: NETWORK

AND SERVER WIRED ONLY

VOLTS: 120 **HERTZ:** 60 **AMPS:** 4 **WATTS:** 480

ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
7 037835 EQ#: ESU03	037835 : ESU03	1	ELECTROSURGICAL UNIT LOW POWER UNIT; FOR ALL GENERAL SURGICAL PROCEDURES; MICROPROCESSOR ISOLATED ELECTROSURGICAL GENERATOR; WITH VALLEYLAB REM SYSTEM; LOW FREQUENCY LEAKAGE 50/60 HZ; HIGH FREQUENCY LEAKAGE <150 MA MS; REM SYSTEM MEASUREMENT FREQUENCY 140 KHZ +/- 20 KHZ; MEASUREMENT CURRENT 3MA MAXIMUM; INPUT POWER REQUIREMENTS, 85 TO 105 AC VOLTS; CURRENT IS LESS THAN 5AMPS IN CUT AND LESS THAN 3 AMPS	VALLEYLAB, A COVIDIEN BRAND - FORCE 1C	OF/OI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			IN COAG (WXDXH) IN: 17.00 X 11.00 X 6.00 MM: 432 X 279 X 152 LOCATION: COUNTERTOP NOTES: LOCATED ON BOOM AUX \$: \$4,340.00 ELECT NOTE: 120 VOLTS; 60 HERTZ				
8 EQ #	1012366 : ESU04	1	SMOKE EVACUATION SYSTEM SMOKE EVACAUATOR, 4 STAGE SYSTEM, SIMPLE INTUITIVE INTERFA 25 HOUR ACTIVATION TIME	COVIDIEN CE RAPIDVAC SEC3690	OF/OI	NEW	\$2,467.16 \$2,467.16 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 14.00 X 18.75 X 8.00 LBS: 20.00 MM: 356 X 476 X 203 KG: 9 LOCATION: COUNTERTOP NOTES: LOCATED ON BOOM AUX \$: \$2,467.16 VOLTS: 110 HERTZ: 50 AMPS: 10				







FLOOR: 1

DEPARTMENT: **SURGERY**

ROOM NAME: **ENDO PROCEDURE ROOM**

ROOM NUMBER:

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 9 096403 **ANESTHESIA MACHINE** DRAGER MEDICAL, INC. OF/VI NEW \$25,100.00 \$25.100.00 EQ#: ANES01 FABIUS GS PREMIUM; 3 GAS; VAPORIZER 8607000/ACC GROUP: 2 | MAJOR MOVABLE **FABIUS GS PREM** TO INCLUDE:



MAIN CONFIGURATION:

1 EA OPC5612 BASIC UNIT FABIUS GS PREMIUM 1 EA OPC5190 3GAS, FLOW METERING O2,AIR,N20 1 EA OPC5005 3 GAS INLET 3 CONNECTOR DISS 1 EA OPC5254 VAPOR HOLDER FOR 3 VAPORS CONNECTIONS: 1 EA OPC5376 PIN INDEX O2-AIR-N20

VENTILATOR & DISPLAY:

1 EA OPC5328 PCV+PS+SIMV/PS

1 EA OPC5613 COLOR SCREEN

1 EA OPC5359 COSY 2.6 WITH HEATING

1 EA 8607111 COSY COVER / RAMMING PROTECTION

1 EA OPC5237 COSY ARM, LENGTH 200MM, LEFT

1 EA OPC5220 MOISTURE REDUCTION KIT. LEFT

1 EA 8605088 FLEXIBLE BREATHING BAG ARM

1 EA OPC5560 MECH. AIRWAY PRESSURE GAUGE KIT

1 EA 8608016 PRESSURE PORT GUARDS

REQUIRED ACCESSORIES:

1 EA MX50090 CLIC ADAPTER

1 EA M33300 AGSS

1 EA M33295 AGSS TRANSFER HOSE, 1 M

1 EA 4117515 GCX MOUNT.BRACKET FOR AGS

ENDOTRACHEAL SUCTION:

1 EA 4118454 KIT VACUUM SUCTION MOUNT

O2 THERAPY:

1 EA OPC5020 EXTERNAL O2 FLOW TUBE, US

HARDWARE COMPONENTS:

1 EA 8604122 HALOGEN LAMP UL

1 EA 8607019 HALOGEN LAMP HOLDER

1 EA OPC5022 ADD. PULL OUT WRITING TRAY

1 EA 8607596 SET OF 2 HANDLES, RAIL MOUNTED

RESULT WORKSTATION SETUP:

1 EA OPC5023 WITH COVERS F. LEFT MOUNT COSY

ADDITIONAL ACCESSORIES:

1 EA 1979578 FABIUS GS PREMIUM PREVCARE1YRPOS

1 EA M32692 HOSE SET

1 EA 8607840 KIT POWER OUTLET STRIP

-1EA 8606259 WITH CONVERSION KIT-GCX RAIL

-1EA G92558 POWER STRIP JP/USA/CAN

1 EA 4185140 HOSE ASM-02 DISS N/DISS N 10L

1 EA 4185142 HOSE ASM-N2O DISS N/DISS N 10L







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

PLUG TYPE: Type B (NEMA 5-15)

ELECT NOTE: NEMA 5-15R HOSPITAL GRADE

ROOM NUMBER: 632

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1 EA 4199605 HOSE ASM-AIR DISS N/DISS N 10L 1 EA 4199602 HOSE ASM-VAC DISS N/DISS N 10L 1 EA 4199599 HOSE ASM-EVAC DISS N/DISS N 10L 1 EA M35054 VAPOR 2000 -1EA OPC0096 SEVOFLURANE -1EA OPC5417 PLUG-IN ADAPTER AUTO EXCLUSION -1EA M36120 FILLING ADAPT.DRAGER FILL SEV. 1 EA M35500 D-VAPOR -1EA OPC5276 FRONT CAP DRAGER (WXDXH) IN: 41.00 X 33.00 X 52.00 LBS: 296.00 **MM:** 1041 X 838 X 1321 **KG**: 134 **LOCATION:** FLOOR **AUX \$:** \$25,100.00 **DATA:** HARD WIRED DATA NOTE: (1) RS232 **VOLTS:** 120 **HERTZ:** 60 **AMPS:** 2.3 **WATTS:** 70







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

ROOM NUMBER: 632

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

10 1015753 1 MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$19,846.08 \$19,846.08

EQ#: PHY07

HTT.

MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS OF/VI NEW \$19,846.08 \$19,846.08

PATIENT MONITOR, 15" LCD TFT TOUCH DISPLAY; 6-WAVES; SIDE MOUNTS TO ANESTHESIA MACHINE; 120 VAC MX550

MX550

PHILIPS MEDICAL SYSTEMS OF/VI NEW \$19,846.08 \$19,846.08

GROUP: 2 | MAJOR MOVABLE MX550

OPTIONS AND ACCESSORIES									
OTY	PART NUMBER	<u>DESCRIPTION</u>	PRICE						
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00						
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00						
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00						
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00						
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00						
1	989803170171	OR 3-LEAD ECG TRUNK CABLE, AAMI/IEC	\$178.00						
1	MXU0387	FABIUS GS: MX600-800, SIDE MOUNT	\$2,536.00						
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00						
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00						
1	989803206931	RD RAINBOW SET R25 12	\$165.00						
1	989803170181	OR 5-LEAD ECG TRUNK CABLE, AAMI/IEC	\$228.00						
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00						
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00						

(WXDXH) IN: 16.00 X 8.00 X 13.00 LBS: 22.30 MM: 406 X 203 X 330 KG: 10

LOCATION: SPACE

NOTES: ATTACHED TO ANESTHESIA MACHINE

AUX \$: \$19,846.08

DATA: HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70 **ELECT NOTE:** 100-240V, 50/60HZ, 70W AVERAGE, 1.2AMP



PLUMB NOTE: NO PLUMBING REQUIRED



PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

ROOM NUMBER: 632

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
11 EQ#	1004828 : GAS01	1	ANESTHESIA MACHINE ACCESSORY INTELLIVUE ANESTHESIA GAS MODULE; GAS ANALYZER MODULE; PROVIDES A NON-DISPERSIVE INFRARED MEASUREMENT OF RESPIRATORY AND ANESTHETIC GASES AND A PARAMAGNETIC MEASUREMENT OF OXYGEN	PHILIPS MEDICAL SYSTEMS 866173 G7 MODULE	OF/VI	NEW	\$10,056.75 \$10,056.75 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 3.00 X 6.75 X 4.25 LBS: 3.00				
			MM : 76 X 171 X 108 KG : 1				
			LOCATION: SPACE				
			AUX \$: \$10,056.75				
12 EQ#	106541 : TBS02	1	CHAIR/TABLE, EXAM/TREATMENT 450LB. CAP;POWER HEIGHT/FOOT/BACK/TILT;W/OUT TOP W/O ROTATION; W/ELECTRICAL RECEPTACLE TO INCLUDE: 1 EA 002-0824-856 UPHOLSTERY TOP - 28" SEAMLESS - DARK LINEN	MIDMARK CORPORATION 230-002 RITTER	OF/VI	EXISTING	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			(WXDXH) IN: 27.00 X 83.00 X 40.00 LBS: 455.00				
			MM: 686 X 2108 X 1016 KG: 206 LOCATION: FLOOR VOLTS: 115 HERTZ: 60 AMPS: 10				
13 EQ#	082570 : IVP01	1	I.V. INFUSION PUMP SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE MEDS ERROR PREVENTION	BAXTER HEALTHCARE/I.V. DIVISION 35700BAX2 SIGMA SPECTRUM	OF/OI	LEASED	\$0.00 \$0.00 GROUP: 2 MAJOR MOVABLE
			OPTIONS AND ACCESSORIES				
			OTY PART NUMBER DESCRIPTION	<u>PRICE</u>			
			1 35700BAX2 SPECTRUM PUMP (VERSION 8.X)	\$0.00			

	<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>
	1	35700BAX2	SPECTRUM PUMP (VERSION 8.X)	\$0.00
	1	35724	SPECTRUM STAND BATTERY	\$0.00
	1	SSL5YR	SPECTRUM SOFTWAR LICENSE	\$0.00
4				

(WXDXH) IN: 4.20 X 2.50 X 5.80 LBS: 2.00 MM: 107 X 64 X 147 KG: 1

LOCATION: COUNTERTOP
AUX \$: \$6,358.00
VOLTS: 115 HERTZ: 60

ELECT NOTE: 7.4VDC LITHIUM ION BATTERY







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
14 EQ# :	051488 IVP02	1	I.V. POLE STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERA ADJUSTMENT	TED LOCK HEIGHT	PEDIGO PRODUCTS, INC. P-1572-4 FOUR HOOK	OF/OI	NEW	\$885.00 GROUP: 3 MIN	\$885.00 IOR MOVABLE
	•		(WXDXH) IN: 21.25 X 21.25 X 118.00 MM: 540 X 540 X 2997	LBS: 20.00 KG: 9					
			LOCATION: FLOOR AUX \$: \$885.00	KG: 9					
15 EQ#:	080356 SCT01	1	STAND, SUCTION CANISTER, MOBILE COLLECTION CANISTER CARRIER; 4-CANISTER: 36	5" HIGH;ROLLING STAND	ALLIED HEALTHCARE PRODUCTS, INC. 20-02-0023 -	OF/OI	NEW	\$25.00 GROUP: 3 MIN	\$25.00 IOR MOVABLE
			(WXDXH) IN: 24.00 X 24.00 X 36.00 MM: 610 X 610 X 914 LOCATION: FLOOR AUX \$: \$25.00	LBS : 10.00 KG : 5					
16 EQ#:	051630 TBW02	1	TABLE, WORK S.S.;WITH UNDER-SHELF;MOBILE TO INCLUDE: 1 EA 06 SET OF 3"STEM CASTERS W/BRAKE		PEDIGO PRODUCTS, INC. SG-98-SS/ACC -	OF/OI	NEW	\$579.18 GROUP: 3 MIN	\$579.18 IOR MOVABLE
			(WXDXH) IN: 36.00 X 24.00 X 34.00 MM: 914 X 610 X 864 LOCATION: FLOOR AUX \$: \$579.18	LBS: 58.00 KG: 26					





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: **ENDO PROCEDURE ROOM**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 17 1006224 **CART, SUPPLY** INNERSPACE BY SOLAIRE MEDICAL OF/VI NEW \$1,321.53 \$1,321.53 EQ#: CRS02 NARROW ALUMINUM CART;24"DRAWER SPACE;5" SWIVEL CASTERS SPN24 GROUP: 3 | MINOR MOVABLE

PACE 24



OPTION	IS AND ACCESSORIES		
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	SPN3DW	NARROW PACE DRAWER WHITE, 3"	\$64.00
2	SPN6DW	NARROW PACE DRAWER WHITE, 6"	\$90.00
1	SPN9DW	NARROW PACE DRAWER WHITE, 9"	\$112.00
1	SNTD3	3" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
2	SNTD6	6" GRAY NARROW TRAY W/1 LONG & 3 SHORT CLEAR DIVIDERS	\$83.00
1	SPNPOWSL	LEFT SIDE PULL-OUT WORKSURFACE FOR NARROW PACE CARTS	\$20.00
1	SPN24WF	NARROW PACE 24, WHITE FRAME, 36"	\$0.00

(WXDXH) IN: 17.50 X 21.25 X 36.12

TWO-MODE W/DIAMOND & LOCKING GLAND OVERFLOW SAFETY

W/BRAKES; ANTIMICROBIAL WORK SURFACE & DRAWER PULLS

LBS: 85.00

MM: 445 X 540 X 917

KG: 39

LOCATION: FLOOR

AUX \$: \$1,321.53

18 093116 **REGULATOR, SUCTION, CONTINUOUS** OHIO MEDICAL CORPORATION

8701-1225-905

OF/OI

NEW

\$390.00

\$1,950.00 GROUP: 3 | MINOR MOVABLE

TRAP

(WXDXH) IN: 3.00 X 5.00 X 7.00

LBS: 1.10

MM: 76 X 127 X 178

KG: 0

LOCATION: SPACE

AUX \$: \$390.00

ELECT NOTE: 2-3AA BATTERIES







FLOOR:

1

SURGERY

DEPARTMENT: ROOM NAME:

ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
19	1004558	3	FLOWMETER, AIR 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB CONNECTION		OHIO MEDICAL CORPORATION FM-15UA-OHPT	OF/OI	F/OI NEW	\$39.16 GROUP: 3 MII	\$117.48 NOR MOVABLE
			(WXDXH) IN: 1.25 X 3.50 X 5.50	LBS: 0.40					
			MM: 32 X 89 X 140	KG : 0					
			LOCATION: WALL						
			AUX \$: \$39.16						
20	1004559	3	FLOWMETER, OXYGEN		OHIO MEDICAL CORPORATION	OF/OI	NEW	\$35.20	\$105.60
	961		FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OF	·F	FM-15UO-OHPT			GROUP: 3 MII	NOR MOVABLE
			(WXDXH) IN: 1.10 X 3.40 X 5.50	LBS: 0.35					
			MM : 28 X 86 X 140	KG : 0					
			LOCATION: WALL						
			AUX \$: \$35.20						
21	084252	2	WASTE RECEPTACLE, STEP-ON		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$150.00	\$300.00
			23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT FI MARSHALL APP'D	ITTING LID;CALIF FIRE	6146RED			GROUP: 3 MII	NOR MOVABLE
	2000		(WXDXH) IN: 20.00 X 17.00 X 33.00	LBS: 18.00					
			MM: 508 X 432 X 838	KG : 8					
			LOCATION: FLOOR						
			AUX \$: \$150.00						





FLOOR: 1

SURGERY

DEPARTMENT: ROOM NAME: **ENDO PROCEDURE ROOM**

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 22 055619 **DISPOSAL CONTAINER, SHARPS W/BRACKET BECTON DICKINSON** OF/CI NEW \$38.94 \$38.94 EQ#: DSP01 RED;5.4QT;SIDE ENTRY;W/WALL BRACKET 305517/305447 GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 12.00 X 8.75 X 10.75 LBS: 2.54 **KG**: 1 **MM:** 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94 23 1003160 DISPOSAL CONTAINER, WASTE, PHARMACEUTICAL **COVIDIEN** OF/OI NEW \$39.00 \$39.00 EQ#: DSPP03 LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON PHARMASAFETY 8528C/8836SA GROUP: 3 | MINOR MOVABLE CONTAINER LEAK RESISTANT; TAMPER EVIDENT; SECURE HINGED LID; ABSORBENT PAD FOR EXCESS FLUID (WXDXH) IN: 13.75 X 6.00 X 16.50 LBS: 5.00 MM: 349 X 152 X 419 KG: 2 LOCATION: WALL SPEC COMMENTS: DIMENSIONS OF BRACKET: 13.75" X 6.5" X 11.75" (W X D XH) AUX \$: \$39.00 24 006656 PEDIGO PRODUCTS, INC. OF/OI NEW \$549.99 \$1,099.98 STAND, MAYO EQ#: MAY01 FOOT OPERATED; LARGE TRAY; STAINLESS STEEL; 2"CASTERS; 16 1/4 X 21 1/4 P-1066-SS GROUP: 3 | MINOR MOVABLE P-1066-SS REMOVABLE TRAY; REINFORCED; STAINLESS STEEL TRAY FRAME; FOOT PEDAL **OPERATED** (WXDXH) IN: 16.25 X 21.25 X 36.00 LBS: 33.00 MM: 413 X 540 X 914 **KG**: 15 **LOCATION: FLOOR SPEC COMMENTS: FULLY EXTENDED 62"** AUX \$: \$549.99





FLOOR:

1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	021273 : KCB01	BO1 SS;REMOVABLE 12 QT. SS PAIL;TIP-RESISTANT;ROUND P-: BALANCED;ELECTRO-POLISHED;PERIMETER BUMPER;2" CONDUCTIVE P-: SWIVEL CASTERS		PEDIGO PRODUCTS, INC. P-1020-SS P-1020-SS	OF/OI	NEW	\$242.00 GROUP: 3 M	\$484.00 IINOR MOVABLE	
	0		(WXDXH) IN: 13.75 X 13.75 X 13.25	LBS: 8.00					
			MM: 349 X 349 X 337	KG: 4					
			LOCATION: FLOOR AUX \$: \$242.00						
26	1003921	1	•		MEDLINE INDUSTRIES, INC.	OF/OI	NEW	\$143.81	\$143.81
EQ#:	: LHM01		RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GL CASTERS; MEDIUM 29X38 BAG	OSS FINISH; 3 IN LOCKING	TRICX302			GROUP: 3 M	IINOR MOVABLE
	•		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			MM: 470 X 495 X 832	KG: 11					
			LOCATION: FLOOR						
			AUX \$: \$143.81						
27	089875	1	WASTE RECEPTACLE		RUBBERMAID COMM. PRODUCTS	OF/OI	NEW	\$88.50	\$88.50
			GRAY;SLIM JIM;VENTING CHANNELS;16GAL		1971258			GROUP: 3 M	IINOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
28 EQ #	1003621 E: CLK01	1	CLOCK, ELAPSED TIME SURFACE MOUNT;4" SLOPE BRACKET, POE;COUI UP TO A MAX OF 99 HOURS, 59MINUTES AND 59		PRIMEX C2005X203E	OF/CI	FUTURE	\$0.00 <i>GR</i> 0	\$0.00 DUP: 1 FIXED
			(WXDXH) IN: 23.30 X 2.40 X 8.00 MM: 592 X 61 X 203 LOCATION: WALL NOTES: FUTURE ITEM; ROUGH IN ONLY ATDATA: HARD WIRED DATA NOTE: 802.3AF COMPLIANT; POE ELECT NOTE: POE IEEE 802.3AF COMPLIANT	LBS: 4.60 KG: 2					
29 EQ#	099447 F: STL03	1	STOOL, FOOT, WITH HANDRAIL TWO STEP;STEPS ARE 8" AND 16"HIGH;CHROME CORRUGATED RUBBER SURFACE;GREY FLOOR TI		PEDIGO PRODUCTS, INC. P-18-A-K P-18-A-K	OF/OI	NEW	\$169.63 GROUP: 3 MIN	\$169.63 NOR MOVABLE
	·		(WXDXH) IN: 16.00 X 12.00 X 47.00 MM: 406 X 305 X 1194 LOCATION: FLOOR AUX \$: \$169.63	LBS: 35.00 KG: 16					
30 0848 EQ#: CRKC	084882 E: CRK02	1	CART, CYLINDER, MEDICAL GAS 4 CAPACITY TILT BACK CART; E/D SIZE; W/HEAVY	DUTY 5" CASTERS	W.T. FARLEY, INC. - CR-DC04E	OF/OI	NEW	\$151.00 GROUP: 3 MIN	\$151.00 IOR MOVABLE
			(WXDXH) IN: 11.00 X 11.00 X 39.00 MM: 279 X 279 X 991 LOCATION: FLOOR AUX \$: \$151.00	LBS: 21.00 KG: 10					





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: ENDO PROCEDURE ROOM

ROOM NUMBER: 632

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1003487 : BRD01	1	BOARD, PATIENT TRANSFER 500LB WEIGHT CAP;PVC TRANSFER BOARD TO INCLUDE: 1 EA. PVCM618HDP WALL BRACKET		MEDLINE INDUSTRIES, INC. PVCM600W	OF/CI	NEW	\$223.99 GROUP: 3 N	\$223.99 MINOR MOVABLE
			(WXDXH) IN: 35.50 X 70.00 X 1.25 MM: 902 X 1778 X 32 LOCATION: WALL AUX \$: \$223.99	LBS: 26.00 KG: 12					
32 EQ#	057206 : GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KE MOUNT;VERTICAL/HORIZONTAL	YHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 N	\$57.00 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	LBS: 2.00 KG: 1					

ROOM TOTAL: \$350,205.43





GROUP: 1 | FIXED

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

ROOM NUMBER: 633

EQ#: SNK01

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION

1 015523 1 SINK, REPROCESSING STERIS CORPORATION OF/VI NEW \$23,721.17 \$23,721.17

SINK50120

WATER PISTOLS; HEIGHT ADJUSTABLE 33-41" WORK SURFACE; 2 PRE-RINSE AMSCO 53 & FAUCET COMBOS,

TREATED WATER FAUCET, EXTERNAL DRAIN LEVER HANDLES AND ETCHED GALLON MARKERS

REPROCESSING SINK 120" TRIPLE BAY;3 SINK;STAINLESS;30" BAYS;AIR &

IN BAY TO ENSURE PROPER WATER TO CHEMISTRY RATIOS

OPTION	IS AND ACCESSORIES	S	
QTY	PART_NUMBER	DESCRIPTION	PRICE
1	SE104112	INSTALL COPPER DRAIN KIT FOR AMSCO 30 & 50	\$1,080.00
1	SE1014484	SEISMIC INSTALLATION - REPROCESSING SINKS	\$1,680.00
1	SE101482	INSTALL AMSCO 50 REPROCESSING SINK	\$2,500.00
1	AQS2	ACU-SINQ 2 CHEMISTRY DOSING SYSTEM WITH FLOW METERING, TEMPERATURE MONITORING, AND USB DATA OUTPUT	\$590.00
1	SWA001	FLEX PLATE (QTY 2)	\$448.00
1	SINKAC009	COPPER DRAIN - TRIPLE BAY	\$742.00
1	SINKAC010	CHEMISTRY MOUNT (FITS 1 AND 2.5 GALLON CONTAINERS)	\$138.00
1	SE103502	INSTALL ACU-SINQ 2	\$309.00
1	SINKAC011	BACKSPLASH BRACKET FOR ACUSINQ DOSING SYSTEM	\$185.00

(WXDXH) IN: 120.00 X 28.00 X 53.00 LBS: 490.00 MM: 3048 X 711 X 1346 KG: 222

LOCATION: FLOOR

AUX \$: \$23,721.17

DATA NOTE: REFERENCE VENDOR'S TECHNICAL DATA

VOLTS: 120 **HERTZ:** 60 **AMPS:** 15

ELECT NOTE: GFCI PROTECTED OUTLET SINGLE PHASE SEE VENDOR INFO

FOR DETAILS

COLD WATER: YES HOT WATER: YES TREATED WATER: YES MEDICAL GAS: YES

DRAIN REQUIRED: YES

PLUMB NOTE: TREATED WATER REQUIRED FOR FINAL RINSE

CYCLE







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

ROOM NUMBER: 633

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015522 1 CLEANER, ULTRASONIC STERIS CORPORATION OF/VI NEW \$45,107.60 \$45,107.60

IW523546NPR

INNOWAVE UNITY ULTRASONIC IRRIGATOR (20 GAL)

EQ#: CLR01

ULTRASONIC CLEANER. FEATURES: 20 GALLON. 16 LUMEN CAPACITY.
AUTO-TUNING FREQUENCIES WHICH ENSURED BY CONSTANT POWER
OUTPUT GENERATORS OPERATING BETWEEN 36 TO 40 KHZ (DEPENDING
UPON LOAD). TOUCH SCREEN CONTROL, OPERATOR PINS, STAINLESS STEEL
LID, CYCLE MONITORING, FRONT DOOR ACCESS PANEL, INTEGRATED USB
PORT, CHEMICAL INTAKE HOSE, TWO LOCKING (FRONT) AND TWO FREE

(REAR) CASTERS. **OPTIONS AND ACCESSORIES** PART NUMBER **PRICE** DESCRIPTION 1 MP22699 INNOWAVE UNITY 15 GAL SEISMIC ANCHORING KIT \$1,295.00 SE0000082 SEISMIC ANCHORING (EXCLUDES X-RAYING THE FLOOR. 1 \$2,511.00 THROUGH BOLTING, & ASSOCIATED HARDWARE) SE130202 INSTALL INNOWAVE UNITY \$1,200.00

(WXDXH) IN: 34.80 X 25.80 X 58.90 LBS: 461.00

MM: 884 X 655 X 1496 **KG**: 209

LOCATION: FLOOR

SPEC COMMENTS: HEIGHT REFLECTS WITH LID OPEN. CLOSED: 42.5 IN. MAX

OPERATING WEIGHT: 430LBS. **AUX \$:** \$45,107.60

DATA NOTE: USB FOR DOWNLOADING

VOLTS: 208 HERTZ: 60 AMPS: 15 WATTS: 3000 BTU: 700/HR COLD WATER: YES HOT WATER: YES

DEDICATED CIRCUIT: YES **PLUG TYPE:** Special

ELECT NOTE: 15 AMP/PH DEDICATED CIRCUIT REQUIRED;3PH

DRAIN REQUIRED: YES

PLUMB NOTE: REFERENCE VENDOR'S TECHNICAL DATA FOR

DETAILS







GROUP: 1 | FIXED

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015533 WASHER/DISINFECTOR STERIS CORPORATION OF/VI NEW \$80,066.43 \$80,066.43

AMSCO 5052

FH14043

EQ#: WSHD01

ELECTRIC;480V;DD;SINGLE CHAMBER;VERTICAL SLIDING POWER DOOR;TOUCH SCREEN CONTROL;USB CYCLE TAPE DOWNLOAD;DRAIN

DISCHARGE COOL DOWN; CHEMICAL

DOSING SYS; AUDIBLE WARNING SYS; 8 FACTORY LOADED/CUSTOMIZABLE CYCLES; LED CHMBR ILLUMINATION; INT DIMS: 26.5X26X26.25"; SS

PUMP;RTD'S;WATER LEVEL SENSORS

OPTIOI	NS AND ACCESSORIES	5	
QTY	PART NUMBER	DESCRIPTION	PRICE
1	FD74900	3 LEVEL MANIFOLD RACK	\$3,192.00
1	FD037	INSTALLATION KIT, FLEXIBLE HOSES FOR UTILITIES (FOR ELECTRIC UNIT)	\$1,136.00
1	FD085	SEISMIC TIE-DOWN KIT	\$389.00
1	SE101572	INSTALL AMSCO 5052 WASHER	\$4,532.00
1	FD094	PROTOCOL PRINTER	\$940.00
1	SE0000082	SEISMIC ANCHORING (EXCLUDES X-RAYING THE FLOOR, THROUGH BOLTING, & ASSOCIATED HARDWARE)	\$2,511.00

(WXDXH) IN: 42.00 X 31.00 X 80.00 LBS: 457.00

MM: 1067 X 787 X 2032 KG: 207

LOCATION: FLOOR

AUX \$: \$80,066.43 **VOLTS:** 480 HERTZ: 60

BTU: 5686 HOT WATER: YES COLD WATER: YES

TREATED WATER: YES **VENT REQUIRED:** YES **DRAIN REQUIRED:** YES

ELECT NOTE: REFER TO VENDOR TECHNICAL INFORMATION MECH NOTE: HEAT LOSS VENTED (TOTAL): 4269+/-683

BTU/HR HEAT LOSS NON-VENTED (TOTAL): 5686+/-683

BTU/HR ----- REFER TO

VENDOR TECHNICAL INFORMATION

TO VENDOR TECHNICAL INFORMATION

PLUMB NOTE: PLUMBING CONNECTIONS REQUIRED REFER





FLOOR:

ROOM NAME:

DECONTAMINATION

1

ROOM NUMBER:

DEPARTMENT: SURGERY

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015520 **CABINET, DRYING** STERIS CORPORATION OF/VI NEW \$19,314.56 \$19,314.56 EQ#: CAB04 29" PASS THROUGH DRYING CABINET; 9-SHELF; TOUCH-SCREEN CONTROL; DCR100101 GROUP: 1 | FIXED SCOPE HANGERS **AMSCO**

OPTIONS AND ACCESSORIES							
<u>QTY</u>	PART NUMBER	DESCRIPTION	<u>PRICE</u>				
1	SE1018182	INSTALL SEISMIC FOR DRYING CABINETS	\$875.00				
1	SE101812	INSTALL AMSCO DRYING CABINET	\$2,160.00				
1	DCSEISMIC	AMSCO DRYING CABINET SEISMIC KIT	\$1,545.00				
1	DCAR292	AMSCO DRYING CABINET TRIM KIT 29IN, SET OF 2	\$2,575.00				

(WXDXH) IN: 29.00 X 31.00 X 78.00

MM: 737 X 787 X 1981

LBS: 650.00 KG: 295

LOCATION: FLOOR

AUX \$: \$19,314.56

VOLTS: 120 HERTZ: 60 **WATTS: 1800**

BTU: 2500

UTILITY CART

WRC-2436-3CG

QUANTUM STORAGE SYSTEMS

OF/OI

NEW

DEDICATED CIRCUIT: YES

PLUG TYPE: Type B (NEMA 5-15)

ELECT NOTE: 15A STANDARD DUPLEX RECEPTACLE

5 098933

EQ#: CRU03



CART, UTILITY

3 SHELF MOBILE CART

TO INCLUDE:

1 EA 2436SS SOLID SHELF STAINLESS 24X36 2 EA 2436C WIRE SHELF CHROME 24X36

2 EA UH24 U-HANDLE 24"

1 EA WR-00H MOBILE KIT HEAVY DUTY 4 EA DB WIRE SHELVING 3" DONUT BUMPER

LBS: 55.00 (WXDXH) IN: 36.00 X 24.00 X 38.00

MM: 914 X 610 X 965 KG: 25

LOCATION: FLOOR

AUX \$: \$184.47



\$184.47

GROUP: 3 | MINOR MOVABLE

\$184.47



PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
6 078823 EQ#: SHW02		1	SHELVING, WIRE 5 SHELF; MOBILE; CHROME; CLEAR INLAY BOTTOM TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/8 I 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 GROUP: 3 MIN	\$560.80 OR MOVABLE
			(WXDXH) IN: 48.00 X 18.00 X 80.00	LBS: 86.00					
			MM: 1219 X 457 X 2032 LOCATION: FLOOR AUX \$: \$560.80	KG : 39					
	1003921 LHM01	1	HAMPER, LINEN RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLO CASTERS; MEDIUM 29X38 BAG	OSS FINISH; 3 IN LOCKING	MEDLINE INDUSTRIES, INC. TRICX302	OF/OI	NEW	\$143.81 GROUP: 3 MIN	\$143.81 OR MOVABLE
	4		(WXDXH) IN: 18.50 X 19.50 X 32.75	LBS: 25.00					
			<i>MM</i> : 470 X 495 X 832 LOCATION: FLOOR	KG: 11					
			AUX \$: \$143.81						
EQ#:	081027 TST01	1	TESTER LEAKAGE TESTER EVIS TO INCLUDE: 1 EA MU-1: MAINTENANCE UNIT-NO CONTAINER 1 EA MB-155: LEAKAGE TESTER	S	OLYMPUS AMERICA INC. MU-1/MB-155	OF/OI	EXISTING	\$0.00 GROUP: 2 MAJ	\$0.00 OR MOVABLE
			(WXDXH) IN: 4.00 X 7.00 X 7.00	LBS: 5.00					
			MM : 102 X 178 X 178	KG: 2					
			LOCATION: COUNTERTOP						
			VOLTS: 120 HERTZ: 60 AMPS: .2 ELECT NOTE: PHASE 1						





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
9	1015402	1	SHARPS, DISPOSAL, FLOOR BIN 8 GAL SHARPS WITH SLIDING LID		COVIDIEN 8980S 8 GAL	OF/OI	NEW	\$45.00 GROUP: 3 M.	\$45.00 INOR MOVABLE
			(WXDXH) IN: 10.50 X 15.50 X 17.25						
			MM: 267 X 394 X 438						
			LOCATION: FLOOR						
			AUX \$: \$45.00						
10 057206 EQ#: GLV01		1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KE MOUNT;VERTICAL/HORIZONTAL	YHOLE	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 GROUP: 3 M	\$57.00 INOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00	LBS: 2.00					
			MM: 570 X 99 X 254 LOCATION: WALL AUX \$: \$57.00	KG : 1					
11	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 M	\$88.50 INOR MOVABLE
			(WXDXH) IN: 22.00 X 11.00 X 25.00	LBS: 6.42					
			MM: 559 X 279 X 635	KG: 3					
			LOCATION: FLOOR						
			AUX \$: \$88.50						





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: DECONTAMINATION

ROOM NUMBER: 633

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
12 EQ# :	100859 WST02	1	CONTAINER, BIOHAZARD RED;64 GALLON;2 WHEEL;HINGED LID;2-10"WH 2-4"CASTERS;PLASTIC	EELS	TOTER INC. RMC64-00RED	OF/OI	NEW	\$306.11 \$306.11 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 24.75 X 32.00 X 44.25 MM: 629 X 813 X 1124 LOCATION: FLOOR AUX \$: \$306.11	LBS: 45.30 KG: 21				
13 EQ#:	100860 WST01	1	WASTE RECEPTACLE GRAY;64 GALLON;224LB CAPACITY;HINGED LID;PLASTIC;2-10"WHEELS;2-4"CASTERS		TOTER INC. ACC64-54647	OF/OI	NEW	\$172.46 \$172.46 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 25.00 X 32.00 X 45.00 MM: 635 X 813 X 1143 LOCATION: FLOOR AUX \$: \$172.46	LBS : 30.50 KG : 14				

ROOM TOTAL: \$169,767.91





FLOOR: 1

DEPARTMENT: **SURGERY**

ROOM NAME: STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER:

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1015528 2 STERILIZER STERIS CORPORATION OF/VI NEW \$58,757.36 \$117,514.72 AMSCO 400 GROUP: 1 | FIXED

EQ#: STE01



HOUSE STEAM;16X16X26 CHAMBER;FREESTANDING;CABINET SINGLE DOOR W/VERT SLIDE;PREVAC W/LIQUID CYCLE;TOUCHSCREEN OPERATION; IMPACT PRINTER; CHAMBER CAPACITY - TWO 25LB **INSTRUMENT TRAYS; 12 PROGRAMMABLE CYCLES**

SR0101110011

MECH NOTE: 4300 BTU/HR

TO INCLUDE:

1EA. FV010012 - SPARE SHELF 1EA. P760265872 - ELEMENT, 20"

1EA. P764336493 - KIT,STEAM FILTER PALL 20"

OPTIONS AND ACCESSORIES

OTY PART NUMBER DESCRIPTION **PRICE** SEISMIC TIE DOWN KIT \$0.00

(WXDXH) IN: 30.00 X 36.00 X 75.00 LBS: 750.00 MM: 762 X 914 X 1905 **KG**: 340

LOCATION: FLOOR

SPEC COMMENTS: SERVICE CLEARANCE REQUIRED. REFERENCE VENDOR'S

TECHNICAL DATA DETAILS

NOTES: DOES NOT REQUIRE RO/DI WATER

AUX \$: \$58,757.36

DATA: HARD WIRED AND WIRELESS

DATA NOTE: TCP/IP NETWORK 10/100BASET ETHERNET CONNECTION FOR PROCONNECT RESPONSE CENTER (OPTIONAL) 5 GB OF AVAILABLE HARD DRIVE SPACE TO RUN THE SERVICE AGENT. REFERENCE VENDOR'S TECHNICAL DATA

VOLTS: 480

HERTZ: 60

AMPS: 36

DEDICATED CIRCUIT: YES

ELECT NOTE: 480 V, 3-PHASE, 36 AMP REQUIRED FOR STEAM GENERATOR; ADDITIONAL 120V 1-PHASE, 9.5 AMP REQUIRED FOR

CONTROLS

COLD WATER: YES HOT WATER: YES

DRAIN REQUIRED: YES

PLUMB NOTE: REFERENCE VENDOR'S TECHNICAL DATA FOR

DETAILS







GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER: 634

LINE ID# QTY GENERIC MANUFACTURER RESP STATUS PRICE EXTENSION
2 1015530 1 STERILIZER, LOW TEMP STERIS CORPORATION OF/VI NEW \$59,805.60 \$59,805.60

EQ#: STE02

LOW TEMP; SINGLE DOOR; VAPROX HC STERILANT; 19 MINUTE FAST CYCLE; PRE-PROGRAMMED LUMEN CYCLE; NON LUMEN CYCLE; FAST CYCLE; FLEXIBLE CYCLE; FULLY AUTOMATED; CAPACITY - UP TO 4 LB

VP60002401 V-PRO S2

OPTIONS AND ACCESSORIES PART NUMBER DESCRIPTION **PRICE** 11005145 V-PRO S2 SEISMIC ANCHORAGE KIT \$1,460.00 1 \$900.00 SE6009485 INSTALL SEISMIC LOW TEMPERATURE STERILIZERS SE0600410000102 1ST YEAR DEEP-VACUUM PUMP SERVICE V-PRO S2 (2 \$3,461.00 SE060042 INSTALL V-PRO S2 STERILIZER 120V, 60HZ, CAB SD EN \$750.00 1

(WXDXH) IN: 22.50 X 33.00 X 61.50 LBS: 540.00
MM: 572 X 838 X 1562 KG: 245

LOCATION: FLOOR
AUX \$: \$59,805.60

DATA: HARD WIRED

DATA NOTE: 10/100 BASE T SUPPORTING TCP/IP PROTOCOL

RJ45F CONNECTION

VOLTS: 120 **HERTZ:** 60 **AMPS:** 20

DEDICATED CIRCUIT: YES **ELECT NOTE:** SINGLE PHASE

BTU: 3255







FLOOR: 1

DEPARTMENT: SU

SURGERY

ROOM NAME: STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER: 634

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 3 1000106 1 CLEANER, SCOPE MEDIVATORS REPROCESSING SYSTEMS OF/OI NEW \$99,445.00 \$99,445.00 EQ#: STE03 AUTOMATED W/COMPRESSOR; DUAL BASIN; RAPICIDE PA ADV-1007 GROUP: 2 | MAJOR MOVABLE

ADVANTAGE PLUS SS



DISINFECTANT; INDIVIDUAL CHANNEL MONITORING
DISPLAY W/REAL TIME REPROCESSING; BARCODE READER

 OPTIONS AND ACCESSORIES

 OTY
 PART NUMBER
 DESCRIPTION
 PRICE

 1
 ADV-1007
 ADVANTAGE PLUS SS WITH COMPRESSOR
 \$47,773.00

 1
 OPT-1002
 ADV PLUS OPERATOR TRAIN
 \$3,900.00

(WXDXH) IN: 45.00 X 37.50 X 59.00

LBS: 400.00

MM: 1143 X 953 X 1499

KG: 181

LOCATION: FLOOR

NOTES: POWER REQUIREMENTS: 2X NEMA 5-15 RECEPTACLES REQUIRE (X1

FOR UNIT, X1 FOR COMPRESSOR)

AUX \$: \$99,445.00

VOLTS: 100-240 **HERTZ:** 50/60

DEDICATED CIRCUIT: YES

WATTS: 1000

BTU: 2000

COLD WATER: YES

TREATED WATER: YES

DRAIN REQUIRED: YES

PLUG TYPE: Type B (NEMA 5-15)

ELECT NOTE: NEMA 5-15R; UPS WITH A MINIMUM RATING OF 1500

VA/865 WATTS IS REQUIRED

MECH NOTE: HOUSE AIR 58 TO 125 PSI WITH A

MINIMUM FLOW VOLUME OF 1.1 SCFM, MAX PARTICLE SIZE OF 5 MICRONS, MAXIMUM DEW POINT OF 7°C

(45°F), MAXIMUM OIL CONCENTRATION OF 5 MG/M3;

IDLE: 500 BTU/HR

PLUMB NOTE: MIN FLOW RATE1.32 GPM AT 35-87 PSI; HARDNESS, LESS THAN 12 GPG (200 PPM); 3.17 GPM, WITH THE OPENING NO HIGHER THAN 18" FROM THE FLOOR,

VENTED







FLOOR: 1

ROOM NAME:

DEPARTMENT:

SURGERY

STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER:

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 104990 CLEANER, SCOPE, ACCESSORY MEDIVATORS REPROCESSING SYSTEMS OF/CI NEW \$5,244.75 \$5,244.75 EQ#: SCP01 ENDOCOPE FLUSHING AID; MANUAL CLEANING SCOPE BUDDY PLUS GROUP: 1 | FIXED SBP-1000



(WXDXH) IN: 7.50 X 11.50 X 10.30

LBS: 10.00

MM: 191 X 292 X 262

KG: 5

LOCATION: COUNTERTOP

AUX \$: \$5,244.75

HERTZ: 60

AMPS: 1

WATTS: 115

PLUG TYPE: Type B (NEMA 5-15)

ELECT NOTE: 1 PHASE; POWER CORD IS MEDICAL GRADE

PLUMB NOTE: NO FIXED PLUMBING; MUST BE LOCATED W/IN 3' ABOVE THE FLUID BASIN. THE DISTANCE BETWEEN THE SINK SOLUTION & SCOPE BUDDY MUST NOT EXCEED 3'.

\$7,100.00

\$7,100.00

GROUP: 2 | MAJOR MOVABLE

107241

EQ#: TWA01

Confidential

TABLE, WORK, ADJUSTABLE

STERIS CORPORATION PREP63

AMSCO PREP & PACK DELUXE ELEC HT ADJ WORKSTATION; MOBILE; SS **DELUXE ACCESS**

SURFACE; 500LB WT CAP (WHEN EVENLY DISTRIBUTED); 8' POWER CORD;

30X60" WORK SURFACE

TO INCLUDE:

VOLTS: 115

1 EA PREP63 AMSCO PREP & PACK TABLE, DELUXE ACCESSORY PACKAGE,

ELECTRIC FRAME, 30 X 60

(WXDXH) IN: 60.00 X 33.75 X 78.50 LBS: 390.00 **MM**: 1524 X 857 X 1994 KG: 177

LOCATION: FLOOR

SPEC COMMENTS: SPACE REQUIREMENT: 61L X 36W X 86H IN INCHES MAX

HEIGHT: 86" IN INCHES AUX \$: \$7,100.00

VOLTS: 120 HERTZ: 60 **AMPS**: 15 **WATTS: 1800 ELECT NOTE:** 15A; REFERENCE VENDOR TECHNICAL INFORMATION (2)

OUTLETS WITHIN 4' OF UNIT REQUIRED

OF/OI NEW





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER: 634

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
6 EQ#:	097455 SHW05	1	SHELVING, WIRE 4 SHELVES; SOLID BOTTOM; CASTERS TO INCLUDE: 4 EA 63UP POST WITH CAP ONLY 2 EA 5M SWIVEL CASTER W/BMPR 2 EA 5MB BRAKE CASTER W/BMPR 1 EA 1830FG 18X30 SOLID GALV SHELF 3 EA A1830NC SUPER ADJ SHELF; CHROME (WXDXH) IN: 30.00 X 18.00 X 68.00	LBS: 65.50	INTERMETRO INDUSTRIES CORP. 63UP/A1830NC SUPER ADJUST	OF/VI	NEW	\$379.00 GROUP: 3 M	\$379.00 IINOR MOVABLE
			MM: 762 X 457 X 1727	KG: 30					
			LOCATION: FLOOR NOTES: NO CASTERS AUX \$: \$379.00						
7 EQ#:	098933 CRU03	1	CART, UTILITY 3 SHELF MOBILE CART TO INCLUDE: 1 EA 2436SS SOLID SHELF STAINLESS 24X36 2 EA 2436C WIRE SHELF CHROME 24X36 2 EA UH24 U-HANDLE 24" 1 EA WR-00H MOBILE KIT HEAVY DUTY 4 EA DB WIRE SHELVING 3" DONUT BUMPER (WXDXH) IN: 36.00 X 24.00 X 38.00	LBS: 55.00	QUANTUM STORAGE SYSTEMS UTILITY CART WRC-2436-3CG	OF/OI	NEW	\$184.47 GROUP: 3 M	\$184.47 IINOR MOVABLE
			MM: 914 X 610 X 965	KG: 25					
			LOCATION: FLOOR AUX \$: \$184.47						
8 EQ# :	106653 STL02	1	STOOL, REVOLVING 300 LB WEIGHT CAPACITY, HEIGHT ADJ, W/GLIDE SELECTED; HEIGHT ADJ. 18-24.5"	S UPHOLSTERY TO BE	MIDMARK CORPORATION 272-001-312 272-001-312	OF/OI	NEW	\$150.00 GROUP: 3 M	\$150.00 NINOR MOVABLE
			(WXDXH) IN: 23.00 X 23.00 X 24.50	LBS: 24.00					
			MM: 584 X 584 X 622	KG: 11					
			LOCATION: FLOOR AUX \$: \$150.00						





FLOOR:

1

DEPARTMENT: SURGERY

ROOM NAME:

STORAGE / PREP & PACK / STERILIZER

ROOM NUMBER:

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1003538 PEG01	1	BOARD WITH PEGS, WALL MOUNTED 4'X4'; 16 GAUGE STAINLESS STEEL; 1/4" DIAMETER HOLI KEY HOLE FOR MOUNTING (MOUNTING HARDWARE NO		LOGIQUIP SSPEG4848	OF/CI	NEW	\$940.24 GROUP: 3 MIN	\$940.24 IOR MOVABLE
			(WXDXH) IN: 48.00 X 0.88 X 48.00 LBS:	46.00					
			MM : 1219 X 22 X 1219 KG :	21					
			LOCATION: WALL						
			AUX \$: \$940.24						
10 EQ#:	100745 RCK02	1	RACK STERILE WRAP RACK; CHROME; 5" CASTERS; ADJUSTABLE BARS; WIRE BOTTOM SHELF TO INCLUDE: 1 EA SWR60S CARRIAGE ASSY & BARS S/S 1 EA 2460FG 24X60 SOLID GALVANIZED SHELF 2 EA SF56N3C 3 SID DBL SNAK FR 24X60 4 EA 63UP 63" CHROME POST CAP ONLY 4 EA 5MP SWIVEL CASTER W/BMPR 1 EA 24X60X62VUCMB UNCOATED COVER MARINER BLUE, VELCRO (WXDXH) IN: 60.00 X 24.00 X 68.00 LBS: MM: 1524 X 610 X 1727 KG: LOCATION: FLOOR	94.00	INTERMETRO INDUSTRIES CORP. SWR60S/2460FG/ACC STERILE WRAP	OF/OI	NEW	\$570.40 GROUP: 3 MIN	\$570.40 IOR MOVABLE
			AUX \$: \$570.40						
11 EQ#:	021169 SLU01	1	SEALING UNIT THERMAL IMPULSE, 18 IN. (45.7 CM) SEAL, COUNTERTO DRIVE CAM ASSURES PROPER TIMING/PRESSURE CYCLE PACKAGING SEAL; TEFLON;IMPREGNATED CLOTH COVER PRODUCES 1/2 IN. (1.27 CM) SEAL IN 2-1/2 SECONDS W OPENS AUTOMATICALLY AT END OF CYCLE	IN MAKING RING HEATING BAR;	RENNCO, INCORPORATED LS18D LS18D	OF/OI	EXISTING	\$0.00 GROUP: 2 MA.	\$0.00 JOR MOVABLE
			(WXDXH) IN: 19.25 X 10.25 X 7.25 LBS:	46.00					
			<i>MM</i> : 489 X 260 X 184 <i>KG</i> : LOCATION: COUNTERTOP	21					
			AUX \$: \$1,730.00						
			VOLTS: 120 HERTZ: 60 AMPS: 5		BTU: 2049/HR				





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STORAGE / PREP & PACK / STERILIZER

(WXDXH) IN: 22.00 X 11.00 X 25.00

LOCATION: FLOOR
AUX \$: \$88.50

MM: 559 X 279 X 635

ROOM NUMBER: 634

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
12 EQ:	074525 #: IND01	1	INDICATOR READER/INCUBATOR; USE W/STEAM STERILIZERS; READS THE FLUORESCENCE PRODUCED BY BIOLOGICAL INDICATORS TO INDICATE A STERILIZATION PROCESS FAILURE; RED LIGHT INDICATES STERILIZATION FAILURE; GREEN LIGHT INDICATES THAT STERILIZATION CONDITIONS HAVE BEEN MET; ALARM SOUND IF INDICATOR IS REMOVED FROM READER BEFORE RESULTS ARE DETECTED (WXDXH) IN: 8.75 X 9.00 X 3.25	3M ATTEST AUTO-READER 390 MECH NOTE: BTU UNAVAILABLE FROM	OF/OI	EXISTING	\$0.00 GROUP: 2 MA	\$0.00 JOR MOVABLE
13	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL	MANUFACTURER RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 MII	\$88.50 NOR MOVABLE

LBS: 6.42 **KG:** 3

ROOM TOTAL: \$291,422.68





PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STERILE & CLEAN SUPPLY

ROOM NUMBER: 635

LINE ID#	QT	Y GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXT	ENSION
1 078823 EQ#: SHW0		5 SHELF;MOBILE;CHROME;CLEAR INLAY BOTTO TO CONSIST OF: 5 EA. 1848NC: SHELF, WIRE 4 EA. 74P: UPRIGHT, STANDARD HEIGHT: 74 5/ 1 ST. 5MP: SWIVEL CASTER 1 ST. 5MPB: BRAKE CASTER WITH BUMPER		INTERMETRO INDUSTRIES CORP. 1848NC/74P SUPER ERECTA	OF/VI	NEW	\$560.80 \$2 GROUP: 3 MINOR M	2,243.20 OVABLE
		(WXDXH) IN: 48.00 X 18.00 X 80.00 MM: 1219 X 457 X 2032 LOCATION: FLOOR	KG: 39					
2 101558 EQ#: SHW0		AUX \$: \$560.80 SHELVING, WIRE 4 SHELF,STATIONARY, CHROME; SEISMIC TO CONSIST OF THE FOLLOWING: 4 EA. 1836NC SHELVES, WIRE 4 EA. SA63P SEISMIC OSHPD PREAPPOVAL 63" 1 EA. SABP13BR-4PK SEISMIC OSHPD PREAPPF TRIANGULAR PLATE KIT		INTERMETRO INDUSTRIES CORP. 1836NC/63P SUPER ERECTA SEISMIC	OF/VI	NEW	\$343.94 GROUP: 3 MINOR MI	\$343.94 OVABLE
		(WXDXH) IN: 36.00 X 18.00 X 63.00 MM: 914 X 457 X 1600 LOCATION: FLOOR AUX \$: \$343.94	LBS: 53.00 KG: 24					
3 098933 EQ#: CRU03				QUANTUM STORAGE SYSTEMS UTILITY CART WRC-2436-3CG	OF/OI	NEW	\$184.47 GROUP: 3 MINOR M	\$184.47 OVABLE
		(WXDXH) IN: 36.00 X 24.00 X 38.00 MM: 914 X 610 X 965 LOCATION: FLOOR AUX \$: \$184.47	LBS: 55.00 KG: 25					





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STERILE & CLEAN SUPPLY

ROOM NUMBER: 635

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
4 EQ#	057206 #: GLV01	1	DISPENSER, GLOVE HIGH GRADE CLEAR PETG PLASTIC;HOLDS 4;KEYHOLE MOUNT;VERTICAL/HORIZONTAL	BOWMAN MANUFACTURING COMPANY QUAD GLOVE DISPENSER GP-061	OF/CI	NEW	\$57.00 \$57.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 22.45 X 3.88 X 10.00 LBS: 2.00 MM: 570 X 99 X 254 KG: 1 LOCATION: WALL AUX \$: \$57.00				
5	004363	1	WASTE RECEPTACLE CAP 28 QT;RECTANGULAR;FIRE RETARDANT;FIBERGLASS;CA FIRE MARSHAL APPROVED;UL LISTED;6/CARTON;CLIENT TO CHOOSE COLOR [XXX] IN OPTIONS AT PROCUREMENT	RUBBERMAID COMM. PRODUCTS FG254300[XXX] 2543	OF/OI	NEW	\$54.50 \$54.50 GROUP: 3 MINOR MOVABLE
			OPTIONS AND ACCESSORIES OTY PART NUMBER DESCRIPTION 1 BEIG BEIGE	<u>PRICE</u> \$0.00			
			(WXDXH) IN: 14.50 X 10.50 X 15.30 LBS: 5.00 MM: 368 X 267 X 389 KG: 2 LOCATION: FLOOR - GRAY AUX \$: \$54.50				
6 EQ ‡	1003913 #: CAB05	1	CABINET, SCOPE SECURE-A-SCOPE METAL STORAGE FULL CABINET 40.875" WIDE WITH LOCKING HINGED DOORS WITH GLASS WINDOWS WITH SLOPED TOP. HOLDS 18 LARGE DIAMETER SCOPES WHILE PROVIDING HEPA GRADE FORCED AIR INTO THE LUMENS OF THE SCOPE	MASS MEDICAL STORAGE SAS-18P-DRY TRUAIR	OF/OI	NEW	\$21,106.53 \$21,106.53 GROUP: 1 FIXED
			(WXDXH) IN: 40.88 X 18.75 X 93.75 MM: 1038 X 476 X 2381 LOCATION: FLOOR AUX \$: \$21,106.53 VOLTS: 120 HERTZ: 60 AMPS: 4.1 WATTS: 128 PLUG TYPE: Type B (NEMA 5-15)				





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: STERILE & CLEAN SUPPLY

ROOM NUMBER: 635

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTE	NSION
7	1003252	1	CABINET, WARMING, DUAL, FREESTANDING		PEDIGO PRODUCTS, INC.	OF/OI	NEW	\$15,234.00 \$15,7	234.00
EQ#	: CBW03		DUAL FREESTANDING FLUID AND BLANKET WAR	MING CABINET WITH				GROUP: 2 MAJOR MO	VABLE
			WINDOW GLASS DOORS. FEATURES 18 INCH DEP	TH PERFECT FOR BUILT-IN	P-2148				
	Privile .		OR APPLICATIONS, 4 DIGIT LED DISPLAY, CONTRO	L LOCK PROGRAMMING					
	1 2		AND AUTO TIME PROGRAMMING, INDIVIDUAL C	ONTROLS FOR EACH					
			COMPARTMENT, TWO SELECTABLE OPERATING N	MODES: INJECTION OR					
			IRRIGATION. FLUID COMPARTMENT EQUIPPED W	/ITH WHITE					
			EPOXY-COATED BASKET TO ACCOMMODATE FLU	IDS PACKAGED IN BAGS OR					
			BOTTLES. OPTION INCLUDES CASTERS OR FIXED I	EGS.					
			(WXDXH) IN: 30.90 X 21.70 X 67.25	LBS: 358.00					
			MM: 785 X 551 X 1708	KG : 162					
			LOCATION: FLOOR						
			SPEC COMMENTS: 50" DEEP WITH DOOR OPEN						
			AUX \$: \$15,234.00						
			VOLTS : 120 HERTZ : 60 AMPS : 14.2						
			PLUG TYPE: Type B (NEMA 5-20)						
			ELECT NOTE: SINGLE PHASE.;8FT CORD						

ROOM TOTAL: \$39,223.64





EXTENSION

\$40,000.00

GROUP: 1 | FIXED

PRICE

\$40,000.00

\$50,000.00

FLOOR: 1

SURGERY DEPARTMENT:

ROOM NAME: OR ROOM NUMBER: 636

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** 1000219 MEDICAL GAS ARTICULATING BOOM, ANESTHESIA STRYKER COMMUNICATIONS OF/VI NEW EQ#: MGAA01 S-SERIES 2 ROW ANESTHESIA BOOM; SINGLE COMMON PLATE; ELECTRIC SPS-2

ANESTHESIA BOOM. TYPICAL CONFIGURATION WITH 1300MM TOP ARM LENGTH, 900MM BOTTOM ARM LENGTH, 300MM MID TUBE LENGTH AND 260MM COLUMN TUBE LENGTH. INCLUDES MULTI-FUNCTIONAL RAIL (MFR) 406MM, CONTROL - REAR ONLY. ELECTRIC BRAKE SYSTEM, 7 GAS OUTLETS, 4 POWER OUTLETS, 5 DATA OUTLETS (1G BLANK PLATE, SINGLE DVI AND VGA, DISTRIBUTION BOARD).

**CONFIGURABLE PER SITE, ACTUAL LIST PRICE MAY VARY. SEE MANUFACTURER FOR SITE SPECIFIC PRICING AND DOCUMENTATION.

OPTION	IS AND ACCESSORIES	5	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	P38743	ASSEMBLY, SPLIT DATA PASS THROUGH PLATE AND SHAPE ARM/TOUCH PANEL CABLES	\$1,537.00
1	SPS-2	S-SERIES, STANDARD POWERED, 2 ROW, 2 A	\$0.00

(WXDXH) IN: 168.00 X 168.00 X 0.00

MM: 4267 X 4267 X 0

LOCATION: CEILING AUX \$: \$40,000.00

VOLTS: 120 **HERTZ:** 60 **AMPS**: 20

ELECT NOTE: REFER TO VENDOR DRAWINGS WIRING MUST BE NO. 12 AWG MINIMUM FOR BRANCH CIRCUITS UP TO 20A AND NO. 10 AWG FOR 30A BRANCH CIRCUITS. STANDARD RECEPTACLES ARE RATED AT 20 AMPS. INTERNAL SYSTEM POWER MUST BE 120 VAC 50/60 HZ (WITH A CURRENT

OF 10 AMP) FROM A DEDICATED SOURCE

106509 EQ#: LHT02



LIGHT, SURGICAL, SINGLE W/FLAT PANEL ARM SINGLE CHROMOPHARE F628 LIGHT WITH SINGLE UNIVERSAL DISPLAY MOUNT (FLAT PANEL MOUNT) TO INCLUDE:

IN-LIGHT CAMERA

LOCATION: CEILING

SPEC COMMENTS: REFERENCE VENDOR'S TECHNICAL DATA

AUX \$: \$50,000.00

ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA

MECH NOTE: REFERENCE VENDOR'S TECHNICAL DATA

OF/VI

NEW

STRYKER COMMUNICATIONS

FD 2003

F628/FP

\$100,000.00

GROUP: 1 | FIXED





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
3	097148	2	MONITOR, VIDEO 32";4K SURGICAL DISPLAY;MOUNTED FLAT PAN TO INCLUDE: 1 EA 0240031050 PKG, 32" 4K SURGICAL DISPL 1 EA 0240031051 PKG, 32" 4K SURGICAL DISPL 1 EA 0240030952 PKG, 75' (5-PIN) DC EXTENSION	AY AY COVE	STRYKER ENDOSCOPY 0240-031-050	OF/VI	NEW	\$22,746.46 GROUP: 2 N	\$45,492.92 1AJOR MOVABLE
			(WXDXH) IN: 29.70 X 3.00 X 17.80 MM: 754 X 76 X 452 LOCATION: SPACE AUX \$: \$22,746.46 DATA: HARD WIRED DATA NOTE: RS232 COMMUNICATION PORT VOLTS: 110 HERTZ: 60 PLUG TYPE: Type B (NEMA 5-15)	LBS: 23.10 KG: 10					

ELECT NOTE: POWER SUPPLY CORD: MINIMUM LENGTH OF 6 FT







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
4	1016186	1	SCOPE, VIDEO SYSTEM	STRYKER ENDOSCOPY	OF/VI	NEW	\$163,935.62	\$163,935.62
EQ#	: ORC01		TO INCLUDE:	1688010000			GROUP: 2 MA	AJOR MOVABLE
			1 EA 0240099155: CONNECTED OR VIDEO CART, 120V	1688 AIM 4K			PHASE: EARI	LY - PO/LEASED
			1 EA 1688010000: PKG, 1688 CAMERA CONTROL UNIT (CCU)					
			1 EA 0220230300: PKG, L11 LED LIGHT SOURCE WITH AIM					
			1 EA 0240031300: PKG, 32" 4K OLED SURGICAL DISPLAY					
	4-1		2 EA 1688410105: PKG, 1688 AIM 4K AUTOCLAVABLE CAMERA HEAD,					
			C-MOUNT					
			2 EA 1688410110: AIM 4K AUTOCLAVABLE COUPLER, 20MM, CMOUNT					

AUTOCLAVABLE, 4MM X 30°, 140MM, SPEED-LOCK

1 EA 0502444070: PRECISION IE 4K EYEPIECE ARTHROSCOPE,

2 EA 0502444030: PRECISION IE 4K EYEPIECE ARTHROSCOPE,

AUTOCLAVABLE, 4MM X 70°, 140MM, SPEED-LOCK

2 EA 0233035100: FG, UNIVERSAL FIBER OPTIC CABLE, 3.5 MM

1 EA 0240200304: CONNECTED OR HUB BASE WITH DEVICE CONTROL AND

SDP1000 PRINTER KIT

1 EA 0620050001: PNEUMOCLEAR CO2 CONDITIONING INSUFFLATOR KIT

(BOTTLE GAS)

1 EA 0502503010: PRECISION IDEAL EYES 5.5MM 0°, HD AUTOCLAVABLE

LAPAROSCOPE 30CM

2 EA 0502503030: PRECISION IDEAL EYES 5.5MM 30°, HD AUTOCLAVABLE

LAPAROSCOPE 30CM

(WXDXH) IN: 30.00 X 30.00 X 90.00 LBS: 570.00 **KG**: 259

MM: 762 X 762 X 2286

LOCATION: FLOOR

AUX \$: \$163,935.62

DATA: HARD WIRED AND WIRELESS

DATA NOTE: EHTERNET RJ45; USB; HDMI;DVI

VOLTS: 120 **HERTZ:** 60 **AMPS:** 3.4 **WATTS:** 1700

PLUG TYPE: Type B (NEMA 5-15)

ELECT NOTE: ELECTRICAL SHOWN FOR CART SPD1000 PRINTER: 100-240VAC;50/60HZ MONITOR: 100-240VAC;50/60HZ;2.5A







FLOOR: 1

DEPARTMENT: **SURGERY**

ROOM NAME: OR ROOM NUMBER: 636

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 1013822 MONITOR, VIDEO STRYKER COMMUNICATIONS OF/VI NEW \$9,462.88 \$9,462.88 EQ#: MON01 55" LCD 4K DISPLAY P45952 GROUP: 2 | MAJOR MOVABLE P45952

STRYKER CORP/MEDICAL DIV

SPS-2-C

OF/VI

NEW

6

OPTIONS AND ACCESSORIES

PART NUMBER DESCRIPTION **PRICE** 0100224158 MOUNT PLATE PLASMA/LCD \$719.00

(WXDXH) IN: 48.80 X 2.40 X 28.10 LBS: 60.80 KG: 28 MM: 1240 X 61 X 714

LOCATION: WALL AUX \$: \$9,462.88

DATA: HARD WIRED

DATA NOTE: RJ-45 10 BASE-T/100 BASE-TX X 2 REFERENCE

VENDOR'S TECHNICAL DATA

VOLTS: 120 **HERTZ:** 60 **AMPS:** 3.3 **WATTS**: 295

ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA

1003443 **BOOM, EQUIPMENT** EQ#: BEQ01 UTILITY BOOM; STANDARD POWERED 2 ROW, 2A

TO INCLUDE:

1 EA. P36143: ASM, SHELF MOUNT HDW

1 EA. P40237: ASM, SHELF WITH FAIRFIELD RAILS, 515

LOCATION: CEILING AUX \$: \$30,000.00 **DATA: HARD WIRED**

DATA NOTE: DATA COMMUNCATIONS 1 EA. DATA PASS-THRU 2

EA. 1 G BLANK PLATE 1 EA. DISTRIBUTION BOARD

ELECT NOTE: 1 EA. 20A/125V DUPLEX (8 OUTLETS) 1 EA. 20A/125V DUPLEX (2 OUTLETS) 20A/125V; 5-20R DUPLEX 3 EA. TOTAL 15A/20A

CIRCUITS 1 EA. CIRCUIT FOR MOTOR AND BRAKE

MEDICAL GAS: YES

\$30,000.00

PLUMB NOTE: 2 EA. MEDICAL AIR 2 EA. O2 2 EA. VACUUM



\$30,000.00

GROUP: 1 | FIXED





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
7	1006322	1	A/V SYSTEM, INTEGRATION ACCESSORY	STRYKER CORP/MEDICAL DIV	OF/VI	NEW	\$60,000.00	\$60,000.00
EQ#	: AUD01		CONNECT OR HUB WITH DICOM;PLACED ON 2U SHELF; 8"TFT DISPLAY;	0240200224			GROUP: 2 MA	AJOR MOVABLE
			DIGITAL TOUCHSCREEN	4U				

(WXDXH) IN: 13.00 X 17.00 X 6.00 LBS: 19.40

MM: 330 X 432 X 152 **KG**: 9

LOCATION: SPACE

AUX \$: \$60,000.00

DATA: HARD WIRED AND WIRELESS

DATA NOTE: RECOMMENDED: WAP2 ENTERPRISE (PEAPVO/EAP-MSCHAP V2) AUTHENTICATION REFERENCE VENDOR'S TECHNICAL DATA FOR DETAILS NOTE: NETWORK

WATTS: 480

AND SERVER WIRED ONLY

VOLTS: 120 **HERTZ:** 60 **AMPS:** 4

ELECT NOTE: REFERENCE VENDOR'S TECHNICAL DATA





PlanV

GROUP: 2 | MAJOR MOVABLE

FLOOR: 1

DEPARTMENT: **SURGERY**

ROOM NAME: OR ROOM NUMBER: 636

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 8 096403 **ANESTHESIA MACHINE** DRAGER MEDICAL, INC. OF/VI **EXISTING** \$0.00 \$0.00 8607000/ACC

FABIUS GS PREM

EQ#: ANES01

MAIN CONFIGURATION:

1 EA OPC5612 BASIC UNIT FABIUS GS PREMIUM 1 EA OPC5190 3GAS, FLOW METERING O2,AIR,N20

1 EA OPC5005 3 GAS INLET 3 CONNECTOR DISS

1 EA OPC5254 VAPOR HOLDER FOR 3 VAPORS

CONNECTIONS:

TO INCLUDE:

1 EA OPC5376 PIN INDEX O2-AIR-N20

FABIUS GS PREMIUM; 3 GAS; VAPORIZER

VENTILATOR & DISPLAY:

1 EA OPC5328 PCV+PS+SIMV/PS

1 EA OPC5613 COLOR SCREEN

1 EA OPC5359 COSY 2.6 WITH HEATING

1 EA 8607111 COSY COVER / RAMMING PROTECTION

1 EA OPC5237 COSY ARM, LENGTH 200MM, LEFT

1 EA OPC5220 MOISTURE REDUCTION KIT. LEFT

1 EA 8605088 FLEXIBLE BREATHING BAG ARM

1 EA OPC5560 MECH. AIRWAY PRESSURE GAUGE KIT

1 EA 8608016 PRESSURE PORT GUARDS

REQUIRED ACCESSORIES:

1 EA MX50090 CLIC ADAPTER

1 EA M33300 AGSS

1 EA M33295 AGSS TRANSFER HOSE, 1 M

1 EA 4117515 GCX MOUNT.BRACKET FOR AGS

ENDOTRACHEAL SUCTION:

1 EA 4118454 KIT VACUUM SUCTION MOUNT

O2 THERAPY:

1 EA OPC5020 EXTERNAL O2 FLOW TUBE, US

HARDWARE COMPONENTS:

1 EA 8604122 HALOGEN LAMP UL

1 EA 8607019 HALOGEN LAMP HOLDER

1 EA OPC5022 ADD. PULL OUT WRITING TRAY

1 EA 8607596 SET OF 2 HANDLES, RAIL MOUNTED

RESULT WORKSTATION SETUP:

1 EA OPC5023 WITH COVERS F. LEFT MOUNT COSY

ADDITIONAL ACCESSORIES:

1 EA 1979578 FABIUS GS PREMIUM PREVCARE1YRPOS

1 EA M32692 HOSE SET

1 EA 8607840 KIT POWER OUTLET STRIP

-1EA 8606259 WITH CONVERSION KIT-GCX RAIL

-1EA G92558 POWER STRIP JP/USA/CAN

1 EA 4185140 HOSE ASM-02 DISS N/DISS N 10L

1 EA 4185142 HOSE ASM-N2O DISS N/DISS N 10L







FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXTENSION
			1 EA 4199605 HOSE ASM-AIR DISS N/DISS N 10L 1 EA 4199602 HOSE ASM-VAC DISS N/DISS N 10L 1 EA 4199599 HOSE ASM-EVAC DISS N/DISS N 10L 1 EA M35054 VAPOR 2000 -1EA OPC0096 SEVOFLURANE -1EA OPC5417 PLUG-IN ADAPTER AUTO EXCLUSION -1EA M36120 FILLING ADAPT.DRAGER FILL SEV. 1 EA M35500 D-VAPOR -1EA OPC5276 FRONT CAP DRAGER				
			(WXDXH) IN: 41.00 X 33.00 X 52.00 LBS: 296.00				
			MM : 1041 X 838 X 1321 KG : 134				
			LOCATION: FLOOR				
			DATA HARD WIRED				
			DATA NOTE: (1) RS232 VOLTS: 120				
			PLUG TYPE: Type B (NEMA 5-15)				
			ELECT NOTE: NEMA 5-15R HOSPITAL GRADE				
	1014726 ESU05	1	ELECTROSURGICAL UNIT TISSUEFECT;TISSUE SENSING TECHNOLOGY;CLOSED LOOP CONTROL, CUT, COAGULATION MONOPOLAR MODES TO INCLUDE: 1 EA. VLFT10GEN: VALLEYLAB FT10 GENERATOR 1 EA. E6009: BIPOLAR FOOTSWITCH 1 EA. E6008: MONOPOLAR FOOTSWITCH 1 EA. E0502-1: VALLEYLAB MONOPOLAR ADAPTOR	VALLEYLAB, A COVIDIEN BRAND VLFT10GEN FT10	OF/OI	NEW	\$16,500.00 \$16,500.0 GROUP: 2 MAJOR MOVABL
			(WXDXH) IN: 14.50 X 18.20 X 6.70 LBS: 22.30				
			MM: 368 X 462 X 170 KG: 10 LOCATION: COUNTERTOP NOTES: LOCATION ON BOOM AUX \$: \$16,500.00				
			DATA: WIRELESS VOLTS: 120 HERTZ: 60 AMPS: 10 WATTS: 950 ELECT NOTE: 3-PRONG HOSPITAL GRADE PLUG				





\$19,846.08

\$19,846.08

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION**

EQ#: PHY07

10

1015753

MONITOR, PHYSIOLOGICAL PHILIPS MEDICAL SYSTEMS 866066 NAM PATIENT MONITOR, 15" LCD TFT TOUCH DISPLAY; 6-WAVES; SIDE MOUNTS

TO ANESTHESIA MACHINE; 120 VAC

MX550

o6_NAM	GROUP: 2 MAJOR MOVABLE
0	

NEW

PLUMB NOTE: NO PLUMBING REQUIRED

OF/VI

OPTION	IS AND ACCESSORIES	S	
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	867036	INTELLIVUE MMX (C12 CONVENTIONAL 12 LEAD ECG; SP5 MASIMO RAINBOW SET SPO2)	\$5,341.00
1	989803209771	ADULT NIBP AIR HOSE 3.0M	\$49.00
1	989803147861	EASY CARE CUFF, 1 HOSE, SMALL ADULT (1)	\$24.00
1	989803147871	EASY CARE CUFF, 1 HOSE, ADULT (1)	\$23.00
1	989803147891	EASY CARE CUFF, 1 HOSE, LRG ADULT (1)	\$23.00
1	989803170171	OR 3-LEAD ECG TRUNK CABLE, AAMI/IEC	\$178.00
1	MXU0387	FABIUS GS: MX600-800, SIDE MOUNT	\$2,536.00
1	989803145091	3 LEADSET, GRABBER, AAMI, ICU	\$53.00
1	989803145071	3 LEAD ECG TRUNK, AAMI/IEC 2.7M	\$75.00
1	989803206931	RD RAINBOW SET R25 12	\$165.00
1	989803170181	OR 5-LEAD ECG TRUNK CABLE, AAMI/IEC	\$228.00
1	989803147881	EASY CARE CUFF, 1 HOSE, ADULT XL (1)	\$28.00
1	989803147901	EASY CARE CUFF,1 HOSE,LRG ADULT XL (1)	\$32.00

(WXDXH) IN: 16.00 X 8.00 X 13.00 LBS: 22.30 MM: 406 X 203 X 330 **KG**: 10

LOCATION: SPACE

NOTES: LOCATED ON ANESTHESIA MACHINE

AUX \$: \$19,846.08

DATA: HARD WIRED

VOLTS: 120 **HERTZ:** 60 **AMPS:** 1.2 **WATTS:** 70 **ELECT NOTE:** 100-240V, 50/60HZ, 70W AVERAGE, 1.2AMP





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
11 EQ#	11 1004828 EQ#: GAS01	1	ANESTHESIA MACHINE ACCESSORY INTELLIVUE ANESTHESIA GAS MODULE; GAS ANAL' PROVIDES A NON-DISPERSIVE INFRARED MEASURE AND ANESTHETIC GASES AND A PARAMAGNETIC N OXYGEN	MENT OF RESPIRATORY	PHILIPS MEDICAL SYSTEMS 866173 G7 MODULE	OF/VI	NEW	\$10,056.75 GROUP: 3 M	\$10,056.75 VINOR MOVABLE
			(WXDXH) IN: 3.00 X 6.75 X 4.25	LBS: 3.00					
			MM : 76 X 171 X 108	KG : 1					
			LOCATION: SPACE						
			AUX \$: \$10,056.75						
12	101296	1	TABLE, SURGICAL		STRYKER COMMUNICATIONS	OF/VI	NEW	\$105,000.00	\$105,000.00
EQ#:	: TBS01		1000LB CAP;21" WIDE PATIENT SURFACE;HEIGHT A TO INCLUDE:	ADJUST	OT 8302065 OPERON D			GROUP: 2 M	AJOR MOVABLE
			1 EA OT 8302065 OPERON D830 SEAT;CFK;STAINLE	SS	OFERON D				
	1		1 EA OZ 7500975 BODY RESTRAINT STRAP;PADDED						
			1 EA OZ 1706275 HEAD SECTION;D850;SIDE RAIL;P						
			1 EA OZ 1705275 BACK PLATE; D850 W/RAILS; W/O						
			1 EA 0Z 1705975 LET PLATE;20";D850 W/RAILS;PAI 1 EA 87395 POWER POWD;B850)3					
			1 EA OY 7500001 PAD SET;2-3/8";D8/7XX						
			2 EA OZ 7504175 ARMBOARD;TRIGGER;US						
			(WXDXH) IN: 23.00 X 82.60 X 25.00	LBS: 725.00					
			MM: 584 X 2098 X 635	KG : 329					
			LOCATION: FLOOR						
			AUX \$: \$105,000.00						
			VOLTS: 120 HERTZ: 60 AMPS: 3.0						





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC	MANUFACTURER	RESP	STATUS	PRICE EXT	TENSION
13	082570	1	I.V. INFUSION PUMP	BAXTER HEALTHCARE/I.V. DIVISION	OF/OI	LEASED	\$0.00	\$0.00
EQ#	: IVP01		SMART PUMP TECHNOLOGY;SINGLE STEP TITRATION LIMIT;MULTIPLE	35700BAX2			GROUP: 2 MAJOR N	10VABLE
	20		MEDS ERROR PREVENTION	SIGMA SPECTRUM				

OPTION	IS AND ACCESSORIES		
<u>QTY</u>	PART NUMBER	<u>DESCRIPTION</u>	<u>PRICE</u>
1	35700BAX2	SPECTRUM PUMP (VERSION 8.X)	\$0.00
1	35724	SPECTRUM STAND BATTERY	\$0.00
1	SSL5YR	SPECTRUM SOFTWAR LICENSE	\$0.00

LBS: 2.00

(WXDXH) IN: 4.20 X 2.50 X 5.80

KG: 1 MM: 107 X 64 X 147

LOCATION: COUNTERTOP AUX \$: \$6,358.00

VOLTS: 115 **HERTZ**: 60

ELECT NOTE: 7.4VDC LITHIUM ION BATTERY

14 051488 1 I.V. POLE

ADJUSTMENT

PEDIGO PRODUCTS, INC.

OF/OI

NEW

\$885.00

P-1572-4 FOUR HOOK

(WXDXH) IN: 21.25 X 21.25 X 118.00

LBS: 20.00 **KG**: 9

STAINLESS;4 HOOK;5 CASTER BASE;HAND OPERATED LOCK HEIGHT

MM: 540 X 540 X 2997 **LOCATION:** FLOOR

AUX \$: \$885.00



EQ#: IVP02

\$885.00

GROUP: 3 | MINOR MOVABLE





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE ID# OTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 15 094482 **INFUSION SYSTEM, RAPID** BELMONT INSTRUMENT CORPORATION OF/OI NEW \$27,200.00 \$27,200.00 EQ#: ISR01 RAPID INFUSER;750ML/M;IV POLE;RESERVOIR HOLDER;LCD 903-00039 GROUP: 2 | MAJOR MOVABLE DISPLAY;SUPPORT HOUSING;OPERATORS MANUAL RI-2 (WXDXH) IN: 7.50 X 13.50 X 12.00 LBS: 28.00 **KG**: 13 **MM:** 191 X 343 X 305 LOCATION: FLOOR SPEC COMMENTS: IV POLE MOUNTABLE OR FREESTANDING. IV POLE DIAMETER RANGE OF POLE MOUNT: 1" - 1-1/4". DIMENSION WITH POLE **WXDXH 14X8X46** AUX \$: \$27,200.00 **VOLTS:** 115 **HERTZ:** 60 AMPS: 12.5 **WATTS: 1440** PLUG TYPE: Type B (NEMA 5-15) **ELECT NOTE: INTERNAL RECHARGEABLE BATTERY** 16 093116 **REGULATOR, SUCTION, CONTINUOUS OHIO MEDICAL CORPORATION** OF/OI NEW \$390.00 \$1,950.00 TWO-MODE W/DIAMOND & LOCKING GLAND OVERFLOW SAFETY 8701-1225-905 GROUP: 3 | MINOR MOVABLE TRAP (WXDXH) IN: 3.00 X 5.00 X 7.00 LBS: 1.10 **KG**: 0 MM: 76 X 127 X 178 LOCATION: SPACE AUX \$: \$390.00 **ELECT NOTE:** 2-3AA BATTERIES 17 1004558 FLOWMETER, AIR OHIO MEDICAL CORPORATION OF/OI NEW \$39.16 \$117.48 15 LPM;OHIO DIAMOND ADAPTER OHMEDA W/50 PSI PORT USA; PB FM-15UA-OHPT GROUP: 3 | MINOR MOVABLE CONNECTION LBS: 0.40 (WXDXH) IN: 1.25 X 3.50 X 5.50 MM: 32 X 89 X 140 **KG**: 0 LOCATION: WALL **AUX \$:** \$39.16



PlanView

FLOOR:

1

DEPARTMENT: ROOM NAME: SURGERY OR

ROOM NUMBER: 636 LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 18 1004559 FLOWMETER, OXYGEN OHIO MEDICAL CORPORATION OF/OI NEW \$35.20 \$105.60 FLOWMETER, OXYGEN 15 LPM W/50 PSI TAKE OFF FM-15UO-OHPT GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 1.10 X 3.40 X 5.50 LBS: 0.35 **KG**: 0 MM: 28 X 86 X 140 LOCATION: WALL AUX \$: \$35.20 19 1003921 1 HAMPER, LINEN MEDLINE INDUSTRIES, INC. OF/OI NEW \$143.81 \$143.81 EQ#: LHM01 RECTANGULAR; W/ LID; FOOT PEDAL; WHITE GLOSS FINISH; 3 IN LOCKING TRICX302 GROUP: 3 | MINOR MOVABLE CASTERS; MEDIUM 29X38 BAG (WXDXH) IN: 18.50 X 19.50 X 32.75 LBS: 25.00 MM: 470 X 495 X 832 KG: 11 LOCATION: FLOOR AUX \$: \$143.81 20 028909 TABLE, WORK PEDIGO PRODUCTS, INC. OF/OI **EXISTING** \$0.00 \$0.00 STAINLESS; W/UNDERSHELF; 3 IN CONDUCTIVE CASTERS STERIL-GARD GROUP: 3 | MINOR MOVABLE EQ#: TBW01 SG-94-SS (WXDXH) IN: 60.00 X 24.00 X 34.00 LBS: 88.00 MM: 1524 X 610 X 864 KG: 40 LOCATION: FLOOR 21 051630 PEDIGO PRODUCTS, INC. OF/OI **EXISTING** \$0.00 \$0.00 TABLE, WORK EQ#: TBW02 S.S.; WITH UNDER-SHELF; MOBILE SG-98-SS/ACC GROUP: 3 | MINOR MOVABLE TO INCLUDE: 1 EA 06 SET OF 3"STEM CASTERS W/BRAKE (WXDXH) IN: 36.00 X 24.00 X 34.00 LBS: 58.00 MM: 914 X 610 X 864 **KG**: 26

LOCATION: FLOOR





FLOOR: 1

ROOM NUMBER:

DEPARTMENT: SURGERY

636

ROOM NAME: OR

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** 22 089895 STOOL, REVOLVING PEDIGO PRODUCTS, INC. OF/OI NEW \$773.15 \$2,319.45 EQ#: STL01 ERGO; W/BACK; PNEUMATIC HGT ADJ; 2" CASTERS T-584 GROUP: 3 | MINOR MOVABLE 18X18 1/2" CONTOURED SEAT CUSHION W/ADJUSTMENT; **ANESTHESIA** 300 LB CAPACITY; ADJ ARM RESTS ADJ BACKREST; 5-STAR BASE; OBSIDIAN BLACK UPHOLSTERY (WXDXH) IN: 25.00 X 25.00 X 50.00 LBS: 38.00 MM: 635 X 635 X 1270 KG: 17 LOCATION: FLOOR NOTES: X1 WITH BACK; X2 WITHOUT BACK AUX \$: \$773.15 23 080356 STAND, SUCTION CANISTER, MOBILE ALLIED HEALTHCARE PRODUCTS, INC. OF/OI NEW \$25.00 \$25.00 EQ#: SCT01 COLLECTION CANISTER CARRIER; 4-CANISTER: 36" HIGH; ROLLING STAND 20-02-0023 GROUP: 3 | MINOR MOVABLE (WXDXH) IN: 24.00 X 24.00 X 36.00 LBS: 10.00 MM: 610 X 610 X 914 **KG**: 5 LOCATION: FLOOR AUX \$: \$25.00 105431 ETHICON ENDO-SURGERY, INC. OF/CI \$707.35 RACK, SUTURE NEW \$707.35 DISPENSER RACK; INCLUDES 20 MODULES/10 BACK PLATES MR20 GROUP: 3 | MINOR MOVABLE W/4 FASTENERS/20 MODULE CLIPS/30 DIVIDER PANELS (WXDXH) IN: 25.75 X 5.75 X 27.00 LBS: 17.40 MM: 654 X 146 X 686 KG: 8 LOCATION: WALL AUX \$: \$707.35



Plan View

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
	1010995 CAB02	1	CABINET, MEDICATIONS, NARCOTICS, WALL-I HEAVY DUTY 20 GAUGE STEEL CABINET, HIGH SE LOCK, ONE FIXED AND ONE ADJUSTABLE SHELF, F STEEL PINNED DOOR HINGE, HARD-BAKED POWE	CURITY PICK RESISTANT FULL LENGTH STAINLESS	HARLOFF COMPANY, INC. 2830AQ	OF/CI	NEW	\$765.00 GROUP: 3 MIN	\$765.00 IOR MOVABLE
			(WXDXH) IN: 23.50 X 10.50 X 29.50 MM: 597 X 267 X 749 LOCATION: WALL AUX \$: \$765.00	LBS: 35.00 KG: 16					
	1003487 BRD01	1	BOARD, PATIENT TRANSFER 500LB WEIGHT CAP;PVC TRANSFER BOARD TO INCLUDE: 1 EA. PVCM618HDP WALL BRACKET		MEDLINE INDUSTRIES, INC. PVCM600W	OF/CI	NEW	\$223.99 GROUP: 3 MIN	\$223.99 IOR MOVABLE
			(WXDXH) IN: 35.50 X 70.00 X 1.25 MM: 902 X 1778 X 32 LOCATION: WALL NOTES: INCLUDES BRACKET AUX \$: \$223.99	LBS: 26.00 KG: 12					
	1001718 BRD02	1	BOARD, PATIENT TRANSFER NOTCHES ON BOTH SIDES SECURES THE BOARD TO USE ON RIGHT OR LEFT SIDE; 300 LB. WEIGHT CA	· · · · · · · · · · · · · · · · · · ·	MEDLINE INDUSTRIES, INC. MDSR005379 MDSR005379	OF/OI	NEW	\$79.36 GROUP: 3 MIN	\$79.36 IOR MOVABLE
			(WXDXH) IN: 8.00 X 1.00 X 29.00 MM: 203 X 25 X 737 LOCATION: SPACE NOTES: 6/6/23: INCLUDE MOUNT AUX \$: \$79.36	LBS: 2.25 KG: 1					



PlanView

FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
28	28 084252	2	WASTE RECEPTACLE, STEP-ON 23 GAL.;RED;MOBILE;LEAK-PROOF BASE;TIGHT F MARSHALL APP'D	ITTING LID;CALIF FIRE	RUBBERMAID COMM. PRODUCTS 6146RED	OF/OI	NEW	\$150.00 GROUP: 3 MII	\$300.00 IOR MOVABLE
			(WXDXH) IN: 20.00 X 17.00 X 33.00 MM: 508 X 432 X 838 LOCATION: FLOOR AUX \$: \$150.00	LBS: 18.00 KG: 8					
29 EQ# :	055619 : DSP01	1	DISPOSAL CONTAINER, SHARPS W/BRACKET RED;5.4QT;SIDE ENTRY;W/WALL BRACKET		BECTON DICKINSON 305517/305447 -	OF/CI	NEW	\$38.94 GROUP: 3 MII	\$38.94 IOR MOVABLE
			(WXDXH) IN: 12.00 X 8.75 X 10.75 MM: 305 X 222 X 273 LOCATION: WALL AUX \$: \$38.94	LBS: 2.54 KG: 1					
30 EQ#	1003160 : DSPP03	1	DISPOSAL CONTAINER, WASTE, PHARMACEU LOCKING WALL BRACKET; WHITE/BLUE 3 GALLON CONTAINER LEAK RESISTANT; TAMPER EVIDENT; S LID; ABSORBENT PAD FOR EXCESS FLUID	I PHARMASAFETY	COVIDIEN 8528C/8836SA	OF/OI	NEW	\$39.00 GROUP: 3 MII	\$39.00 IOR MOVABLE
			(WXDXH) IN: 13.75 X 6.00 X 16.50 MM: 349 X 152 X 419 LOCATION: WALL SPEC COMMENTS: DIMENSIONS OF BRACKET: 13 X H) AUX \$: \$39.00	LBS: 5.00 KG: 2 3.75" X 6.5" X 11.75" (W)	(D				





FLOOR: 1

DEPARTMENT: SURGERY ROOM NAME: OR

ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE	EXTENSION
31 EQ# :	006656 : MAY01	2	STAND, MAYO FOOT OPERATED; LARGE TRAY; STAINLESS STEEL; 2"C IN REMOVABLE TRAY; REINFORCED; STAINLESS STEEL T PEDAL OPERATED		PEDIGO PRODUCTS, INC. P-1066-SS P-1066-SS	OF/OI	NEW	\$549.99 GROUP: 3 MI	\$1,099.98 NOR MOVABLE
			,	LBS: 33.00 KG: 15					
32 EQ# :	021273 : KCB01	2	KICKBUCKET SS;REMOVABLE 12 QT. SS PAIL;TIP-RESISTANT;ROUI BALANCED;ELECTRO-POLISHED;PERIMETER BUMPE SWIVEL CASTERS		PEDIGO PRODUCTS, INC. P-1020-SS P-1020-SS	OF/OI	NEW	\$242.00 GROUP: 3 MI	\$484.00 INOR MOVABLE
	·		, , , , , , , , , , , , , , , , , , , ,	LBS: 8.00 KG: 4					
33	089875	1	WASTE RECEPTACLE GRAY;SLIM JIM;VENTING CHANNELS;16GAL		RUBBERMAID COMM. PRODUCTS 1971258	OF/OI	NEW	\$88.50 GROUP: 3 MI	\$88.50 NOR MOVABLE
			, ,	LBS: 6.42 KG: 3					





FLOOR: 1

DEPARTMENT: SURGERY

ROOM NAME: OR ROOM NUMBER: 636

LINE	ID#	QTY	GENERIC		MANUFACTURER	RESP	STATUS	PRICE EXTENSION
34 EQ#	084882 : CRK02	1	CART, CYLINDER, MEDICAL GAS 4 CAPACITY TILT BACK CART; E/D SIZE; W/HEAVY D	UTY 5" CASTERS	W.T. FARLEY, INC. - CR-DC04E	OF/OI	NEW	\$151.00 \$151.00 GROUP: 3 MINOR MOVABLE
			(WXDXH) IN: 11.00 X 11.00 X 39.00 MM: 279 X 279 X 991 LOCATION: FLOOR AUX \$: \$151.00	LBS: 21.00 KG: 10				
35 EQ#	1003621 : CLK01	1	CLOCK, ELAPSED TIME SURFACE MOUNT;4" SLOPE BRACKET, POE;COUNT UP TO A MAX OF 99 HOURS, 59MINUTES AND 59 S	•	PRIMEX C2005X203E	OF/CI	FUTURE	\$0.00 \$0.00 GROUP: 1 FIXED
			(WXDXH) IN: 23.30 X 2.40 X 8.00 MM: 592 X 61 X 203 LOCATION: WALL NOTES: FUTURE ITEM; ROUGH IN ONLY AT T DATA: HARD WIRED DATA NOTE: 802.3AF COMPLIANT; POE ELECT NOTE: POE IEEE 802.3AF COMPLIANT	LBS: 4.60 KG: 2 HIS TIME				
36 EQ#	099447 : STL03	1	STOOL, FOOT, WITH HANDRAIL TWO STEP;STEPS ARE 8" AND 16"HIGH;CHROME CORRUGATED RUBBER SURFACE;GREY FLOOR TIPS		PEDIGO PRODUCTS, INC. P-18-A-K P-18-A-K	OF/OI	NEW	\$169.63 \$169.63 GROUP: 3 MINOR MOVABLE
	·		(WXDXH) IN: 16.00 X 12.00 X 47.00 MM: 406 X 305 X 1194 LOCATION: FLOOR AUX \$: \$169.63	LBS: 35.00 KG: 16				







FLOOR: 1

ROOM NUMBER:

DEPARTMENT: SURGERY ROOM NAME: OR

636

LINE ID# QTY GENERIC MANUFACTURER RESP **STATUS** PRICE **EXTENSION** OF/CI 37 057206 **DISPENSER, GLOVE BOWMAN MANUFACTURING COMPANY** NEW \$57.00 \$57.00 EQ#: GLV01 HIGH GRADE CLEAR PETG PLASTIC; HOLDS 4; KEYHOLE QUAD GLOVE DISPENSER GROUP: 3 | MINOR MOVABLE MOUNT; VERTICAL/HORIZONTAL GP-061

(WXDXH) IN: 22.45 X 3.88 X 10.00

MM: 570 X 99 X 254 KG: 1

LBS: 2.00

LOCATION: WALL
AUX \$: \$57.00

ROOM TOTAL: \$637,244.34

DEPARTMENT TOTAL: \$1,882,779.78

REPORT TOTAL \$4,312,315.94

SUPPLEMENTAL COSTS

	SUBTOTAL:	\$884,024.77
Tax 7.50%		\$323,423.70
Contingency 6.50%		\$280,300.54
Freight 2.50%		\$107,807.90
Receiving 2.50%		\$107,807.90
Installation 1.50%		\$64,684.74

EQUIPMENT TOTAL: \$4,312,315.94

PROJECT TOTAL WITH SUPPLEMENTALS: \$5,196,340.71



Dana Dietrich Financial Sales Manager, UL & XR ddietrich@us.medical.canon Cell: 609-790-6553 1000 Howard Blvd Suite 103 Mt Laurel, NJ 08054 Fax: 877.431.8669

November 17, 2023

Attn: Casey McPhail, Senior Medical Equipment Planner, Introba

Prepared for: Seneca Healthcare District 130 Brentwood Drive Chester, CA 96020

Dear Casey,

Canon Medical Finance USA is pleased to present the attached equipment financing proposal. This proposal presents 24 month finance options for the placement of (1) Canon i700 ultrasound system (Quote # 177343-5). Alternative finance structures available upon request. Upon receipt of signed finance proposal, credit approval will be processed and formal lease documents will be prepared for signature.

Canon Medical Finance USA provides financial products that offer significant advantages to our lessees. These include: elimination of standard progress payment requirements, customer controlled acceptance and \$0 documentation fees.

Special note: SOFR Interest rate swaps are expected to gradually rise throughout 2023 and into 2024. While all efforts will be made to lock the payments offered in this proposal, payments may require adjustment prior to lease commencement, as outlined on Page 2 "Adjustments to Base Lease Payments." Payments are locked at time of equipment acceptance.

Thank you for the opportunity to submit this proposal.

Respectfully,

Dana Dietrich
Financial Sales Manager, UL & XR
CANON MEDICAL FINANCE USA

Equipment Financing Proposal

Lessor: Canon Medical Finance USA

Lessee: Seneca Healthcare District

Equipment: (1) Canon i700 ultrasound system

Commencement Date: Upon Equipment Acceptance

Term: 24 Months

Base Lease Payments: Lessee will be required to make monthly payments as follows:

Lease Type: FMV-Fair Market Value

\$1 Buyout - Capital Lease

Initial Selected Structure: Initial Selection

Fair Market Value (FMV) Lease

Equipment Description	Equipment Cost	Monthly Payment (Tax Not Included)	Selection
(1) Canon i700 Ultrasound Quote # 177343-5	\$95,550	\$3,298	

\$1 Buyout - Capital Lease

Equipment Description	Equipment Cost	Monthly Payment (Tax Not Included)	Selection
(1) Canon i700 Ultrasound Quote # 177343-5	\$95,550	\$4,340	

Options at Lease Expiration: At the expiration of the Term, provided lease is not in default, Lessee may:

- Purchase Equipment at Fair Market Value
- Renew Equipment for an extended Term
- Return the Equipment
- Purchase Equipment for \$1 (Capital Lease option only)

Adjustments to Base Lease Payments: The Base Lease Payments quoted in this proposal reflect the current money market rate for the SOFR 2-Year Interest Rate Swaps as of November 17, 2023 ("Index" 4.69%). For any movement in the Index prior to the Lease Commencement Date, the Lessor reserves the right to adjust the Base Lease Payments to preserve its economics. Once the Equipment Lease Commences, the Lease Payments/Rate will be fixed until maturity.

First Payment in Advance: None

Documentation Fee: None



Warranties: Lessor shall Lease the equipment to Lessee without representation or warranty on an AS IS WHERE IS BASIS. However, Lessor shall assign to Lessee all warranties, guarantees and service provided by Canon Medical Systems USA, Inc. to the extent that they are assignable.

Business Information: Lessee is to provide to Lessor a copy of the Lessee's most recent 2023 audited (or draft) and interim financial statements, and any other business information as may be reasonably requested by Lessor.

General: Lessee will be responsible for all expenses relating to the equipment and the transaction, including, without limitation, equipment maintenance, insurance coverage, payment of sales or property taxes, recording fees and other expenses relating to the purchase, possession, lease and use of the equipment. This proposal is an expression by Lessor of its interest in considering a transaction on the general terms and conditions outlined above. THIS LETTER IS NOT, AND IS NOT TO BE CONSTRUED AS, A COMMITMENTBY LESSOR TO ENTER INTO THE PROPOSED TRANSACTION. The economics of this proposal are based upon the timelines set forth herein. Any variation from those timelines could cause the economics to change. Lessor shall not be obligated to provide any financing until the satisfactory completion of its due diligence, the receipt of all requisite credit approvals by Lessor's management, and the execution and delivery of final legal documentation in a form and substance acceptable to Lessor & Lessee, including acceptance of the equipment by Lessee.

If this Proposal meets with your approval, please initial selected structure on page two, sign below and return with highlighted business information. All other terms and conditions notwithstanding, **this proposal expires December 15, 2023**.

ocheca ricalineare District
egal Name:
ederal ID #:
accepted By:
itle:
Date:

Sanaca Haalthcara District



Made For life

QUOTATION/ORDER SUMMARY

DATE:

10/5/2023

SID #:

30105776

QUOTE #:

177325-4

PRESENTED TO:

SENECA HEALTHCARE DISTRICT 130 BRENTWOOD DR CHESTER, CA. 96020

SOLTUS-500/3.000

MOBILE SOLTUS 500 DIGITAL X-RAY SYSTEM

SPECIAL INFORMATION & TERMS

 If this quotation is not accepted by November 30, 2023, Canon Medical Systems USA, Inc. reserves the right to cancel this quotation.

This quotation shall remain valid until November 30, 2023.

All prices are F.O.B. destination.

Payment terms are: Cash - 0% down payment, 80% upon delivery, 20% net 45 days upon completion of installation and/or availability for first use, whichever is earlier.

This quotation/order will be subject to and governed by the Agreement for X-Ray equipment products between Premier Healthcare Alliance, L.P. and Canon Medical Systems USA, Inc. Reference contract no. PP-IM-290, effective October 1, 2015.

Please return signed quotation to Canon Medical Systems USA, Inc. by email OrderAdmin@us.medical.canon or fax 714-441-9320.

ACCEPTED AGREED AND ORDERED:

PURCHASER'S SIGNATURE/TITLE

DATE

CANON MEDICAL SYSTEMS REP

DATE

All information contained in this quotation is confidential and may not be disclosed to any third party without Canon Medical Systems' prior written consent.



EQUIPMENT SUMMARY:

SOLTUS-500/3.000		MOBILE SOLTUS 500 DIGITAL X-RAY SYSTEM
PART NUMBER	<u>OTY</u>	DESCRIPTION
SOLTUS500/40KW.100	1	MOBILE SOLTUS 500 DIGITAL 40KW X-RAY PACKAGE
	1	SOLTUS 500 MOBILE WITH RFID DIGITAL X-RAY SYSTEM
	50	PLASTIC BAG FOR DETECTOR
	1	NE V2.19 (INTANGIBLE) SOFTWARE WITH SCATTER CORRECTION
	1	TRELLIX 3 YEAR MAINTENANCE AND SUPPORT LICENSE
	2	ID CARD (10PACK) WITH CMSU BRANDING
	1	~STANDARD APPLICATIONS TRAINING
1877A249	1	BATTERY CHARGING UNIT FOR CXDI
PHX-DAP	1	DAP CHAMBER WITH SOFTWARE LICENSE TO WORK WITH MOBILE
CXDI-410C-PP-KIT.100	1	CXDI-410C 17" X 17" KIT WITH 2 YR PROTECTION PLUS
	1	CXDI-410C 17" X 17" WIRELESS DIGITAL DETECTOR
	1	PROTECTION PLUS - YEAR 1
	1	PROTECTION PLUS - YEAR 2
PDR410C-K18832140C	1	410C PROTECT-A-GRID ENCASEMENT AND GRID (8:1/132/40"-72"/140CM)

TOTAL QUOTE PRICE Applicable Sales Tax Additional

\$113,673.00





FINANCE OPTIONS:

Finance options are available through Canon Medical Finance USA, a program of Canon Medical Systems USA, Inc.

CANON MEDICAL FINANCE USA OFFERINGS:

- Fair Market Value, \$1.00 Buy Out (Lease to Own), and Loan structures
- Finance terms ranging from 12 months to 84 months
- Financing for 3rd party assets (including, but not limited to leasehold improvements & I.T.)

CANON MEDICAL FINANCE USA BENEFITS:

- No progress payments. Payments begin after delivery and installation
- Upgrades to the current technology platform can be financed.
- Flexible finance structures, such as deferred payments, tiered repayments, and bridge financing, to meet cash flow needs

Finance options are subject to credit underwriting, approval, and a fully executed contract.

For more information, please contact Trish Malone, Sr. Dir. Financial Programs at:

tmalone@us.medical.canon or visit us at https://us.medical.canon/service-and-support/financial-programs/

SOLTUS-500/3.000 MOBILE SOLTUS 500 DIGITAL X-RAY SYSTEM

The Soltus 500 Mobile Digital X-Ray System incorporates a telescopic column for safe and easy transport and effortless positioning. Its performance and features offer many advantages for highly productive environments such as hospitals, clinics, and university medical centers.

Ease Of Use

- Secondary drive controls on the collimator handles allow positioning without the need to return to the main console
- Collimator features an LED bulb, laser alignment markers for SID accuracy, and selectable copper filtration
- · LED status indicator light
- Capacitive touch technology for effortless drivability
- 19" Display with multi touch functionality

Productivity & Workflow

- Canon CXDI Control Software NE and Canon CXDI Digital Detector help provide delivery of high-resolution images at fast preview times
- Patented Enhanced Workflow feature, gives the ability to access hospital HIS/RIS/PACS systems at bedside for fast exam turnaround times
- · Integrated charging of up to 3 CXDI wireless detectors
- Dual battery configuration allows for distributed power to the drive motors, as well as the generator
- Patented wireless Distributed Antenna System (DAS) can increase wireless range 40% over single access point systems

Safety

- · System access restricted by protected ID card log in
- Mechanical, counter-balanced telescopic tube column provides effortless positioning, without draining the battery
- Built-in disaster recovery capability that helps to restore the mobile's hard drive quickly

CXDI Control Software NE

- Advanced Edge Enhancement feature enhances fine lines for accurate viewing of PICC lines, catheters, etc.
- Incremental image rotation to easily orientate images
- CXDI Control Software NE with Windows 10 Pro is ATO Certified
- Supports Windows® Defender. Supports anti-virus software.
- Custom designed advanced WiFi system 802.11a/b/g/n Dual band (2.4-5.0 GHz) wireless transmission of images from PC to network storage (PACS) or print location and wireless access to DICOM worklist.

System Features

- Battery Assisted High Frequency Monoblock Generator and Tube head
- Microprocessor Controlled

- Auto diagnostic system for easy maintenance.
- Tube overload protection continuously monitors the remaining X-Ray Tube Heat Units
- Anatomical Programmer APR with more than 500 program capability.
- Automatic selection of the radiographic parameters programmed (kVp, mA, time or mAs and focal spot, with patient size and anatomical area selected).
- Power 40 kW. According to IEC
- The kVp range is from 40 kVp to 150 kVp in 1 kVp Steps.
- The mA range is from 10 to 500 mA in Renard scale: 10, 12.5, 16, 20, 25, 32, 40, 50, 63, 80, 100, 125, 160, 200, 250, 320, 400, 500 mA
- The mAs range is 0.1 to 500 mAs.
- User Friendly Touch Control Panel with Digital Displays for kVp, mAs, mA and time.
- · Two step Hand switch for preparation and exposure.
- · Wireless remote exposure switch.
- Audible and light indication for x-ray exposure.
- Line requirement: 110/230 VAC single phase ±10%
- · Lead Acid Batteries
- LED Collimator Field Light with User-Controlled On/Off
- · Green/Yellow/Red Battery Monitor System
- 19" Touch-Screen Console
- 8.4" Tube head mounted touch screen: generator controls, filtration controls, image preview
- On/Off Switch Modification Kit for digital mobiles
- Parallel Charging allows for mobile to remain on while charging
- Expose while plugged in (technologist must be logged in) for redundancy and disaster recovery
- 300KHU 0.7 1.3 Focal Spot X-Ray Tube
- Charging for up to 3 Canon CXDI Detectors (2 large and 1 small)
- Quick charging, full recharge in <3 hours from zero
- Indicator lights for when battery is charging and fully charged

Productivity & Workflow:

- Patented design of the Enhanced Workflow makes the system capable of concurrently running any third party application such as Cerner, Epic or client PACS (Customer to supply software for third party applications)
- Easily toggle between Canon NE application and third party applications
- Integrated Touch Pad to add mouse functionality for third party applications
- Secure Mode: Operator log-in/password required (user authentication);
 auto time-out with log-in to last screen viewed
- ID Card Log in Feature, Includes: ID Card Reader, 20 ID Cards
- Detector Warm-up time: None.

TUBE STAND COLUMN MOBILE UNIT:

- Telescopic Tube Column
- Max SID is (2020 mm) 80" to floor

- Max Arm extension is (1220 mm) 48" from edge of column
- Arm Travel Vertical is (1490 mm) 58" from min to max
- Column rotation on base 317° from park (over the
- Tube Tilt ±120°
- Tube rotation ±180°
- Collimator rotation ±90°
- Motorized Unit. 5.5 km/h Speed. Pressure Sensitive Moving System (Patent).
- Independent Motors for each wheel. Forward and backward movement.

Wireless Access Point

- Transmits image from CXDI-710C Wireless to on-board Control PC
- Non-broadcasting, one-to-one paired with Canon CXDI-7010C Wireless detectors only ensures Secure Wireless Communication between Detector and Access Point

Image Acquisition

- Programming: Unlimited anatomically programmed acquisition settings; user customizable to include annotation, orientation, patient demographics display location, and pre-selected basic and enhancement processing
- Reject/Retake: Reject, Retake, Un-Reject, Reject reason labeling with free or pre-set annotation; Reject log can be exported as a .csv file to be used in QA management program. (Optional Reject Analysis Software is available for analysis and management reporting)
- Manage workflow, image acquisition preview, post processing functions and tools for image annotation, and image processing on a single workstation.
- Protocol Pre-Pack: Allows multiple APR views to be associated into one APR for easy grouping of views within a study
- Grid Suppression: Software-based grid suppression

Image Processing Functions

- LUT selection, Edge enhancement, Dynamic Range Adjust, Noise Reduction, Sharpness Adjust
- Measurements, Distance, Angles, Cobb Angles, Height Distance
- Rotation, Flip, Inversion(negative/positive), Panning,
 Brightness/Contrast, Cropping, Embedding Laterality Markers, Zoom,
 ROI adjustment, Histogram analysis, MTF Improvement
- Exposure Index, Target Exposure Index, and Deviation Index

Imaging Modes

- Manual imaging mode allows the user to individually select each view to be acquired for the study
- Program imaging mode uses the study information sent by the HIS/RIS to pre-configure the exam(s) to be performed
- 100 views can be acquired for a single patient

 Exams, views, and image processing can be fully customized to meet the needs of the facility

CD Archive:

Available as network selectable storage device with DICOMDIR

Network:

Ethernet 10/100/1000 Base T, RJ45 standard

DICOM Output:

- DICOM Store
- DICOM Print
- DICOM Modality Worklist
- DICOM MPPS and STORE COMMIT

IHE Profiles:

 Basic Security Profile option - User Authentication, Audit Log, Time Synchronization, Node Authentication

Modality Worklist

- Basic Security Profile option User Authentication, Audit Log, Time Synchronization, Node Authentication
- Configurable to include a wide variety of patient information
- Find Mode is available and conforms to Modality Worklist SOP class(MWL)
- Pregnancy status can be received from the HIS/RIS and an alert displayed to inform the user if necessary

COMPONENT SUMMARY:

PART NUMBER QTY DESCRIPTION

SOLTUS500/40KW. 100

- 1 MOBILE SOLTUS 500 DIGITAL 40KW X-RAY PACKAGE
- 1 SOLTUS 500 MOBILE WITH RFID DIGITAL X-RAY SYSTEM
- 50 PLASTIC BAG FOR DETECTOR
- 1 NE V2.19 (INTANGIBLE) SOFTWARE WITH SCATTER CORRECTION
- 1 TRELLIX 3 YEAR MAINTENANCE AND SUPPORT LICENSE
- 2 ID CARD (10PACK) WITH CMSU BRANDING
- 1 ~STANDARD APPLICATIONS TRAINING

Application Training

Phase I: This system comes with sixteen (16) hours, of on-site education provided at the customer facility during system go-live. This training is provided for up to four (4) imaging professionals, to focus on maximizing imaging techniques, protocols and system operation. Training is scheduled consecutively, Monday through Wednesday, with Monday mornings and Wednesday afternoons scheduled as travel time for the applications specialist. Accredited for CE credits by the ASRT Education Foundation. CEU's are awarded based on student participation and provided at the discretion of the Applications Specialist.

Note: Canon Medical Systems personnel are not responsible for imaging patients, patient safety, any actual patient contact, or operation of equipment during patient imaging. Canon Medical Systems will only demonstrate proper equipment operation.

The training is offered to the Customer at no additional charge, providing that it is completed no later than one (1) year after the warranty start date.

Additional onsite training is available for purchase.

Applications support is available by phone on the toll-free ASSIST line, 1-800-521-1968

1877A249

1 BATTERY CHARGING UNIT FOR CXDI

PHX-DAP

1 DAP CHAMBER WITH SOFTWARE LICENSE TO WORK WITH MOBILE

CXDI-410C-PP-KIT.100

1 CXDI-410C 17" X 17" KIT WITH 2 YR PROTECTION PLUS

1 CXDI-410C 17" X 17" WIRELESS DIGITAL DETECTOR One Canon CXDI-410C Wireless Digital Detector

Canon CXDI-410C Wireless Digital Radiography System is an advanced wireless digital radiographic device for a broad range of radiographic applications, including trauma, ICU and bedside imaging. The shape of the detector, which is identical to that of a conventional film cassette complying with ISO4090, enables digital radiography in the existing analog radiography configuration. The sensor with 125 μm pixel pitch and CsI (Cesium Iodide) used for the scintillator produces high-resolution, digital images within the effective imaging area (415 x 426 mm). The Canon CXDI-410C Wireless Digital Detector is lightweight, carbon fiber construction, weighing approximately 6.17 lbs. (2.8 kg) including battery pack and measures approximately 17 in. x 17 in.

The CXDI-410C Wireless DR System features even further weight reduction over previous detectors in the Canon CXDI series and delivers greater operability than similar existing products as a result of improved water resistance (equivalent to IPX7) and the addition of new features (Standalone Mode and a READY switch). The CXDI-410C Wireless Digital Detector includes built in shock detection function which detects the shock applied to the detector unit and also the free fall of the detector unit. The data saved in the detector is transferred to the PC, can be output to .csv file and used for analysis.

Includes:

2 - Battery Packs per detector

1 PROTECTION PLUS - YEAR 1

Protection Plus, provides coverage for wireless detector panel models CXDI-410C, CXDI-710C, CXDI-810C, CXDI-402C, and CXDI-702C and includes drop protection. Protection Plus does not include the repair or replacement of the detector's software, power box, cables or batteries.

If the detector is damaged and cannot be repaired, the replacement fee of \$5,000 per panel will be required of the Customer. DR panels that are damaged by Customer's failure to comply with manufacturer's instructions, misuse, abuse, tampering or acts of God, are not covered and will be replaced at List Price. Detectors are subject to inspection by Canon; the Customer acknowledges and agrees that Canon has the right to deny coverage for a detector which, in Canon's sole discretion, is determined not to be eligible for replacement.

Customer acknowledges and agrees that the repair of a Covered Detector will not extend past the original Limited Warranty provided with the






Covered Detector at point of sale, nor extend the Protection Plus term. In the event Customer purchases a Replacement Detector pursuant to Protection Plus, Customer will receive Canon's applicable standard Limited Warranty on such Replacement Detector; the Replacement Detector will be covered under Protection Plus for the remainder of the Protection Plus term.

1 PROTECTION PLUS - YEAR 2

PDR410C-K18832140C 1 410C PROTECT-A-GRID ENCASEMENT AND GRID (8:1/132/40"-72"/140CM)



PRODUCT WARRANTY AND SERVICE COVERAGE

SYSTEM WARRANTY TERMS

Canon Medical Systems warrants that the Equipment will be free from defects in material and workmanship, for the duration and subject to the terms and conditions stated below. Any part furnished to Customer during the warranty period (stated in the table below) to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the Equipment.

The warranty period will commence on the date the installation of the product is complete. Notwithstanding the foregoing, in the event that the installation of the product is delayed for a total of thirty (30) days or more from the date of delivery for any reason or reasons for which Canon Medical Systems is not responsible, the warranty period for such product may, at Canon Medical Systems' option, commence on the thirtieth (30th) day from the date such product is delivered to Customer.

WARRANTY EXCLUSIONS

Warranty coverage does not include any defect which results, in whole or in part, from (1) negligent storage or handling of the product by Customer, its employees, agents, or contractors, (2) failure of Customer to prepare the site or provide power requirements or operating environmental conditions in compliance with any applicable instructions or recommendations of Canon Medical Systems, (3) absence of any product, component, or accessory recommended by Canon Medical Systems but omitted at Customer's direction, (4) any design, specification or instruction furnished by Customer, its employees, agents, or contractors, (5) any alteration of the product by persons other than Canon Medical Systems, (6) combining Canon Medical Systems' product with any product furnished by others that is not approved by Canon Medical Systems, (7) combining incompatible products of Canon Medical Systems, without Canon Medical Systems' prior approval, (8) improper use of the product, improper maintenance of the product by a party other than Canon Medical Systems, or failure to comply with any applicable instructions or recommendations of Canon Medical Systems, or (9) acts of God, fires, floods, strikes or other labor disturbances, or other causes beyond the reasonable control of Canon Medical Systems.

Canon Medical Systems does not warrant any products not manufactured by Canon Medical Systems such as, without limitation, monitors, cameras, computer equipment, injectors, and lasers. Such items will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems.

Warranty coverage also excludes consumables, including but not limited batteries, storage media, positioning pads, table pads, cassettes, magazines, printer consumables, and power units.

GLASSWARE WARRANTY

X-ray tubes and Image Intensifiers, are covered under separate warranties. Glassware included with the purchase of a new system is governed by the glassware warranty, described below, not the system warranty.

Glassware Type	Time-Based Warranty	
X-ray tubes	12 months, non-prorated	
Image Intensifiers	18 months, non-prorated	

Tubes with Non-Prorated, Time-Based Warranty:

Glassware with a non-prorated warranty will be replaced during the initial warranty period at no charge to the customer. The replacement glassware carries the longer of (a) the remainder of the original warranty on the system, or (b) the remainder of the warranty specified in the table above. For example, if an image intensifier with an 18-month non-prorated warranty fails at month thirteen (13), the image intensifier is replaced at no charge and carries five (5) months of warranty.

REMEDIES

If Canon Medical Systems determines that any product fails to meet the above-mentioned warranty during the applicable warranty period, Canon Medical Systems will correct any such failure by either, at its option, repairing, adjusting, or replacing without charge to Customer any defective or nonconforming parts of the product. Canon Medical Systems will have the option to furnish either new or remanufactured replacement parts or assemblies. However, remanufactured parts will meet the manufacturer's specifications for new components as of the date of completion of installation. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems.

SOFTWARE UPDATES

Canon Medical Systems will furnish to Customer, free of charge for the life of the Equipment, all Canon Medical Systems software or hardware upgrades to the Equipment purchased by Customer, which are intended to correct a safety risk. Software updates offering enhancements to previously purchased software features will be provided during the term of the warranty, if they do not require hardware modifications or additions. Software upgrades providing new features or capabilities not originally purchased, will be made available for purchase by Customer upon request when compatible with the originally purchased hardware. Canon Medical Systems retains the sole right to determine whether a software release is considered an update or an upgrade for which Customer will be charged. The above items will be performed only during the Covered Hours stated in the warranty. Service required outside these hours will be billed at Canon Medical Systems' differential rates in effect at the time such items are provided to Customer.

WARRANTY SERVICE

Quote #: 177325-4 SID #: 30105776



CANON MEDICAL SYSTEMS USA, INC.

Warranty service during the applicable warranty period will be performed without charge to Customer during Canon Medical Systems' normal business hours, Monday through Friday, excluding Canon Medical Systems holidays. Subject to the availability of personnel, afterhours service is available upon request at an additional charge.

Customer must promptly notify Canon Medical Systems within the applicable warranty period of any defect that is covered by the warranty, and make the Equipment promptly available for repair and maintenance.

DISCLAIMERS AND LIMITATIONS ON LIABILITY

Canon Medical Systems' obligations stated above will be Customer's sole and exclusive remedy for a breach of the warranty set forth above. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Canon Medical Systems does not warrant that the operation of the Equipment will be uninterrupted.

WARRANTIES BY PRODUCT LINE

ITEM TYPE	X-RAY R/F & RAD	
EQUIPMENT	12 Months	
ACCESSORY OPTIONS	6 Months	
REPLACEMENT & OPTIONAL PARTS*	90 Days	
UPGRADE COMPONENTS	6 Months	

^{*} The above 90-day period applies only to parts that are not furnished pursuant to a warranty repair for the Equipment. Any part furnished to Customer during the warranty period to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the System.



TERMS AND CONDITIONS OF SALE

- TITLE AND RISK OF LOSS. Title and risk of loss to the Equipment purchased under this Agreement will pass to Customer: (a) if Canon Medical Systems is to provide installation, upon Canon Medical Systems' completion of installation, or (b) if Canon Medical Systems will not provide installation, upon delivery by Canon Medical Systems to Customer.
- 2. TERMS OF PAYMENT. Prices stated are F.O.B. Customer's facility. All taxes which are payable by Canon Medical Systems in connection with the sale, use, or possession of the Equipment (excluding income taxes), will be paid by Customer in addition to the quoted price. Terms of payment will be as stated in the first page of this Quotation. All invoices paid after due date will be assessed a late payment charge of the lesser of 11/2% per month or the maximum rate permitted by law.
- 3. <u>DELAYS</u>. If Customer changes the scheduled delivery date during the period of 120 days preceding the delivery date, Customer will nevertheless pay the installment of the purchase price which would have been payable upon delivery, on the Scheduled Delivery Date as if delivery had been made on such date. In addition, Customer will pay all extra costs incurred by Canon Medical Systems as a result of such delay, including, without limitation, storage and transportation. Storage fees will be charged at commercially comparable rates for storage on Canon Medical Systems' site. If delivery is delayed by 12 months or more from the Scheduled Delivery Date, except through the fault of Canon Medical Systems, the price set forth in this Agreement may be increased by Canon Medical Systems to a level equal to the prevailing price in effect at the time of the revised delivery date.
- EQUIPMENT INSTALLATION. Canon Medical Systems will provide, at no additional cost, standard labor and rigging services to unload the Product from the transport vehicle and move to the final position. The shoring of floors, the widening of doorways, and other nonstandard rigging requirements will be negotiated between the Canon Medical Systems and Customer separately if it is determined they are required. Canon Medical Systems will install all Equipment purchased under this Agreement and connect them to existing power and/or plumbing lines at no additional charge to Customer. Customer will be responsible for electrical wiring, plumbing, carpentry, plastering, painting, or all other site preparation required prior to installation and connection of the Equipment by Canon Medical Systems. Customer will provide space at the installation site for the safe storage of Canon Medical Systems' tools, test equipment and other materials used for installation at no charge to Canon Medical Systems. Customer shall, at its cost, obtain all permits and licenses required by governmental authorities in connection with the installation and operation of the Equipment. Customer acknowledges that the System and Software are designed to operate within certain power, temperature, airborne contamination, and humidity ranges. Customer will be responsible for, without limitation: (i) preparing and maintaining the Customer facility in conformance with the Site Preparation Guide; (ii) maintaining its network infrastructure; (iii) providing Canon Medical Systems, access to a network connection in or near the area of the System being serviced by the equipment service staff; and (iv) supplying computer grade AC power. The Equipment relies upon a stable grounded connection to the main power grid in order to function effectively. acknowledges that AC power supply quality may be a problem in old facilities or in those facilities receiving poor quality utility service and that power conditioning may be necessary in such cases.

- 5. <u>EQUIPMENT</u> <u>OPERATION</u>. Customer agrees that all Equipment purchased under this Agreement will be operated exclusively by duly qualified technicians and/or medical doctors in a safe and reasonable manner in accordance with Canon Medical Systems' written instructions, applicable laws and regulations, and for the purposes for which such Equipment was intended.
- LIMITED WARRANTY AND REMEDY. A. For the warranty period described below by product, Canon Medical Systems, as its only obligation, will replace or repair, without charge to Customer during Canon Medical Systems' normal working hours (if Customer requests warranty service outside such hours, Customer will pay overtime premium for labor), any component of the Equipment that is defective in materials or workmanship, provided such defect is reported to Canon Medical Systems within the warranty period. Canon Medical Systems' warranty period is as follows: (a) Systems and Major Components one year from date of completion of installation; (b) Accessories/Options (except glassware) - six months from date of completion of installation. Components not manufactured by Canon Medical Systems will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems. During the warranty period, Canon Medical Systems will furnish free of charge any parts, including software required to correct any defect in the Equipment or as required under applicable laws.
- Canon Medical Systems does not warrant that the operation of the Equipment of the System will be uninterrupted. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems. Replacement parts may be re-manufactured. However, such parts will meet the manufacturer's specifications for new components as of the date of completion of installation. CANON MEDICAL SYSTEMS' OBLIGATION TO REPAIR OR REPLACE DEFECTIVE PARTS OR SOFTWARE WILL BE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY FOR A BREACH OF THE WARRANTY SET IN THIS AGREEMENT. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING LIMITATION, THE WARRANTIES WITHOUT MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The warranty set forth in this Agreement will not apply to, and Canon Medical Systems will not be liable for any defects resulting from misuse, repairs performed by unauthorized third parties, accidents, acts of God, or neglect of anyone other than Canon Medical Systems.

CATION CANON MEDICAL SYSTEMS USA, INC.

- 7. LATEST HARDWARE AND SOFTWARE AT TIME OF DELIVERY. Canon Medical Systems agrees that the Equipment ordered by Customer will, at the time of delivery to Customer, contain, at no additional charge to Customer, the latest hardware and software manufactured by Canon Medical Systems for such Equipment that are commercially available in the United States and which are provided as part of Canon Medical Systems' standard configuration for such Equipment at the time of delivery. This commitment applies only to components and not an upgrade to the entire system. Furthermore, it is limited to hardware and software that (a) have been ordered by Customer, and not any optional or other items that were not ordered by Customer, and (b) are cleared by the FDA as of the date of delivery of the Equipment. This clause does not apply to Assure, Demonstration or Used Equipment.
- 8. <u>LIMITATION OF LIABILITY</u>. A. NEITHER CANON MEDICAL SYSTEMS NOR CUSTOMER WILL UNDER ANY CIRCUMSTANCES BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL, OR EXEMPLARY DAMAGES OR ECONOMIC LOSS ARISING OUT OF OR RELATED TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT, EVEN IF EITHER PARTY IS APPRISED OF THE LIKELIHOOD OF SUCH DAMAGES OCCURRING.
- B. IN NO EVENT WILL CANON MEDICAL SYSTEMS' LIABILITY TO THE CUSTOMER (WHETHER BASED ON AN ACTION OR CLAIM IN CONTRACT, TORT, INCLUDING NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE) ARISING OUT OF OR RELATING TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT EXCEED THE AGGREGATE AMOUNT ACTUALLY PAID BY CUSTOMER TO CANON MEDICAL SYSTEMS UNDER THIS AGREEMENT. THE LIMITATION OF LIABILITY SET FORTH ABOVE WILL NOT APPLY TO CLAIMS FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY EQUIPMENT DEFECTS.
- 9. SECURITY INTEREST. Canon Medical Systems hereby reserves and Customer grants to Canon Medical Systems a security interest pursuant to the Uniform Commercial Code, in and to the Equipment (and all products and proceeds of it) until full payment of the purchase price is received. In the event that Customer finances its acquisition of the Equipment through a lease, conditional sale contract, secured loan agreement or other financing agreement (collectively, "Lease") with Canon Medical Systems, then the security interest in the Equipment (and all products and proceeds thereof) shall secure all obligations of Customer due and to become due under the Lease.
- 10. REMOVAL OF EQUIPMENT. Until Canon Medical Systems has received full payment of the purchase price, Customer will not remove all or any part of the Equipment from Customer's premises, nor will Customer sell, lease, transfer or otherwise part with the possession of, or permit any lien or encumbrance to be placed on all or any part of the Equipment.
- 11. TRADE-IN. If this quotation includes the trade-in of Customer's existing equipment and the removal date of the trade-in equipment is delayed due to no fault of Canon Medical Systems or if the trade-in equipment is damaged or its condition deteriorates from the date of this quotation through the date of removal, Canon Medical Systems reserves the right to increase the pricing of the new equipment in an amount equal to the reduction in the resale price of the trade-in equipment. Customer must convey free and clear title to the trade-in equipment. If there are any liens or encumbrances on the trade-in equipment, Canon Medical Systems cannot accept the trade-in.

- 12. REMEDIES OF CANON MEDICAL SYSTEMS. If Customer fails to make any payment when due under this Agreement, or becomes insolvent or makes an assignment for the benefit of creditors, or if a petition in Bankruptcy is filed by or against Customer, or if the financial responsibility of Customer becomes impaired, or if Customer otherwise breaches any of the terms and conditions of this Agreement, then Canon Medical Systems may, without prior notice or demand, defer shipments, cancel the balance of the order, suspend performance of any obligation (including without limitation, all obligations set forth under Limited Warranty And Remedy above), and/or take immediate possession of the Equipment delivered, until the full purchase price of the Equipment is paid by Customer or, at Canon Medical Systems' discretion, until security satisfactory to Canon Medical Systems is given by Customer. Any costs incurred by Canon Medical Systems as a result of suspending performance or repossession or collection will be payable by Customer. Canon Medical Systems may sell repossessed Equipment with proceeds to be applied to unpaid balance and expenses incurred in sale, repossession and collection. Customer will pay any remaining deficiency. Canon Medical Systems may exercise any other rights available to it by law.
- payment obligations hereunder, neither party will be liable to the other for non-performance or delay in performance resulting directly or indirectly from any occurrences beyond such party's control, including without limitation, strikes or other labor troubles, acts of God, war, accidents, fires, floods, other catastrophes, inclement weather, transportation, delays caused by suppliers, or laws, regulations, or acts of any governmental agency.
- SOFTWARE. All rights and interest in any software that may be furnished under this Agreement, and any updates and enhancements to it, will remain the property of Canon Medical Systems. Such software is being furnished to Customer under a non-exclusive license. Customer will not, or allow others to decompile, modify, copy, reproduce, or transcribe the software nor allow third parties to use the same without Canon Medical Systems' prior written consent. In the event a third party's software is furnished to Customer, Customer may be required to execute a software license agreement as requested by such third party as a condition to delivery and/or purchase of the third party's product. Canon Medical Systems will furnish Customer with a copy of such license agreement for its review and execution. In the event Customer sells the Equipment to a third party, the purchaser thereof will have the same rights and obligations with respect to any Canon Medical Systems software as Customer. Customer will need to make its own determination whether it needs to obtain any consent from a third party for non-Canon Medical Systems software. Any Canon Medical Informatics, Inc products quoted herein are conditioned on and subject to the Software License Agreement located at:

https://us.medical.canon/download/CMI-Capital-License-Agreement which is incorporated herein by reference.

15. <u>CANCELLATION</u>. Customer may not cancel the order subject to this Agreement except with Canon Medical Systems' prior written consent. In the event of cancellation without Canon Medical Systems' written consent, Canon Medical Systems will be entitled to recover liquidated damages in an amount equal to twenty percent (20%) of the purchase price of the Equipment



- 16. ASSIGNMENT. Neither party may assign any of its obligations under this Agreement without the prior written consent of the other party However, some of the obligations stated in this Agreement, such as the ones relating to installation of items not manufactured by Canon Medical Systems and the warranty thereof may be performed by Canon Medical Systems' contractors or suppliers.
- 17. EXPORT REGULATIONS. This Agreement involves products, and/or technical data that may be controlled under the U.S. Export Administration Regulations and may be subject to the approval of the U.S. Department of Commerce prior to export. Any export or re-export by Customer, directly or indirectly, in contravention of such Regulations is prohibited.
- 18. <u>ATTORNEY'S FEES COSTS</u>. In the event of any legal proceeding involving any party to this Agreement against the other relating to the subject matter of this Agreement, the prevailing party in such proceeding will be entitled to recover reasonable attorney's fees, expert fees, and court costs against the non-prevailing party
- 19. ACCEPTANCE BY CANON MEDICAL SYSTEMS. This Quotation/Order will not be binding on Canon Medical Systems even if signed by a Canon Medical Systems' employee, until Customer's order for the Equipment is booked by Canon Medical Systems' Headquarter office.
- **20.** END USER CERTIFICATION. Purchaser represents, warrants and covenants that it is acquiring the Products for its own end use and not for reselling, leasing or transferring to a third party (except for leaseback financing).
- 21. ENTIRE AGREEMENT. This quotation contains the entire agreement between the parties and supersedes all prior and contemporaneous agreements between the parties, whether oral or written, relating to its subject matter, including, without limitation, all different or additional terms and conditions which may be contained in Customer's bid documents, purchase order or any other documents furnished by Customer. The provisions of this Agreement may not be modified unless in writing and executed by both parties.



Made For life

QUOTATION/ORDER SUMMARY

DATE:

10/5/2023

SID #:

30105777

QUOTE #:

177343-5

PRESENTED TO:

SENECA HEALTHCARE DISTRICT 130 BRENTWOOD DR CHESTER, CA. 96020

APLIO-ISERIES-1700.000

APLIO 1700 ULTRASOUND SYSTEM

SPECIAL INFORMATION & TERMS

If this quotation is not accepted by November 30, 2023, Canon Medical Systems USA, Inc. reserves the right to cancel this quotation.

This quotation shall remain valid until November 30, 2023.

CRO

All prices are F.O.B. destination.

Payment terms are: Cash - 0% down payment, 80% upon delivery, 20% net 45 days after shipment or upon availability for first use by purchaser, whichever comes first.

This quotation/order will be subject to and governed by the Agreement for Ultrasound equipment products between Premier Healthcare Alliance, L.P. and Canon Medical Systems USA, Inc. Reference contract no. PP-IM-293, effective October 1, 2015.

Please return signed quotation to Canon Medical Systems USA, Inc. by email OrderAdmin@us.medical.canon or fax 714-441-9320.

ACCEPTED AGREED AND ORDERED:

ÉURCHASER'S SIGNATURE/TITLE

CANON MEDICAL SYSTEMS REP

All information contained in this quotation is confidential and may not be disclosed to any third party without Canon Medical Systems' prior written consent.





CANON MEDICAL SYSTEMS USA, INC.

EQUIPMENT SUMMARY:

APLIO-ISERIES-1700.000

APLIO 1700 ULTRASOUND SYSTEM

PART NUMBER	QTY	DESCRIPTION
APLIO-I700-V6.5.100	1	APLIO 1700 PRISM ULTRASOUND SYSTEM
	1	APLIO 1700 ULTRASOUND IMAGING SYSTEM
	1	PROTOCOL ASSISTANT
	1	GEL WARMER
UL-INTERNALWIFI	1	INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT)
	1	STANDARD APPLICATIONS TRAINING
PLI-1205BX/FS	1	LINEAR ARRAY TRANSDUCER (I18LX5)
PLI-705BX/FS	1	MULTI FREQUENCY LINEAR ARRAY TRANSDUCER (I11LX3)
PVI-475BX/FS	1	CONVEX ARRAY TRANSDUCER (I8CX1)
ENDO-AI700/4.100	1	EV/ER TRANSDUCER HOLDER KIT
	1	EV/ER TRANSDUCER HOLDER
PVT-781VTE/FS	1	MULTI-FREQUENCY ENDOCAVITARY TRANSDUCER (11C3)
USPV-AI900A/EL	1	PANORAMIC VIEW
UACV-AI700/6.100	1	CV KIT
	1	CV KIT FOR V5.1 OR LATER
	1	REFERENCE SIGNAL KIT
	1	REFERENCE SIGNAL CABLE
	1	CONTINUOUS WAVE KIT
	1	PENCIL CONNECTOR UNIT

TOTAL QUOTE PRICE Applicable Sales Tax Additional

\$95,550.00





PURCHASABLE OPTIONS:

Please initial next to the option item you would like to purchase. Selected purchasable options will increase the total quote price by the noted "ADD" dollar amount listed on the item line:

PART NUMBER	QTY	DESCRIPTION	ADD	<u>INITIALS</u>
USUH-AI700A/EL/4.100	1	ULTRA HIGH FREQUENCY KIT	\$14,000.00	
PLI-2004BX/FS	1	LINEAR ARRAY TRANSDUCER (I24LX8) (SP)	\$7,000.00	·



FINANCE OPTIONS:

Finance options are available through Canon Medical Finance USA, a program of Canon Medical Systems USA, Inc.

CANON MEDICAL FINANCE USA OFFERINGS:

- Fair Market Value, \$1.00 Buy Out (Lease to Own), and Loan structures
- Finance terms ranging from 12 months to 84 months
- Financing for 3rd party assets (including, but not limited to leasehold improvements & I.T.)

CANON MEDICAL FINANCE USA BENEFITS:

- No progress payments. Payments begin after delivery and installation
- Upgrades to the current technology platform can be financed.
- Flexible finance structures, such as deferred payments, tiered repayments, and bridge financing, to meet cash flow needs

Finance options are subject to credit underwriting, approval, and a fully executed contract.

For more information, please contact Trish Malone, Sr. Dir. Financial Programs at:

tmalone@us.medical.canon or visit us at
programs/

https://us.medical.canon/service-and-support/financial-



COMPONENT SUMMARY:

PART NUMBER QTY DESCRIPTION

APLIO-I700-V6.5.100

1 APLIO 1700 PRISM ULTRASOUND SYSTEM

Part of Canon Medical Systems' ultra-premium i-Series, the Aplio™ i700 PRISM Edition ultrasound system provides a wide range of clinical capabilities, making it a comprehensive solution for a wide range of clinical targets with consistent, robust performance. Powerful iBeam+ imaging technology and intelligent AI-enabled applications and workflows allow the user to gain even more confident clinical insights through consistent and efficient performance. The improved bandwidth and processing power of the iBeam+ beamformer results in images with better penetration and detail resolution, so you can see more.

Aplio i-series Prism Edition's design can help Sonographers scan more comfortably and boost productivity in daily routine as well as more complex cases. Aplio's system console is fully adjustable for seated or standing use and easily accommodates a variety of users. The rotating user interface allows alignment of elbow, wrist & trackball in an ergonomically sound and patient-engaging position. The system continues and extends Canon Medical Systems' industry-first imaging and visualization capabilities and delivers exceptional image quality with sophisticated ergonomics that elevate efficiency to higher levels.

STANDARD COMPONENTS

- Aplio i700 Ultrasound Imaging System with iBeam+ beamformer technology, is up to 4 times faster than non Prism version's hardware to provide sharper images with better penetration and thus optimal, more robust results for higher clinical confidence.
- High definition 23" LCD monitor with articulated arm and handle
- 12.1" Programmable, touch-command screen with 3-section design allowing easy and intuitive access to all controls via a simple swipe
- Electric Lift for easy up/down of the control panel
- Protocol Assistant for an automatic execution of user-programmable imaging sequences, including measurements and labelling
- 4D hardware. Permits select standard transducers to be used for freehand 3D, giving access to volume imaging without the need to purchase further software or hardware, and allowing visualization of areas of interest without the need for mechanical 4D transducers.
- Four active transducer ports for convenient transducer access
- Six transducer holders
- Windows 10, maintaining up-to-date cyber security
- DICOM
- OBR (On-Board Reporting) for OB
- Built-in DVD/CD drive with writer



- Up to 5 USB Ports (including USB 3.0)
- Raw data capabilities. Multiple parameters can be adjusted (including common modes like 2D and Color) as well as annotations and measurements. This may be done at any time, both during the exam for immediate correction, as well as in the days after the patient has left.
- Large capacity Cine Memory
- Scan depth of up to 50 cm (transducer dependent). The depth of 50 cm is industry-leading and allows penetration for large patients
- Dynamic Micro Slice enables optional iDMS transducers to be used.
 These are often '2-in-1 transducers, covering the frequency bandwidth of 2 standard transducers which can help reduce examination time, as well as reduce costs
- Multiplexing kit enables optional Quad View for CHI, Quad View for SWE, Shadow Glass, Smart Sensor 3D, Multi-reflection Canceller and iDMS. The sophisticated architecture in the Multiplexing kit helps drive the high speed processing of the very large data volumes provided using the i700. It also allows for multiple display options, such as providing 4-in-1 screens for viewing several imaging views at a single glance
- Software STC for depth as well as lateral gain adjustment. The ability to have lateral gain as well as the more common depth gain allows individual adjustment in areas that may be difficult to assess due to variations in attenuation across the image.
- Security Management Kit. In this age of ever increasing security risks,
 this may be used to provide various options for authentication of users,
 auditing, and allowing automatic de-identification of images. The
 antivirus software permits only registered executable files to be executed,
 preventing execution of malware. No Canon Ultrasound systems have
 been hacked in any of the recent cybersecurity breaches while protected
 under Canon's cybersecurity practices.
- Internal wireless communication, which is FIPS 140-2 certified ensuring the highest level of encryption using WPA2 Enterprise
- Gel Warmer

STANDARD IMAGING FEATURES

- ApliPure+TM enhances the display of boundaries between tissues and reduces speckle noise and acoustic shadows, when used in conjunction with iBeam+, ApliPure+ improves B-mode imaging frame rates by up to 187% (>2.5X).
- Advanced Dynamic Flow™ (ADF) enables blood flow imaging with detailed visualization and high frame rate
- Full Focus with iBeam+ function enables clear, uniform images from near and to far field without the need for focus adjustments. With fewer application steps and greater uniformity, this can be particularly useful to help shorten exam times.
- Auto-Intima Media Thickness (A-IMT)



- Biopsy Enhance Auto Mode (BEAM) enhances visualization of the needle during linear transducer biopsies
- Differential Tissue Harmonic Imaging (D-THI) simultaneously transmits two frequencies for better spatial resolution and penetration
- Precision Imaging assists in reducing noise and speckle in the image and increases the visibility of tissue
- Tissue Doppler Imaging (TDI)
- Trapezoid Imaging
- Ultra Wide View Canon's unique technology of Ultra Wide View enables the user to image more anatomy in one view, providing more information and perspective in a single image, while still maintaining high image quality.
- Tissue Specific Optimization (TSO) adjusts for differing speeds of sound from tissue of various acoustic characteristics especially in breast imaging
- Quick Scan automatic, real-time, adjustment of gain and TGC in 2D and spectral Doppler
- Smart 3D Internal hardware to enable Smart 3D external hardware and additional software
- Vascularity Index Displays multiple parameters for a Power/SMI image such as number of pixels, and the ratio in the Power/SMI image and within the ROI
- Superb Micro-vascular Imaging (SMI) –Enhances the visualization of slow and microvascular flow (at high resolution and in both monochrome 'subtraction' and various color map displays) for assessment of all vascularity, but especially very fine vessels or in cases with very slow flow, that are not usually seen with color Doppler
- SMI G4 expands the range of visible blood flow to visualize ultra-low to high speed blood flow with reduced clutter, reduced flash artifact, less noise and high sensitivity.
- Tissue Harmonic Imaging (THI)

Connectivity

Extensive communication and data management capabilities enable seamless integration into hospital and research environments including the following DICOM functions:

- DICOM data type
 - o US Image (still image)
 - US Multi Frame (dynamic image)
 - o SC Image (storage in a separate file)
 - o Enhanced US Volume (Volume data image)
 - o Structured Report (measurement result information)
- Server connection
 - o Storage (Server/Media)
 - o MWM (Modality Worklist Management)
 - o MPPS (Modality Performed Procedure Step)
- Storage function



- o Storage Commitment
- o Query/retrieve
- Standard conformity check function
 - Verification (export/import)
- Print function
 - o DICOM Print

Cybersecurity

- Windows 10 OS with Microsoft support for patches/updates
- Windows firewall configuration
- Password authentication for users, auditors, administrators and service access
- McAfee® Solidifier, a whitelist antivirus software for endpoint protection
- Follows NIST 800:37 Risk Management Framework (RMF)

Optional features at additional cost:

 ApliGate kit – collaboration tool that allows users to share images from the ultrasound system to a connected personal computer. Images transmitted using ApliGate can be de-identified according to HIPAA guidelines to remove protected health information (PHI).

APPLICATIONS SUPPORT

Developed with customer input, Canon Medical Systems' innovative support programs have resulted in increased customer satisfaction. These include the following:

Technical Assistance

Customer support specialists are available 24/7 to help resolve technical issues in real time. Application support specialists are also available to assist staff with protocol and image-quality issues.

Local Customer Teams

A single call mobilizes a local team of Canon Medical Systems customer engineers. With an average of 10 years of Canon Medical Systems experience and 105 hours of specialized training per team member, they can resolve almost any performance issue.

Parts Support

A complete inventory of product parts is ready for shipment when and where they are needed, any time of day or night.



1 APLIO 1700 ULTRASOUND IMAGING SYSTEM

1 PROTOCOL ASSISTANT

A sequence of operations is registered, and each operation is executed by single switch operation. Enables automated workflow when performing complex ultrasound exams. Featuring one-click operation, Protocol Assistant helps increase consistency and maintain standards from start-to-finish and patient-to-patient.

1 GEL WARMER

UL-INTERNALWIFI

1 INTERNAL WIRELESS LAN (FIPS 140-2 COMPLIANT)

Internal Wireless Lan (FIPS 140-2 Compliant)

Intel chipset with Wi-Fi 6 certification
Dual band 2.4Ghz/5Ghz
FIPS 140-2 & FISMA security compliance
2x2 MU-MIMIO technology
WPA, WPA2 & WPA3 - Wi-Fi Protected Access Standard security protocol

1 STANDARD APPLICATIONS TRAINING

Training

Included with the purchase of Aplio is training conducted by Canon Medical Systems applications specialists registered with the American Registry of Diagnostic Medical Sonographers (ARDMS).

Training includes:

- · Two days of on-site applications training
- One day of on-site follow-up applications training
- Free access to www.healthysonographer.com website for the latest information on how to optimize your scanning environment and minimize your risk of WRMSDs, particularly using Canon systems (the Healthy Sonographer PlatformTM).
- Optional on-site HealthySonographer Certification program (additional cost)

The training is offered to the Customer at no charge, providing that it is completed no later than one (1) year after the warranty start date.

Additional On-Site Training

Available for purchase.

PLI-1205BX/FS

1 LINEAR ARRAY TRANSDUCER (I18LX5)



Model: PLI-1205BX

Imaging Frequencies: 4.0 – 18.0MHz Footprint/Curvature: Approx. 46mm Use: Small parts, MSK, peripheral vascular

Biopsy kit/adapter: 680-139, 680-138, 610-608, 680-149, 680-148, 610-1500,

680-132, 680-133, 610-1017, 610-1018, 610-1019

Reusable biopsy adapter: N/A Fusion adapter: UAFS-008A

Prerequisite: Aplio i-series V1.0 or later (i700, i800, i900)

PLI-705BX/FS

1 MULTI FREQUENCY LINEAR ARRAY TRANSDUCER (I11LX3)

Model: PLI-705BX

Imaging Frequencies: 3.5 – 8.5MHz Footprint/Curvature: Approx. 46mm Use: Peripheral vascular, Small parts, MSK Biopsy kit/adapter: 680-150, 680-151, 610-1500

Reusable biopsy adapter: N/A Fusion adapter: UAFS-008A

Prerequisite: Aplio i-series V2.0 or later (i700, i800, i900)

PVI-475BX/FS

1 CONVEX ARRAY TRANSDUCER (I8CX1)

Model: PVI-475BX

Imaging Frequencies: 1.8 – 6.2MHz Footprint/Curvature: Approx. 50mm Field of View: Approx. 70 degrees Use: Abdominal, fetal, pediatric

Biopsy kit/adapter: 680-143, 680-142, 610-608, 680-153, 680-152, 610-1500

Reusable biopsy adapter: N/A

Fusion adapter: UAFS-007A (included with UIFR-AI900A)

Prerequisite: Aplio i-series V1.0 or later (i700, i800, i900)

ENDO-AI700/4.100

1 EV/ER TRANSDUCER HOLDER KIT

1 EV/ER TRANSDUCER HOLDER

EV/ER Transducer Holder for Aplio iSeries. Adds a dedicated holder for endocavitary transducers.

PVT-781VTE/FS

1 MULTI-FREQUENCY ENDOCAVITARY TRANSDUCER (11C3)

Model: PVT-781VTE
Imaging Frequencies:

i series: 3.6 10.5 M

i-series: 3.6 – 10.5 MHz

• Aplio 300/500: 3.0 – 11.0 MHz **Footprint/Curvature:** Approx. 10mm **Field of View:** Approx. 180 degrees



Use: Transvaginal uterus, ovary Biopsy kit/adapter: 680-121

Reusable biopsy adapter: UAGV-035A

Fusion adapter: UAFS-006A

Prerequisite:

Aplio i-series V1.0 or later (i700, i800, i900), i600 V2.0 or later

Aplio 300/500 V6.0 or later

USPV-AI900A/EL

1 PANORAMIC VIEW

B/W images can be obtained with a wider field of view by moving the

transducer in the lateral direction.

UACV-AI700/6.100

1 CV KIT

1 CV KIT FOR V5.1 OR LATER

1 REFERENCE SIGNAL KIT

1 REFERENCE SIGNAL CABLE

For cardiovascular examinations (ECG (Electrocardiogram), Respiration, ECG gating, Heart rate).

1 CONTINUOUS WAVE KIT

For cardiovascular examinations, adds Continuous Doppler capability to sector and pencil transducers.

1 PENCIL CONNECTOR UNIT

This unit is used to add connectors for pencil transducers.



CANON MEDICAL SYSTEMS USA, INC.

OPTIONS

USUH-AI700A/EL/4.100

ULTRA HIGH FREQUENCY KIT

PLI-2004BX/FS

LINEAR ARRAY TRANSDUCER (124LX8) (SP)

Model: PLI-2004BX

Imaging Frequencies: 8.8 – 24.0MHz Footprint/Curvature: Approx. 41mm Use: Small parts (superficial), MSK

Biopsy kit/adapter: 680-137, 680-136, 610-608, 680-147, 680-146, 610-1500,

680-134, 680-135, 610-1017, 610-1018610-1019

Reusable biopsy adapter: N/A Fusion adapter: UAFS-008A

Prerequisite: Aplio i-series V2.0 or later (i700, i800, i900)



PRODUCT WARRANTY AND SERVICE COVERAGE

SYSTEM WARRANTY TERMS

Canon Medical Systems warrants that the Equipment will be free from defects in material and workmanship, for the duration and subject to the terms and conditions stated below. Any part furnished to Customer during the warranty period (stated in the table below) to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the Equipment.

The warranty period will commence on the date the installation of the product is complete. Notwithstanding the foregoing, in the event that the installation of the product is delayed for a total of thirty (30) days or more from the date of delivery for any reason or reasons for which Canon Medical Systems is not responsible, the warranty period for such product may, at Canon Medical Systems' option, commence on the thirtieth (30th) day from the date such product is delivered to Customer.

WARRANTY EXCLUSIONS

Warranty coverage does not include any defect which results, in whole or in part, from (1) negligent storage or handling of the product by Customer, its employees, agents, or contractors, (2) failure of Customer to prepare the site or provide power requirements or operating environmental conditions in compliance with any applicable instructions or recommendations of Canon Medical Systems, (3) absence of any product, component, or accessory recommended by Canon Medical Systems but omitted at Customer's direction, (4) any design, specification or instruction furnished by Customer, its employees, agents, or contractors, (5) any alteration of the product by persons other than Canon Medical Systems, (6) combining Canon Medical Systems' product with any product furnished by others that is not approved by Canon Medical Systems, (7) combining incompatible products of Canon Medical Systems, without Canon Medical Systems' prior approval, (8) improper use of the product, improper maintenance of the product by a party other than Canon Medical Systems, or failure to comply with any applicable instructions or recommendations of Canon Medical Systems, or (9) acts of God, fires, floods, strikes or other labor disturbances, or other causes beyond the reasonable control of Canon Medical Systems.

Canon Medical Systems does not warrant any products not manufactured by Canon Medical Systems such as, without limitation, monitors, and computer equipment. Such items will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems.

Warranty coverage also excludes consumables, including but not limited to accessories, batteries, storage media, power units, and printer consumables.

REMEDIES

If Canon Medical Systems determines that any product fails to meet the above-mentioned warranty during the applicable warranty period, Canon Medical Systems will correct any such failure by either, at its option, repairing, adjusting, or replacing without charge to Customer any defective or nonconforming parts of the product. Canon Medical Systems will have the option to furnish either new or remanufactured replacement parts or assemblies. However, remanufactured parts will meet the manufacturer's specifications for new components as of the date of completion of installation. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems.

SOFTWARE UPDATES

Canon Medical Systems will furnish to Customer, free of charge for the life of the Equipment, all Canon Medical Systems software or hardware upgrades to the Equipment purchased by Customer, which are intended to correct a safety risk. Software updates offering enhancements to previously purchased software features will be provided during the term of the warranty, if they do not require hardware modifications or additions. Software upgrades providing new features or capabilities not originally purchased, will be made available for purchase by Customer upon request when compatible with the originally purchased hardware. Canon Medical Systems retains the sole right to determine whether a software release is considered an update or an upgrade for which Customer will be charged. The above items will be performed only during the Covered Hours stated in the warranty. Service required outside these hours will be billed at Canon Medical Systems' differential rates in effect at the time such items are provided to Customer.

WARRANTY SERVICE

Warranty service during the applicable warranty period will be performed without charge to Customer during Canon Medical Systems' normal business hours, Monday through Friday, excluding Canon Medical Systems holidays. Subject to the availability of personnel, afterhours service is available upon request at an additional charge.

Customer must promptly notify Canon Medical Systems within the applicable warranty period of any defect that is covered by the warranty, and make the Equipment promptly available for repair and maintenance.

DISCLAIMERS AND LIMITATIONS ON LIABILITY

Canon Medical Systems' obligations stated above will be Customer's sole and exclusive remedy for a breach of the warranty set forth above. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Canon Medical Systems does not warrant that the operation of the Equipment will be uninterrupted.

WARRANTIES BY PRODUCT LINE

ITEM TYPE	ULTRASOUND
-----------	------------





EQUIPMENT	12 Months	
ACCESSORY OPTIONS	6 Months	
REPLACEMENT & OPTIONAL PARTS*	90 Days	
UPGRADE COMPONENTS	12 Months	
TRANSDUCERS	12 Months	

^{*} The above 90-day period applies only to parts that are not furnished pursuant to a warranty repair for the Equipment. Any part furnished to Customer during the warranty period to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the System.



TERMS AND CONDITIONS OF SALE

- 1. TITLE AND RISK OF LOSS. Title and risk of loss to the Equipment purchased under this Agreement will pass to Customer: (a) if Canon Medical Systems is to provide installation, upon Canon Medical Systems' completion of installation, or (b) if Canon Medical Systems will not provide installation, upon delivery by Canon Medical Systems to Customer.
- 2. TERMS OF PAYMENT. Prices stated are F.O.B. Customer's facility. All taxes which are payable by Canon Medical Systems in connection with the sale, use, or possession of the Equipment (excluding income taxes), will be paid by Customer in addition to the quoted price. Terms of payment will be as stated in the first page of this Quotation. All invoices paid after due date will be assessed a late payment charge of the lesser of 1 1/2% per month or the maximum rate permitted by law.
- 3. DELAYS. If Customer changes the scheduled delivery date during the period of 120 days preceding the delivery date, Customer will nevertheless pay the installment of the purchase price which would have been payable upon delivery, on the Scheduled Delivery Date as if delivery had been made on such date. In addition, Customer will pay all extra costs incurred by Canon Medical Systems as a result of such delay, including, without limitation, storage and transportation. Storage fees will be charged at commercially comparable rates for storage on Canon Medical Systems' site. If delivery is delayed by 12 months or more from the Scheduled Delivery Date, except through the fault of Canon Medical Systems, the price set forth in this Agreement may be increased by Canon Medical Systems to a level equal to the prevailing price in effect at the time of the revised delivery date.
- EQUIPMENT INSTALLATION. Canon Medical Systems will provide, at no additional cost, standard labor and rigging services to unload the Product from the transport vehicle and move to the final position. The shoring of floors, the widening of doorways, and other nonstandard rigging requirements will be negotiated between the Canon Medical Systems and Customer separately if it is determined they are required. Canon Medical Systems will install all Equipment purchased under this Agreement and connect them to existing power and/or plumbing lines at no additional charge to Customer. Customer will be responsible for electrical wiring, plumbing, carpentry, plastering, painting, or all other site preparation required prior to installation and connection of the Equipment by Canon Medical Systems. Customer will provide space at the installation site for the safe storage of Canon Medical Systems' tools, test equipment and other materials used for installation at no charge to Canon Medical Systems. Customer shall, at its cost, obtain all permits and licenses required by governmental authorities in connection with the installation and operation of the Equipment. Customer acknowledges that the System and Software are designed to operate within certain power, temperature, airborne contamination, and humidity ranges. Customer will be responsible for, without limitation: (i) preparing and maintaining the Customer facility in conformance with the Site Preparation Guide; (ii) maintaining its network infrastructure; (iii) providing Canon Medical Systems, access to a network connection in or near the area of the System being serviced by the equipment service staff; and (iv) supplying computer grade AC power. The Equipment relies upon a stable grounded connection to the main power grid in order to function effectively. acknowledges that AC power supply quality may be a problem in old facilities or in those facilities receiving poor quality utility service and that power conditioning may be necessary in such cases.

- 5. EQUIPMENT OPERATION. Customer agrees that all Equipment purchased under this Agreement will be operated exclusively by duly qualified technicians and/or medical doctors in a safe and reasonable manner in accordance with Canon Medical Systems' written instructions, applicable laws and regulations, and for the purposes for which such Equipment was intended.
- 6. LIMITED WARRANTY AND REMEDY. A. For the warranty period described below by product, Canon Medical Systems, as its only obligation, will replace or repair, without charge to Customer during Canon Medical Systems' normal working hours (if Customer requests warranty service outside such hours, Customer will pay overtime premium for labor), any component of the Equipment that is defective in materials or workmanship, provided such defect is reported to Canon Medical Systems within the warranty period. Canon Medical Systems' warranty period is as follows: (a) Systems and Major Components one year from date of completion of installation; (b) Accessories/Options (except glassware) - six months from date of completion of installation. Components not manufactured by Canon Medical Systems will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems. During the warranty period, Canon Medical Systems will furnish free of charge any parts, including software required to correct any defect in the Equipment or as required under applicable laws.
- Canon Medical Systems does not warrant that the operation of the Equipment of the System will be uninterrupted. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems. Replacement parts may be re-manufactured. However, such parts will meet the manufacturer's specifications for new components as of the date of completion of installation. CANON MEDICAL SYSTEMS' OBLIGATION TO REPAIR OR REPLACE DEFECTIVE PARTS OR SOFTWARE WILL BE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY FOR A BREACH OF THE WARRANTY SET IN THIS AGREEMENT. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The warranty set forth in this Agreement will not apply to, and Canon Medical Systems will not be liable for any defects resulting from misuse, repairs performed by unauthorized third parties, accidents, acts of God, or neglect of anyone other than Canon Medical Systems.



CANON MEDICAL SYSTEMS USA, INC.

- 7. LATEST HARDWARE AND SOFTWARE AT TIME OF DELIVERY. Canon Medical Systems agrees that the Equipment ordered by Customer will, at the time of delivery to Customer, contain, at no additional charge to Customer, the latest hardware and software manufactured by Canon Medical Systems for such Equipment that are commercially available in the United States and which are provided as part of Canon Medical Systems' standard configuration for such Equipment at the time of delivery. This commitment applies only to components and not an upgrade to the entire system. Furthermore, it is limited to hardware and software that (a) have been ordered by Customer, and not any optional or other items that were not ordered by Customer, and (b) are cleared by the FDA as of the date of delivery of the Equipment. This clause does not apply to Assure, Demonstration or Used Equipment.
- 8. <u>LIMITATION OF LIABILITY</u>. A. NEITHER CANON MEDICAL SYSTEMS NOR CUSTOMER WILL UNDER ANY CIRCUMSTANCES BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL, OR EXEMPLARY DAMAGES OR ECONOMIC LOSS ARISING OUT OF OR RELATED TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT, EVEN IF EITHER PARTY IS APPRISED OF THE LIKELIHOOD OF SUCH DAMAGES OCCURRING.
- B. IN NO EVENT WILL CANON MEDICAL SYSTEMS' LIABILITY TO THE CUSTOMER (WHETHER BASED ON AN ACTION OR CLAIM IN CONTRACT, TORT, INCLUDING NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE) ARISING OUT OF OR RELATING TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT EXCEED THE AGGREGATE AMOUNT ACTUALLY PAID BY CUSTOMER TO CANON MEDICAL SYSTEMS UNDER THIS AGREEMENT. THE LIMITATION OF LIABILITY SET FORTH ABOVE WILL NOT APPLY TO CLAIMS FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY EQUIPMENT DEFECTS.
- 9. SECURITY INTEREST. Canon Medical Systems hereby reserves and Customer grants to Canon Medical Systems a security interest pursuant to the Uniform Commercial Code, in and to the Equipment (and all products and proceeds of it) until full payment of the purchase price is received. In the event that Customer finances its acquisition of the Equipment through a lease, conditional sale contract, secured loan agreement or other financing agreement (collectively, "Lease") with Canon Medical Systems, then the security interest in the Equipment (and all products and proceeds thereof) shall secure all obligations of Customer due and to become due under the Lease.
- 10. <u>REMOVAL OF EQUIPMENT</u>. Until Canon Medical Systems has received full payment of the purchase price, Customer will not remove all or any part of the Equipment from Customer's premises, nor will Customer sell, lease, transfer or otherwise part with the possession of, or permit any lien or encumbrance to be placed on all or any part of the Equipment.
- 11. TRADE-IN. If this quotation includes the trade-in of Customer's existing equipment and the removal date of the trade-in equipment is delayed due to no fault of Canon Medical Systems or if the trade-in equipment is damaged or its condition deteriorates from the date of this quotation through the date of removal, Canon Medical Systems reserves the right to increase the pricing of the new equipment in an amount equal to the reduction in the resale price of the trade-in equipment. Customer must convey free and clear title to the trade-in equipment. If there are any liens or encumbrances on the trade-in equipment, Canon Medical Systems cannot accept the trade-in.

- 12. REMEDIES OF CANON MEDICAL SYSTEMS. If Customer fails to make any payment when due under this Agreement, or becomes insolvent or makes an assignment for the benefit of creditors, or if a petition in Bankruptcy is filed by or against Customer, or if the financial responsibility of Customer becomes impaired, or if Customer otherwise breaches any of the terms and conditions of this Agreement, then Canon Medical Systems may, without prior notice or demand, defer shipments, cancel the balance of the order, suspend performance of any obligation (including without limitation, all obligations set forth under Limited Warranty And Remedy above), and/or take immediate possession of the Equipment delivered, until the full purchase price of the Equipment is paid by Customer or, at Canon Medical Systems' discretion, until security satisfactory to Canon Medical Systems is given by Customer. Any costs incurred by Canon Medical Systems as a result of suspending performance or repossession or collection will be payable by Customer. Canon Medical Systems may sell repossessed Equipment with proceeds to be applied to unpaid balance and expenses incurred in sale, repossession and collection. Customer will pay any remaining deficiency. Canon Medical Systems may exercise any other rights available to it by law.
- 13. EXCUSED PERFORMANCES. Except for Customer's payment obligations hereunder, neither party will be liable to the other for non-performance or delay in performance resulting directly or indirectly from any occurrences beyond such party's control, including without limitation, strikes or other labor troubles, acts of God, war, accidents, fires, floods, other catastrophes, inclement weather, transportation, delays caused by suppliers, or laws, regulations, or acts of any governmental agency.
- 14. SOFTWARE. All rights and interest in any software that may be furnished under this Agreement, and any updates and enhancements to it, will remain the property of Canon Medical Systems. Such software is being furnished to Customer under a non-exclusive license. Customer will not, or allow others to decompile, modify, copy, reproduce, or transcribe the software nor allow third parties to use the same without Canon Medical Systems' prior written consent. In the event a third party's software is furnished to Customer, Customer may be required to execute a software license agreement as requested by such third party as a condition to delivery and/or purchase of the third party's product. Canon Medical Systems will furnish Customer with a copy of such license agreement for its review and execution. In the event Customer sells the Equipment to a third party, the purchaser thereof will have the same rights and obligations with respect to any Canon Medical Systems software as Customer. Customer will need to make its own determination whether it needs to obtain any consent from a third party for non-Canon Medical Systems software. Any Canon Medical Informatics, Inc products quoted herein are conditioned on and subject to the Software License Agreement located at:

https://us.medical.canon/download/CMI-Capital-License-Agreement which is incorporated herein by reference.

15. <u>CANCELLATION</u>. Customer may not cancel the order subject to this Agreement except with Canon Medical Systems' prior written consent. In the event of cancellation without Canon Medical Systems' written consent, Canon Medical Systems will be entitled to recover liquidated damages in an amount equal to twenty percent (20%) of the purchase price of the Equipment





CANON MEDICAL SYSTEMS USA, INC.

- 16. ASSIGNMENT. Neither party may assign any of its obligations under this Agreement without the prior written consent of the other party However, some of the obligations stated in this Agreement, such as the ones relating to installation of items not manufactured by Canon Medical Systems and the warranty thereof may be performed by Canon Medical Systems' contractors or suppliers.
- 17. EXPORT REGULATIONS. This Agreement involves products, and/or technical data that may be controlled under the U.S. Export Administration Regulations and may be subject to the approval of the U.S. Department of Commerce prior to export. Any export or re-export by Customer, directly or indirectly, in contravention of such Regulations is prohibited.
- 18. <u>ATTORNEY'S FEES COSTS</u>. In the event of any legal proceeding involving any party to this Agreement against the other relating to the subject matter of this Agreement, the prevailing party in such proceeding will be entitled to recover reasonable attorney's fees, expert fees, and court costs against the non-prevailing party
- 19. ACCEPTANCE BY CANON MEDICAL SYSTEMS. This Quotation/Order will not be binding on Canon Medical Systems even if signed by a Canon Medical Systems' employee, until Customer's order for the Equipment is booked by Canon Medical Systems' Headquarter office.
- **20.** END USER CERTIFICATION. Purchaser represents, warrants and covenants that it is acquiring the Products for its own end use and not for reselling, leasing or transferring to a third party (except for leaseback financing).
- 21. ENTIRE AGREEMENT. This quotation contains the entire agreement between the parties and supersedes all prior and contemporaneous agreements between the parties, whether oral or written, relating to its subject matter, including, without limitation, all different or additional terms and conditions which may be contained in Customer's bid documents, purchase order or any other documents furnished by Customer. The provisions of this Agreement may not be modified unless in writing and executed by both parties.



Made For life

QUOTATION/ORDER SUMMARY

DATE:

QUOTE #:

10/5/2023

SID #:

30096451 177323-4

PRESENTED TO:

SENECA HEALTHCARE DISTRICT 130 BRENTWOOD DR CHESTER, CA. 96020

OMNERA-400T/2.000 OMNERA 400T SYSTEM

SPECIAL INFORMATION & TERMS

 If this quotation is not accepted by November 30, 2023, Canon Medical Systems USA, Inc. reserves the right to cancel this quotation.

This quotation shall remain valid until November 30, 2023.

CES

All prices are F.O.B. destination.

Payment terms are: Cash - 0% down payment, 80% upon delivery, 20% net 45 days upon completion of installation and/or availability for first use, whichever is earlier.

This quotation/order will be subject to and governed by the Agreement for X-Ray equipment products between Premier Healthcare Alliance, L.P. and Canon Medical Systems USA, Inc. Reference contract no. PP-IM-290, effective October 1, 2015.

Please return signed quotation to Canon Medical Systems USA, Inc. by email OrderAdmin@us.medical.canon or fax 714-441-9320.

ACCEPTED AGREED AND ORDERED:

PURCHASER'S SIGNATURE/TITLE

11/2/2023

CANON MEDICAL SYSTEMS REP

ATT

All information contained in this quotation is confidential and may not be disclosed to any third party without Canon Medical Systems' prior written consent.



EQUIPMENT SUMMARY:

OMNERA-400T/2.000

OMNERA 400T SYSTEM

OMNERA-400T/2.000		OMNERA 400T SYSTEM
PART NUMBER	QTY	DESCRIPTION
OMNERA400T.100	1	OMNERA 400T AUTO TRACKING SYSTEM
	1	INTUITION 400T BASIC X-RAY SYSTEM
	1	24M HIGH VOLTAGE CABLES
	1	WALL TRANSITION BOX AND COVER
	1	WALL BRACKET FOR EXTRA SUPPORT OF THE WALLSTAND (165-630MM)
	2	WIRING CABLE WC-4A (6M)
	2	MULTI BOX MB-4A
	1	WS: MANUAL MOVEMENTS OF DETECTOR
	1	TABLE STANDARD (CLOSED)
	2	ONE (1PCS) MECHANICAL DETENT (INDEX) FOR POSITIONING
	1	PATIENT LATERAL ARM REST - GREY
	1	GRID 52 LP/CM, 10:1 RATIO, F140, AL TYPE
	1	GRID 52 LP/CM, 10:1 RATIO, F110, AL TYPE
	1	OMNERA WIRELESS KIT
	1	50FT BLACK CAT 6 ETHERNET CABLE, 70U
	1	VINYL CABLE WRAP 9 METERS
	1	NE V2.19 (INTANGIBLE) SOFTWARE WITH SCATTER CORRECTION
	1	TRELLIX 3 YEAR MAINTENANCE AND SUPPORT LICENSE
	1	WALL MOUNTED PANEL POCKET
	1	WALL STAND: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER
	1	TABLE: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER
	1	DETECTOR HOLDER; MECHANICAL INDEX (TO FIND POSITION) FOR MANUAL BUCKY MOVEMENT
	1	CABLE OUTLET, OTC CABLING (CONNECTION TO WALL)
	1	CANON PC, MONITOR (CMSU)
	1	OEM SYSTEM STAGING
0170-925-041	1	COLLISION PROTECTION (IR), DOWNWARDS OTC MOVEMENT
	1	~STANDARD APPLICATIONS TRAINING
0072-925-303	1	80 KW 100KHZ-240KHZ HIGH FREQUENCY GENERATOR



CANON MEDICAL SYSTEMS USA, INC.

PART NUMBER	QTY	DESCRIPTION
0170-925-050	1	AUTOMATIC COLLIMATOR WITH DAP + WALLSTAND COLLIMATOR HANDLE
0540925011	1	600KHU XRAY TUBE 40/100KW 150KV
	1	X=3M X Y=5M, COLUMN LENGTH 1700MM (OVER 2.85M CEILING HEIGHT - 1700MM VERTICAL COLUMN STROKE)
	1	WALLSTAND LEFT HAND LOADING
180925202	1	UPGRADE TO TILTING WALLSTAND FOR 400T
MOTORIZED- WALLSTAND.100	1	[KIT] MOTORIZED WALLSTAND
	1	MOTORIZED WALLSTAND
0072-925-006	1	FOOT CONTROL WS, MANUAL & MOTORIZED VERTICAL MOVEMENTS
	1	WALL STAND CXDI-410/402 AND TABLE CXDI-410/402, 400T
CXDI-410C-PP-KIT.100	1	CXDI-410C 17" X 17" KIT WITH 2 YR PROTECTION PLUS
	1	CXDI-410C 17" X 17" WIRELESS DIGITAL DETECTOR
	1	PROTECTION PLUS - YEAR 1
	1	PROTECTION PLUS - YEAR 2
PDR410C-K18832140C	1	410C PROTECT-A-GRID ENCASEMENT AND GRID (8:1/132/40"-72"/140CM)
PDRNG401C	1	CXDI 17" X 17" WIRELESS DETECTOR HOLDER (NO GRID)
WDDR17	1	17" X 17" WEIGHT DISTRIBUTION CAP FOR CXDI DETECTOR
TTDR	1	TABLE TOP DR PANEL HOLDER FOR USE WITH WIRELESS
VIR-RAMOD	1	REJECT ANALYSIS MODULE
0055-099-171	1	PATIENT KIT: COMPRESSION BELT COST EFFECTIVE - PATIENT HANDGRIP (2PCS) AND MATTRESS

TOTAL QUOTE PRICE Applicable Sales Tax Additional

\$193,527.00





FINANCE OPTIONS:

Finance options are available through Canon Medical Finance USA, a program of Canon Medical Systems USA, Inc.

CANON MEDICAL FINANCE USA OFFERINGS:

- Fair Market Value, \$1.00 Buy Out (Lease to Own), and Loan structures
- Finance terms ranging from 12 months to 84 months
- Financing for 3rd party assets (including, but not limited to leasehold improvements & I.T.)

CANON MEDICAL FINANCE USA BENEFITS:

- No progress payments. Payments begin after delivery and installation
- Upgrades to the current technology platform can be financed.
- Flexible finance structures, such as deferred payments, tiered repayments, and bridge financing, to meet cash flow needs

Finance options are subject to credit underwriting, approval, and a fully executed contract.

For more information, please contact Trish Malone, Sr. Dir. Financial Programs at: tmalone@us.medical.canon or visit us at https://us.medical.canon/service-and-support/financial-programs/





OMNERA-400T/2.000 OMNERA 400T SYSTEM

Designed to meet the challenges of high-volume hospital imaging departments, the OMNERA-400T system is constructed of rugged, light weight, aircraft aluminum with both the patient and technologist in mind.

EASE-OF-USE FOR HEALTHCARE PROFESSIONALS

- Customizable workflow
- · In-bucky charging of the detector for both table and wall stand
- Motorized and manual vertical column functionality in wall stand
- Intuitive 10 inch touchscreen with technique adjustment and image preview as well as patient and procedure information
- · Flexible Elevating 6-way table positioning

HIGH IMAGE QUALITY

- CXDI Digital Radiography Systems
- Canon LANMIT® (Large Area New Metal-Insulator Semiconductor) Technology
- Proprietary Glass Substrate yields high resolution, high contrast images
- Incorporates a CsI scintillator for optimized light channeling, high quality images and low X-ray exposure to the patient.
- Image Stitching capability: Up to 4 images

FAST AND EFFORTLESS POSITIONING

Servo tracking at wall stand and table bucky

COMPONENT SUMMARY:

PART NUMBER QTY DESCRIPTION

OMNERA400T.100

1 OMNERA 400T AUTO TRACKING SYSTEM

Auto Tracking Radiographic System with Canon CXDI Wireless Digital Radiography Detector(s) in the Wall Stand and in the Table - Both with in Bucky Charging.

Table (32 in. wide by 95 in. long) including:

- Motorized elevation (540 850 mm)
- Patient load 650 lbs.
- · Floating table top
- Vertical collision protection
- Foot control: X, Y, Z (up/down/lock release for float)
- Table Grid 52 lp/cm, 10:1 Ratio, FFD 110 Aluminum type
- Ion Chamber
- Rotating detector holder(for 14" x 17" detector), non rotating detector holder (for 17"x17" detector)
- In-bucky detector charging (Optional 2 column table available)

Ceiling suspended X-ray tube support including:

- Motorized vertical tube support
- Servo tracking of table SID changes
- · Servo tracking of upright wallstand
- Control handle with touchscreen (adjustment of exposure parameters, display of patient information, post exposure image thumbnail, and positioning information)
- Large display with handle frame on x-ray tube support with X/Y brake release button
- Mechanical indexes for positioning (2 pcs)
- Non-size sensing manual collimator with laser and LED field display
- 24 m High voltage cables

Non-Tilting Wallstand Details (Included unless Tilting Wall Stand Upgrade was ordered as an option):

- Vertical manual movement
- Vertical movement is 1550mm (5'-1") with center of detector at 12.4" above the floor at lowest position.
- Patient handles
- Rotating detector holder(for 14' x 17" detector), non rotating detector holder for 17"x17" detector
- Grid 52 lp/cm, 10:1 ratio, SID 140 Aluminum type
- AEC Exposure Control Ion Chamber with 3 fields
- In-bucky detector charging (Optional Tilting Wallstand)

Canon Wireless Control Station with Touchscreen LCD Monitor

Hardware

- PC Hardware: Intel i7 quad core CPU, 250 GB SSD HD, 8 GB RAM, DVD/RW, Microsoft Windows 10 Enterprise, keyboard, mouse
- TRIPP LITE Omni Smart OMNISMART35HG 330 VA 225Watts 4 Outlet UPS System Included for Control Station
- Secure Wireless Communication between Detector and Access Point
- Includes Detector Battery Charger
- 24" Touchscreen monitor

Canon Control Software NE

System Log-in and Quality Assurance

- Secure mode: Operator log-in/password required (user authentication) by keyboard or ID Card Log in Feature Includes: ID Card Reader, 20 ID Cards
- Administrative Security levels allow for only selected users to access full image processing protocols.
- Calibration Routine: Once per year, configurable on screen reminder
- · QA display: SMTPE pattern included

Image Acquisition and Processing

- Programming: Unlimited anatomically programmed acquisition settings
- Reject/Retake: Reject, Retake, Un-Reject, Reject reason labeling with free or pre-set annotation; Reject log can be exported as a .csv file to be used in QA management program. (Optional Reject Analysis Software is available for analysis and management reporting)
- Manage workflow, image acquisition preview, post processing functions and tools for image annotation, and image processing on a single workstation.
- Protocol Pre-Pack: Allows multiple APR views to be associated into one APR for easy grouping of views within a study
- Auto-Stitch Software: Multiple manually acqired images can be stitched together for long spine, long leg, and other extended length imaging needs. (Optional Software is available for automatic position-stitching using the wall stand and the table.)

Image Processing Functions

- LUT selection, Edge enhancement, Dynamic Range Adjust, Noise Reduction, Sharpness Adjust
- Measurements, Distance, Angles, Cobb Angles, Height Distance

- Rotation, Flip, Inversion(negative/positive), Panning,
 Brightness/Contrast, Cropping, Embedding Laterality Markers, Zoom,
 ROI adjustment, Histogram analysis, MTF Improvement
- Exposure Index, Target Exposure Index, and Deviation Index to monitor Dose

Imaging Modes

- Manual imaging mode allows the user to individually select or add each view to be acquired for the study
- Program imaging mode uses the study information sent by the HIS/RIS to pre-configure the protocols for the exams to be performed. (Requires program imaging mode set-up.)
- 100 views can be acquired for a single patient
- Exams, views, and image processing can be fully customized to meet the needs of the facility

Data Output and Network Connection

- DICOM Store
- DICOM Print
- DICOM ModalityWorklist
- DICOM MPPS and STORE COMMIT

Modality Worklist

- Configurable to include a wide variety of patient information
- Find Mode is available and conforms to Modality Worklist SOP class (MWL)
- Pregnancy status can be received from the HIS/RIS and an alert displayed to inform the user of the pregnancy status.

1 INTUITION 400T BASIC X-RAY SYSTEM

- 1 24M HIGH VOLTAGE CABLES
- 1 WALL TRANSITION BOX AND COVER
- 1 WALL BRACKET FOR EXTRA SUPPORT OF THE WALLSTAND (165-630MM)
- 2 WIRING CABLE WC-4A (6M)
- 2 MULTI BOX MB-4A
- 1 WS: MANUAL MOVEMENTS OF DETECTOR
- 1 TABLE STANDARD (CLOSED)





- 2 ONE (1PCS) MECHANICAL DETENT (INDEX) FOR POSITIONING
- 1 PATIENT LATERAL ARM REST GREY
- 1 GRID 52 LP/CM, 10:1 RATIO, F140, AL TYPE
- 1 GRID 52 LP/CM, 10:1 RATIO, F110, AL TYPE
- 1 OMNERA WIRELESS KIT
- 1 50FT BLACK CAT 6 ETHERNET CABLE, 70U
- 1 VINYL CABLE WRAP 9 METERS
- 1 NE V2.19 (INTANGIBLE) SOFTWARE WITH SCATTER CORRECTION
- 1 TRELLIX 3 YEAR MAINTENANCE AND SUPPORT LICENSE
- 1 WALL MOUNTED PANEL POCKET
- 1 WALL STAND: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER
- 1 TABLE: CHARGING OF THE DETECTOR IN THE DETECTOR HOLDER
- 1 DETECTOR HOLDER; MECHANICAL INDEX (TO FIND POSITION) FOR MANUAL BUCKY MOVEMENT
- 1 CABLE OUTLET, OTC CABLING (CONNECTION TO WALL)
- 1 CANON PC, MONITOR (CMSU)
- 1 OEM SYSTEM STAGING

0170-925-041

- 1 COLLISION PROTECTION (IR), DOWNWARDS OTC MOVEMENT
- 1 ~STANDARD APPLICATIONS TRAINING

APPLICATION TRAINING

Each system includes a two phase education program.

Phase I: An initial thirty-two (32) hours, of on-site education will be provided at the customer facility during system go-live. This training is provided for up to four (4) imaging professionals, to focus on maximizing imaging techniques, protocols and system operation. Training is scheduled consecutively, Monday through Friday, with Monday mornings and Friday afternoons scheduled as travel time for the applications specialist. CE credits





are earned by participants that attend the Phase I training event in its entirety.

Phase II: An additional sixteen (16) hours of on-site education will be provided for the same four (4) imaging professionals, which participated in Phase I training, approximately 6-8 weeks following installation to optimize staff proficiency and system productivity.

Note: personnel are not responsible for imaging patients, patient safety, any actual patient contact, or operation of equipment during education sessions. Canon Medical Systems will only demonstrate proper equipment operation.

The training is offered to the Customer at no charge, providing that it is completed no later than one (1) year after the warranty start date.

Additional onsite training is available for purchase.

Applications support is available by phone on the toll-free ASSIST line, 1- 800-521-1968

0072-925-303	1	80 KW 100KHZ-240

1 80 KW 100KHZ-240KHZ HIGH FREQUENCY GENERATOR

0170-925-050

1 AUTOMATIC COLLIMATOR WITH DAP + WALLSTAND COLLIMATOR HANDLE

0540925011

- 1 600KHU XRAY TUBE 40/100KW 150KV
- 1 X=3M X Y=5M, COLUMN LENGTH 1700MM (OVER 2.85M CEILING HEIGHT 1700MM VERTICAL COLUMN STROKE)
- 1 WALLSTAND LEFT HAND LOADING

180925202

1 UPGRADE TO TILTING WALLSTAND FOR 400T

MOTORIZED-WALLSTAND,100

1 [KIT] MOTORIZED WALLSTAND

1 MOTORIZED WALLSTAND

0072-925-006

1 FOOT CONTROL WS, MANUAL & MOTORIZED VERTICAL MOVEMENTS

1 WALL STAND CXDI-410/402 AND TABLE CXDI-410/402, 400T

CXDI-410C-PP-KIT.100

1 CXDI-410C 17" X 17" KIT WITH 2 YR PROTECTION PLUS



1 CXDI-410C 17" X 17" WIRELESS DIGITAL DETECTOR One Canon CXDI-410C Wireless Digital Detector

Canon CXDI-410C Wireless Digital Radiography System is an advanced wireless digital radiographic device for a broad range of radiographic applications, including trauma, ICU and bedside imaging. The shape of the detector, which is identical to that of a conventional film cassette complying with ISO4090, enables digital radiography in the existing analog radiography configuration. The sensor with 125 μ m pixel pitch and CsI (Cesium Iodide) used for the scintillator produces high-resolution, digital images within the effective imaging area (415 x 426 mm). The Canon CXDI-410C Wireless Digital Detector is lightweight, carbon fiber construction, weighing approximately 6.17 lbs. (2.8 kg) including battery pack and measures approximately 17 in. x 17 in.

The CXDI-410C Wireless DR System features even further weight reduction over previous detectors in the Canon CXDI series and delivers greater operability than similar existing products as a result of improved water resistance (equivalent to IPX7) and the addition of new features (Standalone Mode and a READY switch). The CXDI-410C Wireless Digital Detector includes built in shock detection function which detects the shock applied to the detector unit and also the free fall of the detector unit. The data saved in the detector is transferred to the PC, can be output to .csv file and used for analysis.

Includes:

2 - Battery Packs per detector

1 PROTECTION PLUS - YEAR 1

Protection Plus, provides coverage for wireless detector panel models CXDI-410C, CXDI-710C, CXDI-810C, CXDI-402C, and CXDI-702C and includes drop protection. Protection Plus does not include the repair or replacement of the detector's software, power box, cables or batteries.

If the detector is damaged and cannot be repaired, the replacement fee of \$5,000 per panel will be required of the Customer. DR panels that are damaged by Customer's failure to comply with manufacturer's instructions, misuse, abuse, tampering or acts of God, are not covered and will be replaced at List Price. Detectors are subject to inspection by Canon; the Customer acknowledges and agrees that Canon has the right to deny coverage for a detector which, in Canon's sole discretion, is determined not to be eligible for replacement.

Customer acknowledges and agrees that the repair of a Covered Detector will not extend past the original Limited Warranty provided with the Covered Detector at point of sale, nor extend the Protection Plus term. In the event Customer purchases a Replacement Detector pursuant to



CATION CANON MEDICAL SYSTEMS USA, INC.

Protection Plus, Customer will receive Canon's applicable standard Limited Warranty on such Replacement Detector; the Replacement Detector will be covered under Protection Plus for the remainder of the Protection Plus term.

1 PROTECTION PLUS - YEAR 2

PDR410C-K18832140C 1 410C PROTECT-A-GRID ENCASEMENT AND GRID (8:1/132/40"-72"/140CM)

PDRNG401C

1 CXDI 17" X 17" WIRELESS DETECTOR HOLDER (NO GRID)

WDDR17

1 17" X 17" WEIGHT DISTRIBUTION CAP FOR CXDI DETECTOR Provides additional protection for wireless detector during weight bearing examinations.

- Durable user friendly design
- Supports patients up to 750 lbs.
- For use with the 17" x 17" CXDI wireless detector

TTDR

1 TABLE TOP DR PANEL HOLDER FOR USE WITH WIRELESS

VIR-RAMOD

1 REJECT ANALYSIS MODULE

Reject Analysis Module

- 1 license required per computer
- Aggregates multiple Exam Logs from different Canon control software NE installations
- Creates graphical reports on rejects based on Operator, Exam, and Date Range
- Creates management reports

0055-099-171

1 PATIENT KIT: COMPRESSION BELT COST EFFECTIVE - PATIENT HANDGRIP (2PCS) AND MATTRESS



PRODUCT WARRANTY AND SERVICE COVERAGE

SYSTEM WARRANTY TERMS

Canon Medical Systems warrants that the Equipment will be free from defects in material and workmanship, for the duration and subject to the terms and conditions stated below. Any part furnished to Customer during the warranty period (stated in the table below) to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the Equipment.

The warranty period will commence on the date the installation of the product is complete. Notwithstanding the foregoing, in the event that the installation of the product is delayed for a total of thirty (30) days or more from the date of delivery for any reason or reasons for which Canon Medical Systems is not responsible, the warranty period for such product may, at Canon Medical Systems' option, commence on the thirtieth (30th) day from the date such product is delivered to Customer.

WARRANTY EXCLUSIONS

Warranty coverage does not include any defect which results, in whole or in part, from (1) negligent storage or handling of the product by Customer, its employees, agents, or contractors, (2) failure of Customer to prepare the site or provide power requirements or operating environmental conditions in compliance with any applicable instructions or recommendations of Canon Medical Systems, (3) absence of any product, component, or accessory recommended by Canon Medical Systems but omitted at Customer's direction, (4) any design, specification or instruction furnished by Customer, its employees, agents, or contractors, (5) any alteration of the product by persons other than Canon Medical Systems, (6) combining Canon Medical Systems' product with any product furnished by others that is not approved by Canon Medical Systems, (7) combining incompatible products of Canon Medical Systems, without Canon Medical Systems' prior approval, (8) improper use of the product, improper maintenance of the product by a party other than Canon Medical Systems, or failure to comply with any applicable instructions or recommendations of Canon Medical Systems, or (9) acts of God, fires, floods, strikes or other labor disturbances, or other causes beyond the reasonable control of Canon Medical Systems.

Canon Medical Systems does not warrant any products not manufactured by Canon Medical Systems such as, without limitation, monitors, cameras, computer equipment, injectors, and lasers. Such items will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems.

Warranty coverage also excludes consumables, including but not limited batteries, storage media, positioning pads, table pads, cassettes, magazines, printer consumables, and power units.

GLASSWARE WARRANTY

X-ray tubes and Image Intensifiers, are covered under separate warranties. Glassware included with the purchase of a new system is governed by the glassware warranty, described below, not the system warranty.

Glassware Type	Time-Based Warranty	
X-ray tubes	12 months, non-prorated	
Image Intensifiers	18 months, non-prorated	

Tubes with Non-Prorated, Time-Based Warranty:

Glassware with a non-prorated warranty will be replaced during the initial warranty period at no charge to the customer. The replacement glassware carries the longer of (a) the remainder of the original warranty on the system, or (b) the remainder of the warranty specified in the table above. For example, if an image intensifier with an 18-month non-prorated warranty fails at month thirteen (13), the image intensifier is replaced at no charge and carries five (5) months of warranty.

REMEDIES

If Canon Medical Systems determines that any product fails to meet the above-mentioned warranty during the applicable warranty period, Canon Medical Systems will correct any such failure by either, at its option, repairing, adjusting, or replacing without charge to Customer any defective or nonconforming parts of the product. Canon Medical Systems will have the option to furnish either new or remanufactured replacement parts or assemblies. However, remanufactured parts will meet the manufacturer's specifications for new components as of the date of completion of installation. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems.

SOFTWARE UPDATES

Canon Medical Systems will furnish to Customer, free of charge for the life of the Equipment, all Canon Medical Systems software or hardware upgrades to the Equipment purchased by Customer, which are intended to correct a safety risk. Software updates offering enhancements to previously purchased software features will be provided during the term of the warranty, if they do not require hardware modifications or additions. Software upgrades providing new features or capabilities not originally purchased, will be made available for purchase by Customer upon request when compatible with the originally purchased hardware. Canon Medical Systems retains the sole right to determine whether a software release is considered an update or an upgrade for which Customer will be charged. The above items will be performed only during the Covered Hours stated in the warranty. Service required outside these hours will be billed at Canon Medical Systems' differential rates in effect at the time such items are provided to Customer.

WARRANTY SERVICE

Quote #: 177323-4 SID #: 30096451





Warranty service during the applicable warranty period will be performed without charge to Customer during Canon Medical Systems' normal business hours, Monday through Friday, excluding Canon Medical Systems holidays. Subject to the availability of personnel, afterhours service is available upon request at an additional charge.

Customer must promptly notify Canon Medical Systems within the applicable warranty period of any defect that is covered by the warranty, and make the Equipment promptly available for repair and maintenance.

DISCLAIMERS AND LIMITATIONS ON LIABILITY

Canon Medical Systems' obligations stated above will be Customer's sole and exclusive remedy for a breach of the warranty set forth above. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Canon Medical Systems does not warrant that the operation of the Equipment will be uninterrupted.

WARRANTIES BY PRODUCT LINE

ITEM TYPE	X-RAY R/F & RAD
EQUIPMENT	12 Months
ACCESSORY OPTIONS	6 Months
REPLACEMENT & OPTIONAL PARTS*	90 Days
UPGRADE COMPONENTS	6 Months

^{*} The above 90-day period applies only to parts that are not furnished pursuant to a warranty repair for the Equipment. Any part furnished to Customer during the warranty period to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the System.

Quote #: 177323-4 SID #: 30096451



TERMS AND CONDITIONS OF SALE

- 1. <u>TITLE AND RISK OF LOSS</u>. Title and risk of loss to the Equipment purchased under this Agreement will pass to Customer: (a) if Canon Medical Systems is to provide installation, upon Canon Medical Systems' completion of installation, or (b) if Canon Medical Systems will not provide installation, upon delivery by Canon Medical Systems to Customer.
- 2. TERMS OF PAYMENT. Prices stated are F.O.B. Customer's facility. All taxes which are payable by Canon Medical Systems in connection with the sale, use, or possession of the Equipment (excluding income taxes), will be paid by Customer in addition to the quoted price. Terms of payment will be as stated in the first page of this Quotation. All invoices paid after due date will be assessed a late payment charge of the lesser of 1 1/2% per month or the maximum rate permitted by law.
- 3. <u>DELAYS</u>. If Customer changes the scheduled delivery date during the period of 120 days preceding the delivery date, Customer will nevertheless pay the installment of the purchase price which would have been payable upon delivery, on the Scheduled Delivery Date as if delivery had been made on such date. In addition, Customer will pay all extra costs incurred by Canon Medical Systems as a result of such delay, including, without limitation, storage and transportation. Storage fees will be charged at commercially comparable rates for storage on Canon Medical Systems' site. If delivery is delayed by 12 months or more from the Scheduled Delivery Date, except through the fault of Canon Medical Systems, the price set forth in this Agreement may be increased by Canon Medical Systems to a level equal to the prevailing price in effect at the time of the revised delivery date.
- EQUIPMENT INSTALLATION. Canon Medical Systems will provide, at no additional cost, standard labor and rigging services to unload the Product from the transport vehicle and move to the final position. The shoring of floors, the widening of doorways, and other nonstandard rigging requirements will be negotiated between the Canon Medical Systems and Customer separately if it is determined they are required. Canon Medical Systems will install all Equipment purchased under this Agreement and connect them to existing power and/or plumbing lines at no additional charge to Customer. Customer will be responsible for electrical wiring, plumbing, carpentry, plastering, painting, or all other site preparation required prior to installation and connection of the Equipment by Canon Medical Systems. Customer will provide space at the installation site for the safe storage of Canon Medical Systems' tools, test equipment and other materials used for installation at no charge to Canon Medical Systems. Customer shall, at its cost, obtain all permits and licenses required by governmental authorities in connection with the installation and operation of the Equipment. Customer acknowledges that the System and Software are designed to operate within certain power, temperature, airborne contamination, and humidity ranges. Customer will be responsible for, without limitation: (i) preparing and maintaining the Customer facility in conformance with the Site Preparation Guide; (ii) maintaining its network infrastructure; (iii) providing Canon Medical Systems, access to a network connection in or near the area of the System being serviced by the equipment service staff; and (iv) supplying computer grade AC power. The Equipment relies upon a stable grounded connection to the main power grid in order to function effectively. acknowledges that AC power supply quality may be a problem in old facilities or in those facilities receiving poor quality utility service and that power conditioning may be necessary in such cases.

- 5. EQUIPMENT OPERATION. Customer agrees that all Equipment purchased under this Agreement will be operated exclusively by duly qualified technicians and/or medical doctors in a safe and reasonable manner in accordance with Canon Medical Systems' written instructions, applicable laws and regulations, and for the purposes for which such Equipment was intended.
- LIMITED WARRANTY AND REMEDY. A. For the 6. warranty period described below by product, Canon Medical Systems, as its only obligation, will replace or repair, without charge to Customer during Canon Medical Systems' normal working hours (if Customer requests warranty service outside such hours, Customer will pay overtime premium for labor), any component of the Equipment that is defective in materials or workmanship, provided such defect is reported to Canon Medical Systems within the warranty period. Canon Medical Systems' warranty period is as follows: (a) Systems and Major Components one year from date of completion of installation; (b) Accessories/Options (except glassware) - six months from date of completion of installation. Components not manufactured by Canon Medical Systems will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems. During the warranty period, Canon Medical Systems will furnish free of charge any parts, including software required to correct any defect in the Equipment or as required under applicable laws.
- Canon Medical Systems does not warrant that the operation of the Equipment of the System will be uninterrupted. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems. Replacement parts may be re-manufactured. However, such parts will meet the manufacturer's specifications for new components as of the date of completion of installation. CANON MEDICAL SYSTEMS' OBLIGATION TO REPAIR OR REPLACE DEFECTIVE PARTS OR SOFTWARE WILL BE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY FOR A BREACH OF THE WARRANTY SET IN THIS AGREEMENT. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The warranty set forth in this Agreement will not apply to, and Canon Medical Systems will not be liable for any defects resulting from misuse, repairs performed by unauthorized third parties, accidents, acts of God, or neglect of anyone other than Canon Medical Systems.



CANON MEDICAL SYSTEMS USA, INC.

- 7. LATEST HARDWARE AND SOFTWARE AT TIME OF DELIVERY. Canon Medical Systems agrees that the Equipment ordered by Customer will, at the time of delivery to Customer, contain, at no additional charge to Customer, the latest hardware and software manufactured by Canon Medical Systems for such Equipment that are commercially available in the United States and which are provided as part of Canon Medical Systems' standard configuration for such Equipment at the time of delivery. This commitment applies only to components and not an upgrade to the entire system. Furthermore, it is limited to hardware and software that (a) have been ordered by Customer, and not any optional or other items that were not ordered by Customer, and (b) are cleared by the FDA as of the date of delivery of the Equipment. This clause does not apply to Assure, Demonstration or Used Equipment.
- 8. <u>LIMITATION OF LIABILITY</u>. A. NEITHER CANON MEDICAL SYSTEMS NOR CUSTOMER WILL UNDER ANY CIRCUMSTANCES BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL, OR EXEMPLARY DAMAGES OR ECONOMIC LOSS ARISING OUT OF OR RELATED TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT, EVEN IF EITHER PARTY IS APPRISED OF THE LIKELIHOOD OF SUCH DAMAGES OCCURRING.
- B. IN NO EVENT WILL CANON MEDICAL SYSTEMS' LIABILITY TO THE CUSTOMER (WHETHER BASED ON AN ACTION OR CLAIM IN CONTRACT, TORT, INCLUDING NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE) ARISING OUT OF OR RELATING TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT EXCEED THE AGGREGATE AMOUNT ACTUALLY PAID BY CUSTOMER TO CANON MEDICAL SYSTEMS UNDER THIS AGREEMENT. THE LIMITATION OF LIABILITY SET FORTH ABOVE WILL NOT APPLY TO CLAIMS FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY EQUIPMENT DEFECTS.
- 9. <u>SECURITY INTEREST</u>. Canon Medical Systems hereby reserves and Customer grants to Canon Medical Systems a security interest pursuant to the Uniform Commercial Code, in and to the Equipment (and all products and proceeds of it) until full payment of the purchase price is received. In the event that Customer finances its acquisition of the Equipment through a lease, conditional sale contract, secured loan agreement or other financing agreement (collectively, "Lease") with Canon Medical Systems, then the security interest in the Equipment (and all products and proceeds thereof) shall secure all obligations of Customer due and to become due under the Lease.
- 10. REMOVAL OF EQUIPMENT. Until Canon Medical Systems has received full payment of the purchase price, Customer will not remove all or any part of the Equipment from Customer's premises, nor will Customer sell, lease, transfer or otherwise part with the possession of, or permit any lien or encumbrance to be placed on all or any part of the Equipment.
- 11. TRADE-IN. If this quotation includes the trade-in of Customer's existing equipment and the removal date of the trade-in equipment is delayed due to no fault of Canon Medical Systems or if the trade-in equipment is damaged or its condition deteriorates from the date of this quotation through the date of removal, Canon Medical Systems reserves the right to increase the pricing of the new equipment in an amount equal to the reduction in the resale price of the trade-in equipment. Customer must convey free and clear title to the trade-in equipment. If there are any liens or encumbrances on the trade-in equipment, Canon Medical Systems cannot accept the trade-in.

- 12. REMEDIES OF CANON MEDICAL SYSTEMS. If Customer fails to make any payment when due under this Agreement, or becomes insolvent or makes an assignment for the benefit of creditors, or if a petition in Bankruptcy is filed by or against Customer, or if the financial responsibility of Customer becomes impaired, or if Customer otherwise breaches any of the terms and conditions of this Agreement, then Canon Medical Systems may, without prior notice or demand, defer shipments, cancel the balance of the order, suspend performance of any obligation (including without limitation, all obligations set forth under Limited Warranty And Remedy above), and/or take immediate possession of the Equipment delivered, until the full purchase price of the Equipment is paid by Customer or, at Canon Medical Systems' discretion, until security satisfactory to Canon Medical Systems is given by Customer. Any costs incurred by Canon Medical Systems as a result of suspending performance or repossession or collection will be payable by Customer. Canon Medical Systems may sell repossessed Equipment with proceeds to be applied to unpaid balance and expenses incurred in sale, repossession and collection. Customer will pay any remaining deficiency. Canon Medical Systems may exercise any other rights available to it by law.
- 13. EXCUSED PERFORMANCES. Except for Customer's payment obligations hereunder, neither party will be liable to the other for non-performance or delay in performance resulting directly or indirectly from any occurrences beyond such party's control, including without limitation, strikes or other labor troubles, acts of God, war, accidents, fires, floods, other catastrophes, inclement weather, transportation, delays caused by suppliers, or laws, regulations, or acts of any governmental agency.
- SOFTWARE. All rights and interest in any software that may be furnished under this Agreement, and any updates and enhancements to it, will remain the property of Canon Medical Systems. Such software is being furnished to Customer under a non-exclusive license. Customer will not, or allow others to decompile, modify, copy, reproduce, or transcribe the software nor allow third parties to use the same without Canon Medical Systems' prior written consent. In the event a third party's software is furnished to Customer, Customer may be required to execute a software license agreement as requested by such third party as a condition to delivery and/or purchase of the third party's product. Canon Medical Systems will furnish Customer with a copy of such license agreement for its review and execution. In the event Customer sells the Equipment to a third party, the purchaser thereof will have the same rights and obligations with respect to any Canon Medical Systems software as Customer. Customer will need to make its own determination whether it needs to obtain any consent from a third party for non-Canon Medical Systems software. Any Canon Medical Informatics, Inc products quoted herein are conditioned on and subject to the Software License Agreement located at:

<u>https://us.medical.canon/download/CMI-Capital-License-Agreement</u> which is incorporated herein by reference.

15. <u>CANCELLATION</u>. Customer may not cancel the order subject to this Agreement except with Canon Medical Systems' prior written consent. In the event of cancellation without Canon Medical Systems' written consent, Canon Medical Systems will be entitled to recover liquidated damages in an amount equal to twenty percent (20%) of the purchase price of the Equipment



- 16. <u>ASSIGNMENT</u>. Neither party may assign any of its obligations under this Agreement without the prior written consent of the other party However, some of the obligations stated in this Agreement, such as the ones relating to installation of items not manufactured by Canon Medical Systems and the warranty thereof may be performed by Canon Medical Systems' contractors or suppliers.
- 17. EXPORT REGULATIONS. This Agreement involves products, and/or technical data that may be controlled under the U.S. Export Administration Regulations and may be subject to the approval of the U.S. Department of Commerce prior to export. Any export or re-export by Customer, directly or indirectly, in contravention of such Regulations is prohibited.
- 18. <u>ATTORNEY'S FEES COSTS</u>. In the event of any legal proceeding involving any party to this Agreement against the other relating to the subject matter of this Agreement, the prevailing party in such proceeding will be entitled to recover reasonable attorney's fees, expert fees, and court costs against the non-prevailing party
- 19. ACCEPTANCE BY CANON MEDICAL SYSTEMS. This Quotation/Order will not be binding on Canon Medical Systems even if signed by a Canon Medical Systems' employee, until Customer's order for the Equipment is booked by Canon Medical Systems' Headquarter office.
- **20.** END USER CERTIFICATION. Purchaser represents, warrants and covenants that it is acquiring the Products for its own end use and not for reselling, leasing or transferring to a third party (except for leaseback financing).
- 21. ENTIRE AGREEMENT. This quotation contains the entire agreement between the parties and supersedes all prior and contemporaneous agreements between the parties, whether oral or written, relating to its subject matter, including, without limitation, all different or additional terms and conditions which may be contained in Customer's bid documents, purchase order or any other documents furnished by Customer. The provisions of this Agreement may not be modified unless in writing and executed by both parties.

Quote #: 177323-4 SID #: 30096451



Made For life

QUOTATION/ORDER SUMMARY

DATE:

10/5/2023

SID #: QUOTE #: 30096450 177441-2

PRESENTED TO:

SENECA HEALTHCARE DISTRICT 130 BRENTWOOD DR CHESTER, CA. 96020

AQ-PRIME-SP10/3.000AQUILION FAST WHOLE BODY CT SCANNER

PROMOTION

CARDIAC-PLUS-PR.100 Cardiac Plus Promotion

The Cardiac Plus promotion allows customers purchasing a new Aquilion Prime SP 80 detector/80-160 slice system to receive the system's complete set of cardiac tools valued at over \$91,000 included at no additional charge. This promotion ends November 30, 2023.

ADVANCED IMAGING (AI) PACKAGE PROMOTION FOR AQUILION PRIME SP
 The Advanced Imaging (AI) Package promotion allows customers purchasing a new Aquilion Prime
 SP to receive AiCE included at no additional charge, valued at \$150,960. This promotion ends
 November 30, 2023.

SPECIAL INFORMATION & TERMS

 If this quotation is not accepted by November 30, 2023, Canon Medical Systems USA, Inc. reserves the right to cancel this quotation.

This quotation shall remain valid until November 30, 2023.

All prices are F.O.B. destination.

Payment terms are: Cash - 0% down payment, 80% upon delivery, 20% net 45 days upon completion of installation and/or availability for first use, whichever is earlier.

This quotation/order will be subject to and governed by the Agreement for Computed Tomography equipment products between Premier Healthcare Alliance, L.P. and Canon Medical Systems USA, Inc. Reference contract no. PP-IM-289, effective October 1, 2015.

All information contained in this quotation is confidential and may not be disclosed to any third party without Canon Medical Systems' prior written consent.





Please return signed quotation to Canon Medical Systems USA, Inc. by email OrderAdmin@us.medical.canon or fax 714-441-9320.

ACCERTED AGREED AND ORDERED:

PURCHASER'S SIGNATURE/TITLE

11/2/2023

DATE

CANON MEDICAL SYSTEMS REP

11-2-2023

DATE



EQUIPMENT SUMMARY:

AQ-PRIME-SP10/3.000	AQUILION FAST WHOLE BODY CT SCANNER

		THOSE BODT CI SCANNER
PART NUMBER	QTY	DESCRIPTION
	1	PRIME SP 80 DESCRIPTION V10
YES-SEISMIC-P303B8.100	1	YES - PRIME-SP SEISMIC LABELING AND ANCHORING REQUIRED
	1	NAVI BOX ANCHORAGE SYSTEM (GENESIS, PRISM, AND PRIME SP10)
	1	CON BOX BRACKETS (WITH STRAPS)
	1	POWER DISTRIBUTER SEISMIC HARDWARE
	1	CBTB-032 CT PATIENT COUCH BRACKETS (SET OF 2) FOR COUCH WITHOUT LATERAL MOVEMENT
CA-9103E.100	1	AQUILION PRIME SP CONFIGURATION (80 ROW / 80 SLICE) WITH HIGH CAPACITY EXTENDED COUCH KIT
	1	CT SCANNER AQUILION PRIME SP WITH HIGH CAPACITY EXTENDED COUCH
	1	ACCESSORY KIT FOR HIGH CAPACITY COUCH
	1	AQUILION DETECTOR UPGRADE
	1	PHANTOM, IMAGE QUALITY
	2	MULTIFUNCTION TASK CHAIR WITH ARMS
	1	CONSOLE DESK 65" X 36" X 30"
	1	NON-CORROSIVE FLOOR LEVELING EPOXY KIT
	1	DVD-R 4.7 GB 10 PACK SLIM CASE
	1	72 KW X-RAY HIGH VOLTAGE GENERATOR 600 MA UPGRADE
	1	SURECONNECT DICOM CONNECTIVITY PACKAGE
	1	DICOM 3 STORAGE SERVICE CLASS PROVIDER (SCP)
	1	DICOM 3 MODALITY WORKLIST MANAGEMENT (MWM) SERVICE CLASS USER (SCU) SYSTEM
	1	DICOM 3 PERFORMED PROCEDURE STEP SCU
	1	DICOM 3 QUERY/RETRIEVE SCP
	1	DICOM 3 QUERY/RETRIEVE SCU AQ/MP
	1	DICOM 3 STORAGE COMMITMENT SCU SOFTWARE
	1	PRESENTATION OF GROUPED PROCEDURES (PGP) AND EXAM HARD SPLIT
PRMESP-CONUPS-6KVA.100	1	[KIT] POWERVAR 6KVA CONSOLE UPS FOR AQUILION PRIME SP
	1	POWERVAR 6KVA CONSOLE UPS



PART NUMBER	<u>QTY</u>	DESCRIPTION
	1	CONSOLE UPS U6000 CONNECTION KIT (AQUILION PRIME SP)
AQ/PDU	1	POWER DISTRIBUTION UNIT
	1	REQUIRED FOR SEISMIC STATES - SEISMIC MOUNTING KIT FOR POWERVAR SECURITY PLUS II UPS
	1	STANDARD APPLICATIONS TRAINING
SS-PACK.100	1	[KIT] AQUILION SURESUBTRACTION COMPLETE WORKFLOW PACKAGE
	1	SURESUBTRACTION SCANNING (RECOMMEND ADDITIONAL SURESUBTRACTION OPTIONS)
	1	SURESUBTRACTION ORTHO (RECOMMEND CHSS-001A SURESUBTRACTION SCANNING)
	1	SURESUBTRACTION LUNG (RECOMMEND CHSS-001A SURESUBTRACTION SCANNING)
	1	SURESUBTRACTION IODINE MAPPING (REQUIRES VERSION 8.3 SOFTWARE OR GREATER)
	1	SURESUBTRACTION ANGIO (REQUIRES VERSION 8.3 SOFTWARE OR GREATER)
	1	SURESUBTRACTION BRAIN/NECK
	1	CARDIAC BUNDLE WORKFLOW PROMOTION
	1	ECG GATED SCANNING FOR AQUILION PRIME, LIGHTNING, EXCEED LB & CARTESION PRIME
	1	ECG MONITOR, R WAVE CARDIAC TRIGGER 7800T
	1	STAND,ECG UNIT (MODEL-7800)
	1	VARIABLE HELICAL PITCH (PRE V6-REQUIRES SURECARDIO ECG GATING)
	1	SURECARDIO SCORING ON CONSOLE (REQUIRES ECG OPTION)
CT-TRAINING-88C	1	ADVANCED CARDIAC CT COURSE FOR TECHNOLOGISTS
	1	AI ADVANCED IMAGING (AI) PROMOTION PACKAGE
	1	AICE FOR CT
DIGITAL-SERVICES-PR.100	1	[KIT] DIGITAL SERVICES PROMOTION

TOTAL QUOTE PRICE Applicable Sales Tax Additional

\$473,180.00





PURCHASABLE OPTIONS:

Please initial next to the option item you would like to purchase. Selected purchasable options will increase the total quote price by the noted "ADD" dollar amount listed on the item line:

PART NUMBER	QTY	DESCRIPTION	ADD	INITIALS
FLEX-OCS-M	1	850MM COLUMN MEDRAD STELLANT FLEX MEDIUM OCS DUAL FLOW INJECTOR WITH INSTALL	\$35,165.00	
T/ASSIST/PRIMESP- HC.100	1	TECH ASSIST LATERAL TABLE SLIDE KIT FOR AQUILION PRIME SP HIGH CAPACITY (694 LB) COUCH	\$36,960.00	11





FINANCE OPTIONS:

Finance options are available through Canon Medical Finance USA, a program of Canon Medical Systems USA, Inc.

CANON MEDICAL FINANCE USA OFFERINGS:

- Fair Market Value, \$1.00 Buy Out (Lease to Own), and Loan structures
- Finance terms ranging from 12 months to 84 months
- Financing for 3rd party assets (including, but not limited to leasehold improvements & I.T.)

CANON MEDICAL FINANCE USA BENEFITS:

- No progress payments. Payments begin after delivery and installation
- Upgrades to the current technology platform can be financed.
- Flexible finance structures, such as deferred payments, tiered repayments, and bridge financing, to meet cash flow needs

Finance options are subject to credit underwriting, approval, and a fully executed contract.

For more information, please contact Trish Malone, Sr. Dir. Financial Programs at: tmalone@us.medical.canon or visit us at https://us.medical.canon/service-and-support/financial-programs/

COMPONENT SUMMARY:

PART NUMBER OTY DESCRIPTION

1 PRIME SP 80 DESCRIPTION V10

The AquilionTM Prime SP employs premium technology including Adaptive Iterative Dose Reduction 3D Enhanced (AIDR 3D Enhanced), ^{PURE}ViSION Optics and ^{PURE}ViSION detector, to provide excellent image quality. The speed of this system offers significant benefits to patients – especially trauma, pediatric and critically ill patients while at the same time enabling physicians to visualize internal injuries and disease in less time.

The PUREVISION Optics, with 40% better light output, supports better dose reduction and low contrast detectability.

Body CT

- Up to 31% Dose Reduction at equivalent Low Contrast Detectability
- Up to 22% improvement in Low Contrast Detectability at equivalent dose
- Reduced streak artifact

Brain CT

Up to 19% improvement in Low Contrast Detectability at equivalent dose

Aquilion Prime SP employs the newest PUREViSION detector technology that produces 40% greater light output.

Combined, PUREVISION Optics and PUREVISION detector, they provide an improved and more homogenous X-ray spectrum with better light output for an overall more efficient imaging chain.

Incorporating a 7.5-MHU large-capacity X-ray tube, the PRME SP supports scanning with short scan times (0.35 rotation speed) and fits into an installation space as small as 19.3m2 leaving more room for technologists and physicians to provde patient care.

Single-Energy Metal Artifact Reduction (SEMAR)

SEMAR utilizes a sophisticated reconstruction algorithm to reduce artifacts caused by metal while improving visualization of the implant, supporting bone and adjacent soft tissues* for accurate imaging.

SEMAR can be retrospectively applied to a routine low-dose scan, including volumetric and helical scans, combined with AIDR 3D Enhanced to achieve the best possible image quality without the need for additional exposure dose or a dedicated scan procedure. SEMAR is included with each system as a value add, valued at \$50,000.

^{*} Bone structures near the metal-tissue interface may become distorted. Metal artifacts may not be completely removed in areas near the metal material.



Comparison with the original images is suggested when performing diagnosis using SEMAR images.

Ultra-Fast Workflow with Patient Comfort

The Aquilion Prime SP boosts productivity with fast scan and image reconstruction times while offering comfort features such as the wide bore (78 cm) and large table capacity (694 lbs) for patients of all sizes pediatric to bariatric.

Aquilion Prime SP makes exams easier for all patients. The routine fast scans made possible by the PUREViSION detector also mean short breath-holds for better patient compliance.

Dose-Reduction Features

Aquilion Prime SP reinforces the ALARA principle for every patient. To achieve this, Aquilion Prime SP has an array of adaptive and integrated dose-reduction strategies that are implemented at every stage, from patient registration to image reconstruction. In addition, patient dose reduction is integrated into the protocol software, so it activates prior to turning on the x-ray beam.

SURE Position

Patient centering plays a key role in a dose reduction strategy. The Aquilion PRIME allows vertical adjustments standard from the scanogram. This supports improved patient iso-centering for more accurate mA modulation and may help to eliminate repeat scanograms.

Auto Couch Height Positioning Compensation

^{SURE}Exposure will compensate for incorrect patient positioning to ensure accurate body size calculation and exposure dose. This avoids incorrect positioning errors in patient size calculation.

SURE Exposure3D (x, y, z automated mA modulation software)

SURE Exposure 3D software automatically adjusts the mAs based on patient anatomy to adapt to and compensate for changes in attenuation level.

In addition, an Organ Effective Modulation function is provided. Combined with ^{SURE}Expsoure, ^{SURE}kV and AIDR3D Enhanced, Organ Effective Modulation has the potential to reduce CT patient dose depending on the clinical task, patient size, anatomical location and clinical procedure

Active Collimation

Active collimation synchronizes the width of the x-ray beam at the ends of the scan range to the clinically useful area needed for image reconstruction. By eliminating exposure that is not used for diagnosis, patient dose is reduced.

Adaptive Iterative Dose Reduction 3D (AIDR 3D Enhanced)



AIDR 3D Enhanced is the fourth generation in the evolution of iterative reconstruction technology. AIDR 3D Enhanced is an iterative algorithm intended to reduce pixel noise from the original data, the results analyzed, and the process repeated until the target level of noise-reduction is achieved. This iterative algorithm is excellent in reducing background noise while preserving diagnostic information compared to non-iterative approaches.

AIDR 3D Enhanced can be integrated into all acquisition modes for routine clinical use and is able to reduce pixel noise magnitude in a way that may result in dose reduction.

SUREkV

Auto kV can be set for protocols using $^{SURE}Exposure^{TM}$, and the effective kV will be automatically selected based on patient size and $^{SURE}Exposure$ settings.

NEMA XR 25, XR 26 and XR 29

Aquilion Prime SP meets the National Electrical Manufacturers Association's (NEMA) Medical Imaging & Technology Alliance (MITA) standards XR 25, XR 26 and XR 29.

- MITA XR 25 Computed Tomography Dose Check
 - Includes dose alerts and allows facilities to set dose notification values.
- MITA XR 26 Access Controls for Computed Tomography: Identification, Interlocks, and Logs
 - Provides access control ensuring only authorized operators can alter controls of the CT equipment.
- MITA XR 29 Standard Attributes on Computed Tomography (CT)
 Equipment Related to Dose Optimization and Management
 - Smart Dose standard bundles four important features to ensure that equipment produces high-quality diagnostic images while supporting patient safety:
 - DICOM Structured Reporting
 - CT Dose Check
 - Automatic Exposure Controls,
 - Pediatric and adult reference protocols.

Components

- Large-aperture 78 cm, slip-ring gantry
- High-power 72 kW x-ray generator and tube
- Ergonomic and patient friendly couch can be lowered to a minimum of 332 mm from the floor - providing easier patient access.
- Single console with Microsoft Windows 10 operating system
- Ergonomic operator controls
- 3D and 4D software for display console
- High-capacity hard disks
- Image data transfer link



- Custom patient table pad and positioning accessories
- Operator manuals and quality-assurance phantoms

KEY FEATURES

Routine Fast Scanning

The Aquilion Prime SP is capable of reconstructing unique slices with every rotation of the gantry and incorporates a host of ergonomic and automated features to streamline productivity and deliver the highest quality images while lowering radiation dose. Further, patients benefit from the fast acquisitions times, such as CTA examinations for vascualar imaging, by having a shorter exam time and thus supporting better patien compliance.

Optimal Space Utilization

The Aquilion Prime SP has only four main components: gantry, couch, console and transformer. The recommended minimum CT room size is only 14.8 square meters with the compact couch.

SURE Technologies

Improve workflow with real-time imaging, which provides the ability to view a scan at 12 frames per second (512x512) during the acquisition. This allows the operator to rapidly assess if additional images are needed.

The following are standard features on Aquilion Prime SP:

- SURE Exposure Dose modulation based on scanogram
- SUREStart Real-time contrast detection at 12 fps. With SUREStart there is no need to perform a timing bolus, saving up to 30 cc's of contrast.

Easy Operation

Aquilion Prime SP is easy to operate using the 19-inch LCD monitor, mouse and ergonomic keyboard. Scan automatically by programming procedures with eXam Plan and vocal instructions through VoiceLinkTM.

EQUIPMENT COMPONENTS

Gantry with iStation

The Aquilion Prime SP Gantry possess many work flow advantages from the iStation to the gantry controls that are accessible from the gantry or the scan console.

iStation

The iStation is a 12-inch LCD screen that uses video and voice prompts to ensure patient compliance during scanning. This is especially useful during pediatric scanning as the iStation displays a video of a small child that tells the patient when to raise their arms, when to hold their breath, and so on. These child-friendly instructions, coming from a child figure helps assure



compliance. iStation also allows the user to visualize the patient's ECG waveform when acquiring ECG-gated exams.

The Gantry

- Gantry tilts ±30 degrees
- Large aperture: 78 cm
- Two scan fields of view
- Wide range of scan times provides greater flexibility for optimal image quality
- Control touch panel many functions can be controlled in-room for quick setup and improved workflow

Console - Acquire and Display

- Powerful, ergonomic console computer handles display, image feed, filming and transferring multi-planar reconstructions with the same interface used for axial images.
- InstaView Full matrix real-time image review
- Capable of true simultaneous scanning, retrieving, archiving and filming without interruption using the optional second console. This is a genuine multi-tasking system for multi-slice and volume data sets.
- Includes user-friendly keyboard, mouse, monitor, CPU cabinet/reconstruction enclosure.

MegaCool™ X-ray Tube

This compact, high-performance tube is designed to minimize tube-cooling delays with heavy patient loads at all scan times. It was built on the proven, anode-grounded, MegaCool tube technology used on every Aquilion multislice CT.

Other features include:

- Dual focal spots
- Anode capacity of 7.5 MHU
- Dissipation rate of 1,386 kHU per minute maximum

PURE VISION Detectors and DAS

- Unique ceramic, solid-state detector array and DAS
- Ultra-fast DAS to acquire large-volume data
- Solid-state detector array with 0.5 mm detector elements

System	Detector Row	Slice	Coverage
Aquilion Prime SP 80	80	80	4 cm

High-Power Generator

Robust, high-voltage circuits that generate 72 kW.

Multiple kV Selections: 80, 100, 120 and 135 kV.

NETWORKING

- DICOM 3.0 Conformance Standards
- DICOM 3.0 Modality Worklist Management
- DICOM 3.0 Performed Procedure Step SCU
- DICOM 3.0 Enhanced CT Image Storage and Transfer
- DICOM 3.0 Presentation of Grouped Procedures (PGP) and Study Split
- DICOM 3.0 (Storage SCU)
- DICOM 3.0 Query/Retrieve Service Class Provider (SCP)
- DICOM 3.0 (Print SCU)

FUNCTIONALITY

MultiView

Built into protocol for fast multi-planar reconstruction in batch mode specifically for multi-slice data sets. Coronal, sagittal and axial images are created and displayed for immediate viewing.

3D Imaging on Console

Provides excellent image quality with surface-shaded renderings and volume-rendered 3D images. Provides zooming and panning over the 3D surface and performs distance measurements.

Other features include:

- Easy 3D
- Bone removal
- Maximum intensity projection (MIP)
- Minimum intensity projection
- Intensity volume rendering

Quantitative Analysis

- Profile display of CT numbers along a selected line in the axial plane
- Distance measurement and display
- CT number display
- Histogram display

eXam Plan Protocols

- 600+ eXam plan protocols that can be adjusted while scanning
- Four preset reconstructions

Archiving

Can be automated with each eXam plan



• Raw data and image data can be protected to prevent deletion

Filming

- Auto filming can be set as part of the eXam plan
- Images are displayed in 512x512 or 1024x1024

CUSTOMER CARE SERVICES

Developed with customer input, innovative support programs have resulted in increased customer satisfaction. These include the following:

InTouch Center®

This centralized service facility provides applications and service support for customers 24 hours a day, seven days a week.

InnerVision[™] Plus

Remote system diagnostics are available around-the-clock to help identify problems and provide potential solutions before care is interrupted or an engineer can arrive. InnerVision Plus is included at no charge and connected while any CT is under warranty, or any service agreement including Full Service, In-House Support, Partnership and/or VISN Master Service Agreement

InTouch Agreements

Based on customer needs, InTouch customer agreements can range from an a-la-carte approach to full-security agreements that provide complete system protection.

Technical Assistance

Customer support specialists are available 24/7 to help resolve technical issues in real time. Application support specialists are also available to assist staff with protocol and image-quality issues.

Local Customer Teams

A single call mobilizes a local team of customer engineers. With an average of 10 years of experience and 105 hours of specialized training, they can resolve almost any performance issue.

Parts Support

A complete inventory of product parts is ready for shipment when and where they are needed, any time of day or night.

YES-SEISMIC-P303B8.100

- 1 YES PRIME-SP SEISMIC LABELING AND ANCHORING REQUIRED
- 1 NAVI BOX ANCHORAGE SYSTEM (GENESIS, PRISM, AND PRIME SP10)

- 1 CON BOX BRACKETS (WITH STRAPS)
- 1 POWER DISTRIBUTER SEISMIC HARDWARE
- 1 CBTB-032 CT PATIENT COUCH BRACKETS (SET OF 2) FOR COUCH WITHOUT LATERAL MOVEMENT

CA-9103E.100

- 1 AQUILION PRIME SP CONFIGURATION (80 ROW/80 SLICE) WITH HIGH CAPACITY EXTENDED COUCH KIT
- 1 CT SCANNER AQUILION PRIME SP WITH HIGH CAPACITY EXTENDED COUCH

1 ACCESSORY KIT FOR HIGH CAPACITY COUCH

Includes each of the following items:

- Rolled Edge Foot Extension Pad
- Wide & Medium Security Straps
- Chin and Forehead Straps
- Adult Head Rest Pads (Medium and Large)
- Tilt Wedge
- Knee Support Wedge
- Coronal Head Support
- Table Pad
- Protective Table Covers (Box of Four)
- Detachable Rail 77"

1 AQUILION DETECTOR UPGRADE

This Canon Medical Systems detector upgrade kit will expand the Aquilion Prime SP to the full 80 detector row capable of generating 160*1 x 0.5 unique slices per rotation.

This upgrade allows a number of operational and clinical applications that enhance workflow and increase examination throughput.

Benefits of upgrading the Aquilion Prime SP CT Scanner:

The Aquilion Prime SP with 160*1 slice capability includes Aquilion's 0.5 mm detector, 80 channel detector that covers up to 40 mm of anatomy every rotation.

The speed of this technology offers clinical benefits to patients – especially when scanning trauma, pediatric and critically ill patients. This technology enables physicians to clearly visualize internal injuries and disease in less time.

Ultra-Fast Workflow with Patient Comfort



The 80 detector row capability boosts productivity with fast scan and image reconstruction times while offering comfort features for patients of all sizes. The routine fast scans made possible by the 80-row detector also mean short breath-holds that supports better patient compliance.

*1 The coneXact double slice upgrade is required to obtain additional reconstructed slices in a single axial rotation.

1 PHANTOM, IMAGE QUALITY

Measures CT image quality to ensure compliance to Canon Medical Systems standards for:

- · High-contrast resolution
- Low-contrast resolution
- Slice thickness
- Noise
- Contrast scale

2 MULTIFUNCTION TASK CHAIR WITH ARMS

1 CONSOLE DESK 65" X 36" X 30" Measures 65" x 36" x 30"

1 NON-CORROSIVE FLOOR LEVELING EPOXY KIT

1 DVD-R 4.7 GB 10 PACK SLIM CASE

4.7 GB

1 72 KW X-RAY HIGH VOLTAGE GENERATOR 600 MA UPGRADE

This kit is designed to provide a high power output (maximum tube current: 600 mA).

NOTE: For the Aquilion PRIME TSX-303A and Cartesion Prime PET-CT PCD-1000A ONLY.

1 SURECONNECT DICOM CONNECTIVITY PACKAGE

This package is designed to meet the DICOM needs of most departments.

COT-32D DICOM Modality Worklist Management

Allows the CT system to receive patient demographic data from an HIS/RIS system in conformance with the DICOM 3.0 standard.

COT-33D (MPPS)

In combination with COT-32D (MWM), MPPS provides notification of the start and end of the examination back to an RIS that supports DICOM MPPS (SCP). Exam record and patient information can also be sent to the RIS.



COT-35D Query/Retrieve (SCU) The Q/R Service Class User (SCU) Allows a device to initiate a request for patient, study, series and/or image information from the provider device in accordance with the DICOM 3.0 standard.

COT-41D Storage Commitment

Verifies image transfer and storage.

- Allows operator to determine if data is stored correctly at the PACS server, avoiding unintentional image deletion.
- Improves efficiency of image management operations.
- Provides fail-safe method to prevent image data from being deleted unintentionally even in the event of a communication failure (during image transfer or during a storage verification response).

COT-44A PGP Study Split

PGP is an Integrated Health Enterprise (IHE) standard designed specifically with multiple examination orders (Requested Procedures) that can be performed in single CT examination.

- Provides preset and automatic transfer solutions for multiple exams from a single CT exam.
- Facilitates clinical viewing of images and reporting of individual requested procedures.
- Use with PACS systems that are IHE PGP compliant.
- Use the study split option for PACS systems that are not yet IHE PGP compliant to physically split images into multiple examinations.

Note: This option does not include a DICOM gateway for the HIS/RIS system.

1 DICOM 3 STORAGE SERVICE CLASS PROVIDER (SCP)

- Exchanges DICOM 3.0 compliant image objects on a network
- Allows the system to perform functions requested by a Storage Class User (SCU) device

1 DICOM 3 MODALITY WORKLIST MANAGEMENT (MWM) SERVICE CLASS USER (SCU) SYSTEM

Allows the CT system to obtain details of patients and scheduled examinations electronically from the HIS/RIS system, avoiding the potential mistakes of manual entry.

Note: This option does not include a DICOM gateway for the HIS/RIS system.

1 DICOM 3 PERFORMED PROCEDURE STEP SCU

In combination with COT-32D (MWM), MPPS provides notification of the start and end of the examination back to an RIS that supports DICOM MPPS (SCP). Exam record and patient information can also be sent to the RIS.

1 DICOM 3 QUERY/RETRIEVE SCP

- Allows a Storage Class User (SCU) to query the SCP device
- Enables user devices to retrieve patient, study, series and/or image information in conformance with the DICOM 3.0 standard

1 DICOM 3 QUERY/RETRIEVE SCU AQ/MP

Allows a device to initiate a request for patient, study, series and/or image information from the provider device in accordance with the DICOM 3.0 standard.

1 DICOM 3 STORAGE COMMITMENT SCU SOFTWARE

Verifies image transfer and storage.

- Allows operator to determine if data is stored correctly at the PACS server, avoiding unintentional image deletion.
- · Improves efficiency of image management operations.
- Provides fail-safe method to prevent image data from being deleted unintentionally even in the event of a communication failure (during image transfer or during a storage verification response).

1 PRESENTATION OF GROUPED PROCEDURES (PGP) AND EXAM HARD SPLIT

PGP is an Integrated Health Enterprise (IHE) standard designed specifically with multiple examination orders (Requested Procedures) that can be performed in a single CT examination.

- Provides preset and automatic transfer solutions for multiple exams from a single CT exam.
- Facilitates clinical viewing of images and reporting of individual requested procedures.
- Use with PACS systems that are IHE PGP compliant.
- Use the study split option for PACS systems that are not yet IHE PGP compliant to physically split images into multiple examinations.

PRMESP-CONUPS-6KVA.100

1 [KIT] POWERVAR 6KVA CONSOLE UPS FOR AQUILION PRIME SP

Powervar Security Plus II Series UPS 6 kV*A uninterruptible power supply and connection kit for Aquilion Prime SP CT consoles.

* This product has successfully passed shake table testing requirements and is pending OSHPD pre-approval. Should pre-approval not be available prior to your OSHPD project submission the manufacturer has provided the test report for site specific approval by OSHPD to accompany your project submission.

Pre-requisite:

This kit is exclusive to TSX-303B/1, /4, /5, /5, /8 ONLY.



NOTE:

- Seismic States require Seismic Mounting Kit option IPS-42999-09R.
- Pricing available when purchased concurrently with the system order. Post Point of Purchase: Additional charges may apply for construction, labor and rigging, which must be paid for by the Customer. Please consult with your local sales and service team for more information about these charges.

1 POWERVAR 6KVA CONSOLE UPS

1 CONSOLE UPS U6000 CONNECTION KIT (AQUILION PRIME SP)

AQ/PDU

1 POWER DISTRIBUTION UNIT

The PDU is engineered to address common power problems found in the hospital environment and to isolate the CT system components to meet IEC 60601-1 Third Edition requirements. This is important to assure optimal reliability and performance of CT systems. Customer is responsible for complying with Canon Medical Systems' site specifications for electrical power.

This device provides most of the electrical site preparation requirements of Canon Medical Systems CT systems. The PDU contains a low impedance isolation step-down transformer with a shielding plate between primary and secondary.

Voltage Conversion

Wiring costs are significantly reduced since the PDU accepts a single, 480V delta input, supplying 200V to the generator and the various other parts of the system.

Distribution

The PDU comes prepackaged with the distribution breakers needed for each system feed. Having all system breakers in one location also makes it easier for service personnel to remove power.

Installation

Installation is much faster, more predictable, and less expensive with a factory-assembled and tested system.

1 REQUIRED FOR SEISMIC STATES - SEISMIC MOUNTING KIT FOR POWERVAR SECURITY PLUS II UPS

1 STANDARD APPLICATIONS TRAINING

APPLICATION TRAINING

Each system includes a three-phase education program and the industry exclusive Performance Pro guarantee.



Performance Pro is a unique approach to education utilizing blended learning with the goal of achieving technical proficiency and optimal productivity. If for any reason the customer is not satisfied with any portion of the onsite training, Canon Medical Systems, USA will conduct that portion of the training again. This is only valid during the warranty period and does include training new technologists.

Choice of two (2) Medical Imaging Consultants self-study programs; The CT CrossTrainer and/or The CT Registry Review Program.

The CT CrossTrainer is designed to acquaint the less-experienced technologist with important CT principles, technology, and clinical exams. The program consists of 6 comprehensive StudyModules that have been accredited for 17 Category A CE credits; credits are earned by passing a post test for each StudyModule.

The CT Registry Review Program is designed to help the experienced CT technologist prepare to pass the ARRT's post-primary exam in CT. The course consists of 8 comprehensive StudyModules that have been accredited for 25 Category A CE credits; credits are earned by passing a post-test for each StudyModule.

Phase I: Two (2) attendance vouchers for a four (4) day technologist-focused course held at the Canon Academy. This course provides the fundamentals of operating the Aquilion CT system, including a variety of CT scans performed with the latest dose reduction techniques. This course includes in-depth lectures and hands-on training. At the completion of the course, the attendee will be proficient in the following applications and operations: basic to advanced CT imaging console use, system menus, system default scan protocols, utilization of reconstruction parameters, post-processing image data, and troubleshooting image quality. This course is all inclusive of the following: tuition, airfare (booked by our staff), lodging, and meals. Accredited for CE credits by the ASRT Education Foundation. Training at the Canon Academy is dependent upon facility availability. If not available, alternative training will be provided.

Phase II: An initial thirty-two (32) hours of on-site education will be provided at the customer facility following system go-live. This training is provided for up to four (4) imaging professionals including the two (2) that attended Phase I training, to focus on maximizing scanning techniques and protocols. Training is scheduled consecutively, Monday through Friday, with Monday mornings and Friday afternoons scheduled as travel time for the applications specialist. CE credits are earned by participants that attend the Phase II training event in its entirety.



Phase III: An additional twenty-four (24) hours of on-site education will be provided for the same four (4) imaging professionals, which participated in Phase II training, approximately 6-8 weeks following installation to optimize staff proficiency and system productivity.

Note: Canon Medical Systems personnel are not responsible for scanning patients, patient safety, any actual patient contact, or operation of equipment during education sessions. The specialist will only demonstrate proper equipment operation.

The training is offered to the Customer at no charge, providing that it is completed no later than one (1) year after the warranty start date.

Additional classroom and onsite training is available for purchase.

Applications support is available by phone on the toll-free ASSIST line, 1-800-521-1968.

SS-PACK.100

1 [KIT] AQUILION SURESUBTRACTION COMPLETE WORKFLOW PACKAGE

SURESubtraction Complete Package

1 SURESUBTRACTION SCANNING (RECOMMEND ADDITIONAL SURESUBTRACTION OPTIONS)

SURESubtraction Scanning, in combination with SUREStart, allows the user to acquire pre and post-contrast scans in a single scan mode to maximize workflow and help reduce scan delays.

Note: Sure Subtraction Scanning available on Aquilion ONE, Aquilion Precision, Aquilion PRIME, Aquilion Prime SP Aquilion Exceed LB and Aquilion Lightning Family- requires V6.0 or greater.

1 SURESUBTRACTION ORTHO (RECOMMEND CHSS-001A SURESUBTRACTION SCANNING)

This orthopedic CT digital subtraction angiography (CT DSA) software, with SURESubtraction Ortho, improves workflow and enhances diagnostic accuracy through greater image clarity. This fully automated non-rigid registration algorithm digitally subtracts bone from soft tissue anatomy providing superior clinical images in a fraction of the time required for manual subtraction.

Enhanced Diagnostics

- SURESubtraction Ortho- can provide visualization of the vertebral arteries, internal and external carotids
- In just seconds, creates 3DVR and MIP images with 360° left-to-right or 0° to 0° full rotation

Enhanced Workflow





- · Fast processing and image display
- · Subtracted dataset remains in DICOM format
- Maximize productivity with programmable features
- Streamline patient throughput with a simple 3-step process

Prerequisite:

- Aquilion ONE System software version 4.93 or greater.
- Aquilion Precision System software version 8.6 or greater.
- Aquilion PRIME System software version 6.0 or greater.
- Aquilion PRIME Display console kit is mandatory for system with version 6.0 software.
- Aquilion Exceed Large Bore-System software version 10.6 or greater

Note:

- Recommend CHSS-001A/1B SURE Subtraction Scanning
- Only one CHSS-001A license required per scanner

1 SURESUBTRACTION LUNG (RECOMMEND CHSS-001A SURESUBTRACTION SCANNING)

Requiring a minimum of two data sets from the same scan, ^{SURE}Subtraction Lung has been designed with an easy work flow to aid physician's visualize lung parenchyma by subtracting the non-contrast enhanced volume from a contrast enhanced volume.

The resulting data can be displayed in multiple views including color mapping and subtracted views that can be saved in the target study as a new data series for transfer and archiving.

Prerequisite:

Recommend CHSS-001A/1B SURE Subtraction Scanning

- Aquilion ONE, Aquilion PRIME, Aquilion Prime SP, Aquilion Exceed LB and Aquilion Lightning - System software version 6.0 or greater.
- Aquilion Precision -System software version 8.6 or greater

Note: Only one CHSS-001A license required per scanner.

1 SURESUBTRACTION IODINE MAPPING (REQUIRES VERSION 8.3 SOFTWARE OR GREATER)

SURE Subtraction Iodine Mapping software has been designed to help support iodine contrast visualization to include but not limited to lung, liver, kidneys, the pancreas and bowel that have been imaged without and with contrast.

Using non-linear matching, the software subtracts non-contrast images from contrast images to generate and display subtracted images in Iodine distribution color maps in MPR display, it provides functional information in additional to anatomical information in the CT image.

Prerequisite: Requires Version 8.3 software of greater.

1 SURESUBTRACTION ANGIO (REQUIRES VERSION 8.3 SOFTWARE OR GREATER)

Sure Subtraction Angio software has been designed to help support visualization for CT studies that are acquired with and without contrast agents by automatically removing bone, calcium and stents. Sure Subtraction Angio software displays the subtracted images, where the non-contrasted anatomical structures are subtracted. This software is intended for use in whole body CTA for the visualization of blood vessels such as carotids, Aortas and run-offs.

Prerequisite: Requires Version 8.3 software or greater.

1 SURESUBTRACTION BRAIN/NECK

^{SURE}Subtraction Orbital Synchronization is used to perform scanning with the scan orbits of several helical scans synchronized. By synchronizing the helical scan orbits the subtraction process provides improved visualization of the vertebral arteries and internal and external carotids.

Enhanced Diagnostics

- Supports improved subtraction volumes for free of bone images and providing extraordinary subtraction CTA studies of the brain and neck
- Easily achieves arterial and venous segmentation
- In just seconds, creates 3DVR and MIP images with 360° left-to-right and head-over-heels tumble views

Enhanced Workflow

 $^{\rm SURE}\!Subtraction$ Orbital Synchronization combined with $^{\rm SURE}\!Subtraction$ Scanning helps improve workflow

- Less than 5 minutes to load, process and display images
- Subtracted dataset is still in DICOM format
- Maximize productivity with programmable features
- No special head immobilization required

Note: Available on Aquilion ONE, Aquilion Precision. Aquilion PRIME, Aquilion Prime SP, Aquilion Exceed Large Bore and Aquilion Lightning family - Requires V4.74 or later.

1 CARDIAC BUNDLE WORKFLOW PROMOTION

The promotional package provides the following options when purchasing a new Aquilion Prime SP 80 detector/80-160 slice system:

- ECG GATED SCANNING FOR AQUILION PRIME & LIGHTNING
- ECG MONITOR, R WAVE CARDIAC TRIGGER 7800T
- STAND,ECG UNIT (MODEL-7800)

- VARIABLE HELICAL PITCH
- SURECARDIO SCORING ON CONSOLE

Note: For new TSX-303B/8 systems only purchased with CGS-55A/0Z, and CSDS-002A/2B

1 ECG GATED SCANNING FOR AQUILION PRIME, LIGHTNING, EXCEED LB & CARTESION PRIME

Acquires images for specific cardiac phases. Includes:

- ECG-gated helical scanning and reconstruction with dose modulation and arrhythmia rejection.
- phaseXact: automatically detects cardiac phases with minimal motion to perform reconstruction.
- SURE Cardio Prospective: sets helical pitch and ECG dose modulation based on ECG/heart rate.

Prerequisites: MODEL-7800T or MODEL-7800TR ECG monitor with trigger.

1 ECG MONITOR, R WAVE CARDIAC TRIGGER 7800T

Cardiac ECG Trigger Monitor Model 7800T for use with CT hardware and software to measure skin impedance to help ensure reliable scanning.

- Compact ECG monitor with fast gated trigger output for R-wave synchronization applications
- · High & Low Heart Rate Limits
- 6.5" Color LCD Display (TFT Active Matrix)
- Integrated ECG simulator to test the integrity of the patient cables, lead wires, and electronic circuitry.

1 STAND, ECG UNIT (MODEL-7800)

1 VARIABLE HELICAL PITCH (PRE V6-REQUIRES SURECARDIO ECG GATING)

vHP3 (Variable Helical Pitch) improves workflow by enabling a clinically relevant change of helical pitch and scan parameters during a single planned acquisition. Up to three ¹ distinct helical pitch and scan factor settings can be set on a single scan range as well as an ECG gated scan if needed. As a result, CT procedure times can be reduced and image quality improved.

¹⁻ Three phase Variable Helical Pitch (vHP3) requires Version 8.3 software or greater.

Prerequisite:

- Cartesion Prime PET-CT
- Aquilion ONE (TSX-301A and TSX-301B) System software version 4.4 or greater

Quote #: 177441-2 SID #: 30096450



- Aquilion ViSION, Aquilion PRIME and Aquilion Prime SP System software version 6.0 or greater.
- Aquilion Lightning System software version 7.0 or greater.
- Aquilion Precision -System software version 8.6 or greater

1 SURECARDIO SCORING ON CONSOLE (REQUIRES ECG OPTION)

SURE Cardio Scoring on-console software is designed to calculate calcium scores from non-contrast-enhanced CT data acquired during an ECG-gated cardiac exam.

Key Features

- Calculates Ca scores using the Agatston method and the Volume Mass method.
- Calculates and displays the score and number of Ca lesions for each of the following coronary artery branches:
 - Right coronary artery (RCA)
 - Left main trunk (LM)
 - o Left anterior descending branch (LAD)
 - Left circumflex branch (LCX)
- Calculates and displays the total score and number of Ca lesions.
- Displays a report containing:
 - The calculated scores
 - The corresponding guidelines indicated by the studies accepted as the standards in the field
 - The axial images for the highest 12 scores
- Outputs the report to a general-purpose printer or a DICOM network printer.
- Registers the report in a DICOM SC file as a new series added to the corresponding data.

Prerequisite: SURE Cardio ECG gating (option, must be purchased separately).

CT-TRAINING-88C 1 AD

ADVANCED CARDIAC CT COURSE FOR TECHNOLOGISTS

One (1) attendance voucher for a three-day technologist-focused course held at the Canon Medical Systems Academy. This course provides a foundation of cardiac anatomy and physiology with ECG and cardiac gating, including CT scans performed with the latest dose reduction techniques. This course includes in-depth lectures and hands-on training on the CT scanner and Vitrea post-processing systems. At the completion of this course, you will be proficient in the following operations: cardiac anatomy and physiology, CTA scanning, ECG monitoring, image quality assessment and image processing. Vitrea post-processing training includes coronary artery calcium scoring and cardiac functional analysis. This course is all inclusive of the following: tuition, economy airfare (booked by Canon Medical Systems), lodging and meals. Accredited for CE credits by the ASRT Education Foundation.

Training at the Canon Medical Systems Academy is dependent upon facility availability. If not available, an equivalent amount of onsite training will be provided.

Prerequisite: Currently operating an Aquilion PRIME system.

Education expires two (2) years from the later of purchase date or warranty start date.

Additional onsite training is available for purchase.

Applications support is available by phone on the toll-free ASSIST line, 1-800-521-1968.

1 AI ADVANCED IMAGING (AI) PROMOTION PACKAGE

Canon Medicals' Deep Learning Reconstruction (DLR) solution supports the Advanced Intelligent Clear-IQ Engine (AiCE).

AiCE

Representing a paradigm shift in image reconstruction technology, AiCE (Advanced intelligent Clear-IQ Engine) utilizes a deep learning neural network to bring you images that are sharp, clear, and distinct. Following our company philosophy of helping you achieve the best possible healthcare outcomes for all, AiCE has now been optimized and integrated as AiCE for Prime SP. AiCE is trained to reconstruct images to match the spatial resolution and low-noise properties of an advanced Model-based Iterative Reconstruction (MBIR) method and store this knowledge within layers of a neural network. Applying this knowledge during image reconstruction makes AiCE extraordinarily efficient in routinely providing high spatial resolution and low noise in CT examinations that help improve your diagnostic confidence in every patient.

Is integrated into SURE Exposure 3D, ensuring automatic dose reduction.

Note: TSX-303B/8

1 AICE FOR CT

DIGITAL-SERVICES-PR.100

1 [KIT] DIGITAL SERVICES PROMOTION

Canon Medical Systems' Gateway Platinum Cybersecurity Kit is a state-of-the-art, integrated cybersecurity solution that creates an ultra-protective shield around your imaging assets and patients' most valuable personal data. This next-generation, deny-all firewall isolates the imaging system from the hospital network—enabling multilayered protection that alerts to malicious activity. The package includes a one-year subscription to Firewall Insights reporting, Canon Medical Systems' Rapid Incident Response





coverage, Intrusion Prevention System (monitoring, blocking, and alerting), with full audit trail and SIEM (Security Information and Event Management) integration. Gateway Platinum kit also includes InnerVision Plus services (remote system diagnostics, power and environmental monitoring).

Utilization Analytics Plus Package provides visibility to the utilization of your Canon Medical Systems' diagnostic imagining devices, with tools to help you maximize throughput. The Plus Package includes the Asset Inventory and Asset Utilization dashboards – giving you access to near-real time reporting on the number and types of exams being performed across your Canon Medical Systems' assets, as well as access to historical data to identify trends and track throughput improvements.

The Analytics Plus Package is included in your Canon Medical Systems' imaging equipment during the warranty period and for systems under any Canon Medical Systems' service agreements.

For post-warranty subscription of Gateway Platinum and Utilization Analytics including analytical performance metrics and insights — Referral Analysis, Operator Utilization, Turn Around Time, Change over Time, Dose Analysis, and Benchmarking – contact your Canon Medical Systems' Service Representative for details.



OPTIONS

FLEX-OCS-M

850MM COLUMN MEDRAD STELLANT FLEX MEDIUM OCS DUAL FLOW INJECTOR WITH INSTALL

Ceiling mounted (850 mm column) Stellant Flex DualFlow CT injector includes MedRad Certegra Workstation Display informatics-ready platform.


Note: This configuration does not include injector synchronization.

T/ASSIST/PRIMESP-HC.100

TECH ASSIST LATERAL TABLE SLIDE KIT FOR AQUILION PRIME SP HIGH CAPACITY (694 LB) COUCH

Tech Assist Lateral Table Slide, improves technologist safety by automating the adjustment of patients on the table. In addition, it improves access for interventional procedures and accommodates off-center imaging. It provides the ability to move the table in a variable 8.4 cm (4.2 cm on each side). This exclusive lateral movement of 8.4 cm improves image quality, reduces patient dose and provides better access for interventions and emergency patients while improving patient compliance for high quality exams.

Note: Available on Aquilion High-Capacity Couch Only



PRODUCT WARRANTY AND SERVICE COVERAGE

SYSTEM WARRANTY TERMS

Canon Medical Systems warrants that the Equipment will be free from defects in material and workmanship, for the duration and subject to the terms and conditions stated below. Any part furnished to Customer during the warranty period (stated in the table below) to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the Equipment.

The warranty period will commence on the date the installation of the product is complete. Notwithstanding the foregoing, in the event that the installation of the product is delayed for a total of thirty (30) days or more from the date of delivery for any reason or reasons for which Canon Medical Systems is not responsible, the warranty period for such product may, at Canon Medical Systems' option, commence on the thirtieth (30th) day from the date such product is delivered to Customer.

WARRANTY EXCLUSIONS

Warranty coverage does not include any defect which results, in whole or in part, from (1) negligent storage or handling of the product by Customer, its employees, agents, or contractors, (2) failure of Customer to prepare the site or provide power requirements or operating environmental conditions in compliance with any applicable instructions or recommendations of Canon Medical Systems, (3) absence of any product, component, or accessory recommended by Canon Medical Systems but omitted at Customer's direction, (4) any design, specification or instruction furnished by Customer, its employees, agents, or contractors, (5) any alteration of the product by persons other than Canon Medical Systems, (6) combining Canon Medical Systems' product with any product furnished by others that is not approved by Canon Medical Systems, (7) combining incompatible products of Canon Medical Systems, without Canon Medical Systems' prior approval, (8) improper use of the product, improper maintenance of the product by a party other than Canon Medical Systems, or failure to comply with any applicable instructions or recommendations of Canon Medical Systems, or (9) acts of God, fires, floods, strikes or other labor disturbances, or other causes beyond the reasonable control of Canon Medical Systems.

Canon Medical Systems does not warrant any products not manufactured by Canon Medical Systems such as, without limitation, monitors, cameras, computer equipment, injectors, and lasers. Such items will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems.

Warranty coverage also excludes consumables, including but not limited to batteries, storage media, positioning pads, table pads, power units, and radioactive sources.

X-RAY TUBE WARRANTY

CT X-ray tubes are covered under a separate warranty. The CT X-ray tube included with the purchase of a new system is governed by the glassware warranty, described below, not the system warranty.

CT X-ray tubes carry a prorated warranty based on the number of rotations shown below or 12 months, whichever occurs first.

Tube Type	Prorated Warranty	
CXB-750/D/4A: AQ/RXL, AQ/LB-SERIES, ASSUREPLUS-V, AQ64, AQ16, CELESTEION/PETCT	200,000 rotations*	
CXB-750/E/2A: AQ/ONE/ASSURE	150,000 rotations*	
CXB-750/F/2A: AQUILION-ONE-SERIES-V/4, ONE- VISION-640-SERIES-S, AQUILION GENESIS SERIES	100,000 rotations*	
CXB-750G/2A: PRIME-SERIES-S, PRIME-S-CHOICE	200,000 rotations*	
CXB-500B/1A: AQ/LIGHTNING	100,000 rotations*	

^{*} A rotation is any 360-degree or single rotation of the gantry with X-rays on.

CT X-RAY TUBE PRORATION CALCULATION:

Credits for CT X-ray tubes that fails during the warranty periods stated above will be calculated as follows:

Tubes with Prorated Rotation Warranty:

 $Credit = 1 - \frac{Number of Rotations Used}{Number of Rotations Warranted}$

Complete glassware coverage during warranty period may be purchased from Canon Medical Systems at an additional charge.

REMEDIES

If Canon Medical Systems determines that any product fails to meet the above-mentioned warranty during the applicable warranty period, Canon Medical Systems will correct any such failure by either, at its option, repairing, adjusting, or replacing without charge to Customer any defective or nonconforming parts of the product. Canon Medical Systems will have the option to furnish either new or remanufactured replacement parts or assemblies. However, remanufactured parts will meet the manufacturer's specifications for new components as of the date of completion of installation. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems.

SOFTWARE UPDATES





Canon Medical Systems will furnish to Customer, free of charge for the life of the Equipment, all Canon Medical Systems software or hardware upgrades to the Equipment purchased by Customer, which are intended to correct a safety risk. Software updates offering enhancements to previously purchased software features will be provided during the term of the warranty, if they do not require hardware modifications or additions. Software upgrades providing new features or capabilities not originally purchased, will be made available for purchase by Customer upon request when compatible with the originally purchased hardware. Canon Medical Systems retains the sole right to determine whether a software release is considered an update or an upgrade for which Customer will be charged. The above items will be performed only during the Covered Hours stated in the warranty. Service required outside these hours will be billed at Canon Medical Systems' differential rates in effect at the time such items are provided to Customer.

WARRANTY SERVICE

Warranty service during the applicable warranty period will be performed without charge to Customer during Canon Medical Systems' normal business hours, Monday through Friday, excluding Canon Medical Systems holidays. Subject to the availability of personnel, afterhours service is available upon request at an additional charge.

Customer must promptly notify Canon Medical Systems within the applicable warranty period of any defect that is covered by the warranty, and make the Equipment promptly available for repair and maintenance.

DISCLAIMERS AND LIMITATIONS ON LIABILITY

Canon Medical Systems' obligations stated above will be Customer's sole and exclusive remedy for a breach of the warranty set forth above. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Canon Medical Systems does not warrant that the operation of the Equipment will be uninterrupted.

ITEM TYPE	COMPUTERIZED TOMOGRAPHY
EQUIPMENT	12 Months
ACCESSORY OPTIONS	6 Months
REPLACEMENT & OPTIONAL PARTS*	90 Days
UPGRADE COMPONENTS	90 Days

^{*} The above 90-day period applies only to parts that are not furnished pursuant to a warranty repair for the Equipment. Any part furnished to Customer during the warranty period to correct a warranty failure will be warranted to the extent of the unexpired term of the warranty applicable to the System.

Quote #: 177441-2 SID #: 30096450



TERMS AND CONDITIONS OF SALE

- 1. <u>TITLE AND RISK OF LOSS</u>. Title and risk of loss to the Equipment purchased under this Agreement will pass to Customer: (a) if Canon Medical Systems is to provide installation, upon Canon Medical Systems' completion of installation, or (b) if Canon Medical Systems will not provide installation, upon delivery by Canon Medical Systems to Customer.
- 2. TERMS OF PAYMENT. Prices stated are F.O.B. Customer's facility. All taxes which are payable by Canon Medical Systems in connection with the sale, use, or possession of the Equipment (excluding income taxes), will be paid by Customer in addition to the quoted price. Terms of payment will be as stated in the first page of this Quotation. All invoices paid after due date will be assessed a late payment charge of the lesser of 1 1/2% per month or the maximum rate permitted by law.
- 3. DELAYS. If Customer changes the scheduled delivery date during the period of 120 days preceding the delivery date, Customer will nevertheless pay the installment of the purchase price which would have been payable upon delivery, on the Scheduled Delivery Date as if delivery had been made on such date. In addition, Customer will pay all extra costs incurred by Canon Medical Systems as a result of such delay, including, without limitation, storage and transportation. Storage fees will be charged at commercially comparable rates for storage on Canon Medical Systems' site. If delivery is delayed by 12 months or more from the Scheduled Delivery Date, except through the fault of Canon Medical Systems, the price set forth in this Agreement may be increased by Canon Medical Systems to a level equal to the prevailing price in effect at the time of the revised delivery date.
- EQUIPMENT INSTALLATION. Canon Medical Systems will provide, at no additional cost, standard labor and rigging services to unload the Product from the transport vehicle and move to the final position. The shoring of floors, the widening of doorways, and other nonstandard rigging requirements will be negotiated between the Canon Medical Systems and Customer separately if it is determined they are required. Canon Medical Systems will install all Equipment purchased under this Agreement and connect them to existing power and/or plumbing lines at no additional charge to Customer. Customer will be responsible for electrical wiring, plumbing, carpentry, plastering, painting, or all other site preparation required prior to installation and connection of the Equipment by Canon Medical Systems. Customer will provide space at the installation site for the safe storage of Canon Medical Systems' tools, test equipment and other materials used for installation at no charge to Canon Medical Systems. Customer shall, at its cost, obtain all permits and licenses required by governmental authorities in connection with the installation and operation of the Equipment. Customer acknowledges that the System and Software are designed to operate within certain power, temperature, airborne contamination, and humidity ranges. Customer will be responsible for, without limitation: (i) preparing and maintaining the Customer facility in conformance with the Site Preparation Guide; (ii) maintaining its network infrastructure; (iii) providing Canon Medical Systems, access to a network connection in or near the area of the System being serviced by the equipment service staff; and (iv) supplying computer grade AC power. The Equipment relies upon a stable grounded connection to the main power grid in order to function effectively. Customer acknowledges that AC power supply quality may be a problem in old facilities or in those facilities receiving poor quality utility service and that power conditioning may be necessary in such cases.

- 5. <u>EQUIPMENT OPERATION</u>. Customer agrees that all Equipment purchased under this Agreement will be operated exclusively by duly qualified technicians and/or medical doctors in a safe and reasonable manner in accordance with Canon Medical Systems' written instructions, applicable laws and regulations, and for the purposes for which such Equipment was intended.
- LIMITED WARRANTY AND REMEDY. A. For the warranty period described below by product, Canon Medical Systems, as its only obligation, will replace or repair, without charge to Customer during Canon Medical Systems' normal working hours (if Customer requests warranty service outside such hours, Customer will pay overtime premium for labor), any component of the Equipment that is defective in materials or workmanship, provided such defect is reported to Canon Medical Systems within the warranty period. Canon Medical Systems' warranty period is as follows: (a) Systems and Major Components one year from date of completion of installation; (b) Accessories/Options (except glassware) - six months from date of completion of installation. Components not manufactured by Canon Medical Systems will be furnished subject only to the manufacturer's warranty, if any, and without any warranty whatsoever by Canon Medical Systems. During the warranty period, Canon Medical Systems will furnish free of charge any parts, including software required to correct any defect in the Equipment or as required under applicable laws.
- Canon Medical Systems does not warrant that the operation of the Equipment of the System will be uninterrupted. All defective parts replaced by Canon Medical Systems will become the property of Canon Medical Systems. Replacement parts may be re-manufactured. However, such parts will meet the manufacturer's specifications for new components as of the date of completion of installation. CANON MEDICAL SYSTEMS' OBLIGATION TO REPAIR OR REPLACE DEFECTIVE PARTS OR SOFTWARE WILL BE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY FOR A BREACH OF THE WARRANTY SET IN THIS AGREEMENT. SUCH WARRANTY WILL BE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, THE WARRANTIES MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. The warranty set forth in this Agreement will not apply to, and Canon Medical Systems will not be liable for any defects resulting from misuse, repairs performed by unauthorized third parties, accidents, acts of God, or neglect of anyone other than Canon Medical Systems.



- 7. LATEST HARDWARE AND SOFTWARE AT TIME OF DELIVERY. Canon Medical Systems agrees that the Equipment ordered by Customer will, at the time of delivery to Customer, contain, at no additional charge to Customer, the latest hardware and software manufactured by Canon Medical Systems for such Equipment that are commercially available in the United States and which are provided as part of Canon Medical Systems' standard configuration for such Equipment at the time of delivery. This commitment applies only to components and not an upgrade to the entire system. Furthermore, it is limited to hardware and software that (a) have been ordered by Customer, and not any optional or other items that were not ordered by Customer, and (b) are cleared by the FDA as of the date of delivery of the Equipment. This clause does not apply to Assure, Demonstration or Used Equipment.
- 8. <u>LIMITATION OF LIABILITY</u>. A. NEITHER CANON MEDICAL SYSTEMS NOR CUSTOMER WILL UNDER ANY CIRCUMSTANCES BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL, OR EXEMPLARY DAMAGES OR ECONOMIC LOSS ARISING OUT OF OR RELATED TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT, EVEN IF EITHER PARTY IS APPRISED OF THE LIKELIHOOD OF SUCH DAMAGES OCCURRING.
- B. IN NO EVENT WILL CANON MEDICAL SYSTEMS' LIABILITY TO THE CUSTOMER (WHETHER BASED ON AN ACTION OR CLAIM IN CONTRACT, TORT, INCLUDING NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE) ARISING OUT OF OR RELATING TO THE TRANSACTIONS CONTEMPLATED IN THIS AGREEMENT EXCEED THE AGGREGATE AMOUNT ACTUALLY PAID BY CUSTOMER TO CANON MEDICAL SYSTEMS UNDER THIS AGREEMENT. THE LIMITATION OF LIABILITY SET FORTH ABOVE WILL NOT APPLY TO CLAIMS FOR PERSONAL INJURY OR PROPERTY DAMAGE CAUSED BY EQUIPMENT DEFECTS.
- 9. SECURITY INTEREST. Canon Medical Systems hereby reserves and Customer grants to Canon Medical Systems a security interest pursuant to the Uniform Commercial Code, in and to the Equipment (and all products and proceeds of it) until full payment of the purchase price is received. In the event that Customer finances its acquisition of the Equipment through a lease, conditional sale contract, secured loan agreement or other financing agreement (collectively, "Lease") with Canon Medical Systems, then the security interest in the Equipment (and all products and proceeds thereof) shall secure all obligations of Customer due and to become due under the Lease.
- 10. <u>REMOVAL OF EQUIPMENT</u>. Until Canon Medical Systems has received full payment of the purchase price, Customer will not remove all or any part of the Equipment from Customer's premises, nor will Customer sell, lease, transfer or otherwise part with the possession of, or permit any lien or encumbrance to be placed on all or any part of the Equipment.
- 11. TRADE-IN. If this quotation includes the trade-in of Customer's existing equipment and the removal date of the trade-in equipment is delayed due to no fault of Canon Medical Systems or if the trade-in equipment is damaged or its condition deteriorates from the date of this quotation through the date of removal, Canon Medical Systems reserves the right to increase the pricing of the new equipment in an amount equal to the reduction in the resale price of the trade-in equipment. Customer must convey free and clear title to the trade-in equipment. If there are any liens or encumbrances on the trade-in equipment, Canon Medical Systems cannot accept the trade-in.

- 12. REMEDIES OF CANON MEDICAL SYSTEMS. If Customer fails to make any payment when due under this Agreement, or becomes insolvent or makes an assignment for the benefit of creditors, or if a petition in Bankruptcy is filed by or against Customer, or if the financial responsibility of Customer becomes impaired, or if Customer otherwise breaches any of the terms and conditions of this Agreement, then Canon Medical Systems may, without prior notice or demand, defer shipments, cancel the balance of the order, suspend performance of any obligation (including without limitation, all obligations set forth under Limited Warranty And Remedy above), and/or take immediate possession of the Equipment delivered, until the full purchase price of the Equipment is paid by Customer or, at Canon Medical Systems' discretion, until security satisfactory to Canon Medical Systems is given by Customer. Any costs incurred by Canon Medical Systems as a result of suspending performance or repossession or collection will be payable by Customer. Canon Medical Systems may sell repossessed Equipment with proceeds to be applied to unpaid balance and expenses incurred in sale, repossession and collection. Customer will pay any remaining deficiency. Canon Medical Systems may exercise any other rights available to it by law.
- payment obligations hereunder, neither party will be liable to the other for non-performance or delay in performance resulting directly or indirectly from any occurrences beyond such party's control, including without limitation, strikes or other labor troubles, acts of God, war, accidents, fires, floods, other catastrophes, inclement weather, transportation, delays caused by suppliers, or laws, regulations, or acts of any governmental agency.
- **SOFTWARE**. All rights and interest in any software that may be furnished under this Agreement, and any updates and enhancements to it, will remain the property of Canon Medical Systems. Such software is being furnished to Customer under a non-exclusive license. Customer will not, or allow others to decompile, modify, copy, reproduce, or transcribe the software nor allow third parties to use the same without Canon Medical Systems' prior written consent. In the event a third party's software is furnished to Customer, Customer may be required to execute a software license agreement as requested by such third party as a condition to delivery and/or purchase of the third party's product. Canon Medical Systems will furnish Customer with a copy of such license agreement for its review and execution. In the event Customer sells the Equipment to a third party, the purchaser thereof will have the same rights and obligations with respect to any Canon Medical Systems software as Customer. Customer will need to make its own determination whether it needs to obtain any consent from a third party for non-Canon Medical Systems software. Any Canon Medical Informatics, Inc products quoted herein are conditioned on and subject to the Software License Agreement located at:

<u>Agreement</u> which is incorporated herein by reference.

15. <u>CANCELLATION</u>. Customer may not cancel the order subject to this Agreement except with Canon Medical Systems' prior written consent. In the event of cancellation without Canon Medical Systems' written consent, Canon Medical Systems will be entitled to recover liquidated damages in an amount equal to twenty percent (20%) of the purchase price of the Equipment





- 16. ASSIGNMENT. Neither party may assign any of its obligations under this Agreement without the prior written consent of the other party However, some of the obligations stated in this Agreement, such as the ones relating to installation of items not manufactured by Canon Medical Systems and the warranty thereof may be performed by Canon Medical Systems' contractors or suppliers.
- 17. EXPORT REGULATIONS. This Agreement involves products, and/or technical data that may be controlled under the U.S. Export Administration Regulations and may be subject to the approval of the U.S. Department of Commerce prior to export. Any export or re-export by Customer, directly or indirectly, in contravention of such Regulations is prohibited.
- 18. <u>ATTORNEY'S FEES COSTS</u>. In the event of any legal proceeding involving any party to this Agreement against the other relating to the subject matter of this Agreement, the prevailing party in such proceeding will be entitled to recover reasonable attorney's fees, expert fees, and court costs against the non-prevailing party
- 19. ACCEPTANCE BY CANON MEDICAL SYSTEMS. This Quotation/Order will not be binding on Canon Medical Systems even if signed by a Canon Medical Systems' employee, until Customer's order for the Equipment is booked by Canon Medical Systems' Headquarter office.
- **20.** END USER CERTIFICATION. Purchaser represents, warrants and covenants that it is acquiring the Products for its own end use and not for reselling, leasing or transferring to a third party (except for leaseback financing).
- 21. ENTIRE AGREEMENT. This quotation contains the entire agreement between the parties and supersedes all prior and contemporaneous agreements between the parties, whether oral or written, relating to its subject matter, including, without limitation, all different or additional terms and conditions which may be contained in Customer's bid documents, purchase order or any other documents furnished by Customer. The provisions of this Agreement may not be modified unless in writing and executed by both parties.

SPT Report to the SHD Board

11/30/2023

SWIMLANES	SUBCATEGORIES	General Summary	Updates
EMS Helicopter Landing			
Site			
			We have received confirmation from Division of Aeronautics
		Emergency Medical Services Helicopter Landing Site (HLS)	that the letter is adequate that was provided by the Office of
		in lieu of a full Heliport is being incorporated into the	the Sheriff / Emergency Services, deeming the SHD HLS a
		design for transport of patients as needed to nearby	reasonable and prudent location for safe operation and
		hospital partners. The size and infrastructure for the HLS	committing to oversee the operations. Boldt/HGA's design is
		will be such that a Heliport approval could potentially be	proceeding with inset lights, fencing, and lighted windsock &
		pursued in the future if desired.	beacon on rooftop. No further tracking needed.
Harvest Plan			
		Sierra Timber Services (STS) was retained to prepare a	Tree removal began 10/18/23, and has been completed.
		Timber Harvesting Plan (THP) and associated Timberland	Letter from the Earthwork Special Inspection company BSK is
		Conversion permit (TCP). This is needed in order to clear	pending to be provided to GC/Grading Contractor for the
		trees as needed for the development, and will also be a	hand-off of grade preparation.
		component of the CEQA/NEPA analysis.	
Wildwood Easement			
			No update from 10/26 BOD meeting except that Peninsula
			Fire has been contracted (T&M) to do the access/fire review.
			The existing easement remains, but noting that we
			anticipate bringing this back to BOD for input as soon as Peninsula Fire completes their review/sign-off. The
			easement approved by both SHD & PCCDC for potential
			work at Wildwood's SW corner for main access from
			Reynolds Rd to the planned new facility has been recorded.
			Design-Build Entity may have an alternate/more cost-
			effective solution but if that is the case we can later record a
			retraction of the easement.
			The previously-discussed potential secondary emergency
		There is an easement currently recorded across the SW	access/egress at the North (Meadow Lane) is not anticipated
		corner of Wildwood in order to properly access the new	to be needed at this timesite plans have been submitted to
		site and potential for emergency access only through the	the County with alternate secondary access/egress behind
		North-most drive of Wildwood.	the clinic to Brentwood.

Financing			
J	USDA Financing	A loan is being pursued from USDA to provide revenue- supported financing for the project.	SHD and finance/project entities are working through implications of the Letter of Conditions provided by USDA .
			Through follow-up meeting with BKF for grant prospecting services, additionaly clarity of terms and a fee of \$5k has been provided. That is being reviewed for determination of next steps.
			Donor packets are complete.
	Other Funding	Anticipating a combination of state/federal funds, Philanthropy and public support.	No update on SB395 from 10/26 BOD meeting. SHD has applied for SB395 funding for reimbursement for the fee associated with development of the Criteria Documents (\$280k). We are awaiting feedback on the application. There will be future additional opportunities to apply for future funding under this legislature as well.
Schedule	Other Funding	Certificate of Occupancy anticipated June 2026 followed	No update from 10/26 BOD meeting.
		by 2 months of staff/stock for first patient August 2026.	and appeared to the control of the c
Budget			Construction costs are showing overruns, but goal remains at \$55.5M construction costs and overall Project Cost (including soft costs) of \$72M. Team is continuing work to bring scope/costs back in line.
		Design-Build Entity Validation Phase cost model provided for 1/26/23 meeting. Project budget at \$72M.	Note that excluded from the above construction costs but included in the overall Project Cost is the construction of the Support Services building for which the team is finalizing criteria design and looking to bid to metal building companies this winter.

Design			Peninsula Fire has agreed to review site for fire
Design			control/access input. This information/confirmation of
			<u> </u>
			acceptance is needed for HCAI permit approval. Updates to
			the site plans have been made and re-submitted to
			County/CPUD/Pen Fire.
			Resubmittal to HCAI for Shell/Core design is
			completeExpect response in December.
		The Boldt Company with HGA Architects have been	Interiors design has been submitted to HCAI for initial
	Design Documentation	contracted as the project Design-Build Entity (DBE).	review, initial response expected in January 2024.
			As requested at the 10/26 BOD meeting, included with the
			BOD packet is the most recent equipment list (both by
			department and by equipment item) with associated costs,
		Contract has been executed with Doss & Darwarini (D&D)	' ' ' '
		Contract has been executed with Ross & Baruzzini (R&B),	noting that that budget INCLUDES the early procurement
		changing company name to Introba, for Medical	items also included as a report. We are under budget and
		Equipment Planning & Procurement services. They will be	
		involved in the project through procurement with a	back to project contingency. Given cashflow analysis,
		decision at a later point if they will also provide	request to BOD has changed to only issue PO to Canon in
	Medical Equipment	installation management (cost defined within their	order to obtain final room design drawings for incorporation
	Planning	contract as a potential additional service).	into the design drawings to HCAI.
Construction		Due to timing of bidding during the busy Summer months,	
		bid coverage has been very light, leading to	
		recommendation to the BOD to push GMP development	Additional time is needed in order to develop final
	Boldt Contract GMP	to end of Construction Documents.	construction costs. More info to come in December.
		Following Boldt's previous/unsuccessful work to obtain a	
		site subcontractor, finding no available subs that also	
		meet the Skilled & Trained State Design-Build workforce	
		requirements, a bid has now been obtained and vetted.	
		That, along with the schedule modifications have led to a	
		need to propose changes to the structure of the Boldt	
	Site Construction	contract to allow for dollars to shift from Construction	NTP3 as approved by BOD at 9/28 meeting remains in need
		line-items to design line-items, noting no change to total	of further input from Boldt due to need to also incorporate
	Contract Modifications		USDA LOC terms.





Seneca- October 2023 Revenue Cycle Performance & KPI

Nicole Greene – Customer Success Manager

Executive Summary

Key Initiatives

Partnership



• Ongoing initiative between R1 and Client/Oracle to identify and resolve build or workflow issues

Clean Claim Rate improvement



• Identify clean claim rate issues by identify and turning edits if necessary and reviewing workflow with coding and charge services.

Client Scorecard-October MTD

Key Performance Indicators			PYM							
ост	r MTD	UofM	Oct-22	Aug-23	Sep-23	Oct-23	Performance Commentary			
	Total Gross Revenue	\$M	\$2.02	\$1.72	\$1.80	\$1.60	Reduction of \$202K from prior month			
	Total Cash Collected	\$M	\$1.10	\$0.72	\$0.76	\$0.74	Reduction of \$17K from prior month			
Cash & Revenue	Actual Daily Cash Per Business Day	\$M		\$0.02	\$0.02	\$0.02	\$23,991			
	Average Daily Revenue	\$K	\$71,498	\$56,424	\$60,112	\$51,663				
	Gross Collection Rate	%	64.0%	41.8%	42.2%					
DNFB & Clean Claim	Unbilled AR	Days	7.40	24.23	28.12	26.22	Reduction 1.9 A/R Days			
Rate	Unbilled AR less Standard Delay	Days		19.02	23.74	22.56				
	Total AR	Days	57.7	55.8	59.0	71.1	Increase 12.1 Days			
	Total Ins AR	Days		53.5	56.3	67.7	Increase 10.4 Days			
A/R & Aging	Total SP AR Days	Days		2.3	2.6	3.3	Increase .7 Days			
	AR > 90 %	%	15%	0%	9.5%	20.2%				
	Insurance AR > 90 %	%	15%	0%	10.6%	21.2%				
	Credit Balance	\$M		\$0.00	\$0.01	\$0.03				
Cook Dooring & Dooring	Credit Balance Days	Days		0.0	0.1	0.6				
Cash Posting & Denial	Full Denial Rate	%		9%	23%	18%				
	Full Denial Total	\$K	\$191,640	\$159,156	\$410,757	\$287,920				




Client DNFB Scorecard- October EOM

	UOM	Jul-23	Aug-23	Sep-23	Oct-23
DNFB					
Bill Suppression Hold	\$	547,194	460,909	333,846	376,748
Correction Required	\$	33,909	-	2,840	15,740
Credit Balance - No Charges	\$	-	-		
Held in Scrubber	\$	275,520	269,353	729,137	196,051
Ready to Bill	\$	-	105,358	4,621	11,414
Standard Delay	\$	171,672	296,295	263,154	189,026
Waiting for Coding	\$	319,571	246,236	356,529	565,383
Total Gross DNFB	\$	1,347,864	1,378,151	1,690,127	1,354,360
Less Standard Delay	\$	1,176,193	1,081,856	1,426,973	1,165,334

	Jul-23	Aug-23	Sep-23	Oct-23
Days	9.62	8.17	5.55	7.29
Days	0.60	-	0.05	0.30
Days	-	-	-	-
Days	4.84	4.77	12.13	3.79
Days	-	1.87	0.08	0.22
Days	3.02	5.25	4.38	3.66
Days	5.62	4.36	5.93	10.94
Days	23.70	24.42	28.12	26.22
Days	20.68	19.17	23.74	22.56
	Days Days Days Days Days Days Days	Days 9.62 Days 0.60 Days - Days - Days 3.02 Days 5.62 Days 23.70	Days 9.62 8.17 Days 0.60 - Days - - Days 4.84 4.77 Days - 1.87 Days 3.02 5.25 Days 5.62 4.36 Days 23.70 24.42	Days 9.62 8.17 5.55 Days 0.60 - 0.05 Days - - - Days 4.84 4.77 12.13 Days - 1.87 0.08 Days 3.02 5.25 4.38 Days 5.62 4.36 5.93 Days 23.70 24.42 28.12

Claims Processing

October 2023- Clean Claim Rate – All Stops



Total Claims

Volume: 1465

Value: \$2.7M

Total Claims
Stopped

Volume: 351

Value: \$1.3M

Total Claims
Billed

Volume: 1113

Value: \$1.4M

Clean Claim Rate

76.0%

Claims Processing/ October EOM Top 5 Edits/Rejections

Edit Number	Description	# of Occurrence	# of Claims	RCA
198060	WARNING - CODE NOT RECOGNIZED BY OPPS. THE CODE IS 93010 OCE 62 [VRESION 09/18/2023] SOURCE = JULY 2023 INTEGRATED OUTPATIENT CODE EDITOR (I/OCE) SPECIFICATIONS VERSION V24.2 HTTP://WWW.CMS.GOV/MEDICARE/CODING/OUTPATIENTCODEEDIT/OCEQTRRELEASESPECS.HTML	27	21	8.29 If the code is for 0223U, A4600, A9273, 93010, 99222-99223, or 99238-99239, R1 to bypass the warning in SSI. If the code is 80320, R1 to delete in SSI, cancel in Cerner, and apply SNCA Coding Edits work item to coding Generic User (SNCACPAUSER, CODING) via the encounter tab asking for code 80320 to be replaced with 82077. For any other code, request coding review to determine if warning should be bypassed. Provide a list of codes Coding is advising can be bypassed to R1 leadership weekly.
3590	A CONDITION CODE OF DD-D4, D7-D9, OR ED IS REQUIRED WHEN BILL TYPE IS XX7. (NOTE: CONDITION CODE D7 IS VALID DNLY FOR SECONDARY MEDICARE CLAIMS. CONDITION CODE D8 IS VALID ONLY FOR SECONDARY MEDICARE FINANCY: D1 = CHANGES TO NEWLICE DATES D2 = CHANGES BI REVENUE CODE/HOPCS/HIPPS ARTE CODES D3 = SECOND D8 SUBSEQUENT INTERIM PPS BILL D4 = CHANGE IN INCO(CH DIAGNOSIS AND)OR PROCEDURE CODES) D7 = CHANGET D7 MARK BY BY BY BY BY BY BY BY BY BY BY BY BY	18	18	R1 to update and validate
37723	WARNING: CCI CONFLICT WITH HCPCS CODES 99222 AND 99284: Column 1/Column 2 Edits. OCE-19/OCE-20 WARNING - code pair that is not allowed by NCCI even if appropriate modifier is present. CPT CODES COPYRIGHT 1999 AMERICAN NEDICAL ASSOCIATION. ALL RIGHTS RESERVED. https://www.cms.gov/Medicare/Coding/NationalCorrectCodInitEd/NCCI-Coding-Edits.html - 2400*SV202-2 -	19	15	9.27 If the CCI conflict is between codes any two codes from 99222-99285, bypass in SSI. If between codes 93005 and 93010 or 99156, add mod 59 to the 93005-charge line, if between 80305/80010 add 59 mod to charge 80305, between 9156/93005 add modifier 59 to 93005 charge. Between 940560 and 94010, send to coding to have one of the codes removed (not allowed even with modifier). If between 97140/97750 - bypass warning, 80503 and 84146/85256, add 59 mod to the code that is NOT 80503, between 12001 and 12002 AND any other codes, R1 to delete in SSI, cancel in Cerner, and apply SNCA Coding Edits work item to coding Generic User (SNCACPAUSER, CODING) via the encounter tab.
129313	WHEN BILLING SECONDARY PAYER, THE PRIMARY PAYMENT RECEIVED A (FL 54) PLUS TOTAL OF ALL THE ADJUSTMENT AMOUNTS BOTH CLAIM LEVEL AND CHARGE LEVEL MUST EQUAL TOTAL CHARGES. IF OF OUR PEALANCE SECONDARY CLAIM MUST BE BILLED PAPER. THE FOLLOWING ARE THE TOTAL AMOUNTS: TOTAL PRIMARY CLAIM ADJUSTMENTS36.50. TOTAL PRIMARY CHARGE ADJUSTMENTS - 0.00. PAYMENT RECEIVED A - 0.00. THE TOTAL PRIMARY ADJUSTMENTS (CL AND CHG) AND PAYMENTS RECEIVED IS36.50. TOTAL CHARGES	11	11	R1 to updated secondary adjudication information
132995	ADJUDICATION DATE AT THE CLAIM LEVEL IS REQUIRED IF THERE IS NO ADJUDICATION DATE AT THE CHARGE LEVEL. LOOP 23308*DTP*573* * HIPAA ANSI GENERIC EDIT * [VERSION 09/20/2023] SOURCE: 5010IC PAGE 389 REQUIRED WHEN THE PAYER IDENTIFIED IN THIS LOOP HAS PREVIOUSLY ADJUDICATED THE CLAIM AND LOOP ID- 2430, LINE CHECK OR REMITTANCE DATE IS NOT USED.	11	11	R1 to updated secondary adjudication information

Denials UB & 1500

2023 Trending-4 Month Trend

Full Denials

Denial Categories	Jul-23	Aug-23	Sep-23	Oct-23
Additonal Info Needed	\$21,814	\$14,610	\$72,433	\$54,755
Auth/PreCert		\$2,720	\$4,216	\$9,503
Benefits	\$1,659	\$6,145	\$7,226	\$7,306
Billing Submission Errors	\$2,067	\$37,912	\$93,124	\$43,235
Bundling	\$4,710	\$37,122	\$69,680	\$35,371
Coding CPT/HCPCS			\$16,303	\$8,754
Coding- DX	\$360	\$204	\$908	\$27
Coding Modifier	\$482	\$3,579	\$11,147	\$6,040
Contracting			\$4,731	\$-
СОВ	\$1,987	\$8,164	\$145	\$4,926
Credentialing			\$91	\$4,177
Duplicate	\$113	\$4,081	\$63,379	\$38,471
Medical Necessity	\$521	\$6,898	\$7,653	\$8,823
Non Covered Services	\$5,414	\$25,283	\$24,254	\$18,524
Referral			\$-	\$-
Registration/Eligibility	\$4,509	\$29,770	\$34,531	\$20,789
Reimbursment			\$936	\$-
Timley Filing				\$2,550
Total Gross Denied	\$43,636	\$176,486	\$410,757	\$263,251
Total Gross Charges	\$1,282,897	\$1,722,969	\$1,803,439	\$1,601,562
Denial %	3.4%	10.2%	22.8%	16.4%

Denials/ October EOM Top Monthly Denials & Mitigation Strategies

Denial Group	Weekly/Monthly Denial Dollars	Volume	Top Payers	CARC/RARC	Additional Details/Root Cause/Resolution
Additional Info Needed	\$54.7K	136 UB 25 1500	Calf Health and Wellness Keenan	16- Claim/svc lacks info needed for adjudication	CPT codes 84702, 87799, Z7610, L3908 are denied for Missing/incomplete/invalid procedure code/modifier. Ae per SOP, R1 to add SNCA Coding Denials work item and assign to SNCACPAUSER, CODING with specific details as to the denial, code denied, and what is needed to be reviewed/updated
			BCBS	129- Pmt denied - Prior Process info Correct	Example encounters# 60000455 & 60000103 - Primary insurance proceesed the claim and crossed over the claim to secondary insurance and processed & paid. Secondary claim was submitted twice RCA - R1 to to call payer and get more detail. See if payer needs primary EOB information
Billing Submission Error	\$43.2K	124 UB 4 1500	Calf Health and Wellness	5- Proc cd/Bill type inconsistent with POS	Example encounters# 60001617, claim is denied for incorrect/missing modifier RCA - R1 to add SNCA Coding Denials work item and assign to SNCACPAUSER, CODING with specific details as to the denial, code denied, and what is needed to be reviewed/updated 8.24.23 place on R1 assistance 9.18.23 For Payer Partnership Health Plan with E7M codes 99281-99285 please see MISC Tab
			Blue Shield		Example encounters# 60004879 & 60004146
Duplicate	\$38.4K	86 UB 4 1500	Partnership Health	18- Duplicate Claim or service	R1 to verify if claim is truly a duplicate (speak with payer, check related encounters, powerchart, etc), if a combine is needed, if TOB was correct, etc. Workflow will vary depending on reasoning for denial.
			Medicare		Example encounters# 60006918 & 60005087
Bundling	\$35.3K	115 UB 31 1500	Blue Cross	97- Pmt included in allow for other svc/proc	R1 to review to verify payment exist on claim if so adjusted the CO-97 to contractual. If there is no payment put on the R1 assistance
				27- Expenses incurred after coverage termed	Example encounter# 60002800-2, if claim denied
				109- Clm/svc not covered send to correct payer	for 27- Expenses incurred after coverage termed, R1 to verify insurance information and
				200- Expenses incurred during lapse in coverage	update/rebill. If unable to verify patient/insurance
Registration/Elig.	\$20.7K	63 UB 2 1500	BCBS	32- not an eligible dependent as defined	information, R1 to send SNCA Registration Denials work item assigned to the Reg generic user with details in notes. Team will follow the same for 200 & 32 denial scenarios Example encounter# 60003018, if claim denied for 109 - R1 to verify the correct insurance for DOS. If the insurance is correct for the patient but does not cover the service, determine if patient can be billed or if provider is liable. If payer advises a modifier can be added, send to coding to review. If insurance is incorrect, update and bill.



Accounts Receivable

Aged Trial Balance October 23 EOM compared to Sept 23 EOM

October - EOM 2023	ADR																		
Current Financial Class	DNFB	Not Aged	0-30	31-60	61-90	91-120	121-150	151-180	181-210	211-240	241-270	271-300	301-330	331-365	366+	Grand Total	Over 90	Prior Month Over 90	Month Variance Ove 90
Blue Cross	\$260,242	\$2,125	\$219,991	\$84,930	\$34,085	\$63,000	\$41,528						:	:		\$705,900		\$45,304	
Commercial	\$35,341	\$2,423	\$32,475	\$58,785	\$20,176	\$63,007	\$40,039				:	:	:	:		\$252,246		\$5,475	\$97,57
Indian Beneficiary	\$160	:	:	\$375	\$233	\$280	\$5,475			:	:	:	:	:		\$6,523	\$5,755	\$11,376	(\$5,621
Medicaid	:				\$90		\$11,376				:		(:	{		\$11,466	\$11,376	\$42,037	(\$30,661
Medicaid HMO		\$17,698	\$67,650	\$62,283	\$72,206	\$83,129	\$34,619							:		\$431,723		\$29,959	\$87,789
Medi-Cal	\$19,315				\$5,834	\$15,630										\$202,319	\$66,400	\$104,875	(\$38,475
Medicare	\$726,256	\$13,511	\$297,031	\$80,789	\$196,546	\$121,978	\$55,019				:	:	:	: :		\$1,491,130	\$176,996	\$28,944	\$148,053
Medicare Advantage	\$26,196	:	\$20,125	\$18,171	\$7,443	\$11,497	\$33,465				:	:	:	: :		\$116,898	\$44,963	\$16,834	\$28,129
Self Pay	\$51,673	\$397	\$8,541	\$26,434	\$25,902	\$49,590	\$9,564				:			(······		\$172,101	\$59,154	\$44	\$59,111
Veterans Administration	\$52,185	\$1,110	\$20,181	\$12,971	\$2,304	\$8,919	\$1,500	\$321								\$99,491	\$10,740	\$16,860	(\$6,119
Worker's Compensation	\$44,405		\$10,160	\$59,232	\$21,752	\$22,323	\$14,478	\$441								\$172,789	\$37,241	(\$45)	\$37,286
(blank)		\$482	\$864	(\$22)	\$5,292	\$2,699	\$46				:	:	 :	 :		\$9,361	\$2,745	\$0	\$2,745
Grand Total	\$1,309,910	\$37,915	\$722,085	\$469,481	\$391,863	\$442,053	\$297,878	\$762	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$3,671,947	\$740,693	\$301,661	\$439,032
% of AR	36%	1%	20%	13%	11%	12%	8%	0%	0%	0%	0%	0%	0%	0%	0%		20%	10%	
Insurance Only	\$1,258,238	\$37,518	\$713,544	\$443,047	\$365,961	\$392,462	\$288,314	\$762	\$0	\$0): \$0): \$C	\$0	\$0	\$0	\$3,499,846	\$681,539	\$301,617	\$379,921

October 2023 EOM

Net Variance in Dollars to Prior EOM Aging Bucket

Financial Class	DNFB	Not Aged	0-30	31-60	61-90	91-120	121-150	151-180 1	181-210	211-240 2	41-270	271-300 301	-330	331-365 3	66+	Grand Total	Over 90
Blue Cross	(\$4,171)	(\$69,371)	\$26,211	\$31,694	(\$40,262)	\$24,025	\$41,528	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$9,654	\$59,224
Commercial	(\$43,255)	\$2,423	(\$45,456)	\$30,108	(\$51,812)	\$17,704	\$40,039	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$50,249)	\$97,571
Indian Beneficiary	(\$495)	\$0	\$0	\$375	\$233	(\$5,195)	\$5,475	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$393	(\$5,621)
Medicaid	\$0	\$0	\$0	\$0	\$90	(\$11,376)	\$11,376	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$90	(\$30,661)
Medicaid HMO	(\$95,702)	\$16,533	\$25,724	(\$10,099)	(\$4,170)	\$41,092	\$34,619	\$0	\$0	\$0	\$0	\$0	\$0.	\$0	\$0	\$7,997	\$87,789
Medi-Cal	(\$143,068)	\$169	\$35,850	\$54,361	(\$9,860)	(\$14,330)	\$50,770	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	(\$26,107)	(\$38,475)
Medicare	(\$76,862)	(\$174)	\$77,772	(\$5,280)	\$58,745	\$17,527	\$54,595	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$126,323	\$148,053
Medicare Advantage	(\$18,624)	\$0	\$10,800	\$2,912	(\$2,973)	(\$17,446)	\$33,465	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$8,133	\$28,129
Self Pay	\$19,495	\$169	(\$18,849)	(\$5,348)	(\$23,870)	\$32,757	\$9,564	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$13,917	\$59,111
Veterans Administration	(\$2,627)	\$1,110	(\$3,074)	\$12,304	(\$1,278)	\$9,197	\$1,179	\$321	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$17,132	(\$6,119)
Worker's Compensation	(\$9,008)	\$0	(\$53,370)	\$56,013	\$4,444	\$5,463	\$14,478	\$441	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$18,460	\$37,286
(blank)	\$0	(\$7,279)	\$3,871	(\$2,683)	\$4,757	\$2,744	\$46	\$0	\$0	\$0	\$0	\$0.	\$0	\$0.	\$0	\$1,456	\$2,745
Grand Total	(\$374,318)	(\$56,421)	\$59,478	\$164,357	(\$65,955)	\$102,162	\$297,133	\$762	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$127,199	\$439,032
Insurance Only	(\$393.812)	(\$56.590)	\$78.327	\$169,706	(\$42.085)	\$69,405	\$287,569	\$762	\$0	\$0	\$0	\$0	\$0	\$0	\$0	\$113.282	\$379,921

- R1 Scope Increase A/R over 90 BCBS, Comm, Medicaid HMO, Medicare, Medicare MCO, Work Comp
- · R1 Decrease A/R over 90 Indian Bene, Medicaid, Medi- Cal, VA
- Facility Scope: Increase Self pay



Adjustments

Adjustment Sub Type	Jun-23	Jul-23	Aug-23	Sept -23	Oct-23 MTD
Contractual Allowance Adjustment	(\$5,069)	(\$200,987)	(\$551,123)	(\$631,008)	(\$711,116)
Courtesy Adjustment	(\$195)	(\$109)	(\$866)	(\$1,274)	(\$467)
Discount Adjustment	(\$35)	(\$11,212)	(\$233)	(\$9 <i>,</i> 396)	(\$1,582)
Provider Adjustment	\$70	(\$760)	(\$19,828)	(\$13,822)	(\$15,293)
Payment Adjustment		(\$33)	(\$9)	(\$13)	(\$11)
Charity Adjustment		(\$28,877)	(\$27,514)	(\$1,363)	
Late Charge Processing		(\$90)	\$0	(\$90)	
Total Adjustments	-\$5,229	-\$242,068	-\$599,574	-\$656,966	-\$728,469

Client Assistance Oct EOM

Client Assist Status by Functional Area	Future Date	< 72 Hrs	4-9 Days	10-20 Days	21-30 Days	31+ Days	TOTAL	Aged 10+
TOTAL Client Assist	\$616	\$72,440	\$56,439	\$96,972	\$230,138	\$240,081	\$696,686	\$567,191
Charge Service Date out of Bounds	\$616	\$5,999	\$2,851	\$136	\$66		\$9,667	\$202
Coding Updates			\$295	\$6,745		\$118,355	\$125,395	\$125,100
Er/OBS to IP review							\$0	\$0
Encounters w/o charges		-\$304	-\$10	-\$60		-\$4,419	-\$4,792	-\$4,479
HIM Med Records Request					\$10,325		\$10,325	\$10,325
Late Charge Review		\$2,892		\$9,019			\$11,911	\$9,019
Medi-Cal enrollment hold							\$0	\$0
Medicare enrollment hold		\$398	\$2,720	\$4,726	\$175,212	\$26,113	\$209,169	\$206,051
OCE lab edits: 80053							\$0	\$0
OCE lab edits: 82945							\$0	\$0
Same Day encounter review		\$9,239					\$9,239	\$0
Self Pay After Medicaid		\$231	\$5,114	\$21,771	\$259	\$1,032	\$28,407	\$23,062
SNCA Authorizations		\$423	\$3,695	\$4,070		\$15,685	\$23,873	\$19,755
SNCA Billing Manager						\$204	\$204	\$204
SNCA charge review		\$4,482	\$9,926	\$6,804			\$21,211	\$6,804
SNCA coding denials		\$1,847	\$8,374	\$31,828	\$38,324	\$55,472	\$135,844	\$125,623
SNCA coding edits		\$218	\$18,143	\$1,085	\$549	\$9,019	\$29,013	\$10,652
SNCA Medical Necissity Edits		\$45,763					\$45,763	\$0
SNCA Registraion Edits			\$1,220	\$9,964	\$5,403	\$14,266	\$30,854	\$29,634
SNCA Registration Denials		\$838	\$3,888	\$885		\$4,354	\$9,966	\$5,239
SNCA Staff Ins Discount Review			\$66				\$66	\$0
Vaccine Clinic Review		\$415	\$156				\$571	\$0
VIP Encounter Review							\$0	\$0

Client Assistance 13.5 A/R Days / Client Assistance >10+ days 10.9 A/R Days



Payer Charge Mix

Rev by Primary HP FC	Jun-23	Jul-23	Aug-23	Sep-23	Oct-23
Blue Cross	\$237,881	\$350,198	\$277,596	\$514,524	\$407,661
Commercial	\$117,939	\$190,718	\$129,498	\$132,180	\$62,932
Indian Beneficiary	\$5,195			\$212	
Medicaid	\$11,488	\$22,198	\$896	\$-	
Medicaid HMO	\$90,720	\$206,190	\$239,725	\$182,936	\$185,461
Medi-Cal	\$94,316	\$60,106	\$32,638	\$88,597	\$58,155
Medicare	\$572,724	\$868,963	\$801,165	\$658,716	\$745,527
Medicare Advantage	\$54,826	\$57,508	\$37,067	\$50,600	\$34,193
Self Pay	\$41,879	\$118,732	\$100,743	\$46,229	\$19,909
Veterans Administration	\$29,028	\$37,332	\$61,581	\$59,370	\$56,125
Worker's Compensation	\$26,855	\$44,847	\$37,024	\$65,877	\$30,215
(blank)	\$46	\$2,665	\$5,037	\$4,198	\$1,386
TOTAL	\$1,282,897	\$1,959,458	\$1,722,969	\$1,803,439	\$1,601,562



Payment Charge Mix

Bill Financial Class	Jun-23	Jul-23	Aug-23	Sep-23	Oct-23
Blue Cross	4,230	97,073	212,211	239,131	273,092
Commercial	1,269	72,057	99,866	86,611	95,903
Indian Beneficiary					
Medicaid				(113)	
Medicaid HMO	-	3,317	14,292	27,206	26,161
Medi-Cal	541	1,342	2,212	4,016	6,722
Medicare	-	87,439	359,380	283,754	270,063
Medicare Advantage	-	2,440	21,402	40,218	18,938
Self Pay	4,209	6,322	215	43,517	37,876
Veterans Administration		5,333	6,195	40,306	15,987
Worker's Compensation		-	6,893	23,756	5,109
(blank)/reversals		(140)	(3,265)	(27,592)	(6,124)
Grand Total	10,250	275,182	719,402	760,810	743,728
Avg Cash Per Day	342	8,877	23,207	25,360	23,991



Self Pay

Collections # 1

Normal # 1

Normal # 2

Normal # 3

(blank)

Statement Cycle Dollars

-	26,696	99,579	129,120	158,186	172,196
	\$26,696	\$99,579	\$35,568	\$37,240	\$56,330
	\$-	\$-	\$-	\$88,654	\$93,681
	\$-	\$-	\$93,551	\$32,292	\$22,184
	\$-	\$-	\$-	\$-	\$-
	\$-	\$-	\$-	\$-	\$-

Collections # 1

Normal # 1

Normal # 2


Normal #3

(blank)

Self Pay Days

0.54	1.75	2.29	2.63	3.33
0.54	1.75	0.63	0.62	1.09
_	-	-	1.47	1.81
_	_	1.66	0.54	0.43
-	_	-	-	-
-	-	-	-	-

Appendix



Appendix: Calculations/Source/Target Calculations

Metric	Unit of Measure	Source	Calculation/Definition	Target Calculation
Gross Revenue	Dollars	Weekly/EOM RevWorks NOW Report (Charges)	Total for specified time period	90 day average
Cash Collections	Dollars	Weekly/EOM RevWorks NOW Report (Payments	Total for specified time period	102% of 90 day average
Clean Claim Rate	Percentage	Revenue Manager CCR Report	Total error claims divided by total claims uploaded	HFMA Benchmark
Average Daily Revenue	Dollars	Weekly/EOM RevWorks NOW Report (Charges)	Total of 90 days charges divided by 90	90 day average
			Total current month payments divided by total	
Gross Collections	Percentage	Calculated with other totals	current month charges	102% of 90 day average
				7 days (HFMA Benchmark + Standard
Unbilled AR	Days	Weekly/EOM RevWorks NOW Report (EATB)	Total unbilled charges divided by current ADR	Delay)
Unbilled Less Standard			Total unbilled charges (excluding Standard Delay)	
Delay	Days	Weekly/EOM RevWorks NOW Report (EATB)	divided by current ADR	4 days (HFMA Benchmark)
			Total unbilled charges (in any coding category)	
Waiting for Coding	Days	Weekly/EOM RevWorks NOW Report (EATB)	divided by current ADR	4 days (HFMA Benchmark)
			Total AR balance (all payers, including credit	
Total AR Days	Days	Weekly/EOM RevWorks NOW Report (EATB)	balances) divided by current ADR	50 Days
			Total Ins balance (all payers, including credit	
Total Ins AR Days	Days	Weekly/EOM RevWorks NOW Report (EATB)	balances) divided by current ADR	45 Days (Set by Wray Leadership)
			Total Ins balance of all payers aged 90+ that are	
			within the R1 Scope divided by toatal Ins AR	
Ins AR > 90	Percentage	Weekly/EOM RevWorks NOW Report (EATB)	balance	HMFA Benchmark
Credit Balances \$	Dollars	Weekly/EOM RevWorks NOW Report (EATB)	Total AR balances with balance type of Credit	1 x current ADR
			Total AR balances with balance type of Credit	
Credit Balance Days	Days	Weekly/EOM RevWorks NOW Report (EATB)	divided by current ADR	Set by Leadership
			Total (mapped) MTD denied dollars (excluding	
			Information Only, Provider Liability, Patient	
Initial Denial Rate	Percentage	Weekly/EOM RevWorks NOW Report (Denials)	Liability) divided by current month charges	HFMA Benchmark
	_		Total (mapped) MTD denied dollars (excluding	
			Information Only, Provider Liability, Patient	
Total Denials	Dollars	Weekly/EOM RevWorks NOW Report (Denials)	Liability)	5% of current month charges



Appendix: Status Legend

Unit of Measure (UofM)	•	•	•
\$	1% -/+	>1% -/+	>5% -/+
	of Target	of Target	of Target
Days	1 Day -/+	> 1 Day -/+	>3 Days -/+
	of Target	of Target	of Target
%	1% -/+	>1% -/+	>5% -/+
	of Target	of Target	of Target

Rough Draft- Ops Benchmarks

		Metric	Туре	Target	Good	Better	Best	Comment
	Cash &							Adj monthly seasonality; data
	Revenue	Total Gross Revenue	SM	Avg Prior Year				unavailable use avg. prior 3 mos. Adi monthly seasonality: data
		Total Cash Collected	\$M	Avg Prior Year				unavailable use avg. prior 3 mos.
								Adj monthly seasonality; data
		Gross Collection Rate	96	Avg Prior Year				unavailable use avg. prior 3 mos. Adj monthly seasonality; data
		Net Collection Rate	96	Avg Prior Year				unavailable use avg. prior 3 mos.
	DNFB	Unbilled AR	Days	< 6 AR Day(s)	6	5	4	
		Unbilled AR less Standard Delay	ŚМ					Calculated Adamia Ross & ARR
		Unbilled AR less	SIM					Calculated Metric Days * ADR
		Standard Delay	Davs	< 3 AR Days(s)	3	2	1	
		Coding WIP	SM					Calculated Metric Days * ADR
		Coding WIP	Days	< 1 AR Day(s)	1	0.8	0.5	
		Held in Scrubber	SM					Calculated Metric Days * ADR
		Held in Scrubber	Days	< 1 AR Day(s)	1	0.8	0.5	
		Correction Required	\$M					Calculated Metric Days * ADR
		Correction Required	Days	< 0.5 AR Day(s)	0.5	0.4	0.3	
		Standard Delay	SM					Calculated Metric Days * ADR
		Standard Delay	Days	< 4 AR Day(s)	3	2	1	System standard delay - 1 day
		Bill Suppression Hold	SM					Calculated Metric Days * ADR
		Bill Suppression Hold	Days	< 1 AR Day(s)	2	1.5	1	
		Ready to Bill	SM		-		-	Calculated Metric Days * ADR
		Ready to Bill	Days	< 0.5 AR Day(s)	0.5	0.4	0.3	
	A/R & Aging	Total Payer AR	SM					Calculated Metric Days * ADR
		Total Payer AR > 90	SM					Calculated Payer AR * AR > 90
		Total AR > 90 (incl SP)	96	< 22%	22%	2196	20%	
		Total AR > 90 {excld SP}	96	< 1896	18%	17%	16%	
		Total AR > 180	96	< 596	5%	5%	496	-
		Total AR > 365	96	< 296	2%	2%	196	-
		AR Days (incl SP)	Days	< 50.0 AR Day(s)	49	45	42	-
		AR Days (excl SP)	Days	< 43.0 AR Day(s)	41	38	35	
		an baya (caciar)	,.					
		R1-owned Work Items	96					<u> </u>
		Last touch >30	Days					
		Credit Balance	Days	< 1.0 AR Days	1	0.8	0.5	
	Cash Posting	Initial Denial Rate	96	< 10%	1096	8%	596	
	& Denials	Tech Denial	SM	< 196				Calculated % * Gross Charges
		Total Insurance						
		Payments Total Self Pay	\$M					
		Payments	SM					
		Contractual						
		Ad just ments Avoid able	\$M					
	Payments &	Adjustments	SM					
	Adjustments	Other Adjustments	SM					-
	- 1							
	Clearing House	Clean claim	96	> 85 %	0.9	0.9	1	Exclude Warnings
_								



Seneca Healthcare Board of Directors Meeting CEO Report

Monthly Updates:

New Hospital Build Effort:

Our licensed Timber Operator has been busy removing trees, stumps and slash from the property. Final chipping will be complete this week, and the ground is then prepared for grading work that scheduled to commence as soon as practicable in the spring. With removal of the trees, it is easy to visualize a building on the property. The land is very flat and well suited for the new hospital project. Our effort to keep the surrounding forest as natural as possible, and only remove forested areas necessary to build appears to have been successful. The forest west, north and northeast of the building as positioned on the property has been preserved and will make a nice natural boundary.

Peninsula Fire's new Chief, Robert Gray, met with us to get more information about the hospital build. He agreed to review the plans and provide responses to the plans for Fire Department sign off. This sign off is required to be submitted to HCAI.

The Emergency Medical Services Helicopter Landing Spot (Heliport) location has been reviewed by Sheriff Todd Johns and he has issued his letter of responsibility and approval as the Public Safety Agency. This is a necessary step for approval by CalTrans Department of Aeronautics (DOA). The plans and location for the EMS Helicopter Landing Spot have been fully approved by DOA. (PCSO letter Attached)

We continue to work through final design features and associated total budget in preparation for structuring our financing. More discussion related to these subjects will be available in other sections of the Board Agenda.

Our philanthropic activities will be in full swing as we now have enough detailed information to present to the community and charitable organizations and individuals. Our fall mailer for end of year donations has gone out and we have completed the formal pamphlet that provides more detailed information about the organization and the new building.

Legislative updates:

No California legislative updates -

Jerri and I met with Congressman Kiley on November 20th at his California headquarters office in Rocklin. We discussed the new hospital, Lake Almanor basin economic development and requested he follow up while in Washington with the National USDA Lending Office to ascertain more information about our loan being shorted. Our request is for his office to work to gain back the 2.8 M lending shortfall.



COO Recruitment

Final interviews are being conducted. We have had some delays due to scheduling conflicts and travel for onsite meetings. We expect our final interview will be the week of December 4, 2023, with final selection completed mid-December.

Cerner Conversion

We continue to work through some small but annoying issues with the initial system build that are affecting some operations. Our focus will continue on ensuring providers have the training and knowledge to appropriately capture/document in the system such that the information is complete and correct.

Policy and Procedure Software (MEC)

We have had prior discussion about implementing software to Track, Edit, Audit and Archive Seneca's Policies and Procedures such that all staff and the Seneca BOD would have online access. Seneca selected and has begun implementing MCN Healthcare. Once implemented, we will arrange BOD training on the software.

New Payroll System

This month, Seneca transitioned from <u>ADP</u> to <u>PayCom</u> for time keeping and payroll functionality. The decision to transition was made by our finance team after much deliberation and workflow analysis. We believe the change to PayCom will result in more accurate timekeeping, report analytics and workflow.

Physician & Mid-level Recruitment Update:

Interviewed:

Kevin Lundell, FNP (Family Medicine) Louis Delionback, MD (Family Medicine) Alfred Fernandez, MD (Emergency Services)


Offered and Accepted:


Lori Koehler, DNP, FNP will be joining Seneca in January as a permanent provider. Lori is a very experienced Family Medicine Advanced Practitioner. She will be establishing her practice in the Lake Almanor Clinic and will be a tremendous addition to our primary care.

See following page for Cerner Data Analytics – Review and Comment



















Office of the Sheriff Office of Emergency Services

1400 E. Main Street, Quincy, California 95971 • (530) 283-6375 • Fax 283-6344

September 8, 2023

Todd Johns Sheriff-Coroner Plumas County 1400 East Main Street Quincy, CA 95971

RE: Seneca Healthcare District EMS Helicopter Landing Site

To whom it may concern,

Seneca Healthcare District, (SHD) is located in the town of Chester California and within my jurisdiction for Plumas County as I am the duly elected Sheriff-Coroner for Plumas County.

SHD is in the process of building a new critical access hospital on a ten (10) acre parcel adjacent to, and north of the existing healthcare campus. The plan for the new facility is to incorporate an Emergency Medical Service (EMS) Helicopter Landing Site as defined by CCR, Title 21, Section 3527(g).

The EMS Helicopter Landing Site is positioned on the west side of the parcel with an approach that avoids overflight of residential homes, businesses, and sensitive environmental areas. The approach and landing site has been surveyed from the air by Enloe FlightCare and approved as safe for helicopter operations emergency evacuations.

As an officer authorized by a public safety agency as defined in *PUC Section 21662.1*, I deem this site a reasonable and prudent location for the safe operation of EMS helicopters for evacuation of seriously ill or injured patients.

Todd Johns Sheriff-Coroner







Seneca Healthcare District Board of Directors Meeting CNO Report

COVID and Other Public Health Updates:

Plumas County COVID-19 By the Numbers:

 CDC now recommends that counties use COVID-19 hospital admission levels to guide prevention decisions. ALL COUNTIES in California currently are listed with a COVID-19 hospital admission level = LOW.

Flu Season:

Flu (influenza) season runs yearly from November 1 of one year until April 30 of the next year. It might be better named "respiratory virus season" because other viruses, including RSV and COVID-19, are also prone to cause serious respiratory illness this time of year.

Seneca's Infection Prevention team reported that over 90% of our staff have received the flu vaccine this season which is outstanding. Those who have declined the vaccine will need to wear surgical masks while inside of Seneca buildings from 11/16/23 until public health declares an end to flu season.

Continuing Education:

- ✓ MICN (Mobile Intensive Care Nurse) Training was provided by Nor-Cal EMS on October 16, 2023. The nurses must complete an ambulance ride-along for a minimum of four hours before becoming certified. Chester Fire has refused to allow ride-alongs so we continue to work with other EMS providers to complete this training.
- ✓ Nursing Skills Fair was held the week of November 6-10. Topics covered included: aseptic technique, infection prevention, needle safety, CPR/Zoll defibrillators, and nursing reassessments.

Medical Equipment Planning (early procurement): (To be presented by Donna H.)

All new equipment planned for the new hospital have been reviewed. The following equipment will need to be purchased prior to moving:

ED: Two new stretchers **Imaging**: Ultrasound machine

Lab: "Cellavision" Surgery: Tower/insufflator/laparoscopes

Nursing Recruitment and Workforce Concerns:

Clinical Lab Scientist (CLS) Manager has given notice of impending retirement; position has been posted with recruiting firms.

RN House Supervisor/Drug Room RN position has been filled.

Per diem RN hired for surgical services.

Regulatory Updates:

A 5-member survey team arrived unannounced to the Seneca campus on Monday October 16, 2023. The survey team was made up of three registered nurses, one pharmacist, and one registered dietitian. The team completed their survey on Thursday, October 19, 2023. The final report was received on 11/2/23. The plan of correction was submitted on 11/7/23 and fully approved on 11/15/23.

Upcoming Anticipated Regulatory Surveys:

Long Term Care unit Laboratory

Respectfully submitted,

Judy Cline, MSN, RN, PHN

Chief Nursing Officer

TAB N.1 Compliance Report

To Be Delivered at Closed Session

TAB
N.2
IT
Report

No Report Submitted

TAB
N.3
HR
Report

Attached



Human Resources – Board Report

November 24th, 2023

- Recruitment updates:
 - o Chief Operating Officer position we are in the final rounds of our final three candidates and should have those finished up in the first week of December.
 - Nursing/Allied Health management roles: We have filled the House Supervisor/Drug Room Nurse position which is fantastic, and I am working with three recruiters to hopefully fill the Laboratory Manager position.
 - o I am assisting Shawn and Chelssa with marketing efforts to find mid-level practitioners and physicians. We are working with a local videographer and digital creator to put together a recruitment video so we can specifically target certain demographics and areas. More to come on this!
- Our Employee Holiday Party is coming up on Friday, December 15th. It will be located at the Almanor Recreation Center in Chester. We will have fun games, prizes, food, drinks and more!
- We switched HR/Payroll systems from ADP to Paycom. We have officially entered into our first pay period with Paycom and are ironing out the bumps as we go along. We're excited for this new system as it will make payroll much easier for our Finance team and it offers better HR system functionality for our management and staff.
- Feedback is continuing to be positive regarding our Newsletter! November's version is attached to this board report.

Open Positions for November 2023:

- Registered Nurse (Full Time, Part Time, Per Diem) (Acute & ER experience preferred)
- LVN (Full Time, Part Time, Per Diem)
- CNA (Full Time, Part Time, Per Diem)
- Laboratory Manager (Full Time)
- Clinical Laboratory Scientist (Full Time, Part Time, Per Diem)
- Housekeeper (Full Time, Per Diem)
- Diet Aide/Kitchen Helper (Per Diem)
- Occupational Therapy Assistant (Part Time)

Sincerely,

Jennie Mathews Director of Human Resources

List of Staff: Additions & Deletions

October 1st – 31st, 2023

Activity/Event	Status	Job Title	Start/End Date
	PD	Radiologic Technologist	10/19/2023
<u>ADDITIONS</u>	PD	Respiratory Therapist	10/17/2023
	FT	Maintenance Worker	11/1/2023
CONDITIONAL	None		
<u>ADDITIONS</u>			
	FT	Housekeeper	10/05/2023
DELETIONS			

Jennie Mathews, Director of HR



Seneca Healthcare District

NEWSLETT



Thanksgiving Word Search,



T В В E Ε Ε

WORD SEARCH CONTEST!

First person to send me all of the hidden words in the search will receive a prize. Email your words to jmathews@senecahospital.org



PAGE 2

Notes & News

PAGE 3

The Staff Corner

PAGE 4

Departmental **Updates**

NEWSLETTER

PAGE 5


New Hospital Build Updates



NOVEMBER 2023



NOTES & NEWS



The Staff Corner

Employee of the Month: Stacey Mc

We are so thankful and appreciative for how hard Stacey works in Housekeeping. She has stepped up weekly to fill open shifts, demonstrating that she is a team player and cares about our facility. Stacey works incredibly hard at her job and has filled in wherever needed, especially in the Skilled Nursing Facility.



Her hard work does not go unrecognized and we are very thankful for Stacey! Thank you from all of us at Seneca!

Nominated by: Jennifer Hall, Housekeeping Supervisor, and Jennie Mathews, **Director of Human Resources**

NOVEMBER WORK ANNIVERSARIES

1 Year

November 19th - Neal Cline (ER RN)

November 16th - Shawn McKenzie (Administration) November 30th - Keri Alward (Lab)

10 Years

November 18th - Andrea Kelly

11 Years

November 19th - Kacie Broussard (Care Coordination)

15 Years

November 21st - Marilyn Goodman (Lab)

24 Years

November 18th - David Monday (Lab)



Staff Undate

Kandis Powell has officially transitioned from the I.T. Department into a new role! She started working as our new Clinic Data Analyst in early November, We're very thankful for her time spent in I.T. and thrilled for what the future holds for her!

NEW HIRES THIS MONTH

WELCOME TO

SENECA HEALTHCARE



Julio Richter PD Respiratory Therapist



Cory Murchison FT Maintenance Worker



Margaret Pilgrim Materials Mngmt/Plant

Departmental Updates



paycom^{*}



SAVE THE DATE!

Our Seneca Holiday Party will be on Friday, December 15th at 6pm.
It will take place at the Almanor Recreation Center
in Chester. More details coming soon!

Paycom Update

We appreciate your patience as we go through this transition process. Please direct all Paycom questions to Kristin, Jennie, Corie, or Janelle.

Provider Update

Heather Smith PA-C, has been working with the Seneca Team as a Primary Care Provider for several months now. Patients and the community have been providing lots of positive feedback regarding her. Dr. Thomas Greely has been with the team for a little under a month. He will be available to see patients on Mondays. Lori Koehler, FNP-C has officially accepted an offer from Seneca to join our team as a Primary Care Provider, she is expected to start in January. We will be releasing more information regarding Lori to staff and the public as we near her start date. As of January, we will have three Primary Care Providers that will be accepting new patients. Our goal is to share this information with staff and the public so that people know we have providers that are accepting patients.



Meet THOMAS GREELY, MD PRIMARY CARE PROVIDER

Dr. Greely joined the Seneca team on Monday, October 23rd. He is a primary care provider with over 30 years of experience. He is an active volunteer in this community and part of The Almanor Foundation. We are excited to welcome him to the team. Please be sure to introduce yourself and say, "Hi" when you see him around campus.

Compliance or Privacy Reporting

If you have privacy or compliance concerns to report, please call: Charlene Almocera

(833) 227-3743/Internal Ext. 1516

To report anonymously, please leave a message at:

Compliance Hotline (833) 227-3743 / Internal Ext. 1525

We also have blank compliance forms for you to complete and drop into one of the Compliance Drop Boxes next to each Time Clock. Concerns or reports submitted are all investigated without fear of retaliation to the reporting employee. We prefer that you leave your name so that Compliance can respond to you timely with the status of your report as some issues may take longer to investigate and work through remediation.

HEALTHCARÉ DISTRICT

NEW HOSPITAL BUILD NEWS



General Update


The Timber Harvest is well in progress. The trees designated for removal have been cut down, the timber operators have removed stumps, deck-piled logs, and started the process of backfilling holes where the stumps were removed. The New Hospital Build Team, including representatives from Seneca, Boldt and HGA are busy working behind the scenes to finalize details needed for construction from the equipment lists, wall colors, flooring finishes to furniture and more. The team is combing through every detail to make sure it is correct. The latest meetings have revolved around furniture selections and signage for the interior and exterior of the hospital. The current timeline is below.



Timeline Update

Due to the delay caused by the Blue Heron's nest, the overall time line has been pushed back approximately six months. The timeline for the build is an estimate and is subject to change.





TAB N.4 Marketing/PR Report

Attached



Current Projects Update November 2023

New Build Campaign /Philanthropy

- Donor Tree/Heavy Timber this is continued from previous months and still an ongoing project.
 - Waiting on responses from Boldt to questions brought up during the meeting with Collins
- > Donor Brief arrived and is in the Admin office. A copy of this has been shared with staff to help drum up excitement

General Marketing

 Radio Ads: New radio ads are completed for December have been recorded and are schedule to start in rotation.

DECAD OPTION – GENERAL

• THE HOLIDAY SEASON CAN BE A BUSY AND EXCITING TIME FULL GIVING, YUMMY FOOD AND MORE. SENECA HEALTHCARE DISTRICT WOULD LIKE WISH YOU ALL HAPPY AND HEALTHY HOLIDAYS THIS YEAR. WE WOULD ALSO LIKE TO REMIND YOU THAT COLD AND FLU SEASON IS UPON US. STAY HEALTHY THIS SEASON, GET VACCINATED, WASH HANDS AND DON'T FORGET WE ARE HERE IF YOU NEED US. APPOINTMENTS CAN BE SCHEDULED BY CALLING THE ALMANOR CLINIC AT 1-833 227-3743 THAT'S 1 833 CARE SHD.

DEC 2023 – CHILDRENS WELLNESS

• SENECA HEALTH CARE DISTRICT IN CHESTER CONTINUES TO EXPAND THEIR FAMILY PRACTICE TEAM OF HEALTH CARE PROFESSIONALS. DID YOU KNOW THAT CHILDREN'S WELLNESS EXAMS ARE AVAILABLE AT THE LAKE ALMANOR CLINIC IN CHESTER. CHILDRENS WELLNESS EXAMS ARE RECOMMENDED EVERY YEAR. THIS HELPS TO ENSURE THE HEALTH AND WELLBEING OF YOUR LITTLE ONES. LET PROVIDERS AT SENECA HELP TAKE CARE OF YOUR FAMILY TODAY. SENECA OFFERS A FULL COMPLIMENT OF HEALTH CARE. IT'S GOOD TO KNOW THAT COMPASSONATE AND QUALITY HEALTH CARE CONTINUES TO BE A HALLMARK OF WHO SENECA IS. CALL 1-833-227-3743 FOR AN APPOINTMENT TODAY.

DEC 2023 – COMPASSION

- COMPASSIONATE AND QUALITY HEALTH CARE IS THE HALLMARK OF SENECA HEALTH CARE
 DISTRICT IN CHESTER. SENECA HAS RECENTLY ADDED 2 PRIMARY CARE PROVIDERS TO OUR
 TEAM THAT ARE ACCEPTING NEW PATIENTS AND AN ADDITIONAL PRIMARY CARE PROVIDER IS
 SCHEDULED TO START IN JANUARY. SENECA OFFERS A FULL ARRAY OF HEALTH CARE SERVICES.
 TO SCHEDULE AN APPOINTMENT CALL 1-833-227-3743 THAT'S 1-833- CARE SHD. SENECA
 HEALTH CARE DISTRICT ON BRENTWOOD DRIVE, CHESTER.
- LACC Newsletter Continual updates are released and- Winter Ads in development now.
 - An ad to promote Heather and Tom as primary care providers and a teaser about Lori anticipated to start in January with more information to follow.
- Highlife magazine continued ads.
- MVL Magazine Ads continued working on Ads for the spring.
- ➤ Phonebook: complete for the 2024 year. -Add are scheduled to go out in January that will remind people that the old phone numbers for Seneca will start phasing out.
- Ravenlight Productions:
 - Ravenlight is working with Marketing and HR on a provider recruitment campaign.
 - Proposed script
 Secretary from Proposed

Scene 1: [Long, Busy Waiting Room in City Clinic] Visual: Long queue of patients, crowded, chaotic.



Audio: Loud conversations, babies crying. Voice over:"Is this your everyday?"

Scene 2: [Close-up: Busy Doctor's Digital Chart]

Visual: Close-up of a digital chart filled with back-to-back appointments.

Audio: Notification pings, phones ringing.

Voice over: "Ever feel like your constantly being pulled in every direction? Thinking about change of pace?"

Scene 3: [Lake Almanor Walk-In Clinic]

Visual: Warm, inviting clinic space with staff and patients smiling. (Young child smiling at doctor?) Audio: Birds chirping, wind rustling through trees.

Voice over: "Consider joining a team where you are more than just a name badge. You and your work are valued."

Scene 4: [Lifestyle: Lake Almanor Activities]

Visual: Quick cuts between a golfer swinging, a man playing corn hole, and a wakeboarder on Lake Almanor.

Audio: Lake water lapping, distant laughter, birdsong.

Voice over: "Discover work-life balance at Seneca Heatlh care in Chester."

Scene 5: [Ending Screen]

Visual: Seneca Healthcare District Logo appears with Lake Almanor in the background.

Audio: Birds chirping, wind rustling through trees fade out.

Voice over & text: "Learn more and apply at senecahospital.org/careers"

Website Updates

- Updating Billing pages to remove HRG bill pay options on the 28th of this month
 - Marketing to go out for this to let patients know.
- Provider pages
 - Pages for H. Smith, B. Watson, S. Jensen, D. Ware added to site to help with google search and seo optimization

Working on pages for T. Greely, and L. Koehler

- Continued from last month
 - Provider Recruitment Page -The recruitment page is in progress and once the PD and further information is gathered it will go live. These pages will be part of the provider campaign, I am updating documents for these pages and working with HR for positions descriptions to add to these.
 - Home Page The home page is being updated and refreshed, we will work on updating the entire website through the first quarter of next year.

Philanthropy

- Continuing to oversee this and work with donors on how to donate.
 - Several meetings and phone conversations have taken place with donors.
 - The attached letter is going out to our list of contacts and donors.